



REVISIONS			
REV	DESCRIPTION	DATE	APPROVED



SPURIOUS RADIATION FIELD STRENGTH TEST EQUIPMENT SETUP

AD 06/02/03	SIZE A	CODE IDENT NO. 50187	DRAWING NO. SK-1890
APPR./DATE	SCALE	9931	SHEET 1 OF 1

*ATTEN 10dB

RL 0dBm

10dB/

D

STOP
5.000 GHz

START 0Hz

STOP 5.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec


STRUTHER mod 5638A
17.76 dB @ 2.8 GHz

*ATTEN 10dB

RL 0dBm

10dB/

D



START 5.000GHz

STOP 10.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec

STRUTHGE mod 5638A


17.76 dB @ 2.8 GHz

*ATTEN 10dB

RL 0dBm

10dB/

D



START 10.000GHz

STOP 15.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec


STRUTHER MOD 1110C
20.49 dB @ 5.6 GHz

*ATTEN 10dB

RL 0dBm

10dB/

D



START 15.000GHz

STOP 20.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec


STRUTHER MOD 1110C
20.49 dB @ 5.66Hz

*ATTEN 10dB

RL 0dBm

10dB/

D



START 20.000GHz

STOP 25.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec


STRUTHER MOD 1110C
20.49 dB @ 5.6 GHz

*ATTEN 10dB

RL 0dBm

10dB/

D



START 25.000GHz

STOP 30.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec

STRUTHER MOD. 110X


9.4 GHz @ 19.1 dB GAIN

*ATTEN 10dB

RL 0dBm

10dB/

D



START 30.000GHz

STOP 35.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec

STRUTHER MOD 110X


19.1 dB GAIN @ 9.4 GHz

*ATTEN 10dB

RL 0dBm

10dB/

D



START 35.000GHz

STOP 40.000GHz

*RBW 100kHz

*VBW 100kHz

*SWP 3.00sec

STRUTTERS MOD 110X

19.1 dB Gain @ 9.4 GHz