


Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093 IC RSS-102

APPENDIX D - SAR TEST SETUP & DUT PHOTOGRAPHS

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102


FACE-HELD SAR TEST SETUP PHOTOGRAPHS
2.5 cm Separation Distance from Front of Radio to Planar Phantom
Half-wave Antenna (P/N: KRE 101 1506/1)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						296 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

FACE-HELD SAR TEST SETUP PHOTOGRAPHS
2.5 cm Separation Distance from Front of Radio to Planar Phantom
Quarter-wave Antenna (P/N: KRE 101 1506/2)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						297 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005	Issue 1 Rev. 3	
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

FACE-HELD SAR TEST SETUP PHOTOGRAPHS

2.5 cm Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version (P/N: KRY 101 1617/184)
Half-wave Antenna (P/N: KRE 101 1506/1)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	M/A-COM
DUT Type:	Portable FM PTT Radio Transceiver	764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz						
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						298 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

FACE-HELD SAR TEST SETUP PHOTOGRAPHS



2.5 cm Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version (P/N: KRY 101 1617/184)
Quarter-wave Antenna (P/N: KRE 101 1506/2)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						299 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102


FACE-HELD SAR TEST SETUP PHOTOGRAPHS
2.5 cm Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version Ruggedized (P/N: KRY 101 1617/384)
Half-wave Antenna (P/N: KRE 101 1506/1)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						300 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102




FACE-HELD SAR TEST SETUP PHOTOGRAPHS
2.5 cm Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version Ruggedized (P/N: KRY 101 1617/384)
Quarter-wave Antenna (P/N: KRE 101 1506/2)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						301 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005	Issue 1 Rev. 3	
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102


BODY-WORN SAR TEST SETUP PHOTOGRAPHS
1.3 cm Lapel-Clip Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version (P/N: KRY 101 1617/184)
Half-wave Antenna (P/N: KRE 101 1506/1) - Earphone (P/N: OT-V1-10234)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	M/A-COM
DUT Type:	Portable FM PTT Radio Transceiver	764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz						
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						302 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
1.3 cm Lapel-Clip Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version (P/N: KRY 101 1617/184)
Quarter-wave Antenna (P/N: KRE 101 1506/2) - Earphone (P/N: OT-V1-10234)





Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						303 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093 IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS



1.3 cm Lapel-Clip Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version Ruggedized (P/N: KRY 101 1617/384)
Half-wave Antenna (P/N: KRE 101 1506/1) - Ranger Headset (P/N: OT-V4-10421)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						304 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS
1.3 cm Lapel-Clip Separation Distance to Planar Phantom
Speaker-Microphone Antenna Version Ruggedized (P/N: KRY 101 1617/384)
Quarter-wave Antenna (P/N: KRE 101 1506/2) - Ranger Headset (P/N: OT-V4-10421)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						305 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093 IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.1 cm Metal Belt-Clip Separation Distance to Planar Phantom

Metal Belt-Clip (P/N: KRY 101 1647/1) & Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Half-wave Antenna (P/N: KRE 101 1506/1)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						306 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093 IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.1 cm Metal Belt-Clip Separation Distance to Planar Phantom

Metal Belt-Clip (P/N: KRY 101 1647/1) & Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Quarter-wave Antenna (P/N: KRE 101 1506/2)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						307 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005	Issue 1 Rev. 3	
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.1 cm Leather Case Separation Distance to Planar Phantom
Leather Case Kit (P/N: KRY 101 1639/4), Leather Shoulder Strap (P/N: CC103333V1),
& Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Half-wave Antenna (P/N: KRE 101 1506/1)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						308 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005	Issue 1 Rev. 3	
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

1.1 cm Leather Case Separation Distance to Planar Phantom
Leather Case Kit (P/N: KRY 101 1639/4), Leather Shoulder Strap (P/N: CC103333V1),
& Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Quarter-wave Antenna (P/N: KRE 101 1506/2)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	M/A-COM
DUT Type:	Portable FM PTT Radio Transceiver	764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz						
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						309 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

4.2 cm Leather Case & Leather Belt-Loop Separation Distance to Planar Phantom
Leather Case Kit (P/N: KRY 101 1639/4), Leather Belt-Loop (P/N: KRY 101 1609/1),
& Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Half-wave Antenna (P/N: KRE 101 1506/1)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						310 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005	Issue 1 Rev. 3	
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

4.2 cm Leather Case & Leather Belt-Loop Separation Distance to Planar Phantom
Leather Case (P/N: KRY 101 1639/3), Leather Belt-Loop (P/N: KRY 101 1609/1),
& Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Quarter-wave Antenna (P/N: KRE 101 1506/2)




Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver	764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz						
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						311 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005		Issue 1 Rev. 3
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

4.0 cm Nylon Case & Leather Belt-Loop Separation Distance to Planar Phantom
Nylon Case (P/N: KRY 101 1648/1), Leather Belt-Loop (P/N: KRY 101 1609/1),
& Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Half-wave Antenna (P/N: KRE 101 1506/1)





Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						312 of 336

Test Report Serial No.:	071105BV8-T656-S90F	TR Issue Date:	August 25, 2005
Dates of Evaluation:	July 19-22, 25-28, August 02-04, 2005	Issue 1 Rev. 3	
Description of Test:	RF Exposure	SAR	FCC 2.1093
			IC RSS-102

BODY-WORN SAR TEST SETUP PHOTOGRAPHS

4.0 cm Nylon Case & Leather Belt-Loop Separation Distance to Planar Phantom
Nylon Case (P/N: KRY 101 1648/1), Leather Belt-Loop (P/N: KRY 101 1609/1),
& Speaker-Microphone (P/N: KRY 101 1617/183) Accessories
Quarter-wave Antenna (P/N: KRE 101 1506/2)



Applicant:	M/A-COM, Inc.	Model:	P7200	FCC ID:	BV8P7200	IC ID:	3670A-P7200	
DUT Type:	Portable FM PTT Radio Transceiver			764-776MHz / 794-806MHz / 806-824MHz / 851-869MHz				
2005 Celltech Labs Inc.		This document is not to be reproduced in whole or in part without the prior written permission of Celltech Labs Inc.						313 of 336