

March 20, 2003

Federal Communications Commission
Authorization & Evaluation Division
7435 Oakland Mills Road
Columbia Maryland 21046

M/A-COM, Inc.
221 Jefferson Ridge Parkway
Lynchburg, VA 24501
mcwattebr@tycoelectronics.com
Regulatory Manager
Telephone: (434) 835-6243
Fax: (434) 835-6815

Attention: Stan Lyles

Subject: Type Acceptance FCC ID: BV8P800, CRN 24923

M/A COM, Inc. is answering the questions from CRN 2493 in descending order;

- A. See the new manual uploaded through add attachments.
- B. See below.

Original Measurements

Position	Frequency (MHz)	SAR1g, (mW/g)
Held in-front of Mouth	824	0.623
Body	824	0.650

Addendum Measurements

Position	Frequency (MHz)	SAR1g, (mW/g)
Held in-front of Mouth	806	1.14

Given the information above, it seems logical to assume that the additional body measurement, would not measure more than 2(.650) since the "Held in-front of Mouth" position was (1.14/.623) or 1.89 times greater than the original. From this we would conclude that additional body measurement would be no higher than 1.30 (mW/g), SAR1g relative to a 8 (mW/g), SAR1g limit. The same phantom is being used with the same solution, thus it seems a waste of time and expense to perform additional measurements. The report states the uncontrolled exposure limits this, is incorrect, this is a public safety device and the manuals have been prepared to reflect the needs of such(Controlled Exposure Limits).

Regards,

Bryan McWatters
mcwattebr@tycoelectronics.com
Regulatory Manager
Telephone: (434) 455-9377
Fax: (434) 455-6815