





11AX20MIMO_Ant10_6895_52Tone_RU37




11AX20MIMO_Ant10_6895_106Tone_RU53






11AX20MIMO_Ant3_7095_26Tone_RU8




11AX20MIMO_Ant3_7095_26Tone_RU40






11AX20MIMO_Ant3_7095_106Tone_RU54




11AX20MIMO_Ant10_7095_26Tone_RU8






11AX20MIMO_Ant10_7095_26Tone_RU40




11AX20MIMO_Ant10_7095_106Tone_RU54






11AX20MIMO_Ant3_7115_26Tone_RU8




11AX20MIMO_Ant3_7115_52Tone_RU40






11AX20MIMO_Ant3_7115_106Tone_RU54




11AX20MIMO_Ant10_7115_26Tone_RU8






11AX20MIMO_Ant10_7115_52Tone_RU40



11AX20MIMO_Ant10_7115_106Tone_RU54





Maximum power spectral density

Test Result

Test Mode	Antenna	Freq(MHz)	Ru Size	Ru Index	Result [dBm/MHz]	Limit [dBm/MHz]	Gain	EIRP [dBm/MHz]	Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant3	5955	26Tone	RU0	-6.53	≤1.80	-2.80	-9.33	≤-1.00	PASS
			52Tone	RU37	-5.86	≤1.80	-2.80	-8.66	≤-1.00	PASS
			106Tone	RU53	-6.24	≤1.80	-2.80	-9.04	≤-1.00	PASS
	Ant10	5955	26Tone	RU0	-4.46	≤1.80	-2.80	-7.26	≤-1.00	PASS
			52Tone	RU37	-4.39	≤1.80	-2.80	-7.19	≤-1.00	PASS
			106Tone	RU53	-4.14	≤1.80	-2.80	-6.94	≤-1.00	PASS
	total	5955	26Tone	RU0	-1.69	≤-1.21	0.21	-1.48	≤-1.00	PASS
			52Tone	RU37	-2.05	≤-1.21	0.21	-1.84	≤-1.00	PASS
			106Tone	RU53	-2.05	≤-1.21	0.21	-1.84	≤-1.00	PASS
	Ant3	6415	26Tone	RU8	-5.13	≤1.80	-2.80	-7.93	≤-1.00	PASS
			52Tone	RU40	-4.65	≤1.80	-2.80	-7.45	≤-1.00	PASS
			106Tone	RU54	-4.13	≤1.80	-2.80	-6.93	≤-1.00	PASS
	Ant10	6415	26Tone	RU8	-5.05	≤1.80	-2.80	-7.85	≤-1.00	PASS
			52Tone	RU40	-5.16	≤1.80	-2.80	-7.96	≤-1.00	PASS
			106Tone	RU54	-5.47	≤1.80	-2.80	-8.27	≤-1.00	PASS
	total	6415	26Tone	RU8	-2.08	≤-1.21	0.21	-1.87	≤-1.00	PASS
			52Tone	RU40	-1.89	≤-1.21	0.21	-1.68	≤-1.00	PASS
			106Tone	RU54	-1.74	≤-1.21	0.21	-1.53	≤-1.00	PASS
	Ant3	6435	26Tone	RU0	-3.60	≤1.70	-2.70	-6.30	≤-1.00	PASS
			52Tone	RU37	-3.29	≤1.70	-2.70	-5.99	≤-1.00	PASS
			106Tone	RU53	-4.28	≤1.70	-2.70	-6.98	≤-1.00	PASS
	Ant10	6435	26Tone	RU0	-7.38	≤1.70	-2.70	-10.08	≤-1.00	PASS
			52Tone	RU37	-7.73	≤1.70	-2.70	-10.43	≤-1.00	PASS
			106Tone	RU53	-5.97	≤1.70	-2.70	-8.67	≤-1.00	PASS
	total	6435	26Tone	RU0	-2.08	≤-1.31	0.31	-1.77	≤-1.00	PASS
			52Tone	RU37	-1.96	≤-1.31	0.31	-1.65	≤-1.00	PASS
			106Tone	RU53	-2.03	≤-1.31	0.31	-1.72	≤-1.00	PASS
	Ant3	6515	26Tone	RU8	-4.78	≤1.70	-2.70	-7.48	≤-1.00	PASS
			52Tone	RU40	-4.73	≤1.70	-2.70	-7.43	≤-1.00	PASS
			106Tone	RU54	-4.05	≤1.70	-2.70	-6.75	≤-1.00	PASS
	Ant10	6515	26Tone	RU8	-5.46	≤1.70	-2.70	-8.16	≤-1.00	PASS
			52Tone	RU40	-5.48	≤1.70	-2.70	-8.18	≤-1.00	PASS
			106Tone	RU54	-5.61	≤1.70	-2.70	-8.31	≤-1.00	PASS
	total	6515	26Tone	RU8	-2.10	≤-1.31	0.31	-1.79	≤-1.00	PASS
			52Tone	RU40	-2.08	≤-1.31	0.31	-1.77	≤-1.00	PASS



		106Tone	RU54	-1.75	≤ -1.31	0.31	-1.44	≤ -1.00	PASS
Ant3	6535	26Tone	RU0	-4.33	≤ 1.60	-2.60	-6.93	≤ -1.00	PASS
		52Tone	RU37	-4.29	≤ 1.60	-2.60	-6.89	≤ -1.00	PASS
		106Tone	RU53	-4.81	≤ 1.60	-2.60	-7.41	≤ -1.00	PASS
Ant10	6535	26Tone	RU0	-5.34	≤ 1.60	-2.60	-7.94	≤ -1.00	PASS
		52Tone	RU37	-5.41	≤ 1.60	-2.60	-8.01	≤ -1.00	PASS
		106Tone	RU53	-5.40	≤ 1.60	-2.60	-8.00	≤ -1.00	PASS
total	6535	26Tone	RU0	-1.80	≤ -1.41	0.41	-1.39	≤ -1.00	PASS
		52Tone	RU37	-1.80	≤ -1.41	0.41	-1.39	≤ -1.00	PASS
		106Tone	RU53	-2.08	≤ -1.41	0.41	-1.67	≤ -1.00	PASS
Ant3	6855	26Tone	RU8	-7.34	≤ 1.60	-2.60	-9.94	≤ -1.00	PASS
		52Tone	RU40	-7.52	≤ 1.60	-2.60	-10.12	≤ -1.00	PASS
		106Tone	RU54	-5.87	≤ 1.60	-2.60	-8.47	≤ -1.00	PASS
Ant10	6855	26Tone	RU8	-4.04	≤ 1.60	-2.60	-6.64	≤ -1.00	PASS
		52Tone	RU40	-3.99	≤ 1.60	-2.60	-6.59	≤ -1.00	PASS
		106Tone	RU54	-4.97	≤ 1.60	-2.60	-7.57	≤ -1.00	PASS
total	6855	26Tone	RU8	-2.37	≤ -1.41	0.41	-1.96	≤ -1.00	PASS
		52Tone	RU40	-2.40	≤ -1.41	0.41	-1.99	≤ -1.00	PASS
		106Tone	RU54	-2.39	≤ -1.41	0.41	-1.98	≤ -1.00	PASS
Ant3	6875	26Tone	RU0	-4.69	≤ 1.60	-2.60	-7.29	≤ -1.00	PASS
		52Tone	RU37	-5.03	≤ 1.60	-2.60	-7.63	≤ -1.00	PASS
		106Tone	RU53	-5.54	≤ 1.60	-2.60	-8.14	≤ -1.00	PASS
Ant10	6875	26Tone	RU0	-5.86	≤ 1.60	-2.60	-8.46	≤ -1.00	PASS
		52Tone	RU37	-5.27	≤ 1.60	-2.60	-7.87	≤ -1.00	PASS
		106Tone	RU53	-4.74	≤ 1.60	-2.60	-7.34	≤ -1.00	PASS
total	6875	26Tone	RU0	-2.23	≤ -1.41	0.41	-1.82	≤ -1.00	PASS
		52Tone	RU37	-2.14	≤ -1.41	0.41	-1.73	≤ -1.00	PASS
		106Tone	RU53	-2.11	≤ -1.41	0.41	-1.70	≤ -1.00	PASS
Ant3	6895	26Tone	RU0	-4.75	≤ 1.90	-2.90	-7.65	≤ -1.00	PASS
		52Tone	RU37	-4.84	≤ 1.90	-2.90	-7.74	≤ -1.00	PASS
		106Tone	RU53	-5.35	≤ 1.90	-2.90	-8.25	≤ -1.00	PASS
Ant10	6895	26Tone	RU0	-4.91	≤ 1.90	-2.90	-7.81	≤ -1.00	PASS
		52Tone	RU37	-4.38	≤ 1.90	-2.90	-7.28	≤ -1.00	PASS
		106Tone	RU53	-4.15	≤ 1.90	-2.90	-7.05	≤ -1.00	PASS
total	6895	26Tone	RU0	-1.82	≤ -1.11	0.11	-1.71	≤ -1.00	PASS
		52Tone	RU37	-1.59	≤ -1.11	0.11	-1.48	≤ -1.00	PASS
		106Tone	RU53	-1.70	≤ -1.11	0.11	-1.59	≤ -1.00	PASS
Ant3	7095	26Tone	RU8	-6.11	≤ 1.90	-2.90	-9.01	≤ -1.00	PASS
		52Tone	RU40	-6.35	≤ 1.90	-2.90	-9.25	≤ -1.00	PASS
		106Tone	RU54	-5.74	≤ 1.90	-2.90	-8.64	≤ -1.00	PASS
Ant10	7095	26Tone	RU8	-3.37	≤ 1.90	-2.90	-6.27	≤ -1.00	PASS





			52Tone	RU40	-3.36	≤ 1.90	-2.90	-6.26	≤ -1.00	PASS
			106Tone	RU54	-3.73	≤ 1.90	-2.90	-6.63	≤ -1.00	PASS
			26Tone	RU8	-1.52	≤ -1.11	0.11	-1.41	≤ -1.00	PASS
	total	7095	52Tone	RU40	-1.59	≤ -1.11	0.11	-1.48	≤ -1.00	PASS
			106Tone	RU54	-1.61	≤ -1.11	0.11	-1.50	≤ -1.00	PASS
			26Tone	RU8	-20.42	≤ 1.90	-2.90	-23.32	≤ -1.00	PASS
	Ant3	7115	52Tone	RU40	-20.46	≤ 1.90	-2.90	-23.36	≤ -1.00	PASS
			106Tone	RU54	-19.50	≤ 1.90	-2.90	-22.40	≤ -1.00	PASS
			26Tone	RU8	-17.39	≤ 1.90	-2.90	-20.29	≤ -1.00	PASS
	Ant10	7115	52Tone	RU40	-17.05	≤ 1.90	-2.90	-19.95	≤ -1.00	PASS
			106Tone	RU54	-18.03	≤ 1.90	-2.90	-20.93	≤ -1.00	PASS
			26Tone	RU8	-15.64	≤ -1.11	0.11	-15.53	≤ -1.00	PASS
	total	7115	52Tone	RU40	-15.42	≤ -1.11	0.11	-15.31	≤ -1.00	PASS
			106Tone	RU54	-15.69	≤ -1.11	0.11	-15.58	≤ -1.00	PASS
			26Tone	RU8	-15.64	≤ -1.11	0.11	-15.53	≤ -1.00	PASS

Note: 1.The Duty Cycle Factor and is compensated in the graph.




Test Graphs









11AX20MIMO_Ant10_5955_52Tone_RU37




11AX20MIMO_Ant10_5955_106Tone_RU53








11AX20MIMO_Ant3_6415_106Tone_RU54



Date: 30.MAR.2023 18:18:05


11AX20MIMO_Ant10_6415_26Tone_RU8



Date: 30.MAR.2023 18:15:48




11AX20MIMO_Ant10_6415_52Tone_RU40





Date: 30.MAR.2023 18:17:29


11AX20MIMO_Ant10_6415_106Tone_RU54





Date: 30.MAR.2023 18:18:15






























11AX20MIMO_Ant3_6855_106Tone_RU54





Date: 30.MAR.2023 18:54:08


11AX20MIMO_Ant10_6855_26Tone_RU8





Date: 30.MAR.2023 18:47:08




















11AX20MIMO_Ant10_6895_52Tone_RU37




11AX20MIMO_Ant10_6895_106Tone_RU53













11AX20MIMO_Ant3_7115_26Tone_RU8



Date: 26.APR.2023 12:34:21


11AX20MIMO_Ant3_7115_52Tone_RU40



Date: 26.APR.2023 12:35:28




11AX20MIMO_Ant3_7115_106Tone_RU54



Date: 26.APR.2023 12:37:31


11AX20MIMO_Ant10_7115_26Tone_RU8



Date: 26.APR.2023 12:34:31




11AX20MIMO_Ant10_7115_52Tone_RU40



Date: 26.APR.2023 12:35:41


11AX20MIMO_Ant10_7115_106Tone_RU54



Date: 26.APR.2023 12:37:42




Appendix B. AC Conducted Emission Test Results





Test Engineer :	Lily Qiu	Temperature :	22~24°C
		Relative Humidity :	44~50%
Test Voltage :	120Vac / 60Hz	Phase :	Neutral
Remark :	All emissions not reported here are more than 10 dB below the prescribed limit.		



Site : C001-SZ
Condition: FCC 15E QP LISN 20220811_N NEUTRAL

	Freq	Level	Over	Limit	Read	LISN	Cable	
	MHz	dBuV	Limit	Line	Level	Factor	Loss	Remark
			dB	dBuV	dBuV	dB	dB	
1	0.20	33.55	-20.12	53.67	13.10	10.28	10.17	Average
2	0.20	45.75	-17.92	63.67	25.30	10.28	10.17	QP
3	0.24	25.28	-26.67	51.95	4.50	10.25	10.53	Average
4	0.24	41.58	-20.37	61.95	20.80	10.25	10.53	QP
5	0.32	26.35	-23.27	49.62	5.10	10.19	11.06	Average
6	0.32	42.35	-17.27	59.62	21.10	10.19	11.06	QP
7	0.43	26.68	-20.56	47.24	4.90	10.19	11.59	Average
8	0.43	42.78	-14.46	57.24	21.00	10.19	11.59	QP
9	0.65	24.56	-21.44	46.00	3.10	10.23	11.23	Average
10 *	0.65	42.46	-13.54	56.00	21.00	10.23	11.23	QP
11	1.01	25.65	-20.35	46.00	5.20	10.22	10.23	Average
12	1.01	40.15	-15.85	56.00	19.70	10.22	10.23	QP

Note:

- Level(dBμV) = Read Level(dBμV) + LISN Factor(dB) + Cable Loss(dB)
- Over Limit(dB) = Level(dBμV) – Limit Line(dBμV)



Appendix C. Radiated Spurious Emission

Test Engineer :	LiangHuaCong	Relative Humidity :	50%
		Temperature :	20~22°C

Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	3+10	802.11a	1	5955	6Mbps	-	SKU2
Mode 2	U-NII-5	5.925-6.425	3+10	802.11a	45	6175	6Mbps	-	SKU2
Mode 3	U-NII-5	5.925-6.425	3+10	802.11a	93	6415	6Mbps	-	SKU2
Mode 4	U-NII-6	6.425-6.525	3+10	802.11a	97	6435	6Mbps	-	SKU2
Mode 5	U-NII-6	6.425-6.525	3+10	802.11a	105	6475	6Mbps	-	SKU2
Mode 6	U-NII-6	6.425-6.525	3+10	802.11a	113	6515	6Mbps	-	SKU2
Mode 7	U-NII-7	6.525-6.875	3+10	802.11a	117	6535	6Mbps	-	SKU2
Mode 8	U-NII-7	6.525-6.875	3+10	802.11a	149	6695	6Mbps	-	SKU2
Mode 9	U-NII-7	6.525-6.875	3+10	802.11a	181	6855	6Mbps	-	SKU2
Mode 10	U-NII-8	6.875-7.125	3+10	802.11a	189	6895	6Mbps	-	SKU2
Mode 11	U-NII-8	6.875-7.125	3+10	802.11a	209	6995	6Mbps	-	SKU2
Mode 12	U-NII-8	6.875-7.125	3+10	802.11a	229	7095	6Mbps	-	SKU2
Mode 13	U-NII-5	5.925-6.425	3+10	802.11ax HE20	1	5955	MCS0	-	SKU2
Mode 14	U-NII-5	5.925-6.425	3+10	802.11ax HE20	45	6175	MCS0	-	SKU2
Mode 15	U-NII-5	5.925-6.425	3+10	802.11ax HE20	93	6415	MCS0	-	SKU2
Mode 16	U-NII-5	5.925-6.425	3+10	802.11ax HE20	97	6435	MCS0	-	SKU2
Mode 17	U-NII-6	6.425-6.525	3+10	802.11ax HE20	105	6475	MCS0	-	SKU2
Mode 18	U-NII-6	6.425-6.525	3+10	802.11ax HE20	113	6515	MCS0	-	SKU2
Mode 19	U-NII-7	6.525-6.875	3+10	802.11ax HE20	117	6535	MCS0	Full	SKU2
Mode 20	U-NII-7	6.525-6.875	3+10	802.11ax HE20	149	6695	MCS0	Full	SKU2
Mode 21	U-NII-7	6.525-6.875	3+10	802.11ax HE20	181	6855	MCS0	Full	SKU2
Mode 22	U-NII-8	6.875-7.125	3+10	802.11ax HE20	189	6895	MCS0	Full	SKU2



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-8	6.875-7.125	3+10	802.11ax HE20	209	6995	MCS0	Full	SKU2
Mode 24	U-NII-8	6.875-7.125	3+10	802.11ax HE20	229	7095	MCS0	Full	SKU2
Mode 25	U-NII-5	5.925-6.425	3+10	802.11ax HE40	3	5965	MCS0	-	SKU2
Mode 26	U-NII-5	5.925-6.425	3+10	802.11ax HE40	43	6165	MCS0	-	SKU2
Mode 27	U-NII-5	5.925-6.425	3+10	802.11ax HE40	91	6405	MCS0	-	SKU2
Mode 28	U-NII-6	6.425-6.525	3+10	802.11ax HE40	99	6445	MCS0	Full	SKU2
Mode 29	U-NII-6	6.425-6.525	3+10	802.11ax HE40	107	6485	MCS0	Full	SKU2
Mode 30	U-NII-7	6.525-6.875	3+10	802.11ax HE40	123	6565	MCS0	Full	SKU2
Mode 31	U-NII-7	6.525-6.875	3+10	802.11ax HE40	147	6685	MCS0	Full	SKU2
Mode 32	U-NII-7	6.525-6.875	3+10	802.11ax HE40	179	6845	MCS0	Full	SKU2
Mode 33	U-NII-8	6.875-7.125	3+10	802.11ax HE40	195	6925	MCS0	Full	SKU2
Mode 34	U-NII-8	6.875-7.125	3+10	802.11ax HE40	203	6965	MCS0	Full	SKU2
Mode 35	U-NII-8	6.875-7.125	3+10	802.11ax HE40	227	7085	MCS0	Full	SKU2
Mode 36	U-NII-5	5.925-6.425	3+10	802.11ax HE80	7	5985	MCS0	Full	SKU2
Mode 37	U-NII-5	5.925-6.425	3+10	802.11ax HE80	39	6145	MCS0	Full	SKU2
Mode 38	U-NII-5	5.925-6.425	3+10	802.11ax HE80	87	6385	MCS0	Full	SKU2
Mode 39	U-NII-6	6.425-6.525	3+10	802.11ax HE80	103	6465	MCS0	Full	SKU2
Mode 40	U-NII-7	6.525-6.875	3+10	802.11ax HE80	135	6625	MCS0	Full	SKU2
Mode 41	U-NII-7	6.525-6.875	3+10	802.11ax HE80	151	6705	MCS0	Full	SKU2
Mode 42	U-NII-7	6.525-6.875	3+10	802.11ax HE80	167	6785	MCS0	Full	SKU2
Mode 43	U-NII-8	6.875-7.125	3+10	802.11ax HE80	199	6945	MCS0	Full	SKU2
Mode 44	U-NII-8	6.875-7.125	3+10	802.11ax HE80	215	7025	MCS0	Full	SKU2



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-5	5.925-6.425	3+10	802.11ax HE160	15	6025	MCS0	Full	SKU2
Mode 46	U-NII-5	5.925-6.425	3+10	802.11ax HE160	47	6185	MCS0	Full	SKU2
Mode 47	U-NII-5	5.925-6.425	3+10	802.11ax HE160	79	6345	MCS0	Full	SKU2
Mode 48	U-NII-7	6.525-6.875	3+10	802.11ax HE160	143	6665	MCS0	Full	SKU2
Mode 49	U-NII-8	6.875-7.125	3+10	802.11ax HE160	207	6985	MCS0	Full	SKU2
Mode 50	U-NII-7-8	6.525-7.125	3+10	802.11a	185	6875	6Mbps	-	SKU2
Mode 51	U-NII-7-8	6.525-7.125	3+10	802.11ax HE20	185	6525	MCS0	Full	SKU2
Mode 52	U-NII-7-8	6.525-7.125	3+10	802.11ax HE40	187	6885	MCS0	Full	SKU2
Mode 53	U-NII-7-8	6.525-7.125	3+10	802.11ax HE80	183	6865	MCS0	Full	SKU2
Mode 54	U-NII-7-8	6.525-7.125	3+10	802.11ax HE160	175	6825	MCS0	Full	SKU2
Mode 55	U-NII-6-7	6.425-6.875	3+10	802.11ax HE40	115	6525	MCS0	Full	SKU2
Mode 56	U-NII-6-7	6.425-6.875	3+10	802.11ax HE80	119	6545	MCS0	Full	SKU2
Mode 57	U-NII-6-7	6.425-6.875	3+10	802.11ax HE160	111	6505	MCS0	Full	SKU2
Mode 58	U-NII-5	5.925-6.425	3+10	802.11ax HE20	1	5955	MCS0	Partial RU 26/0	SKU2
Mode 59	U-NII-8	6.875-7.125	3+10	802.11ax HE20	229	7095	MCS0	Partial RU 26/8	SKU2
Mode 60	U-NII-8	6.875-7.125	3+10	802.11a	233	7115	6Mbps	-	SKU2
Mode 61	U-NII-8	6.875-7.125	3+10	802.11ax HE20	233	7115	MCS0	Full	SKU2
Mode 62	U-NII-8	6.875-7.125	3+10	802.11ax HE20	233	7115	MCS0	Partial RU 52/40	SKU2
Mode 63	U-NII-8	6.875-7.125	3+10	802.11ax HE20	233	7115	MCS0	Full	LF
Mode 66	U-NII-8	6.875-7.125	3+10	802.11ax HE20	233	7115	MCS0	-	SKU3

Co-location modes

WLAN 2.4G 802.11g CH01 Tx(Ant 5+6) + WLAN 6G 802.11ax HE20 CH233 Tx (Ant 3+10)

BLE(2M) CH39 Tx(Ant 6) + WLAN 2.4G 802.11g CH01 Tx(Ant 5) + WLAN 6G 802.11ax HE20 CH233 Tx (Ant 3+10)



Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
1	802.11a	1	5839.30	41.30	68.20	-26.90	H	AVERAGE	Pass	Band Edge
1	802.11a	1	17865.00	50.86	74.00	-23.14	V	Peak	Pass	Harmonic
2	802.11a	45	-	-	-	-	-	-	-	Band Edge
2	802.11a	45	12350.00	47.06	74.00	-26.94	H	Peak	Pass	Harmonic
3	802.11a	93	-	-	-	-	-	-	-	Band Edge
3	802.11a	93	12828	49.26	88.2	-38.94	H	Peak	Pass	Harmonic
4	802.11a	97	-	-	-	-	-	-	-	Band Edge
4	802.11a	97	12870.00	48.29	88.20	-39.91	V	Peak	Pass	Harmonic
5	802.11a	105	-	-	-	-	-	-	-	Band Edge
5	802.11a	105	12950.00	48.33	88.20	-39.87	V	Peak	Pass	Harmonic
6	802.11a	113	-	-	-	-	-	-	-	Band Edge
6	802.11a	113	13030.00	49.22	88.20	-38.98	V	Peak	Pass	Harmonic
7	802.11a	117	-	-	-	-	-	-	-	Band Edge
7	802.11a	117	13070.00	49.46	88.20	-38.74	V	Peak	Pass	Harmonic
8	802.11a	149	-	-	-	-	-	-	-	Band Edge
8	802.11a	149	13390.00	48.78	74.00	-25.22	H	Peak	Pass	Harmonic
9	802.11a	181	-	-	-	-	-	-	-	Band Edge
9	802.11a	181	13710.00	51.03	88.20	-37.17	H	Peak	Pass	Harmonic
10	802.11a	189	-	-	-	-	-	-	-	Band Edge
10	802.11a	189	13790.00	50.58	88.20	-37.62	V	Peak	Pass	Harmonic
11	802.11a	209	-	-	-	-	-	-	-	Band Edge
11	802.11a	209	13990.00	50.07	88.20	-38.13	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
12	802.11a	229	7306.84	41.63	54.00	-12.37	V	Average	Pass	Band Edge
12	802.11a	229	14190.00	50.85	88.20	-37.35	H	Peak	Pass	Harmonic
13	802.11ax HE20	1	5908.98	41.30	68.20	-26.90	H	AVERAGE	Pass	Band Edge
13	802.11ax HE20	1	17865.00	50.82	74.00	-23.18	V	Peak	Pass	Harmonic
14	802.11ax HE20	45	-	-	-	-	-	-	-	Band Edge
14	802.11ax HE20	45	11910	50.08	74	-23.92	V	Peak	Pass	Harmonic
15	802.11ax HE20	93	-	-	-	-	-	-	-	Band Edge
15	802.11ax HE20	93	12830.00	49.53	88.20	-38.67	H	Peak	Pass	Harmonic
16	802.11ax HE20	97	-	-	-	-	-	-	-	Band Edge
16	802.11ax HE20	97	12870.00	49.65	88.20	-38.55	H	Peak	Pass	Harmonic
17	802.11ax HE20	105	-	-	-	-	-	-	-	Band Edge
17	802.11ax HE20	105	12950.00	48.89	88.20	-39.31	H	Peak	Pass	Harmonic
18	802.11ax HE20	113	-	-	-	-	-	-	-	Band Edge
18	802.11ax HE20	113	13030.00	48.73	88.20	-39.47	V	Peak	Pass	Harmonic
19	802.11ax HE20	117	-	-	-	-	-	-	-	Band Edge
19	802.11ax HE20	117	13070.00	48.76	88.20	-39.44	H	Peak	Pass	Harmonic
20	802.11ax HE20	149	-	-	-	-	-	-	-	Band Edge
20	802.11ax HE20	149	13390.00	48.41	74.00	-25.59	V	Peak	Pass	Harmonic
21	802.11ax HE20	181	-	-	-	-	-	-	-	Band Edge
21	802.11ax HE20	181	13710.00	51.84	88.20	-36.36	H	Peak	Pass	Harmonic
22	802.11ax HE20	189	-	-	-	-	-	-	-	Band Edge
22	802.11ax HE20	189	13790.00	50.92	88.20	-37.28	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
23	802.11ax HE20	209	-	-	-	-	-	-	-	Band Edge
23	802.11ax HE20	209	13990.00	50.49	88.20	-37.71	H	Peak	Pass	Harmonic
24	802.11ax HE20	229	7329.09	41.51	54.00	-12.49	V	Average	Pass	Band Edge
24	802.11ax HE20	229	14190.00	51.11	88.20	-37.09	H	Peak	Pass	Harmonic
25	802.11ax HE40	3	5919.88	41.43	68.20	-26.77	H	AVERAGE	Pass	Band Edge
25	802.11ax HE40	3	17895.00	50.98	74.00	-23.02	H	Peak	Pass	Harmonic
26	802.11ax HE40	43	-	-	-	-	-	-	-	Band Edge
26	802.11ax HE40	43	12330.00	47.12	74.00	-26.88	V	Peak	Pass	Harmonic
27	802.11ax HE40	91	-	-	-	-	-	-	-	Band Edge
27	802.11ax HE40	91	12810.00	49.57	88.20	-38.63	V	Peak	Pass	Harmonic
28	802.11ax HE40	99	-	-	-	-	-	-	-	Band Edge
28	802.11ax HE40	99	12890.00	49.14	88.20	-39.06	H	Peak	Pass	Harmonic
29	802.11ax HE40	107	-	-	-	-	-	-	-	Band Edge
29	802.11ax HE40	107	12970.00	48.64	88.20	-39.56	H	Peak	Pass	Harmonic
30	802.11ax HE40	123	-	-	-	-	-	-	-	Band Edge
30	802.11ax HE40	123	13130.00	49.48	88.20	-38.72	H	Peak	Pass	Harmonic
31	802.11ax HE40	147	-	-	-	-	-	-	-	Band Edge
31	802.11ax HE40	147	13370.00	48.66	74.00	-25.34	H	Peak	Pass	Harmonic
32	802.11ax HE40	179	-	-	-	-	-	-	-	Band Edge
32	802.11ax HE40	179	13690.00	50.87	88.20	-37.33	V	Peak	Pass	Harmonic
33	802.11ax HE40	195	-	-	-	-	-	-	-	Band Edge
33	802.11ax HE40	195	13850.00	50.70	88.20	-37.50	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
34	802.11ax HE40	203	-	-	-	-	-	-	-	Band Edge
34	802.11ax HE40	203	13930.00	50.29	88.20	-37.91	V	Peak	Pass	Harmonic
35	802.11ax HE40	227	7259.22	41.63	54.00	-12.37	H	Average	Pass	Band Edge
35	802.11ax HE40	227	14170.00	50.89	88.20	-37.31	H	Peak	Pass	Harmonic
36	802.11ax HE80	7	5924.68	48.07	68.20	-20.13	H	AVERAGE	Pass	Band Edge
36	802.11ax HE80	7	17955.00	51.80	74.00	-22.20	H	Peak	Pass	Harmonic
37	802.11ax HE80	39	-	-	-	-	-	-	-	Band Edge
37	802.11ax HE80	39	12290.00	48.02	74.00	-25.98	H	Peak	Pass	Harmonic
38	802.11ax HE80	87	-	-	-	-	-	-	-	Band Edge
38	802.11ax HE80	87	12770.00	48.80	88.20	-39.40	V	Peak	Pass	Harmonic
39	802.11ax HE80	103	-	-	-	-	-	-	-	Band Edge
39	802.11ax HE80	103	12930.00	48.75	88.20	-39.45	V	Peak	Pass	Harmonic
40	802.11ax HE80	135	-	-	-	-	-	-	-	Band Edge
40	802.11ax HE80	135	13250.00	48.69	74.00	-25.31	V	Peak	Pass	Harmonic
41	802.11ax HE80	151	-	-	-	-	-	-	-	Band Edge
41	802.11ax HE80	151	13410.00	49.29	88.20	-38.91	H	Peak	Pass	Harmonic
42	802.11ax HE80	167	-	-	-	-	-	-	-	Band Edge
42	802.11ax HE80	167	13570.00	49.70	88.20	-38.50	V	Peak	Pass	Harmonic
43	802.11ax HE80	199	-	-	-	-	-	-	-	Band Edge
43	802.11ax HE80	199	13890.00	50.69	88.20	-37.51	V	Peak	Pass	Harmonic
44	802.11ax HE80	215	7188.46	43.51	68.20	-24.69	V	AVERAGE	Pass	Band Edge
44	802.11ax HE80	215	14050.00	50.49	88.20	-37.71	H	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBUV/m)	Limit (dBUV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
45	802.11ax HE160	15	5850.76	44.69	68.20	-23.51	H	AVERAGE	Pass	Band Edge
45	802.11ax HE160	15	12048	45.13	74	-28.87	H	Peak	Pass	Harmonic
46	802.11ax HE160	47	-	-	-	-	-	-	-	Band Edge
46	802.11ax HE160	47	12372	47.22	74	-26.78	H	Peak	Pass	Harmonic
47	802.11ax HE160	79	-	-	-	-	-	-	-	Band Edge
47	802.11ax HE160	79	12690.00	48.24	74.00	-25.76	V	Peak	Pass	Harmonic
48	802.11ax HE160	143	-	-	-	-	-	-	-	Band Edge
48	802.11ax HE160	143	13330.00	49.03	74.00	-24.97	H	Peak	Pass	Harmonic
49	802.11ax HE160	207	7300.16	41.68	54.00	-12.32	V	AVERAGE	Pass	Band Edge
49	802.11ax HE160	207	13970.00	50.76	88.20	-37.44	H	Peak	Pass	Harmonic
50	802.11a	185	-	-	-	-	-	-	-	Band Edge
50	802.11a	185	13752	51.15	88.2	-37.05	H	Peak	Pass	Harmonic
51	802.11ax HE20	185	-	-	-	-	-	-	-	Band Edge
51	802.11ax HE20	185	13570	49.96	88.20	-38.24	H	Peak	Pass	Harmonic
52	802.11ax HE40	187	-	-	-	-	-	-	-	Band Edge
52	802.11ax HE40	187	13770.00	50.18	88.20	-38.02	H	Peak	Pass	Harmonic
53	802.11ax HE80	183	-	-	-	-	-	-	-	Band Edge
53	802.11ax HE80	183	13730.00	51.55	88.20	-36.65	V	Peak	Pass	Harmonic
54	802.11ax HE160	175	-	-	-	-	-	-	-	Band Edge
54	802.11ax HE160	175	13650.00	50.69	88.20	-37.51	H	Peak	Pass	Harmonic
55	802.11ax HE40	115	-	-	-	-	-	-	-	Band Edge
55	802.11ax HE40	115	13050.00	48.94	88.20	-39.26	V	Peak	Pass	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	Remark
56	802.11ax HE80	119	-	-	-	-	-	-	-	Band Edge
56	802.11ax HE80	119	13092	48.63	88.20	-39.57	H	Peak	Pass	Harmonic
57	802.11ax HE160	111	-	-	-	-	-	-	-	Band Edge
57	802.11ax HE160	111	13008	48.23	88.20	-39.97	V	Peak	Pass	Harmonic
58	802.11ax HE20	1	5918.21	41.32	68.20	-26.88	H	AVERAGE	Pass	Band Edge
58	802.11ax HE20	1	-	-	-	-	-	-	-	Harmonic
59	802.11ax HE20	229	7332.51	41.49	54.00	-12.51	V	AVERAGE	Pass	Band Edge
59	802.11ax HE20	229	-	-	-	-	-	-	-	Harmonic
60	802.11a	233	7125.11	57.69	68.20	-10.51	H	AVERAGE	Pass	Band Edge
60	802.11a	233	14230.00	50.65	88.20	-37.55	H	Peak	Pass	Harmonic
61	802.11ax HE20	233	7328.61	67.87	68.20	-0.33	V	Average	Pass	Band Edge
61	802.11ax HE20	233	14230.00	50.09	88.20	-38.11	V	Peak	Pass	Harmonic
62	802.11ax HE20	233	7125	67.77	68.20	-0.43	V	AVERAGE	Pass	Band Edge
62	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic
63	WIFI Worse LF	233	348.16	33.14	46	-12.86	H	Peak	Pass	LF
66	802.11ax HE20	233	7125.28	63.50	68.20	-4.70	V	AVERAGE	Pass	Band Edge
66	802.11ax HE20	233	-	-	-	-	-	-	-	Harmonic



Co-location

WIFI 802.11ax HE20_CH233+11g_CH01

(Band Edge @ 3m)

WIFI Ant. 3+10	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_C H233+11g_ TX_CH01 Co-colocati on	*	7115	91.75	-	-	80.49	36.22	8.68	33.64	140	312	P	H
	*	7115	85.7	-	-	74.44	36.22	8.68	33.64	140	312	A	H
		7125	77.94	-10.26	88.2	66.69	36.22	8.68	33.65	140	312	P	H
		7303.72	50.58	-23.42	74	38.96	36.4	8.95	33.73	140	312	P	H
		7125	62.97	-5.23	68.2	51.72	36.22	8.68	33.65	140	312	A	H
		7333.26	40.92	-13.08	54	29.28	36.43	8.95	33.74	140	312	A	H
	*	7115	93.03	-	-	81.77	36.22	8.68	33.64	100	13	P	V
	*	7115	85.77	-	-	74.51	36.22	8.68	33.64	100	13	A	V
		7125	80.68	-7.52	88.2	69.43	36.22	8.68	33.65	100	13	P	V
		7295.71	50.63	-23.37	74	39.12	36.4	8.83	33.72	100	13	P	V
		7125	67.6	-0.6	68.2	56.35	36.22	8.68	33.65	100	13	A	V
		7335.585	41.23	-12.77	54	29.58	36.44	8.95	33.74	100	13	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 5+6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_C H233+11g_ TX_CH01 Co-colocati on		2389.695	62.39	-11.61	74	59.03	32.21	4.81	33.66	131	19	P	H
		2389.8	49.72	-4.28	54	46.36	32.21	4.81	33.66	131	19	A	H
	*	2412	105.88	-	-	102.45	32.27	4.81	33.65	131	19	P	H
	*	2412	98.36	-	-	94.93	32.27	4.81	33.65	131	19	A	H
		2390	63.13	-10.87	74	59.77	32.21	4.81	33.66	303	322	P	V
		2390	50.39	-3.61	54	47.03	32.21	4.81	33.66	303	322	A	V
	*	2412	102.66	-	-	99.23	32.27	4.81	33.65	303	322	P	V
	*	2412	94.68	-	-	91.25	32.27	4.81	33.65	303	322	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												

**(Harmonic @ 3m)**

WIFI Ant. 5+6/3+10	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_C H233+11g_ TX_CH01 Co-colocati on		4824	49.35	-24.65	74	39.57	34.67	7.75	32.64	-	-	P	H
		7236	45.12	-43.08	88.2	54.24	36.34	8.7	54.16	-	-	P	H
		14230	50.29	-37.91	88.2	49.91	40.88	12.73	53.23	-	-	P	H
		4824	49.56	-24.44	74	39.78	34.67	7.75	32.64	-	-	P	V
		7236	45.1	-43.1	88.2	54.22	36.34	8.7	54.16	-	-	P	V
		14230	49.15	-39.05	88.2	48.77	40.88	12.73	53.23	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI 802.11ax HE20_CH233+11g_CH01+BLE_TX_CH39

(Band Edge @ 3m)

WIFI Ant. 3+10	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_CH 233+11g_TX_ CH01+BLE_T X_CH39 Co-colocatio n	*	7115	89.65	-	-	78.39	36.22	8.68	33.64	100	317	P	H
	*	7115	83.39	-	-	72.13	36.22	8.68	33.64	100	317	A	H
		7125	75.64	-12.56	88.2	64.39	36.22	8.68	33.65	100	317	P	H
		7317.515	50.62	-23.38	74	38.98	36.42	8.95	33.73	100	317	P	H
		7125	63.41	-4.79	68.2	52.16	36.22	8.68	33.65	100	317	A	H
		7334.19	40.83	-13.17	54	29.19	36.43	8.95	33.74	100	317	A	H
	*	7115	91.35	-	-	80.09	36.22	8.68	33.64	107	12	P	V
	*	7115	85.21	-	-	73.95	36.22	8.68	33.64	107	12	A	V
		7125	77.34	-10.86	88.2	66.09	36.22	8.68	33.65	107	12	P	V
		7321.52	50.72	-23.28	74	39.08	36.42	8.95	33.73	107	12	P	V
		7125	67.23	-0.97	68.2	55.98	36.22	8.68	33.65	107	12	A	V
		7332.33	40.79	-13.21	54	29.15	36.43	8.95	33.74	107	12	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



WIFI Ant. 5	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_CH 233+11g_TX_ CH01+BLE_T X_CH39 Co-colocatio n		2376.36	50.99	-23.01	74	47.72	32.18	4.77	33.68	400	33	P	H
		2388.75	39.91	-14.09	54	36.55	32.21	4.81	33.66	400	33	A	H
	*	2412	71.54	-	-	68.11	32.27	4.81	33.65	400	33	P	H
	*	2412	64.28	-	-	60.85	32.27	4.81	33.65	400	33	A	H
		2385.285	51.58	-22.42	74	48.23	32.2	4.81	33.66	275	338	P	V
		2389.17	39.98	-14.02	54	36.62	32.21	4.81	33.66	275	338	A	V
	*	2412	76.8	-	-	73.37	32.27	4.81	33.65	275	338	P	V
	*	2412	68.61	-	-	65.18	32.27	4.81	33.65	275	338	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												







BLE Ant. 6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_CH 233+11g_TX_ CH01+BLE_T X_CH39 Co-colocatio n	*	2480	84.45	-	-	80.7	32.45	4.92	33.62	388	306	P	H
	*	2480	82.93	-	-	79.18	32.45	4.92	33.62	388	306	A	H
		2488.24	51.41	-22.59	74	47.64	32.47	4.92	33.62	388	306	P	H
		2494.92	43.74	-10.26	54	39.93	32.49	4.92	33.6	388	306	A	H
	*	2480	93.15	-	-	89.4	32.45	4.92	33.62	100	331	P	V
	*	2480	91.95	-	-	88.2	32.45	4.92	33.62	100	331	A	V
		2491.92	51.48	-22.52	74	47.68	32.48	4.92	33.6	100	331	P	V
		2493.16	43.94	-10.06	54	40.14	32.48	4.92	33.6	100	331	A	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



(Harmonic @ 3m)

WIFI Ant. 3+10/5+6/6	Note	Frequency (MHz)	Level (dBμV/m)	Margin (dB)	Limit Line (dBμV/m)	Read Level (dBμV)	Antenna Factor (dB/m)	Cable Loss (dB)	Preamp Factor (dB)	Ant Pos (cm)	Table Pos (deg)	Peak Avg. (P/A)	Pol. (H/V)
802. 11ax_TX_CH 233+11g_TX_ CH01+BLE_T X_CH39 Co-colocatio n		4824	48.99	-25.01	74	39.21	34.67	7.75	32.64	-	-	P	H
		4960	49.54	-24.46	74	39.72	34.62	7.81	32.61	-	-	P	H
		7236	45.09	-43.11	88.2	54.21	36.34	8.7	54.16	-	-	P	H
		7440	43.76	-30.24	74	52.07	36.54	9.19	54.04	-	-	P	H
		14230	49.53	-38.67	88.2	49.15	40.88	12.73	53.23	-	-	P	H
		4824	48.83	-25.17	74	39.05	34.67	7.75	32.64	-	-	P	V
		4960	50.25	-23.75	74	40.43	34.62	7.81	32.61	-	-	P	V
		7236	45.42	-42.78	88.2	54.54	36.34	8.7	54.16	-	-	P	V
		7440	42.94	-31.06	74	51.25	36.54	9.19	54.04	-	-	P	V
		14230	48.98	-39.22	88.2	48.6	40.88	12.73	53.23	-	-	P	V
Remark	1. No other spurious found. 2. All results are PASS against Peak and Average limit line.												



Mode	1																																																																			
	Band Edge																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																			
ANT	3+10																																																																			
Pol.	Horizontal	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5908.72</td><td>52.72</td><td>88.20</td><td>-35.48</td><td>41.93</td><td>35.30</td><td>8.81</td><td>33.32</td><td>300</td><td>109 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5908.72	52.72	88.20	-35.48	41.93	35.30	8.81	33.32	300	109 PEAK	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>93.30</td><td>-----</td><td>82.46</td><td>35.39</td><td>8.76</td><td>33.31</td><td>300</td><td>109</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	93.30	-----	82.46	35.39	8.76	33.31	300	109	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5908.72	52.72	88.20	-35.48	41.93	35.30	8.81	33.32	300	109 PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5955.00	93.30	-----	82.46	35.39	8.76	33.31	300	109	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5839.30</td><td>41.30</td><td>68.20</td><td>-26.90</td><td>30.59</td><td>35.15</td><td>8.89</td><td>33.33</td><td>300</td><td>109 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5839.30	41.30	68.20	-26.90	30.59	35.15	8.89	33.33	300	109 AVERAGE	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>85.69</td><td>-----</td><td>74.84</td><td>35.41</td><td>8.75</td><td>33.31</td><td>300</td><td>109</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	85.69	-----	74.84	35.41	8.75	33.31	300	109	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5839.30	41.30	68.20	-26.90	30.59	35.15	8.89	33.33	300	109 AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5955.00	85.69	-----	74.84	35.41	8.75	33.31	300	109	AVERAGE																																																										



Mode	1																																																																			
	Band Edge																																																																			
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																			
ANT	3+10																																																																			
Pol.	Vertical	Fundamental																																																																		
Peak	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5866.73</td><td>52.64</td><td>88.20</td><td>-35.56</td><td>41.90</td><td>35.21</td><td>8.86</td><td>33.33</td><td>200</td><td>300 PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5866.73	52.64	88.20	-35.56	41.90	35.21	8.86	33.33	200	300 PEAK	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>86.08</td><td>-----</td><td>75.23</td><td>35.41</td><td>8.75</td><td>33.31</td><td>200</td><td>300</td><td>PEAK</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	86.08	-----	75.23	35.41	8.75	33.31	200	300	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																									
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5866.73	52.64	88.20	-35.56	41.90	35.21	8.86	33.33	200	300 PEAK																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5955.00	86.08	-----	75.23	35.41	8.75	33.31	200	300	PEAK																																																										
Avg	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5919.64</td><td>41.12</td><td>68.20</td><td>-27.08</td><td>30.32</td><td>35.32</td><td>8.80</td><td>33.32</td><td>200</td><td>300 AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5919.64	41.12	68.20	-27.08	30.32	35.32	8.80	33.32	200	300 AVERAGE	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 1 Setting : 6M Power setting 4 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5955.00</td><td>77.45</td><td>-----</td><td>66.60</td><td>35.41</td><td>8.75</td><td>33.31</td><td>200</td><td>300</td><td>AVERAGE</td></tr></table>	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5955.00	77.45	-----	66.60	35.41	8.75	33.31	200	300	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5919.64	41.12	68.20	-27.08	30.32	35.32	8.80	33.32	200	300 AVERAGE																																																										
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																										
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																											
1	5955.00	77.45	-----	66.60	35.41	8.75	33.31	200	300	AVERAGE																																																										



Mode	1																																																																																																									
	Harmonic																																																																																																									
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																									
ANT	3+10																																																																																																									
Pol.	Horizontal	Vertical																																																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 1 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.57</td><td>74.00</td><td>-24.43</td><td>51.16</td><td>39.97</td><td>11.89</td><td>53.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.80</td><td>74.00</td><td>-23.20</td><td>45.03</td><td>42.67</td><td>15.91</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	49.57	74.00	-24.43	51.16	39.97	11.89	53.45	---	---	Peak	2	17865.00	50.80	74.00	-23.20	45.03	42.67	15.91	52.81	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 1 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.81</td><td>74.00</td><td>-24.19</td><td>51.40</td><td>39.97</td><td>11.89</td><td>53.45</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.86</td><td>74.00</td><td>-23.14</td><td>45.09</td><td>42.67</td><td>15.91</td><td>52.81</td><td>---</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	49.81	74.00	-24.19	51.40	39.97	11.89	53.45	---	---	Peak	2	17865.00	50.86	74.00	-23.14	45.09	42.67	15.91	52.81	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	11910.00	49.57	74.00	-24.43	51.16	39.97	11.89	53.45	---	---	Peak																																																																																															
2	17865.00	50.80	74.00	-23.20	45.03	42.67	15.91	52.81	---	---	Peak																																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	11910.00	49.81	74.00	-24.19	51.40	39.97	11.89	53.45	---	---	Peak																																																																																															
2	17865.00	50.86	74.00	-23.14	45.09	42.67	15.91	52.81	---	---	Peak																																																																																															



Mode	2																																																																																		
	Harmonic																																																																																		
	U-NII-5_5.925-6.425_802.11a_CH45_6175MHz																																																																																		
ANT	3+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																												
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 2 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 2 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12350.00</td><td>47.06</td><td>74.00</td><td>-26.94</td><td>48.06</td><td>40.17</td><td>12.09</td><td>53.26</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12350.00	47.06	74.00	-26.94	48.06	40.17	12.09	53.26		---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12350.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>47.91</td><td>40.17</td><td>12.09</td><td>53.26</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12350.00	46.91	74.00	-27.09	47.91	40.17	12.09	53.26		---	---
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 12350.00	47.06	74.00	-26.94	48.06	40.17	12.09	53.26		---	---	Peak																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 12350.00	46.91	74.00	-27.09	47.91	40.17	12.09	53.26		---	---	Peak																																																																								





Mode	3																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11a_CH93_6415MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 3 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12828.00</td><td>49.26</td><td>88.20</td><td>-38.94</td><td>49.66</td><td>40.40</td><td>12.27</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12828.00	49.26	88.20	-38.94	49.66	40.40	12.27	53.07	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 3 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12828.00</td><td>48.65</td><td>88.20</td><td>-39.55</td><td>49.05</td><td>40.40</td><td>12.27</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12828.00	48.65	88.20	-39.55	49.05	40.40	12.27	53.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12828.00	49.26	88.20	-38.94	49.66	40.40	12.27	53.07	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12828.00	48.65	88.20	-39.55	49.05	40.40	12.27	53.07	---	---	Peak																																																																																	





Mode	4																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH97_6435MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 4 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>47.77</td><td>88.20</td><td>-40.43</td><td>48.12</td><td>40.42</td><td>12.28</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	47.77	88.20	-40.43	48.12	40.42	12.28	53.05	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 4 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12870.00</td><td>48.29</td><td>88.20</td><td>-39.91</td><td>48.64</td><td>40.42</td><td>12.28</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12870.00	48.29	88.20	-39.91	48.64	40.42	12.28	53.05	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	47.77	88.20	-40.43	48.12	40.42	12.28	53.05	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12870.00	48.29	88.20	-39.91	48.64	40.42	12.28	53.05	---	---	Peak																																																																																	





Mode	5																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH105_6475MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 5 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>47.95</td><td>88.20</td><td>-40.25</td><td>48.19</td><td>40.47</td><td>12.31</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	47.95	88.20	-40.25	48.19	40.47	12.31	53.02	---	---	Peak	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 5 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12950.00</td><td>48.33</td><td>88.20</td><td>-39.87</td><td>48.57</td><td>40.47</td><td>12.31</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12950.00	48.33	88.20	-39.87	48.57	40.47	12.31	53.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	47.95	88.20	-40.25	48.19	40.47	12.31	53.02	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12950.00	48.33	88.20	-39.87	48.57	40.47	12.31	53.02	---	---	Peak																																																																																	





Mode	6																																																																																											
	Harmonic																																																																																											
	U-NII-6_6.425-6.525_802.11a_CH113_6515MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 6 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13030.00</td><td>48.63</td><td>88.20</td><td>-39.57</td><td>48.80</td><td>40.49</td><td>12.34</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	48.63	88.20	-39.57	48.80	40.49	12.34	53.00	---	---	Peak	Level (dBuV/m) Date: 2023-03-31  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 6 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13030.00</td><td>49.22</td><td>88.20</td><td>-38.98</td><td>49.39</td><td>40.49</td><td>12.34</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13030.00	49.22	88.20	-38.98	49.39	40.49	12.34	53.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	48.63	88.20	-39.57	48.80	40.49	12.34	53.00	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13030.00	49.22	88.20	-38.98	49.39	40.49	12.34	53.00	---	---	Peak																																																																																	





Mode	7																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11a_CH117_6535MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 7 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>49.39</td><td>88.20</td><td>-38.81</td><td>49.57</td><td>40.47</td><td>12.36</td><td>53.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	49.39	88.20	-38.81	49.57	40.47	12.36	53.01	---	---	Peak	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 7 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 4 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13070.00</td><td>49.46</td><td>88.20</td><td>-38.74</td><td>49.64</td><td>40.47</td><td>12.36</td><td>53.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13070.00	49.46	88.20	-38.74	49.64	40.47	12.36	53.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	49.39	88.20	-38.81	49.57	40.47	12.36	53.01	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13070.00	49.46	88.20	-38.74	49.64	40.47	12.36	53.01	---	---	Peak																																																																																	



Mode	8																																																																																										
	Harmonic																																																																																										
	U-NII-7_6.525-6.875_802.11a_CH149_6695MHz																																																																																										
ANT	3+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	 Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII)_6E AVG(U-NII)_6E Frequency (MHz)						 Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII)_6E AVG(U-NII)_6E Frequency (MHz)																																																																																				
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 8 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 4.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 8 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 4.5																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>48.78</td><td>74.00</td><td>-25.22</td><td>48.99</td><td>40.34</td><td>12.49</td><td>53.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	48.78	74.00	-25.22	48.99	40.34	12.49	53.04	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>13390.00</td><td>48.72</td><td>74.00</td><td>-25.28</td><td>48.93</td><td>40.34</td><td>12.49</td><td>53.04</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13390.00	48.72	74.00	-25.28	48.93	40.34	12.49	53.04	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13390.00	48.78	74.00	-25.22	48.99	40.34	12.49	53.04	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	13390.00	48.72	74.00	-25.28	48.93	40.34	12.49	53.04	---	---	Peak																																																																																



Mode	9																																																																																								
	Harmonic																																																																																								
	U-NII-7_6.525-6.875_802.11a_CH181_6855MHz																																																																																								
ANT	3+10																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 9 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5						Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 9 SN : 32fa7a52 Plane : Y with accessories : GM Power setting 4.5																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1</td><td>13710.00</td><td>51.03</td><td>88.20</td><td>-37.17</td><td>51.00</td><td>40.47</td><td>12.63</td><td>53.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1	13710.00	51.03	88.20	-37.17	51.00	40.47	12.63	53.07	---	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1</td><td>13710.00</td><td>50.62</td><td>88.20</td><td>-37.58</td><td>50.59</td><td>40.47</td><td>12.63</td><td>53.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1	13710.00	50.62	88.20	-37.58	50.59	40.47	12.63	53.07	---	---	---
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																													
1	13710.00	51.03	88.20	-37.17	51.00	40.47	12.63	53.07	---	---	---	Peak																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																													
1	13710.00	50.62	88.20	-37.58	50.59	40.47	12.63	53.07	---	---	---	Peak																																																																													



Mode	10																																																																														
	Harmonic																																																																														
	U-NII-8_6.875-7.125_802.11a_CH189_6895MHz																																																																														
ANT	3+10																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 10 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 5 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 10 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 5																																																																														
	<table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th rowspan="2">Limit</th><th rowspan="2">Line</th><th rowspan="2">Margin</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>50.03</td><td>88.20</td><td>-38.17</td><td>49.92</td><td>40.53</td><td>12.66</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table> <table><tr><th rowspan="2">Freq</th><th rowspan="2">Level</th><th rowspan="2">Limit</th><th rowspan="2">Line</th><th rowspan="2">Margin</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13790.00</td><td>50.58</td><td>88.20</td><td>-37.62</td><td>50.47</td><td>40.53</td><td>12.66</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	50.03	88.20	-38.17	49.92	40.53	12.66	53.08	---	---	Peak	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13790.00	50.58	88.20	-37.62	50.47	40.53	12.66	53.08	---	---
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13790.00	50.03	88.20	-38.17	49.92	40.53	12.66	53.08	---	---	Peak																																																																				
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
												MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																										
1	13790.00	50.58	88.20	-37.62	50.47	40.53	12.66	53.08	---	---	Peak																																																																				



Mode	11																																																																																					
	Harmonic																																																																																					
	U-NII-8_6.875-7.125_802.11a_CH209_6995MHz																																																																																					
ANT	3+10																																																																																					
Pol.	Horizontal	Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 11 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 6.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>49.68</td><td>88.20</td><td>-38.52</td><td>49.34</td><td>40.69</td><td>12.75</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	49.68	88.20	-38.52	49.34	40.69	12.75	53.10	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 11 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 6.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>13990.00</td><td>50.07</td><td>88.20</td><td>-38.13</td><td>49.73</td><td>40.69</td><td>12.75</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13990.00	50.07	88.20	-38.13	49.73	40.69	12.75	53.10	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	13990.00	49.68	88.20	-38.52	49.34	40.69	12.75	53.10	---	---	Peak																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																												
1	13990.00	50.07	88.20	-38.13	49.73	40.69	12.75	53.10	---	---	Peak																																																																											



Mode	12																																																																																																										
	Band Edge																																																																																																										
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																																										
ANT	3+10																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak	Level (dBuV/m) Date: 2023-04-01 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7207.60</td><td>52.34</td><td>88.20</td><td>-35.86</td><td>41.11</td><td>36.31</td><td>8.60</td><td>33.68</td><td>200</td><td>280</td><td>PEAK</td></tr><tr><td>2</td><td>7317.52</td><td>52.77</td><td>74.00</td><td>-21.23</td><td>41.13</td><td>36.42</td><td>8.95</td><td>33.73</td><td>200</td><td>280</td><td>Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7207.60	52.34	88.20	-35.86	41.11	36.31	8.60	33.68	200	280	PEAK	2	7317.52	52.77	74.00	-21.23	41.13	36.42	8.95	33.73	200	280	Peak	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>96.05</td><td>-----</td><td>-----</td><td>84.78</td><td>36.19</td><td>8.72</td><td>33.64</td><td>200</td><td>280</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	96.05	-----	-----	84.78	36.19	8.72	33.64	200	280	PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7207.60	52.34	88.20	-35.86	41.11	36.31	8.60	33.68	200	280	PEAK																																																																																																
2	7317.52	52.77	74.00	-21.23	41.13	36.42	8.95	33.73	200	280	Peak																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7095.00	96.05	-----	-----	84.78	36.19	8.72	33.64	200	280	PEAK																																																																																																
Avg	Level (dBuV/m) Date: 2023-04-01 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7209.38</td><td>41.62</td><td>68.20</td><td>-26.58</td><td>30.38</td><td>36.31</td><td>8.61</td><td>33.68</td><td>200</td><td>280</td><td>AVERAGE</td></tr><tr><td>2</td><td>7265.45</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>30.19</td><td>36.37</td><td>8.78</td><td>33.71</td><td>200</td><td>280</td><td>Average</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7209.38	41.62	68.20	-26.58	30.38	36.31	8.61	33.68	200	280	AVERAGE	2	7265.45	41.63	54.00	-12.37	30.19	36.37	8.78	33.71	200	280	Average	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>87.58</td><td>-----</td><td>-----</td><td>76.31</td><td>36.19</td><td>8.72</td><td>33.64</td><td>200</td><td>280</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	87.58	-----	-----	76.31	36.19	8.72	33.64	200	280	AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7209.38	41.62	68.20	-26.58	30.38	36.31	8.61	33.68	200	280	AVERAGE																																																																																																
2	7265.45	41.63	54.00	-12.37	30.19	36.37	8.78	33.71	200	280	Average																																																																																																
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																					
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	7095.00	87.58	-----	-----	76.31	36.19	8.72	33.64	200	280	AVERAGE																																																																																																







Mode	12																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																															
ANT	3+10																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2023-04-01 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7136.40</td><td>52.96</td><td>88.20</td><td>-35.24</td><td>41.71</td><td>36.24</td><td>8.67</td><td>33.66</td><td>100</td><td>151</td><td>PEAK</td></tr><tr><td>2</td><td>7300.61</td><td>52.42</td><td>74.00</td><td>-21.58</td><td>40.84</td><td>36.40</td><td>8.90</td><td>33.72</td><td>100</td><td>151</td><td>Peak</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7136.40	52.96	88.20	-35.24	41.71	36.24	8.67	33.66	100	151	PEAK	2	7300.61	52.42	74.00	-21.58	40.84	36.40	8.90	33.72	100	151	Peak	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>87.91</td><td>-----</td><td>-----</td><td>76.64</td><td>36.19</td><td>8.72</td><td>33.64</td><td>100</td><td>151</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	87.91	-----	-----	76.64	36.19	8.72	33.64	100	151	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7136.40	52.96	88.20	-35.24	41.71	36.24	8.67	33.66	100	151	PEAK																																																																																					
2	7300.61	52.42	74.00	-21.58	40.84	36.40	8.90	33.72	100	151	Peak																																																																																					
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	87.91	-----	-----	76.64	36.19	8.72	33.64	100	151	PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-04-01 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7238.75</td><td>41.66</td><td>68.20</td><td>-26.54</td><td>30.32</td><td>36.34</td><td>8.70</td><td>33.70</td><td>100</td><td>151</td><td>AVERAGE</td></tr><tr><td>2</td><td>7306.84</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>30.02</td><td>36.41</td><td>8.92</td><td>33.72</td><td>100</td><td>151</td><td>Average</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7238.75	41.66	68.20	-26.54	30.32	36.34	8.70	33.70	100	151	AVERAGE	2	7306.84	41.63	54.00	-12.37	30.02	36.41	8.92	33.72	100	151	Average	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 12 Setting : 6M Power setting 7 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>79.36</td><td>-----</td><td>-----</td><td>68.09</td><td>36.19</td><td>8.72</td><td>33.64</td><td>100</td><td>151</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	79.36	-----	-----	68.09	36.19	8.72	33.64	100	151	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7238.75	41.66	68.20	-26.54	30.32	36.34	8.70	33.70	100	151	AVERAGE																																																																																					
2	7306.84	41.63	54.00	-12.37	30.02	36.41	8.92	33.72	100	151	Average																																																																																					
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7095.00	79.36	-----	-----	68.09	36.19	8.72	33.64	100	151	AVERAGE																																																																																					



Mode	12																																																																																									
	Harmonic																																																																																									
	U-NII-8_6.875-7.125_802.11a_CH229_7095MHz																																																																																									
ANT	3+10																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 12 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 7 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>50.85</td><td>88.20</td><td>-37.35</td><td>50.36</td><td>40.85</td><td>12.85</td><td>53.21</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	50.85	88.20	-37.35	50.36	40.85	12.85	53.21		---	---	Peak	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 12 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 7 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>14190.00</td><td>50.70</td><td>88.20</td><td>-37.50</td><td>50.21</td><td>40.85</td><td>12.85</td><td>53.21</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	14190.00	50.70	88.20	-37.50	50.21	40.85	12.85	53.21		---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	14190.00	50.85	88.20	-37.35	50.36	40.85	12.85	53.21		---	---	Peak																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																															
1	14190.00	50.70	88.20	-37.50	50.21	40.85	12.85	53.21		---	---	Peak																																																																														



Mode	13																																																																					
	Band Edge																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																					
ANT	3+10																																																																					
Pol.	Horizontal					Fundamental																																																																
Peak	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5857.37</td><td>52.37</td><td>88.20</td><td>-35.83</td><td>41.64</td><td>35.19</td><td>8.87</td><td>33.33</td><td>200</td><td>256 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1 5857.37	52.37	88.20	-35.83	41.64	35.19	8.87	33.33	200	256 PEAK	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>90.10</td><td>-----</td><td>-----</td><td>79.26</td><td>35.39</td><td>8.76</td><td>33.31</td><td>200</td><td>256 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	90.10	-----	-----	79.26	35.39	8.76	33.31	200	256 PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5857.37	52.37	88.20	-35.83	41.64	35.19	8.87	33.33	200	256 PEAK																																																													
Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5955.00	90.10	-----	-----	79.26	35.39	8.76	33.31	200	256 PEAK																																																													
Avg	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5908.98</td><td>41.30</td><td>68.20</td><td>-26.90</td><td>30.51</td><td>35.30</td><td>8.81</td><td>33.32</td><td>200</td><td>256 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1 5908.98	41.30	68.20	-26.90	30.51	35.30	8.81	33.32	200	256 AVERAGE	Level (dBuV/m) Date: 2023-03-25  Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>81.04</td><td>-----</td><td>-----</td><td>70.20</td><td>35.39</td><td>8.76</td><td>33.31</td><td>200</td><td>256 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg	1 5955.00	81.04	-----	-----	70.20	35.39	8.76	33.31	200	256 AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5908.98	41.30	68.20	-26.90	30.51	35.30	8.81	33.32	200	256 AVERAGE																																																													
Freq	Level	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																													
1 5955.00	81.04	-----	-----	70.20	35.39	8.76	33.31	200	256 AVERAGE																																																													





Mode	13																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																											
ANT	3+10																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5923.02</td><td>52.76</td><td>88.20</td><td>-35.44</td><td>41.96</td><td>35.33</td><td>8.79</td><td>33.32</td><td>200</td><td>76</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5923.02	52.76	88.20	-35.44	41.96	35.33	8.79	33.32	200	76	PEAK	Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>81.37</td><td>-----</td><td>-----</td><td>70.53</td><td>35.39</td><td>8.76</td><td>33.31</td><td>200</td><td>76</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	81.37	-----	-----	70.53	35.39	8.76	33.31	200	76	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5923.02	52.76	88.20	-35.44	41.96	35.33	8.79	33.32	200	76	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	81.37	-----	-----	70.53	35.39	8.76	33.31	200	76	PEAK																																																																		
Avg	Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5902.74</td><td>41.15</td><td>68.20</td><td>-27.05</td><td>30.36</td><td>35.29</td><td>8.82</td><td>33.32</td><td>200</td><td>76</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5902.74	41.15	68.20	-27.05	30.36	35.29	8.82	33.32	200	76	AVERAGE	Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 13 Setting : 6M Power setting 4.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>72.71</td><td>-----</td><td>-----</td><td>61.87</td><td>35.39</td><td>8.76</td><td>33.31</td><td>200</td><td>76</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1 5955.00	72.71	-----	-----	61.87	35.39	8.76	33.31	200	76	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5902.74	41.15	68.20	-27.05	30.36	35.29	8.82	33.32	200	76	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	72.71	-----	-----	61.87	35.39	8.76	33.31	200	76	AVERAGE																																																																		



Mode	13																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_5955MHz																																																																																																					
ANT	3+10																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 13 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>51.35</td><td>39.97</td><td>11.89</td><td>53.45</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.63</td><td>74.00</td><td>-23.37</td><td>44.86</td><td>42.67</td><td>15.91</td><td>52.81</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	49.76	74.00	-24.24	51.35	39.97	11.89	53.45	---	Peak	2	17865.00	50.63	74.00	-23.37	44.86	42.67	15.91	52.81	---	Peak	Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 13 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11910.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>51.67</td><td>39.97</td><td>11.89</td><td>53.45</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17865.00</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>45.05</td><td>42.67</td><td>15.91</td><td>52.81</td><td>---</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11910.00	50.08	74.00	-23.92	51.67	39.97	11.89	53.45	---	Peak	2	17865.00	50.82	74.00	-23.18	45.05	42.67	15.91	52.81	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11910.00	49.76	74.00	-24.24	51.35	39.97	11.89	53.45	---	Peak																																																																																												
2	17865.00	50.63	74.00	-23.37	44.86	42.67	15.91	52.81	---	Peak																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	11910.00	50.08	74.00	-23.92	51.67	39.97	11.89	53.45	---	Peak																																																																																												
2	17865.00	50.82	74.00	-23.18	45.05	42.67	15.91	52.81	---	Peak																																																																																												



Mode	14																																																																																			
	Harmonic																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE20_CH45_6175MHz																																																																																			
ANT	3+10																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-31  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 14 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 11910.00</td><td>49.76</td><td>74.00</td><td>-24.24</td><td>51.35</td><td>39.97</td><td>11.89</td><td>53.45</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak	1 11910.00	49.76	74.00	-24.24	51.35	39.97	11.89	53.45		---	---	Peak	Level (dBuV/m) Date: 2023-03-31  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 14 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 11910.00</td><td>50.08</td><td>74.00</td><td>-23.92</td><td>51.67</td><td>39.97</td><td>11.89</td><td>53.45</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak	1 11910.00	50.08	74.00	-23.92	51.67	39.97	11.89	53.45		---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak																																																																								
1 11910.00	49.76	74.00	-24.24	51.35	39.97	11.89	53.45		---	---	Peak																																																																									
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak																																																																									
1 11910.00	50.08	74.00	-23.92	51.67	39.97	11.89	53.45		---	---	Peak																																																																									