



Mode	15																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH93_6415MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 15 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>49.53</td><td>88.20</td><td>-38.67</td><td>50.33</td><td>40.40</td><td>11.87</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 15 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>49.31</td><td>40.40</td><td>11.87</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table> </td>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	49.53	88.20	-38.67	50.33	40.40	11.87	53.07	---	---	Peak	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 15 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12830.00</td><td>48.51</td><td>88.20</td><td>-39.69</td><td>49.31</td><td>40.40</td><td>11.87</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12830.00	48.51	88.20	-39.69	49.31	40.40	11.87	53.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	49.53	88.20	-38.67	50.33	40.40	11.87	53.07	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12830.00	48.51	88.20	-39.69	49.31	40.40	11.87	53.07	---	---	Peak																																																																																	



Mode	16																																																													
	Harmonic																																																													
	U-NII-5_5.925-6.425_802.11ax HE20_CH97_6435MHz																																																													
ANT	3+10																																																													
Pol.	Horizontal	Vertical																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 16 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>49.65</td><td>88.20 -38.55</td><td>50.40</td><td>40.42</td><td>11.88</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	49.65	88.20 -38.55	50.40	40.42	11.88	53.05	---	---	Peak	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 16 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12870.00</td><td>48.26</td><td>88.20 -39.94</td><td>49.01</td><td>40.42</td><td>11.88</td><td>53.05</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12870.00	48.26	88.20 -39.94	49.01	40.42	11.88	53.05	---	---	Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12870.00	49.65	88.20 -38.55	50.40	40.42	11.88	53.05	---	---	Peak																																																					
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12870.00	48.26	88.20 -39.94	49.01	40.42	11.88	53.05	---	---	Peak																																																					



Mode	17																																																																																					
	Harmonic																																																																																					
	U-NII-6_6.425-6.525_802.11ax HE20_CH105_6475MHz																																																																																					
ANT	3+10																																																																																					
Pol.	Horizontal						Vertical																																																																															
Peak Avg	Level (dBuV/m) Date: 2023-03-26 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 17 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12950.00</td><td>48.89</td><td>88.20</td><td>-39.31</td><td>49.54</td><td>40.47</td><td>11.90</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 17 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12950.00</td><td>47.41</td><td>88.20</td><td>-40.79</td><td>48.06</td><td>40.47</td><td>11.90</td><td>53.02</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12950.00	48.89	88.20	-39.31	49.54	40.47	11.90	53.02	---	---	Peak		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12950.00	47.41	88.20	-40.79	48.06	40.47	11.90	53.02	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	Freq	Level	Line	Margin	Factor	Loss Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																												
1 12950.00	48.89	88.20	-39.31	49.54	40.47	11.90	53.02	---	---	Peak																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Factor	Loss Factor																																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																												
1 12950.00	47.41	88.20	-40.79	48.06	40.47	11.90	53.02	---	---	Peak																																																																												



Mode	18																																																																																								
	Harmonic																																																																																								
	U-NII-6_6.425-6.525_802.11ax HE20_CH113_6515MHz																																																																																								
ANT	3+10																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																																		
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 18 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 18 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5.5																																																																																		
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>47.95</td><td>88.20</td><td>-40.25</td><td></td><td>48.53</td><td>40.49</td><td>11.93</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	47.95	88.20	-40.25		48.53	40.49	11.93	53.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13030.00</td><td>48.73</td><td>88.20</td><td>-39.47</td><td></td><td>49.31</td><td>40.49</td><td>11.93</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	13030.00	48.73	88.20	-39.47		49.31	40.49	11.93	53.00	---	---
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13030.00	47.95	88.20	-40.25		48.53	40.49	11.93	53.00	---	---	Peak																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13030.00	48.73	88.20	-39.47		49.31	40.49	11.93	53.00	---	---	Peak																																																																													



Mode	19																																																																																			
	Harmonic																																																																																			
	U-NII-7_6.525-6.875_802.11ax HE20_CH117_Full_6535MHz																																																																																			
ANT	3+10																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 19 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 4.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13070.00</td><td>48.76</td><td>88.20</td><td>-39.44</td><td>49.34</td><td>40.47</td><td>11.96</td><td>53.01</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13070.00	48.76	88.20	-39.44	49.34	40.47	11.96	53.01	---	---	---	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 19 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 4.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13068.00</td><td>48.70</td><td>88.20</td><td>-39.50</td><td>49.28</td><td>40.47</td><td>11.96</td><td>53.01</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13068.00	48.70	88.20	-39.50	49.28	40.47	11.96	53.01	---	---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 13070.00	48.76	88.20	-39.44	49.34	40.47	11.96	53.01	---	---	---	Peak																																																																									
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																									
1 13068.00	48.70	88.20	-39.50	49.28	40.47	11.96	53.01	---	---	---	Peak																																																																									



Mode	20																																																																																								
	Harmonic																																																																																								
	U-NII-7_6.525-6.875_802.11ax HE20_CH149_Full_6695MHz																																																																																								
ANT	3+10																																																																																								
Pol.	Horizontal						Vertical																																																																																		
Peak Avg																																																																																									
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 20 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 20 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5																																																																																								
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>48.26</td><td>74.00</td><td>-25.74</td><td>48.73</td><td>40.34</td><td>12.23</td><td>53.04</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table> <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13390.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>48.88</td><td>40.34</td><td>12.23</td><td>53.04</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	48.26	74.00	-25.74	48.73	40.34	12.23	53.04	---	---	---	Peak		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg		1	13390.00	48.41	74.00	-25.59	48.88	40.34	12.23	53.04	---	---	---
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13390.00	48.26	74.00	-25.74	48.73	40.34	12.23	53.04	---	---	---	Peak																																																																													
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	13390.00	48.41	74.00	-25.59	48.88	40.34	12.23	53.04	---	---	---	Peak																																																																													



Mode	21																																																									
	Harmonic																																																									
	U-NII-7_6.525-6.875_802.11ax HE20_CH181_Full_6855MHz																																																									
ANT	3+10																																																									
Pol.	Horizontal						Vertical																																																			
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E						Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E																																																			
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 21 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 21 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 5																																																			
<table><tr><th rowspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13710.00</td><td>51.84</td><td>88.20</td><td>-36.36</td><td>51.94</td><td>40.47</td><td>12.50</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13710.00	51.84	88.20	-36.36	51.94	40.47	12.50	53.07	---	---	Peak
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																			
								Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																	
1	13710.00	51.84	88.20	-36.36	51.94	40.47	12.50	53.07	---	---	Peak																																															







Mode	22																																																																																																	
	Harmonic																																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE20_CH189_Full_6895MHz																																																																																																	
ANT	3+10																																																																																																	
Pol.	Horizontal						Vertical																																																																																											
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E						Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E																																																																																											
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 22 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 6.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13790.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>50.68</td><td>40.53</td><td>12.56</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13790.00	50.69	88.20	-37.51	50.68	40.53	12.56	53.08	---	---	Peak	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 22 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 6.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13790.00</td><td>50.92</td><td>88.20</td><td>-37.28</td><td>50.91</td><td>40.53</td><td>12.56</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13790.00	50.92	88.20	-37.28	50.91	40.53	12.56	53.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																									
Freq	Level	Line	Margin	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																																								
1 13790.00	50.69	88.20	-37.51	50.68	40.53	12.56	53.08	---	---	Peak																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Factor	Loss Factor																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																																								
1 13790.00	50.92	88.20	-37.28	50.91	40.53	12.56	53.08	---	---	Peak																																																																																								



Mode	23																																																																																		
	Harmonic																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH209_Full_6995MHz																																																																																		
ANT	3+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																												
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 23 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 23 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13990.00</td><td>50.49</td><td>88.20</td><td>-37.71</td><td>50.17</td><td>40.69</td><td>12.73</td><td>53.10</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13990.00	50.49	88.20	-37.71	50.17	40.69	12.73	53.10		---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13990.00</td><td>50.12</td><td>88.20</td><td>-38.08</td><td>49.80</td><td>40.69</td><td>12.73</td><td>53.10</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13990.00	50.12	88.20	-38.08	49.80	40.69	12.73	53.10		---	---
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 13990.00	50.49	88.20	-37.71	50.17	40.69	12.73	53.10		---	---	Peak																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 13990.00	50.12	88.20	-38.08	49.80	40.69	12.73	53.10		---	---	Peak																																																																								



		24																																																																																													
Mode	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz																																																																																														
ANT	3+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7146.64</td><td>52.61</td><td>88.20</td><td>-35.59</td><td>41.37</td><td>36.25</td><td>8.65</td><td>33.66</td><td>235</td><td>213</td><td>PEAK</td></tr><tr><td>2</td><td>7295.71</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>40.64</td><td>36.40</td><td>8.88</td><td>33.72</td><td>235</td><td>213</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7146.64	52.61	88.20	-35.59	41.37	36.25	8.65	33.66	235	213	PEAK	2	7295.71	52.20	74.00	-21.80	40.64	36.40	8.88	33.72	235	213	Peak	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>88.86</td><td>-----</td><td>-----</td><td>77.59</td><td>36.20</td><td>8.71</td><td>33.64</td><td>235</td><td>213</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	88.86	-----	-----	77.59	36.20	8.71	33.64	235	213	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7146.64	52.61	88.20	-35.59	41.37	36.25	8.65	33.66	235	213	PEAK																																																																																				
2	7295.71	52.20	74.00	-21.80	40.64	36.40	8.88	33.72	235	213	Peak																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	88.86	-----	-----	77.59	36.20	8.71	33.64	235	213	PEAK																																																																																				
Avg	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7233.41</td><td>41.51</td><td>68.20</td><td>-26.69</td><td>30.19</td><td>36.33</td><td>8.68</td><td>33.69</td><td>235</td><td>213</td><td>AVERAGE</td></tr><tr><td>2</td><td>7301.94</td><td>41.49</td><td>54.00</td><td>-12.51</td><td>29.91</td><td>36.40</td><td>8.90</td><td>33.72</td><td>235</td><td>213</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7233.41	41.51	68.20	-26.69	30.19	36.33	8.68	33.69	235	213	AVERAGE	2	7301.94	41.49	54.00	-12.51	29.91	36.40	8.90	33.72	235	213	Average	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7095.00</td><td>79.67</td><td>-----</td><td>-----</td><td>68.40</td><td>36.19</td><td>8.72</td><td>33.64</td><td>235</td><td>213</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	79.67	-----	-----	68.40	36.19	8.72	33.64	235	213	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7233.41	41.51	68.20	-26.69	30.19	36.33	8.68	33.69	235	213	AVERAGE																																																																																				
2	7301.94	41.49	54.00	-12.51	29.91	36.40	8.90	33.72	235	213	Average																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	79.67	-----	-----	68.40	36.19	8.72	33.64	235	213	AVERAGE																																																																																				



		24																																																																																																						
Mode	Band Edge																																																																																																							
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz																																																																																																							
ANT	3+10																																																																																																							
Pol.	Vertical						Fundamental																																																																																																	
Peak	Level (dBuV/m) Date: 2023-03-25 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7139.96</td><td>53.06</td><td>88.20</td><td>-35.14</td><td>41.82</td><td>36.24</td><td>8.66</td><td>33.66</td><td>100</td><td>17 PEAK</td></tr><tr><td>2</td><td>7250.32</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>41.00</td><td>36.35</td><td>8.74</td><td>33.70</td><td>100</td><td>17 Peak</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7139.96	53.06	88.20	-35.14	41.82	36.24	8.66	33.66	100	17 PEAK	2	7250.32	52.39	74.00	-21.61	41.00	36.35	8.74	33.70	100	17 Peak	Level (dBuV/m) Date: 2023-03-25 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>95.07</td><td>-----</td><td>-----</td><td>83.80</td><td>36.20</td><td>8.71</td><td>33.64</td><td>100</td><td>17 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	95.07	-----	-----	83.80	36.20	8.71	33.64	100	17 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7139.96	53.06	88.20	-35.14	41.82	36.24	8.66	33.66	100	17 PEAK																																																																																														
2	7250.32	52.39	74.00	-21.61	41.00	36.35	8.74	33.70	100	17 Peak																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7095.00	95.07	-----	-----	83.80	36.20	8.71	33.64	100	17 PEAK																																																																																														
Avg	Level (dBuV/m) Date: 2023-03-25 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7155.09</td><td>41.50</td><td>68.20</td><td>-26.70</td><td>30.26</td><td>36.26</td><td>8.64</td><td>33.66</td><td>100</td><td>17 AVERAGE</td></tr><tr><td>2</td><td>7329.09</td><td>41.51</td><td>54.00</td><td>-12.49</td><td>29.82</td><td>36.43</td><td>8.99</td><td>33.73</td><td>100</td><td>17 Average</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7155.09	41.50	68.20	-26.70	30.26	36.26	8.64	33.66	100	17 AVERAGE	2	7329.09	41.51	54.00	-12.49	29.82	36.43	8.99	33.73	100	17 Average	Level (dBuV/m) Date: 2023-03-25 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 24 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7095.00</td><td>85.95</td><td>-----</td><td>-----</td><td>74.68</td><td>36.19</td><td>8.72</td><td>33.64</td><td>100</td><td>17 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	7095.00	85.95	-----	-----	74.68	36.19	8.72	33.64	100	17 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																														
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7155.09	41.50	68.20	-26.70	30.26	36.26	8.64	33.66	100	17 AVERAGE																																																																																														
2	7329.09	41.51	54.00	-12.49	29.82	36.43	8.99	33.73	100	17 Average																																																																																														
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																															
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																																		
	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																															
1	7095.00	85.95	-----	-----	74.68	36.19	8.72	33.64	100	17 AVERAGE																																																																																														




Mode	24																																																																									
	Harmonic																																																																									
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Full_7095MHz																																																																									
ANT	3+10																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 24 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 14190.00</td><td>51.11</td><td>88.20</td><td>-37.09</td><td>50.74</td><td>40.85</td><td>12.73</td><td>53.21</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 14190.00	51.11	88.20	-37.09	50.74	40.85	12.73	53.21	---	---	---	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 24 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 14190.00</td><td>50.67</td><td>88.20</td><td>-37.53</td><td>50.30</td><td>40.85</td><td>12.73</td><td>53.21</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 14190.00	50.67	88.20	-37.53	50.30	40.85	12.73	53.21	---	---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																														
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																															
1 14190.00	51.11	88.20	-37.09	50.74	40.85	12.73	53.21	---	---	---	Peak																																																															
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																															
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																															
1 14190.00	50.67	88.20	-37.53	50.30	40.85	12.73	53.21	---	---	---	Peak																																																															





Mode	25																																																																																										
	Band Edge																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																										
ANT	3+10																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5856.68</td><td>53.46</td><td>88.20</td><td>-34.74</td><td>42.74</td><td>35.18</td><td>8.87</td><td>33.33</td><td>200</td><td>313</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5856.68	53.46	88.20	-34.74	42.74	35.18	8.87	33.33	200	313	PEAK	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>93.73</td><td>-----</td><td>-----</td><td>82.88</td><td>35.41</td><td>8.75</td><td>33.31</td><td>200</td><td>313</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	93.73	-----	-----	82.88	35.41	8.75	33.31	200	313	PEAK
		Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5856.68	53.46	88.20	-34.74	42.74	35.18	8.87	33.33	200	313	PEAK																																																																																
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	93.73	-----	-----	82.88	35.41	8.75	33.31	200	313	PEAK																																																																																
Avg	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5919.88</td><td>41.43</td><td>68.20</td><td>-26.77</td><td>30.63</td><td>35.32</td><td>8.80</td><td>33.32</td><td>200</td><td>313</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5919.88	41.43	68.20	-26.77	30.63	35.32	8.80	33.32	200	313	AVERAGE	Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5965.00</td><td>85.05</td><td>-----</td><td>-----</td><td>74.19</td><td>35.44</td><td>8.73</td><td>33.31</td><td>200</td><td>313</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg	1	5965.00	85.05	-----	-----	74.19	35.44	8.73	33.31	200	313	AVERAGE
		Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5919.88	41.43	68.20	-26.77	30.63	35.32	8.80	33.32	200	313	AVERAGE																																																																																
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																																					
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5965.00	85.05	-----	-----	74.19	35.44	8.73	33.31	200	313	AVERAGE																																																																																




		25									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz										
ANT	3+10										
Pol.	Vertical										
Peak	Fundamental										
	Fundamental										
Avg	Fundamental										
	Fundamental										

Date: 2023-03-25																																											
																																											
Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5867.08</td><td>52.51</td><td>88.20</td><td>-35.69</td><td>41.77</td><td>35.21</td><td>8.86</td><td>33.33</td><td>300</td><td>10 PEAK</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5867.08	52.51	88.20	-35.69	41.77	35.21	8.86	33.33	300	10 PEAK
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5867.08	52.51	88.20	-35.69	41.77	35.21	8.86	33.33	300	10 PEAK																																	

Date: 2023-03-25																																											
																																											
Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>90.90</td><td>-----</td><td>80.05</td><td>35.41</td><td>8.75</td><td>33.31</td><td>300</td><td>10</td><td>PEAK</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5965.00	90.90	-----	80.05	35.41	8.75	33.31	300	10	PEAK
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5965.00	90.90	-----	80.05	35.41	8.75	33.31	300	10	PEAK																																	



Date: 2023-03-25																																											
																																											
Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5921.96</td><td>41.39</td><td>68.20</td><td>-26.81</td><td>30.59</td><td>35.33</td><td>8.79</td><td>33.32</td><td>300</td><td>10 AVERAGE</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5921.96	41.39	68.20	-26.81	30.59	35.33	8.79	33.32	300	10 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5921.96	41.39	68.20	-26.81	30.59	35.33	8.79	33.32	300	10 AVERAGE																																	

Date: 2023-03-25																																											
																																											
Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 25 Setting : MCS0 Power setting 7.5 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5965.00</td><td>81.23</td><td>-----</td><td>70.38</td><td>35.41</td><td>8.75</td><td>33.31</td><td>300</td><td>10</td><td>AVERAGE</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5965.00	81.23	-----	70.38	35.41	8.75	33.31	300	10	AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5965.00	81.23	-----	70.38	35.41	8.75	33.31	300	10	AVERAGE																																	



Mode	25																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-5_5.925-6.425_802.11ax HE40_CH3_5965MHz																																																																																																																			
ANT	3+10																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) Ave(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 25 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>50.97</td><td>40.00</td><td>11.67</td><td>53.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>50.98</td><td>74.00</td><td>-23.02</td><td>47.80</td><td>42.69</td><td>13.32</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11930.00	49.20	74.00	-24.80	50.97	40.00	11.67	53.44	---	---	Peak	2	17895.00	50.98	74.00	-23.02	47.80	42.69	13.32	52.83	---	---	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) Ave(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 25 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11930.00</td><td>49.74</td><td>74.00</td><td>-24.26</td><td>51.51</td><td>40.00</td><td>11.67</td><td>53.44</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17895.00</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>46.98</td><td>42.69</td><td>13.32</td><td>52.83</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11930.00	49.74	74.00	-24.26	51.51	40.00	11.67	53.44	---	---	Peak	2	17895.00	50.16	74.00	-23.84	46.98	42.69	13.32	52.83	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11930.00	49.20	74.00	-24.80	50.97	40.00	11.67	53.44	---	---	Peak																																																																																																									
2	17895.00	50.98	74.00	-23.02	47.80	42.69	13.32	52.83	---	---	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																											
1	11930.00	49.74	74.00	-24.26	51.51	40.00	11.67	53.44	---	---	Peak																																																																																																									
2	17895.00	50.16	74.00	-23.84	46.98	42.69	13.32	52.83	---	---	Peak																																																																																																									



Mode	26																																																													
	Harmonic																																																													
	U-NII-5_5.925-6.425_802.11ax HE40_CH43_6165MHz																																																													
ANT	3+10																																																													
Pol.	Horizontal	Vertical																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-27  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 26 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12330.00</td><td>47.04</td><td>74.00</td><td>-26.96</td><td>48.37</td><td>40.17</td><td>11.77</td><td>53.27</td><td>---</td><td>--- Peak</td></tr></table> Level (dBuV/m) Date: 2023-03-27  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 26 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12330.00</td><td>47.12</td><td>74.00</td><td>-26.88</td><td>48.45</td><td>40.17</td><td>11.77</td><td>53.27</td><td>---</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12330.00	47.04	74.00	-26.96	48.37	40.17	11.77	53.27	---	--- Peak	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12330.00	47.12	74.00	-26.88	48.45	40.17	11.77	53.27	---	--- Peak	
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12330.00	47.04	74.00	-26.96	48.37	40.17	11.77	53.27	---	--- Peak																																																					
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12330.00	47.12	74.00	-26.88	48.45	40.17	11.77	53.27	---	--- Peak																																																					



Mode	27																																																																																											
	Harmonic																																																																																											
	U-NII-5_5.925-6.425_802.11ax HE40_CH91_6405MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 27 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 8 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>49.00</td><td>88.20</td><td>-39.20</td><td>49.82</td><td>40.39</td><td>11.87</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12810.00	49.00	88.20	-39.20	49.82	40.39	11.87	53.08	---	---	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 27 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 8 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12810.00</td><td>49.57</td><td>88.20</td><td>-38.63</td><td>50.39</td><td>40.39</td><td>11.87</td><td>53.08</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	12810.00	49.57	88.20	-38.63	50.39	40.39	11.87	53.08	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12810.00	49.00	88.20	-39.20	49.82	40.39	11.87	53.08	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	12810.00	49.57	88.20	-38.63	50.39	40.39	11.87	53.08	---	---	Peak																																																																																	



Mode	28																																																																																			
	Harmonic																																																																																			
	U-NII-6_6.425-6.525_802.11ax HE40_CH99_Full_6445MHz																																																																																			
ANT	3+10																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) 72001376020320268803344040000 Frequency (MHz) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 28 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12890.00</td><td>49.14</td><td>88.20</td><td>-39.06</td><td>49.87</td><td>40.43</td><td>11.88</td><td>53.04</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12890.00	49.14	88.20	-39.06	49.87	40.43	11.88	53.04		---	---	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) 72001376020320268803344040000 Frequency (MHz) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 28 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12890.00</td><td>49.11</td><td>88.20</td><td>-39.09</td><td>49.84</td><td>40.43</td><td>11.88</td><td>53.04</td><td></td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12890.00	49.11	88.20	-39.09	49.84	40.43	11.88	53.04		---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 12890.00	49.14	88.20	-39.06	49.87	40.43	11.88	53.04		---	---	Peak																																																																									
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																									
1 12890.00	49.11	88.20	-39.09	49.84	40.43	11.88	53.04		---	---	Peak																																																																									





Mode	29																																																																																		
	Harmonic																																																																																		
	U-NII-6_6.425-6.525_802.11ax HE40_CH107_Full_6485MHz																																																																																		
ANT	3+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																												
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 29 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 29 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5																																																																												
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12970.00</td><td>48.64</td><td>88.20</td><td>-39.56</td><td>49.27</td><td>40.48</td><td>11.90</td><td>53.01</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12970.00	48.64	88.20	-39.56	49.27	40.48	11.90	53.01	---	---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12970.00</td><td>48.18</td><td>88.20</td><td>-40.02</td><td>48.81</td><td>40.48</td><td>11.90</td><td>53.01</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12970.00	48.18	88.20	-40.02	48.81	40.48	11.90	53.01	---	---	---
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 12970.00	48.64	88.20	-39.56	49.27	40.48	11.90	53.01	---	---	---	Peak																																																																								
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 12970.00	48.18	88.20	-40.02	48.81	40.48	11.90	53.01	---	---	---	Peak																																																																								





Mode	30																																																													
	Harmonic																																																													
	U-NII-7_6.525-6.875_802.11ax HE40_CH123_Full_6565MHz																																																													
ANT	3+10																																																													
Pol.	Horizontal	Vertical																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 30 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>49.48</td><td>88.20</td><td>-38.72</td><td>50.03</td><td>40.45</td><td>12.01</td><td>53.01</td><td>---</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	49.48	88.20	-38.72	50.03	40.45	12.01	53.01	---	--- Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 30 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 13130.00</td><td>48.81</td><td>88.20</td><td>-39.39</td><td>49.36</td><td>40.45</td><td>12.01</td><td>53.01</td><td>---</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 13130.00	48.81	88.20	-39.39	49.36	40.45	12.01	53.01	---	--- Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13130.00	49.48	88.20	-38.72	50.03	40.45	12.01	53.01	---	--- Peak																																																					
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 13130.00	48.81	88.20	-39.39	49.36	40.45	12.01	53.01	---	--- Peak																																																					



Mode	31																																																																									
	Harmonic																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH147_Full_6685MHz																																																																									
ANT	3+10																																																																									
Pol.	Horizontal	Vertical																																																																								
Peak Avg	Level (dBuV/m) Date: 2023-03-27  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : 31 SN : 32fa7a52 Plane : Y with accessories Plane : MCS0 Power setting 8.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13370.00</td><td>48.66</td><td>74.00</td><td>-25.34</td><td>49.14</td><td>40.35</td><td>12.21</td><td>53.04</td><td>--- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13370.00	48.66	74.00	-25.34	49.14	40.35	12.21	53.04	--- Peak	Level (dBuV/m) Date: 2023-03-27  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 200705 Mode : 31 SN : 32fa7a52 Plane : Y with accessories Plane : MCS0 Power setting 8.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr></thead><tbody><tr><td>1 13370.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>48.95</td><td>40.35</td><td>12.21</td><td>53.04</td><td>--- Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 13370.00	48.47	74.00	-25.53	48.95	40.35	12.21	53.04	--- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 13370.00	48.66	74.00	-25.34	49.14	40.35	12.21	53.04	--- Peak																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																		
1 13370.00	48.47	74.00	-25.53	48.95	40.35	12.21	53.04	--- Peak																																																																		





Mode	32																																																																																									
	Harmonic																																																																																									
	U-NII-7_6.525-6.875_802.11ax HE40_CH179_Full_6845MHz																																																																																									
ANT	3+10																																																																																									
Pol.	Horizontal						Vertical																																																																																			
Peak Avg																																																																																										
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 32 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>50.84</td><td>88.20</td><td>-37.36</td><td>50.98</td><td>40.45</td><td>12.48</td><td>53.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table> Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 32 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr></thead><tbody><tr><td>1</td><td>13690.00</td><td>50.87</td><td>88.20</td><td>-37.33</td><td>51.01</td><td>40.45</td><td>12.48</td><td>53.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>													Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1	13690.00	50.84	88.20	-37.36	50.98	40.45	12.48	53.07	---	---	---	Peak		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1	13690.00	50.87	88.20	-37.33	51.01	40.45	12.48	53.07	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																														
1	13690.00	50.84	88.20	-37.36	50.98	40.45	12.48	53.07	---	---	---	Peak																																																																														
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																														
1	13690.00	50.87	88.20	-37.33	51.01	40.45	12.48	53.07	---	---	---	Peak																																																																														







Mode	33																																																																																	
	Harmonic																																																																																	
	U-NII-8_6.875-7.125_802.11ax HE40_CH195_Full_6925MHz																																																																																	
ANT	3+10																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 33 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 9.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th>Peak</th></tr><tr><td>1 13850.00</td><td>50.60</td><td>88.20</td><td>-37.60</td><td>50.49</td><td>40.58</td><td>12.61</td><td>53.08</td><td>---</td><td>---</td><td></td><td>Peak</td></tr></table>					Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		Peak	1 13850.00	50.60	88.20	-37.60	50.49	40.58	12.61	53.08	---	---		Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 33 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 9.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th><th>Peak</th></tr><tr><td>1 13850.00</td><td>50.70</td><td>88.20</td><td>-37.50</td><td>50.59</td><td>40.58</td><td>12.61</td><td>53.08</td><td>---</td><td>---</td><td></td><td>Peak</td></tr></table>					Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		Peak	1 13850.00	50.70	88.20	-37.50	50.59	40.58	12.61	53.08	---	---		Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		Peak																																																																							
1 13850.00	50.60	88.20	-37.60	50.49	40.58	12.61	53.08	---	---		Peak																																																																							
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		Peak																																																																							
1 13850.00	50.70	88.20	-37.50	50.59	40.58	12.61	53.08	---	---		Peak																																																																							



Mode	34																																																																																																				
	Harmonic																																																																																																				
	U-NII-8_6.875-7.125_802.11ax HE40_CH203_Full_6965MHz																																																																																																				
ANT	3+10																																																																																																				
Pol.	Horizontal						Vertical																																																																																														
Peak Avg	 Level (dBuV/m) vs Frequency (MHz). Date: 2023-03-27. Peaks labeled: PEAK(U-NII)_6E, AVG(U-NII)_6E.						 Level (dBuV/m) vs Frequency (MHz). Date: 2023-03-27. Peaks labeled: PEAK(U-NII)_6E, AVG(U-NII)_6E.																																																																																														
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 34 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 9.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13930.00</td><td>50.08</td><td>88.20</td><td>-38.12</td><td>49.85</td><td>40.64</td><td>12.68</td><td>53.09</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13930.00	50.08	88.20	-38.12	49.85	40.64	12.68	53.09	---	---	---	Peak	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 34 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 9.5 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13930.00</td><td>50.29</td><td>88.20</td><td>-37.91</td><td>50.06</td><td>40.64</td><td>12.68</td><td>53.09</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1 13930.00	50.29	88.20	-37.91	50.06	40.64	12.68	53.09	---	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 13930.00	50.08	88.20	-38.12	49.85	40.64	12.68	53.09	---	---	---	Peak																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1 13930.00	50.29	88.20	-37.91	50.06	40.64	12.68	53.09	---	---	---	Peak																																																																																										



		35																																																																																													
Mode	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz																																																																																														
ANT	3+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-03-27  Frequency (MHz) Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7218.28</td><td>52.32</td><td>88.20</td><td>-35.88</td><td>41.06</td><td>36.32</td><td>8.63</td><td>33.69</td><td>400</td><td>44</td><td>PEAK</td></tr><tr><td>2</td><td>7317.96</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>41.00</td><td>36.42</td><td>8.95</td><td>33.73</td><td>400</td><td>44</td><td>Peak</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7218.28	52.32	88.20	-35.88	41.06	36.32	8.63	33.69	400	44	PEAK	2	7317.96	52.64	74.00	-21.36	41.00	36.42	8.95	33.73	400	44	Peak	Level (dBuV/m) Date: 2023-03-27  Frequency (MHz) Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>90.27</td><td>-----</td><td>-----</td><td>78.98</td><td>36.18</td><td>8.74</td><td>33.63</td><td>400</td><td>44</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	90.27	-----	-----	78.98	36.18	8.74	33.63	400	44	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7218.28	52.32	88.20	-35.88	41.06	36.32	8.63	33.69	400	44	PEAK																																																																																				
2	7317.96	52.64	74.00	-21.36	41.00	36.42	8.95	33.73	400	44	Peak																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7085.00	90.27	-----	-----	78.98	36.18	8.74	33.63	400	44	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2023-03-27  Frequency (MHz) Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7225.85</td><td>41.55</td><td>68.20</td><td>-26.65</td><td>30.25</td><td>36.33</td><td>8.66</td><td>33.69</td><td>400</td><td>44</td><td>AVERAGE</td></tr><tr><td>2</td><td>7259.22</td><td>41.63</td><td>54.00</td><td>-12.37</td><td>30.20</td><td>36.36</td><td>8.77</td><td>33.70</td><td>400</td><td>44</td><td>Average</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7225.85	41.55	68.20	-26.65	30.25	36.33	8.66	33.69	400	44	AVERAGE	2	7259.22	41.63	54.00	-12.37	30.20	36.36	8.77	33.70	400	44	Average	Level (dBuV/m) Date: 2023-03-27  Frequency (MHz) Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7085.00</td><td>80.82</td><td>-----</td><td>-----</td><td>69.53</td><td>36.18</td><td>8.74</td><td>33.63</td><td>400</td><td>44</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	80.82	-----	-----	69.53	36.18	8.74	33.63	400	44	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7225.85	41.55	68.20	-26.65	30.25	36.33	8.66	33.69	400	44	AVERAGE																																																																																				
2	7259.22	41.63	54.00	-12.37	30.20	36.36	8.77	33.70	400	44	Average																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7085.00	80.82	-----	-----	69.53	36.18	8.74	33.63	400	44	AVERAGE																																																																																				



Mode	35																																																																																															
	Band Edge																																																																																															
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz																																																																																															
ANT	3+10																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak	Level (dBuV/m) Date: 2023-03-27 PEAK_BE(UNII)_6E 69056994.7083.7172.7261.7350 Frequency (MHz) Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7233.41</td><td>52.14</td><td>88.20</td><td>-36.06</td><td>40.82</td><td>36.33</td><td>8.68</td><td>33.69</td><td>125</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>7251.66</td><td>53.36</td><td>74.00</td><td>-20.64</td><td>41.97</td><td>36.35</td><td>8.74</td><td>33.70</td><td>125</td><td>313</td><td>Peak</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7233.41	52.14	88.20	-36.06	40.82	36.33	8.68	33.69	125	313	PEAK	2	7251.66	53.36	74.00	-20.64	41.97	36.35	8.74	33.70	125	313	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK_BE(UNII)_6E 10002240.3480.4720.5960.7200 Frequency (MHz) Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7085.00</td><td>86.74</td><td>-----</td><td>-----</td><td>75.46</td><td>36.19</td><td>8.73</td><td>33.64</td><td>125</td><td>313</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	86.74	-----	-----	75.46	36.19	8.73	33.64	125	313	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7233.41	52.14	88.20	-36.06	40.82	36.33	8.68	33.69	125	313	PEAK																																																																																					
2	7251.66	53.36	74.00	-20.64	41.97	36.35	8.74	33.70	125	313	Peak																																																																																					
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7085.00	86.74	-----	-----	75.46	36.19	8.73	33.64	125	313	PEAK																																																																																					
Avg	Level (dBuV/m) Date: 2023-03-27 AVG_BE(UNII)_6E 69056994.7083.7172.7261.7350 Frequency (MHz) Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7186.69</td><td>42.59</td><td>68.20</td><td>-25.61</td><td>31.38</td><td>36.29</td><td>8.60</td><td>33.68</td><td>125</td><td>313</td><td>AVERAGE</td></tr><tr><td>2</td><td>7337.54</td><td>41.60</td><td>54.00</td><td>-12.40</td><td>29.89</td><td>36.44</td><td>9.01</td><td>33.74</td><td>125</td><td>313</td><td>Average</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7186.69	42.59	68.20	-25.61	31.38	36.29	8.60	33.68	125	313	AVERAGE	2	7337.54	41.60	54.00	-12.40	29.89	36.44	9.01	33.74	125	313	Average	Level (dBuV/m) Date: 2023-03-27 AVG_BE(UNII)_6E 10002240.3480.4720.5960.7200 Frequency (MHz) Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 35 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7085.00</td><td>78.20</td><td>-----</td><td>-----</td><td>66.90</td><td>36.18</td><td>8.75</td><td>33.63</td><td>125</td><td>313</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7085.00	78.20	-----	-----	66.90	36.18	8.75	33.63	125	313	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7186.69	42.59	68.20	-25.61	31.38	36.29	8.60	33.68	125	313	AVERAGE																																																																																					
2	7337.54	41.60	54.00	-12.40	29.89	36.44	9.01	33.74	125	313	Average																																																																																					
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	7085.00	78.20	-----	-----	66.90	36.18	8.75	33.63	125	313	AVERAGE																																																																																					



Mode	35																																																																												
	Harmonic																																																																												
	U-NII-8_6.875-7.125_802.11ax HE40_CH227_Full_7085MHz																																																																												
ANT	3+10																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 35 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14170.00</td><td>50.89</td><td>88.20</td><td>-37.31</td><td>50.52</td><td>40.84</td><td>12.73</td><td>53.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14170.00	50.89	88.20	-37.31	50.52	40.84	12.73	53.20	---	---	Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 35 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 14170.00</td><td>50.85</td><td>88.20</td><td>-37.35</td><td>50.48</td><td>40.84</td><td>12.73</td><td>53.20</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 14170.00	50.85	88.20	-37.35	50.48	40.84	12.73	53.20	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 14170.00	50.89	88.20	-37.31	50.52	40.84	12.73	53.20	---	---	Peak																																																																			
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																			
1 14170.00	50.85	88.20	-37.35	50.48	40.84	12.73	53.20	---	---	Peak																																																																			



Mode	36																																																																																									
	Band Edge																																																																																									
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																									
ANT	3+10																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak	Level (dBuV/m) Date: 2023-03-25 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.04</td><td>60.20</td><td>88.20</td><td>-28.00</td><td>49.40</td><td>35.33</td><td>8.79</td><td>33.32</td><td>171</td><td>124</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.04	60.20	88.20	-28.00	49.40	35.33	8.79	33.32	171	124	PEAK	Level (dBuV/m) Date: 2023-03-25 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.94</td><td>-----</td><td>-----</td><td>86.07</td><td>35.45</td><td>8.73</td><td>33.31</td><td>171</td><td>124</td><td>PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.94	-----	-----	86.07	35.45	8.73	33.31	171	124	PEAK
		Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																		
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.04	60.20	88.20	-28.00	49.40	35.33	8.79	33.32	171	124	PEAK																																																																															
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	96.94	-----	-----	86.07	35.45	8.73	33.31	171	124	PEAK																																																																															
Avg	Level (dBuV/m) Date: 2023-03-25 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5924.68</td><td>48.07</td><td>68.20</td><td>-20.13</td><td>37.27</td><td>35.33</td><td>8.79</td><td>33.32</td><td>171</td><td>124</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5924.68	48.07	68.20	-20.13	37.27	35.33	8.79	33.32	171	124	AVERAGE	Level (dBuV/m) Date: 2023-03-25 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories : 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>87.49</td><td>-----</td><td>-----</td><td>76.61</td><td>35.47</td><td>8.72</td><td>33.31</td><td>171</td><td>124</td><td>AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	87.49	-----	-----	76.61	35.47	8.72	33.31	171	124	AVERAGE
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5924.68	48.07	68.20	-20.13	37.27	35.33	8.79	33.32	171	124	AVERAGE																																																																															
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																		
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5985.00	87.49	-----	-----	76.61	35.47	8.72	33.31	171	124	AVERAGE																																																																															



		36																																																																																						
Mode		Band Edge																																																																																						
		U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																						
ANT		3+10																																																																																						
Pol.		Vertical					Fundamental																																																																																	
Peak	Level (dBuV/m) Date: 2023-03-25 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5922.28</td><td>59.02</td><td>88.20</td><td>-29.18</td><td>48.22</td><td>35.33</td><td>8.79</td><td>33.32</td><td>147</td><td>0</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5922.28	59.02	88.20	-29.18	48.22	35.33	8.79	33.32	147	0	PEAK	Level (dBuV/m) Date: 2023-03-25 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>96.13</td><td>-----</td><td>-----</td><td>85.25</td><td>35.47</td><td>8.72</td><td>33.31</td><td>147</td><td>0</td><td>PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	96.13	-----	-----	85.25	35.47	8.72	33.31	147	0	PEAK
		Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5922.28	59.02	88.20	-29.18	48.22	35.33	8.79	33.32	147	0	PEAK																																																																													
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	96.13	-----	-----	85.25	35.47	8.72	33.31	147	0	PEAK																																																																													
Avg	Level (dBuV/m) Date: 2023-03-25 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5925.00</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>36.40</td><td>35.33</td><td>8.79</td><td>33.32</td><td>147</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5925.00	47.20	68.20	-21.00	36.40	35.33	8.79	33.32	147	0	AVERAGE	Level (dBuV/m) Date: 2023-03-25 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 36 Setting : MCS0 Power setting 11 Plane : Y with accessories 32fa7a52 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5985.00</td><td>86.18</td><td>-----</td><td>-----</td><td>75.30</td><td>35.47</td><td>8.72</td><td>33.31</td><td>147</td><td>0</td><td>AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark	MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	5985.00	86.18	-----	-----	75.30	35.47	8.72	33.31	147	0	AVERAGE
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5925.00	47.20	68.20	-21.00	36.40	35.33	8.79	33.32	147	0	AVERAGE																																																																													
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos																																																																																	
Freq	Level	Line	(dB)	Level	Factor	Loss Factor		Remark																																																																																
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																
1	5985.00	86.18	-----	-----	75.30	35.47	8.72	33.31	147	0	AVERAGE																																																																													



Mode	36																																																																																																																															
	Harmonic																																																																																																																															
	U-NII-5_5.925-6.425_802.11ax HE80_CH7_Full_5985MHz																																																																																																																															
ANT	3+10																																																																																																																															
Pol.	Horizontal												Vertical																																																																																																																			
Peak Avg	Level (dBuV/m) Date: 2023-04-01 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : 36 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>50.46</td><td>74.00</td><td>-23.54</td><td>52.13</td><td>40.06</td><td>11.69</td><td>53.42</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>51.80</td><td>74.00</td><td>-22.20</td><td>48.58</td><td>42.76</td><td>13.33</td><td>52.87</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table> Level (dBuV/m) Date: 2023-04-01 PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 200705 Mode : 36 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11970.00</td><td>49.12</td><td>74.00</td><td>-24.88</td><td>50.79</td><td>40.06</td><td>11.69</td><td>53.42</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>17955.00</td><td>50.10</td><td>74.00</td><td>-23.90</td><td>46.88</td><td>42.76</td><td>13.33</td><td>52.87</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>																									Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	50.46	74.00	-23.54	52.13	40.06	11.69	53.42	---	---	---	Peak	2	17955.00	51.80	74.00	-22.20	48.58	42.76	13.33	52.87	---	---	---	Peak		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	11970.00	49.12	74.00	-24.88	50.79	40.06	11.69	53.42	---	---	---	Peak	2	17955.00	50.10	74.00	-23.90	46.88	42.76	13.33	52.87	---	---	---	Peak
		Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																			
		MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																			
1	11970.00	50.46	74.00	-23.54	52.13	40.06	11.69	53.42	---	---	---	Peak																																																																																																																				
2	17955.00	51.80	74.00	-22.20	48.58	42.76	13.33	52.87	---	---	---	Peak																																																																																																																				
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	11970.00	49.12	74.00	-24.88	50.79	40.06	11.69	53.42	---	---	---	Peak																																																																																																																				
2	17955.00	50.10	74.00	-23.90	46.88	42.76	13.33	52.87	---	---	---	Peak																																																																																																																				



Mode	37																																																																					
	Harmonic																																																																					
	U-NII-5_5.925-6.425_802.11ax HE80_CH39_Full_6145MHz																																																																					
ANT	3+10																																																																					
Pol.	Horizontal					Vertical																																																																
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 37 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12290.00</td><td>48.02</td><td>74.00</td><td>-25.98</td><td>49.38</td><td>40.16</td><td>11.76</td><td>53.28</td><td>---</td><td>--- Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12290.00	48.02	74.00	-25.98	49.38	40.16	11.76	53.28	---	--- Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 37 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12290.00</td><td>46.91</td><td>74.00</td><td>-27.09</td><td>48.27</td><td>40.16</td><td>11.76</td><td>53.28</td><td>---</td><td>--- Peak</td></tr></table>					Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12290.00	46.91	74.00	-27.09	48.27	40.16	11.76	53.28	---	--- Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 12290.00	48.02	74.00	-25.98	49.38	40.16	11.76	53.28	---	--- Peak																																																													
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																													
1 12290.00	46.91	74.00	-27.09	48.27	40.16	11.76	53.28	---	--- Peak																																																													



Mode	38																																																																																										
	Harmonic																																																																																										
	U-NII-5_5.925-6.425_802.11ax HE80_CH87_Full_6385MHz																																																																																										
ANT	3+10																																																																																										
Pol.	Horizontal						Vertical																																																																																				
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E						Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E																																																																																				
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 38 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 38 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12770.00</td><td>48.35</td><td>88.20</td><td>-39.85</td><td>49.22</td><td>40.36</td><td>11.86</td><td>53.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	48.35	88.20	-39.85	49.22	40.36	11.86	53.09	---	---	Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>12770.00</td><td>48.80</td><td>88.20</td><td>-39.40</td><td>49.67</td><td>40.36</td><td>11.86</td><td>53.09</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12770.00	48.80	88.20	-39.40	49.67	40.36	11.86	53.09	---	---
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	12770.00	48.35	88.20	-39.85	49.22	40.36	11.86	53.09	---	---	Peak																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
Freq	Level	Line	Margin	Factor	Loss Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	12770.00	48.80	88.20	-39.40	49.67	40.36	11.86	53.09	---	---	Peak																																																																																





Mode	39																																																													
	Harmonic																																																													
	U-NII-6_6.425-6.525_802.11ax HE80_CH103_Full_6465MHz																																																													
ANT	3+10																																																													
Pol.	Horizontal	Vertical																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 39 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12930.00</td><td>48.49</td><td>88.20</td><td>-39.71</td><td>49.17</td><td>40.46</td><td>11.89</td><td>53.03</td><td>---</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12930.00	48.49	88.20	-39.71	49.17	40.46	11.89	53.03	---	--- Peak	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 39 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 12930.00</td><td>48.75</td><td>88.20</td><td>-39.45</td><td>49.43</td><td>40.46</td><td>11.89</td><td>53.03</td><td>---</td><td>--- Peak</td></tr></table>	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 12930.00	48.75	88.20	-39.45	49.43	40.46	11.89	53.03	---	--- Peak
	Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12930.00	48.49	88.20	-39.71	49.17	40.46	11.89	53.03	---	--- Peak																																																					
Freq	Level	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																					
1 12930.00	48.75	88.20	-39.45	49.43	40.46	11.89	53.03	---	--- Peak																																																					





Mode	40																																																																																			
	Harmonic																																																																																			
	U-NII-7_6.525-6.875_802.11ax HE80_CH135_Full_6625MHz																																																																																			
ANT	3+10																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-27 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 40 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13250.00</td><td>48.47</td><td>74.00</td><td>-25.53</td><td>48.98</td><td>40.40</td><td>12.11</td><td>53.02</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13250.00	48.47	74.00	-25.53	48.98	40.40	12.11	53.02	---	---	---	Peak	Level (dBuV/m) Date: 2023-03-27 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 40 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13250.00</td><td>48.69</td><td>74.00</td><td>-25.31</td><td>49.20</td><td>40.40</td><td>12.11</td><td>53.02</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13250.00	48.69	74.00	-25.31	49.20	40.40	12.11	53.02	---	---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																								
1 13250.00	48.47	74.00	-25.53	48.98	40.40	12.11	53.02	---	---	---	Peak																																																																									
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																									
1 13250.00	48.69	74.00	-25.31	49.20	40.40	12.11	53.02	---	---	---	Peak																																																																									





Mode	41																																																																																												
	Harmonic																																																																																												
	U-NII-7_6.525-6.875_802.11ax HE80_CH151_Full_6705MHz																																																																																												
ANT	3+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 41 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>49.29</td><td>88.20</td><td>-38.91</td><td>49.75</td><td>40.34</td><td>12.24</td><td>53.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13410.00	49.29	88.20	-38.91	49.75	40.34	12.24	53.04	---	---	Peak	Level (dBuV/m) Date: 2023-03-27  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 41 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13410.00</td><td>48.30</td><td>88.20</td><td>-39.90</td><td>48.76</td><td>40.34</td><td>12.24</td><td>53.04</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13410.00	48.30	88.20	-39.90	48.76	40.34	12.24	53.04	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	13410.00	49.29	88.20	-38.91	49.75	40.34	12.24	53.04	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13410.00	48.30	88.20	-39.90	48.76	40.34	12.24	53.04	---	---	Peak																																																																																		



Mode	42																																																																																											
	Harmonic																																																																																											
	U-NII-7_6.525-6.875_802.11ax HE80_CH167_Full_6785MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-27  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 42 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>49.28</td><td>88.20</td><td>-38.92</td><td>49.60</td><td>40.36</td><td>12.38</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	49.28	88.20	-38.92	49.60	40.36	12.38	53.06	---	---	Peak	Level (dBuV/m) Date: 2023-03-27  PEAK(U-NII)_6E AVG(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 42 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 11 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>49.70</td><td>88.20</td><td>-38.50</td><td>50.02</td><td>40.36</td><td>12.38</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	49.70	88.20	-38.50	50.02	40.36	12.38	53.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	49.28	88.20	-38.92	49.60	40.36	12.38	53.06	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13570.00	49.70	88.20	-38.50	50.02	40.36	12.38	53.06	---	---	Peak																																																																																	



Mode	43																																																																											
	Harmonic																																																																											
	U-NII-8_6.875-7.125_802.11ax HE80_CH199_Full_6945MHz																																																																											
ANT	3+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg	 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 43 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 12 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13890.00</td><td>50.00</td><td>88.20</td><td>-38.20</td><td>49.83</td><td>40.61</td><td>12.65</td><td>53.09</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg		1 13890.00	50.00	88.20	-38.20	49.83	40.61	12.65	53.09	---	---	---	Peak	 Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 43 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 12 <table><thead><tr><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1 13890.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>50.52</td><td>40.61</td><td>12.65</td><td>53.09</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg		1 13890.00	50.69	88.20	-37.51	50.52	40.61	12.65	53.09	---	---	---	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg																																																																	
1 13890.00	50.00	88.20	-38.20	49.83	40.61	12.65	53.09	---	---	---	Peak																																																																	
Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	dB	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 13890.00	50.69	88.20	-37.51	50.52	40.61	12.65	53.09	---	---	---	Peak																																																																	



Mode	44																																																																										
	Band Edge																																																																										
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz																																																																										
ANT	3+10																																																																										
Pol.	Horizontal					Fundamental																																																																					
Peak	Level (dBuV/m) Date: 2023-03-28 PEAK_BE(UNII)_6E					Level (dBuV/m) Date: 2023-03-28 PEAK_BE(UNII)_6E																																																																					
	Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7185.16</td><td>52.00</td><td>88.20</td><td>-36.20</td><td>40.78</td><td>36.29</td><td>8.60</td><td>33.67</td><td>400</td><td>226 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7185.16	52.00	88.20	-36.20	40.78	36.29	8.60	33.67	400	226 PEAK	Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>83.96</td><td>-----</td><td>-----</td><td>72.63</td><td>36.12</td><td>8.82</td><td>33.61</td><td>400</td><td>226 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	83.96	-----	-----	72.63	36.12	8.82	33.61	400
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7185.16	52.00	88.20	-36.20	40.78	36.29	8.60	33.67	400	226 PEAK																																																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7025.00	83.96	-----	-----	72.63	36.12	8.82	33.61	400	226 PEAK																																																																	
Avg	Level (dBuV/m) Date: 2023-03-28 AVG_BE(UNII)_6E					Level (dBuV/m) Date: 2023-03-28 AVG_BE(UNII)_6E																																																																					
	Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7234.44</td><td>41.54</td><td>68.20</td><td>-26.66</td><td>30.21</td><td>36.33</td><td>8.69</td><td>33.69</td><td>400</td><td>226 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7234.44	41.54	68.20	-26.66	30.21	36.33	8.69	33.69	400	226 AVERAGE	Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7025.00</td><td>75.66</td><td>-----</td><td>-----</td><td>64.33</td><td>36.12</td><td>8.82</td><td>33.61</td><td>400</td><td>226 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	75.66	-----	-----	64.33	36.12	8.82	33.61	400
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7234.44	41.54	68.20	-26.66	30.21	36.33	8.69	33.69	400	226 AVERAGE																																																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7025.00	75.66	-----	-----	64.33	36.12	8.82	33.61	400	226 AVERAGE																																																																	



Mode	44																																																																										
	Band Edge																																																																										
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz																																																																										
ANT	3+10																																																																										
Pol.	Vertical					Fundamental																																																																					
Peak																																																																											
	Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7190.66</td><td>50.73</td><td>88.20</td><td>-37.47</td><td>39.53</td><td>36.29</td><td>8.59</td><td>33.68</td><td>111</td><td>315 PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7190.66	50.73	88.20	-37.47	39.53	36.29	8.59	33.68	111	315 PEAK	Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>83.61</td><td>-----</td><td>72.28</td><td>36.13</td><td>8.81</td><td>33.61</td><td>111</td><td>315</td><td>PEAK</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	83.61	-----	72.28	36.13	8.81	33.61	111	315
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7190.66	50.73	88.20	-37.47	39.53	36.29	8.59	33.68	111	315 PEAK																																																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7025.00	83.61	-----	72.28	36.13	8.81	33.61	111	315	PEAK																																																																	
Avg																																																																											
	Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7188.46</td><td>43.51</td><td>68.20</td><td>-24.69</td><td>32.30</td><td>36.29</td><td>8.60</td><td>33.68</td><td>111</td><td>315 AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7188.46	43.51	68.20	-24.69	32.30	36.29	8.60	33.68	111	315 AVERAGE	Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 44 Setting : MCS0 Power setting 9 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7025.00</td><td>74.83</td><td>-----</td><td>63.50</td><td>36.13</td><td>8.81</td><td>33.61</td><td>111</td><td>315</td><td>AVERAGE</td></tr></tbody></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7025.00	74.83	-----	63.50	36.13	8.81	33.61	111	315
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7188.46	43.51	68.20	-24.69	32.30	36.29	8.60	33.68	111	315 AVERAGE																																																																	
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																		
1	7025.00	74.83	-----	63.50	36.13	8.81	33.61	111	315	AVERAGE																																																																	



Mode	44																																																																																		
	Harmonic																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE80_CH215_Full_7025MHz																																																																																		
ANT	3+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																												
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 44 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 9						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 44 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 9																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14050.00</td><td>50.49</td><td>88.20</td><td>-37.71</td><td>50.15</td><td>40.74</td><td>12.73</td><td>53.13</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 14050.00	50.49	88.20	-37.71	50.15	40.74	12.73	53.13	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14050.00</td><td>50.17</td><td>88.20</td><td>-38.03</td><td>49.83</td><td>40.74</td><td>12.73</td><td>53.13</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 14050.00	50.17	88.20	-38.03	49.83	40.74	12.73	53.13
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																											
1 14050.00	50.49	88.20	-37.71	50.15	40.74	12.73	53.13	--- --- Peak																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Factor	Loss Factor																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																											
1 14050.00	50.17	88.20	-38.03	49.83	40.74	12.73	53.13	--- --- Peak																																																																											



		45																																																																											
Mode	Band Edge																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																												
ANT	3+10																																																																												
Pol.	Horizontal						Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2023-03-28 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 45 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5861.96</td><td>55.83</td><td>88.20</td><td>-32.37</td><td>45.10</td><td>35.20</td><td>8.86</td><td>33.33</td><td>194</td><td>126 PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5861.96	55.83	88.20	-32.37	45.10	35.20	8.86	33.33	194	126 PEAK	Level (dBuV/m) Date: 2023-03-28 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 45 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6025.00</td><td>94.03</td><td>-----</td><td>-----</td><td>82.99</td><td>35.52</td><td>8.83</td><td>33.31</td><td>194</td><td>126 PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	94.03	-----	-----	82.99	35.52	8.83	33.31	194	126 PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5861.96	55.83	88.20	-32.37	45.10	35.20	8.86	33.33	194	126 PEAK																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6025.00	94.03	-----	-----	82.99	35.52	8.83	33.31	194	126 PEAK																																																																			
Avg	Level (dBuV/m) Date: 2023-03-28 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 45 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5860.76</td><td>44.69</td><td>68.20</td><td>-23.51</td><td>33.97</td><td>35.17</td><td>8.88</td><td>33.33</td><td>194</td><td>126 AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5860.76	44.69	68.20	-23.51	33.97	35.17	8.88	33.33	194	126 AVERAGE	Level (dBuV/m) Date: 2023-03-28 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 45 Setting : MCS0 Power setting 10 Plane : Y with accessories : 32fa7a52 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6025.00</td><td>83.84</td><td>-----</td><td>-----</td><td>72.80</td><td>35.52</td><td>8.83</td><td>33.31</td><td>194</td><td>126 AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	83.84	-----	-----	72.80	35.52	8.83	33.31	194	126 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	5860.76	44.69	68.20	-23.51	33.97	35.17	8.88	33.33	194	126 AVERAGE																																																																			
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	6025.00	83.84	-----	-----	72.80	35.52	8.83	33.31	194	126 AVERAGE																																																																			



		45									
Mode	Band Edge										
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz										
ANT	3+10										
Pol.	Vertical										
Peak	Fundamental										
	Fundamental										
Avg	Vertical										
	Fundamental										



Date: 2023-03-28																																											
Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 45 Setting : NCS0 Power setting 10 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5854.40</td><td>55.07</td><td>88.20</td><td>-33.13</td><td>44.35</td><td>35.18</td><td>8.87</td><td>33.33</td><td>299</td><td>37 PEAK</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5854.40	55.07	88.20	-33.13	44.35	35.18	8.87	33.33	299	37 PEAK
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5854.40	55.07	88.20	-33.13	44.35	35.18	8.87	33.33	299	37 PEAK																																	

Date: 2023-03-28																																											
Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 45 Setting : NCS0 Power setting 10 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6025.00</td><td>91.44</td><td>-----</td><td>-----</td><td>80.40</td><td>35.52</td><td>8.83</td><td>33.31</td><td>299</td><td>37 PEAK</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	91.44	-----	-----	80.40	35.52	8.83	33.31	299	37 PEAK
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	6025.00	91.44	-----	-----	80.40	35.52	8.83	33.31	299	37 PEAK																																	



Date: 2023-03-28																																											
Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 45 Setting : NCS0 Power setting 10 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5862.24</td><td>43.61</td><td>68.20</td><td>-24.59</td><td>32.88</td><td>35.20</td><td>8.86</td><td>33.33</td><td>299</td><td>37 AVERAGE</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	5862.24	43.61	68.20	-24.59	32.88	35.20	8.86	33.33	299	37 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	5862.24	43.61	68.20	-24.59	32.88	35.20	8.86	33.33	299	37 AVERAGE																																	

Date: 2023-03-28																																											
Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 45 Setting : NCS0 Power setting 10 Plane : Y with accessories : 32fa7a52																																											
<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6025.00</td><td>82.57</td><td>-----</td><td>-----</td><td>71.53</td><td>35.52</td><td>8.83</td><td>33.31</td><td>299</td><td>37 AVERAGE</td></tr></table>											Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6025.00	82.57	-----	-----	71.53	35.52	8.83	33.31	299	37 AVERAGE
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																	
MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																		
1	6025.00	82.57	-----	-----	71.53	35.52	8.83	33.31	299	37 AVERAGE																																	



Mode	45																																																																											
	Harmonic																																																																											
	U-NII-5_5.925-6.425_802.11ax HE160_CH15_Full_6025MHz																																																																											
ANT	3+10																																																																											
Pol.	Horizontal						Vertical																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-30  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 45 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10						Level (dBuV/m) Date: 2023-03-30  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 45 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10																																																																					
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12048.00</td><td>45.13</td><td>74.00</td><td>-28.87</td><td>46.69</td><td>40.11</td><td>11.71</td><td>53.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12048.00	45.13	74.00	-28.87	46.69	40.11	11.71	53.38	---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12048.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>46.00</td><td>40.11</td><td>11.71</td><td>53.38</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12048.00	44.44	74.00	-29.56	46.00	40.11	11.71	53.38	---	---
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																		
1 12048.00	45.13	74.00	-28.87	46.69	40.11	11.71	53.38	---	---	Peak																																																																		
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																		
1 12048.00	44.44	74.00	-29.56	46.00	40.11	11.71	53.38	---	---	Peak																																																																		



Mode	46																																																																																																
	Harmonic																																																																																																
	U-NII-5_5.925-6.425_802.11ax HE160_CH47_Full_6185MHz																																																																																																
ANT	3+10																																																																																																
Pol.	Horizontal						Vertical																																																																																										
Peak Avg	Level (dBuV/m) Date: 2023-03-30  PEAK(U-NII)_6E Avg(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 46 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12372.00</td><td>47.22</td><td>74.00</td><td>-26.78</td><td>48.52</td><td>40.17</td><td>11.78</td><td>53.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12372.00	47.22	74.00	-26.78	48.52	40.17	11.78	53.25	---	---	Peak	Level (dBuV/m) Date: 2023-03-30  PEAK(U-NII)_6E Avg(U-NII)_6E Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 46 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11 <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12372.00</td><td>46.84</td><td>74.00</td><td>-27.16</td><td>48.14</td><td>40.17</td><td>11.78</td><td>53.25</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12372.00	46.84	74.00	-27.16	48.14	40.17	11.78	53.25	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																							
	Freq	Level	Line	Limit	Level	Factor	Loss Factor																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12372.00	47.22	74.00	-26.78	48.52	40.17	11.78	53.25	---	---	Peak																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	12372.00	46.84	74.00	-27.16	48.14	40.17	11.78	53.25	---	---	Peak																																																																																						



Mode	47																																																																												
	Harmonic																																																																												
	U-NII-5_5.925-6.425_802.11ax HE160_CH79_Full_6345MHz																																																																												
ANT	3+10																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-30 PEAK(U-NII)_6E AVG(U-NII)_6E 72001376020320268803344040000 Frequency (MHz) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 47 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12690.00</td><td>47.43</td><td>74.00</td><td>-26.57</td><td>48.40</td><td>40.31</td><td>11.84</td><td>53.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12690.00	47.43	74.00	-26.57	48.40	40.31	11.84	53.12	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII)_6E AVG(U-NII)_6E 72001376020320268803344040000 Frequency (MHz) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 47 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 11 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 12690.00</td><td>48.24</td><td>74.00</td><td>-25.76</td><td>49.21</td><td>40.31</td><td>11.84</td><td>53.12</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 12690.00	48.24	74.00	-25.76	49.21	40.31	11.84	53.12	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																		
1 12690.00	47.43	74.00	-26.57	48.40	40.31	11.84	53.12	---	---	Peak																																																																			
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																			
1 12690.00	48.24	74.00	-25.76	49.21	40.31	11.84	53.12	---	---	Peak																																																																			



Mode	48																																																																																	
	Harmonic																																																																																	
	U-NII-7_6.525-6.875_802.11ax HE160_CH143_Full_6665MHz																																																																																	
ANT	3+10																																																																																	
Pol.	Horizontal					Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 48 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11					Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 48 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>49.03</td><td>74.00</td><td>-24.97</td><td>49.51</td><td>40.37</td><td>12.18</td><td>53.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	49.03	74.00	-24.97	49.51	40.37	12.18	53.03	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>13330.00</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>48.77</td><td>40.37</td><td>12.18</td><td>53.03</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	13330.00	48.29	74.00	-25.71	48.77	40.37	12.18	53.03	---	---	Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	13330.00	49.03	74.00	-24.97	49.51	40.37	12.18	53.03	---	---	Peak																																																																							
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																								
1	13330.00	48.29	74.00	-25.71	48.77	40.37	12.18	53.03	---	---	Peak																																																																							



	49																																																																																													
Mode	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz																																																																																													
ANT	3+10																																																																																													
Pol.	Horizontal						Fundamental																																																																																							
Peak																																																																																														
	Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories 32fa7a52						Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories 32fa7a52																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7228.07</td><td>52.30</td><td>88.20</td><td>-35.90</td><td>40.99</td><td>36.33</td><td>8.67</td><td>33.69</td><td>300</td><td>99</td><td>PEAK</td></tr><tr><td>2</td><td>7322.41</td><td>52.14</td><td>74.00</td><td>-21.86</td><td>40.48</td><td>36.42</td><td>8.97</td><td>33.73</td><td>300</td><td>99</td><td>PEAK</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7228.07	52.30	88.20	-35.90	40.99	36.33	8.67	33.69	300	99	PEAK	2	7322.41	52.14	74.00	-21.86	40.48	36.42	8.97	33.73	300	99	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>86.23</td><td>-----</td><td>-----</td><td>74.90</td><td>36.09</td><td>8.84</td><td>33.60</td><td>300</td><td>99</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	86.23	-----	-----	74.90	36.09	8.84	33.60	300	99
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7228.07	52.30	88.20	-35.90	40.99	36.33	8.67	33.69	300	99	PEAK																																																																																			
2	7322.41	52.14	74.00	-21.86	40.48	36.42	8.97	33.73	300	99	PEAK																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	86.23	-----	-----	74.90	36.09	8.84	33.60	300	99	PEAK																																																																																			
Avg																																																																																														
	Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories 32fa7a52						Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories 32fa7a52																																																																																							
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7237.42</td><td>41.63</td><td>68.20</td><td>-26.57</td><td>30.29</td><td>36.34</td><td>8.70</td><td>33.70</td><td>300</td><td>99</td><td>AVERAGE</td></tr><tr><td>2</td><td>7327.75</td><td>41.67</td><td>54.00</td><td>-12.33</td><td>29.99</td><td>36.43</td><td>8.98</td><td>33.73</td><td>300</td><td>99</td><td>AVERAGE</td></tr></tbody></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7237.42	41.63	68.20	-26.57	30.29	36.34	8.70	33.70	300	99	AVERAGE	2	7327.75	41.67	54.00	-12.33	29.99	36.43	8.98	33.73	300	99	AVERAGE	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>6985.00</td><td>77.32</td><td>-----</td><td>-----</td><td>65.99</td><td>36.09</td><td>8.84</td><td>33.60</td><td>300</td><td>99</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	77.32	-----	-----	65.99	36.09	8.84	33.60	300	99
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7237.42	41.63	68.20	-26.57	30.29	36.34	8.70	33.70	300	99	AVERAGE																																																																																			
2	7327.75	41.67	54.00	-12.33	29.99	36.43	8.98	33.73	300	99	AVERAGE																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	6985.00	77.32	-----	-----	65.99	36.09	8.84	33.60	300	99	AVERAGE																																																																																			



Mode	49																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz																																																																																														
ANT	3+10																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-03-30 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories Plane : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7136.85</td><td>52.15</td><td>88.20</td><td>-36.05</td><td>40.90</td><td>36.24</td><td>8.67</td><td>33.66</td><td>244</td><td>16</td><td>PEAK</td></tr><tr><td>2</td><td>7328.20</td><td>52.26</td><td>74.00</td><td>-21.74</td><td>40.58</td><td>36.43</td><td>8.98</td><td>33.73</td><td>244</td><td>16</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7136.85	52.15	88.20	-36.05	40.90	36.24	8.67	33.66	244	16	PEAK	2	7328.20	52.26	74.00	-21.74	40.58	36.43	8.98	33.73	244	16	PEAK	Level (dBuV/m) Date: 2023-03-30 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories Plane : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>90.15</td><td>-----</td><td>-----</td><td>78.82</td><td>36.09</td><td>8.84</td><td>33.60</td><td>244</td><td>16</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	90.15	-----	-----	78.82	36.09	8.84	33.60	244	16	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7136.85	52.15	88.20	-36.05	40.90	36.24	8.67	33.66	244	16	PEAK																																																																																				
2	7328.20	52.26	74.00	-21.74	40.58	36.43	8.98	33.73	244	16	PEAK																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	90.15	-----	-----	78.82	36.09	8.84	33.60	244	16	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2023-03-30 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories Plane : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7139.96</td><td>41.63</td><td>68.20</td><td>-26.57</td><td>30.39</td><td>36.24</td><td>8.66</td><td>33.66</td><td>244</td><td>16</td><td>AVERAGE</td></tr><tr><td>2</td><td>7300.16</td><td>41.68</td><td>54.00</td><td>-12.32</td><td>30.10</td><td>36.40</td><td>8.90</td><td>33.72</td><td>244</td><td>16</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7139.96	41.63	68.20	-26.57	30.39	36.24	8.66	33.66	244	16	AVERAGE	2	7300.16	41.68	54.00	-12.32	30.10	36.40	8.90	33.72	244	16	AVERAGE	Level (dBuV/m) Date: 2023-03-30 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 49 Setting : MCS0 Power setting 7.5 Plane : Y with accessories Plane : 32fa7a52 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>6985.00</td><td>80.43</td><td>-----</td><td>-----</td><td>69.10</td><td>36.09</td><td>8.84</td><td>33.60</td><td>244</td><td>16</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	6985.00	80.43	-----	-----	69.10	36.09	8.84	33.60	244	16	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7139.96	41.63	68.20	-26.57	30.39	36.24	8.66	33.66	244	16	AVERAGE																																																																																				
2	7300.16	41.68	54.00	-12.32	30.10	36.40	8.90	33.72	244	16	AVERAGE																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	6985.00	80.43	-----	-----	69.10	36.09	8.84	33.60	244	16	AVERAGE																																																																																				



Mode	49																																											
	Harmonic																																											
	U-NII-8_6.875-7.125_802.11ax HE160_CH207_Full_6985MHz																																											
ANT	3+10																																											
Pol.	Horizontal						Vertical																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII)_6E AVG(U-NII)_6E						Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII)_6E AVG(U-NII)_6E																																					
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 49 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 49 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 7.5																																					
<table><tr><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>50.76</td><td>88.20 -37.44</td><td>50.46</td><td>40.68</td><td>12.72</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Level	Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	50.76	88.20 -37.44	50.46	40.68	12.72	53.10	---	---	Peak
Freq	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
	Level	Margin																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1 13970.00	50.76	88.20 -37.44	50.46	40.68	12.72	53.10	---	---	Peak																																			
<table><tr><th rowspan="2">Freq</th><th colspan="2">Limit</th><th rowspan="2">Read</th><th rowspan="2">Ant</th><th rowspan="2">Cable</th><th rowspan="2">Preamp</th><th rowspan="2">APos</th><th rowspan="2">TPos</th><th rowspan="2">Remark</th></tr><tr><th>Level</th><th>Margin</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 13970.00</td><td>50.09</td><td>88.20 -38.11</td><td>49.79</td><td>40.68</td><td>12.72</td><td>53.10</td><td>---</td><td>---</td><td>Peak</td></tr></table>												Freq	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark	Level	Margin	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 13970.00	50.09	88.20 -38.11	49.79	40.68	12.72	53.10	---	---	Peak
Freq	Limit		Read	Ant	Cable	Preamp	APos	TPos	Remark																																			
	Level	Margin																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																			
1 13970.00	50.09	88.20 -38.11	49.79	40.68	12.72	53.10	---	---	Peak																																			



Mode	50																																																																																												
	Harmonic																																																																																												
	U-NII-7-8_6.525-7.125_802.11a_CH185_6875MHz																																																																																												
ANT	3+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 50 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13752.00</td><td>51.15</td><td>88.20</td><td>-37.05</td><td>51.19</td><td>40.50</td><td>12.53</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13752.00	51.15	88.20	-37.05	51.19	40.50	12.53	53.07	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 50 SN : 32fa7a52 Plane : Y with accessories : GN Power setting 4.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13752.00</td><td>50.61</td><td>88.20</td><td>-37.59</td><td>50.65</td><td>40.50</td><td>12.53</td><td>53.07</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13752.00	50.61	88.20	-37.59	50.65	40.50	12.53	53.07	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	13752.00	51.15	88.20	-37.05	51.19	40.50	12.53	53.07	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13752.00	50.61	88.20	-37.59	50.65	40.50	12.53	53.07	---	---	Peak																																																																																		



Mode	51																																																																																												
	Harmonic																																																																																												
	U-NII-7-8_6.525-7.125_802.11ax HE20_CH185_Full_6525MHz																																																																																												
ANT	3+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 51 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>49.96</td><td>88.20</td><td>-38.24</td><td>50.28</td><td>40.36</td><td>12.38</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13570.00	49.96	88.20	-38.24	50.28	40.36	12.38	53.06	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 51 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 5.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13570.00</td><td>49.63</td><td>88.20</td><td>-38.57</td><td>49.95</td><td>40.36</td><td>12.38</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13570.00	49.63	88.20	-38.57	49.95	40.36	12.38	53.06	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	13570.00	49.96	88.20	-38.24	50.28	40.36	12.38	53.06	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13570.00	49.63	88.20	-38.57	49.95	40.36	12.38	53.06	---	---	Peak																																																																																		





Mode	52																																																																																
	Harmonic																																																																																
	U-NII-7-8_6.525-7.125_802.11ax HE40_CH187_Full_6885MHz																																																																																
ANT	3+10																																																																																
Pol.	Horizontal					Vertical																																																																											
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)					Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																											
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 52 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5					Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 52 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5																																																																											
	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13770.00</td><td>50.18</td><td>88.20</td><td>-38.02</td><td>50.19</td><td>40.52</td><td>12.55</td><td>53.08</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13770.00	50.18	88.20	-38.02	50.19	40.52	12.55	53.08	---	---	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13770.00</td><td>50.16</td><td>88.20</td><td>-38.04</td><td>50.17</td><td>40.52</td><td>12.55</td><td>53.08</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak	1 13770.00	50.16	88.20	-38.04	50.17	40.52	12.55	53.08	---	---	---
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																						
1 13770.00	50.18	88.20	-38.02	50.19	40.52	12.55	53.08	---	---	---	Peak																																																																						
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																						
MHz	dBuV/m	dBuV/m	dB	dB	dBuV	dB/m	dB	dB	cm	deg	Peak																																																																						
1 13770.00	50.16	88.20	-38.04	50.17	40.52	12.55	53.08	---	---	---	Peak																																																																						



Mode	53																																																																																			
	Harmonic																																																																																			
	U-NII-7-8_6.525-7.125_802.11ax HE80_CH183_Full_6865MHz																																																																																			
ANT	3+10																																																																																			
Pol.	Horizontal						Vertical																																																																													
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 53 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13730.00</td><td>50.36</td><td>88.20</td><td>-37.84</td><td>50.44</td><td>40.48</td><td>12.51</td><td>53.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak	1 13730.00	50.36	88.20	-37.84	50.44	40.48	12.51	53.07	---	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 53 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Line</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th>Peak</th></tr><tr><td>1 13730.00</td><td>51.55</td><td>88.20</td><td>-36.65</td><td>51.63</td><td>40.48</td><td>12.51</td><td>53.07</td><td>---</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak	1 13730.00	51.55	88.20	-36.65	51.63	40.48	12.51	53.07	---	---	---	Peak
	Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak																																																																									
1 13730.00	50.36	88.20	-37.84	50.44	40.48	12.51	53.07	---	---	---	Peak																																																																									
Freq	Level	Limit	Line	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	Peak																																																																									
1 13730.00	51.55	88.20	-36.65	51.63	40.48	12.51	53.07	---	---	---	Peak																																																																									



Mode	54																																																						
	Harmonic																																																						
	U-NII-7-8_6.525-7.125_802.11ax HE160_CH175_Full_6825MHz																																																						
ANT	3+10																																																						
Pol.	Horizontal						Vertical																																																
Peak Avg	Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 54 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11						Level (dBuV/m) Date: 2023-03-31  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 54 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11																																																
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>50.69</td><td>88.20</td><td>-37.51</td><td>50.88</td><td>40.42</td><td>12.45</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	50.69	88.20	-37.51	50.88	40.42	12.45	53.06	---	---	Peak
		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																													
Freq	Level	Line	Limit	Level	Factor	Loss Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13650.00	50.69	88.20	-37.51	50.88	40.42	12.45	53.06	---	---	Peak																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13650.00</td><td>50.42</td><td>88.20</td><td>-37.78</td><td>50.61</td><td>40.42</td><td>12.45</td><td>53.06</td><td>---</td><td>---</td><td>Peak</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13650.00	50.42	88.20	-37.78	50.61	40.42	12.45	53.06	---	---	Peak	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																														
Freq	Level	Line	Limit	Level	Factor	Loss Factor																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	13650.00	50.42	88.20	-37.78	50.61	40.42	12.45	53.06	---	---	Peak																																												



Mode	55																																																																																												
	Harmonic																																																																																												
	U-NII-6-7_6.425-6.875_802.11ax HE40_CH115_Full_6525MHz																																																																																												
ANT	3+10																																																																																												
Pol.	Horizontal						Vertical																																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 55 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>48.22</td><td>88.20</td><td>-39.98</td><td>48.80</td><td>40.48</td><td>11.94</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13050.00	48.22	88.20	-39.98	48.80	40.48	11.94	53.00	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 55 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 8.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13050.00</td><td>48.94</td><td>88.20</td><td>-39.26</td><td>49.52</td><td>40.48</td><td>11.94</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13050.00	48.94	88.20	-39.26	49.52	40.48	11.94	53.00	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	13050.00	48.22	88.20	-39.98	48.80	40.48	11.94	53.00	---	---	Peak																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	13050.00	48.94	88.20	-39.26	49.52	40.48	11.94	53.00	---	---	Peak																																																																																		







Mode	56																																																																																											
	Harmonic																																																																																											
	U-NII-6-7_6.425-6.875_802.11ax HE80_CH119_Full_6545MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Vertical																																																																																					
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 56 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13092.00</td><td>48.63</td><td>88.20</td><td>-39.57</td><td>49.20</td><td>40.46</td><td>11.98</td><td>53.01</td><td>---</td><td>---</td><td>Peak</td></tr></table> <td colspan="6"> Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 56 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13092.00</td><td>48.14</td><td>88.20</td><td>-40.06</td><td>48.71</td><td>40.46</td><td>11.98</td><td>53.01</td><td>---</td><td>---</td><td>Peak</td></tr></table> </td>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13092.00	48.63	88.20	-39.57	49.20	40.46	11.98	53.01	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 56 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting 10.5 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13092.00</td><td>48.14</td><td>88.20</td><td>-40.06</td><td>48.71</td><td>40.46</td><td>11.98</td><td>53.01</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	13092.00	48.14	88.20	-40.06	48.71	40.46	11.98	53.01	---	---	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13092.00	48.63	88.20	-39.57	49.20	40.46	11.98	53.01	---	---	Peak																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	13092.00	48.14	88.20	-40.06	48.71	40.46	11.98	53.01	---	---	Peak																																																																																	



Mode	57																																																																													
	Harmonic																																																																													
	U-NII-6-7_6.425-6.875_802.11ax HE160_CH111_Full_6505MHz																																																																													
ANT	3+10																																																																													
Pol.	Horizontal						Vertical																																																																							
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)						Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E)																																																																							
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 57 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 57 SN : 32fa7a52 Plane : Y with accessories : MCS0 Power setting 11																																																																							
	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13008.00</td><td>47.97</td><td>88.20</td><td>-40.23</td><td>48.56</td><td>40.50</td><td>11.91</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>							Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13008.00	47.97	88.20	-40.23	48.56	40.50	11.91	53.00	---	---	Peak	<table><tr><th></th><th>Freq</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>13008.00</td><td>48.23</td><td>88.20</td><td>-39.97</td><td>48.82</td><td>40.50</td><td>11.91</td><td>53.00</td><td>---</td><td>---</td><td>Peak</td></tr></table>						Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	13008.00	48.23	88.20	-39.97	48.82	40.50	11.91	53.00	---	---
	Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	13008.00	47.97	88.20	-40.23	48.56	40.50	11.91	53.00	---	---	Peak																																																																			
	Freq	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1	13008.00	48.23	88.20	-39.97	48.82	40.50	11.91	53.00	---	---	Peak																																																																			



Mode	58																																																																												
	Band Edge																																																																												
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 26/0_5955MHz																																																																												
ANT	3+10																																																																												
Pol.	Horizontal					Fundamental																																																																							
Peak	 Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5923.28</td><td>52.98</td><td>88.20</td><td>-35.22</td><td>42.18</td><td>35.33</td><td>8.79</td><td>33.32 289 326 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1 5923.28	52.98	88.20	-35.22	42.18	35.33	8.79	33.32 289 326 PEAK	 Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>99.39</td><td>-----</td><td>88.56</td><td>35.38</td><td>8.76</td><td>33.31</td><td>289 326 PEAK</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg		1 5955.00	99.39	-----	88.56	35.38	8.76	33.31	289 326 PEAK
		Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																						
1 5923.28	52.98	88.20	-35.22	42.18	35.33	8.79	33.32 289 326 PEAK																																																																						
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																						
1 5955.00	99.39	-----	88.56	35.38	8.76	33.31	289 326 PEAK																																																																						
Avg	 Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5918.21</td><td>41.32</td><td>68.20</td><td>-26.88</td><td>30.52</td><td>35.32</td><td>8.80</td><td>33.32 289 326 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor		MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg	1 5918.21	41.32	68.20	-26.88	30.52	35.32	8.80	33.32 289 326 AVERAGE	 Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>90.98</td><td>-----</td><td>80.15</td><td>35.38</td><td>8.76</td><td>33.31</td><td>289 326 AVERAGE</td></tr></tbody></table>						Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark	Freq	Level	Line	(dB)	Level	Factor	Loss Factor			MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg		1 5955.00	90.98	-----	80.15	35.38	8.76	33.31	289 326 AVERAGE
		Limit	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																						
1 5918.21	41.32	68.20	-26.88	30.52	35.32	8.80	33.32 289 326 AVERAGE																																																																						
	Limit	Margin	Read	Ant	Cable Preamp	APos	TPos	Remark																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss Factor																																																																							
MHz	dBuV/m	dBuV/m	dBuV	dB/m	dB	dB	cm deg																																																																						
1 5955.00	90.98	-----	80.15	35.38	8.76	33.31	289 326 AVERAGE																																																																						



Mode	58																																																																											
	Band Edge																																																																											
	U-NII-5_5.925-6.425_802.11ax HE20_CH1_Partial RU 26/52/106_5955MHz																																																																											
ANT	3+10																																																																											
Pol.	Vertical					Fundamental																																																																						
Peak	Level (dBuV/m) Date: 2023-04-23 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5909.89</td><td>52.82</td><td>88.20</td><td>-35.38</td><td>42.03</td><td>35.30</td><td>8.81</td><td>33.32</td><td>162</td><td>360</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5909.89	52.82	88.20	-35.38	42.03	35.30	8.81	33.32	162	360	PEAK	Level (dBuV/m) Date: 2023-04-23 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>94.27</td><td>-----</td><td>-----</td><td>83.44</td><td>35.38</td><td>8.76</td><td>33.31</td><td>162</td><td>360</td><td>PEAK</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5955.00	94.27	-----	-----	83.44	35.38	8.76	33.31	162	360	PEAK
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5909.89	52.82	88.20	-35.38	42.03	35.30	8.81	33.32	162	360	PEAK																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	94.27	-----	-----	83.44	35.38	8.76	33.31	162	360	PEAK																																																																		
Avg	Level (dBuV/m) Date: 2023-04-23 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5907.42</td><td>41.20</td><td>68.20</td><td>-27.00</td><td>30.41</td><td>35.30</td><td>8.81</td><td>33.32</td><td>162</td><td>360</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5907.42	41.20	68.20	-27.00	30.41	35.30	8.81	33.32	162	360	AVERAGE	Level (dBuV/m) Date: 2023-04-23 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 58 Setting : NCS0 Power setting -3 Plane : Y with Accessories 26/0 4ac163c4 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th></th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 5955.00</td><td>85.55</td><td>-----</td><td>-----</td><td>74.72</td><td>35.38</td><td>8.76</td><td>33.31</td><td>162</td><td>360</td><td>AVERAGE</td></tr></table>					Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg		1 5955.00	85.55	-----	-----	74.72	35.38	8.76	33.31	162	360	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5907.42	41.20	68.20	-27.00	30.41	35.30	8.81	33.32	162	360	AVERAGE																																																																		
Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m		dBuV	dB/m	dB	dB	cm	deg																																																																			
1 5955.00	85.55	-----	-----	74.72	35.38	8.76	33.31	162	360	AVERAGE																																																																		







Mode	59																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU 26/8_7095MHz																																																																																														
ANT	3+10																																																																																														
Pol.	Horizontal						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7248.77</td><td>52.46</td><td>88.20</td><td>-35.74</td><td>41.08</td><td>36.35</td><td>8.73</td><td>33.70</td><td>106</td><td>309</td><td>PEAK</td></tr><tr><td>2</td><td>7341.52</td><td>51.89</td><td>74.00</td><td>-22.11</td><td>40.16</td><td>36.44</td><td>9.03</td><td>33.74</td><td>106</td><td>309</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7248.77	52.46	88.20	-35.74	41.08	36.35	8.73	33.70	106	309	PEAK	2	7341.52	51.89	74.00	-22.11	40.16	36.44	9.03	33.74	106	309	PEAK	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>94.98</td><td>-----</td><td>-----</td><td>83.71</td><td>36.20</td><td>8.71</td><td>33.64</td><td>106</td><td>309</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	94.98	-----	-----	83.71	36.20	8.71	33.64	106	309	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7248.77	52.46	88.20	-35.74	41.08	36.35	8.73	33.70	106	309	PEAK																																																																																				
2	7341.52	51.89	74.00	-22.11	40.16	36.44	9.03	33.74	106	309	PEAK																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	94.98	-----	-----	83.71	36.20	8.71	33.64	106	309	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7220.42</td><td>41.45</td><td>68.20</td><td>-26.75</td><td>30.18</td><td>36.32</td><td>8.64</td><td>33.69</td><td>106</td><td>309</td><td>AVERAGE</td></tr><tr><td>2</td><td>7267.06</td><td>41.39</td><td>54.00</td><td>-12.61</td><td>29.94</td><td>36.37</td><td>8.79</td><td>33.71</td><td>106</td><td>309</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7220.42	41.45	68.20	-26.75	30.18	36.32	8.64	33.69	106	309	AVERAGE	2	7267.06	41.39	54.00	-12.61	29.94	36.37	8.79	33.71	106	309	AVERAGE	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>85.36</td><td>99.20</td><td>-13.84</td><td>74.08</td><td>36.21</td><td>8.71</td><td>33.64</td><td>106</td><td>309</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	85.36	99.20	-13.84	74.08	36.21	8.71	33.64	106	309	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7220.42	41.45	68.20	-26.75	30.18	36.32	8.64	33.69	106	309	AVERAGE																																																																																				
2	7267.06	41.39	54.00	-12.61	29.94	36.37	8.79	33.71	106	309	AVERAGE																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	85.36	99.20	-13.84	74.08	36.21	8.71	33.64	106	309	AVERAGE																																																																																				







Mode	59																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH229_Partial RU 26/8_7095MHz																																																																																														
ANT	3+10																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7179.87</td><td>52.38</td><td>88.20</td><td>-35.82</td><td>41.16</td><td>36.28</td><td>8.61</td><td>33.67</td><td>156</td><td>360</td><td>PEAK</td></tr><tr><td>2</td><td>7278.45</td><td>53.34</td><td>74.00</td><td>-20.66</td><td>41.84</td><td>36.38</td><td>8.83</td><td>33.71</td><td>156</td><td>360</td><td>PEAK</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7179.87	52.38	88.20	-35.82	41.16	36.28	8.61	33.67	156	360	PEAK	2	7278.45	53.34	74.00	-20.66	41.84	36.38	8.83	33.71	156	360	PEAK	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>96.48</td><td>-----</td><td>-----</td><td>85.21</td><td>36.20</td><td>8.71</td><td>33.64</td><td>156</td><td>360</td><td>PEAK</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	96.48	-----	-----	85.21	36.20	8.71	33.64	156	360	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7179.87	52.38	88.20	-35.82	41.16	36.28	8.61	33.67	156	360	PEAK																																																																																				
2	7278.45	53.34	74.00	-20.66	41.84	36.38	8.83	33.71	156	360	PEAK																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	96.48	-----	-----	85.21	36.20	8.71	33.64	156	360	PEAK																																																																																				
Avg	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7188.62</td><td>41.44</td><td>68.20</td><td>-26.76</td><td>30.23</td><td>36.29</td><td>8.60</td><td>33.68</td><td>156</td><td>360</td><td>AVERAGE</td></tr><tr><td>2</td><td>7332.51</td><td>41.49</td><td>54.00</td><td>-12.51</td><td>29.79</td><td>36.43</td><td>9.00</td><td>33.73</td><td>156</td><td>360</td><td>AVERAGE</td></tr></table>							Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7188.62	41.44	68.20	-26.76	30.23	36.29	8.60	33.68	156	360	AVERAGE	2	7332.51	41.49	54.00	-12.51	29.79	36.43	9.00	33.73	156	360	AVERAGE	Level (dBuV/m) Date: 2023-04-23 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 59 Setting : MCS0 Power setting -0.5 Plane : Y with Accessories 26/8 4ac163c4 <table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>7095.00</td><td>90.35</td><td>-----</td><td>-----</td><td>79.08</td><td>36.20</td><td>8.71</td><td>33.64</td><td>156</td><td>360</td><td>AVERAGE</td></tr></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7095.00	90.35	-----	-----	79.08	36.20	8.71	33.64	156	360	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7188.62	41.44	68.20	-26.76	30.23	36.29	8.60	33.68	156	360	AVERAGE																																																																																				
2	7332.51	41.49	54.00	-12.51	29.79	36.43	9.00	33.73	156	360	AVERAGE																																																																																				
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7095.00	90.35	-----	-----	79.08	36.20	8.71	33.64	156	360	AVERAGE																																																																																				



		60																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																												
ANT		3+10																																																																																												
Pol.		Horizontal					Fundamental																																																																																							
Peak	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>71.65</td><td>88.20</td><td>-16.55</td><td>60.39</td><td>36.23</td><td>8.68</td><td>33.65</td><td>194</td><td>313</td><td>PEAK</td></tr><tr><td>2</td><td>7327.91</td><td>54.07</td><td>74.00</td><td>-19.93</td><td>42.39</td><td>36.43</td><td>8.98</td><td>33.73</td><td>194</td><td>313</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7125.11	71.65	88.20	-16.55	60.39	36.23	8.68	33.65	194	313	PEAK	2	7327.91	54.07	74.00	-19.93	42.39	36.43	8.98	33.73	194	313	Peak	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>97.34</td><td>-----</td><td>-----</td><td>86.08</td><td>36.22</td><td>8.69</td><td>33.65</td><td>194</td><td>313</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	97.34	-----	-----	86.08	36.22	8.69	33.65	194	313	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.11	71.65	88.20	-16.55	60.39	36.23	8.68	33.65	194	313	PEAK																																																																																			
2	7327.91	54.07	74.00	-19.93	42.39	36.43	8.98	33.73	194	313	Peak																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	97.34	-----	-----	86.08	36.22	8.69	33.65	194	313	PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>57.69</td><td>68.20</td><td>-10.51</td><td>46.43</td><td>36.23</td><td>8.68</td><td>33.65</td><td>194</td><td>313</td><td>AVERAGE</td></tr><tr><td>2</td><td>7301.36</td><td>41.62</td><td>54.00</td><td>-12.38</td><td>30.04</td><td>36.40</td><td>8.90</td><td>33.72</td><td>194</td><td>313</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7125.11	57.69	68.20	-10.51	46.43	36.23	8.68	33.65	194	313	AVERAGE	2	7301.36	41.62	54.00	-12.38	30.04	36.40	8.90	33.72	194	313	Average	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories : 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>89.62</td><td>-----</td><td>-----</td><td>78.36</td><td>36.21</td><td>8.70</td><td>33.65</td><td>194</td><td>313</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	89.62	-----	-----	78.36	36.21	8.70	33.65	194	313	AVERAGE
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.11	57.69	68.20	-10.51	46.43	36.23	8.68	33.65	194	313	AVERAGE																																																																																			
2	7301.36	41.62	54.00	-12.38	30.04	36.40	8.90	33.72	194	313	Average																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	89.62	-----	-----	78.36	36.21	8.70	33.65	194	313	AVERAGE																																																																																			







Mode	60																																																																																													
	Band Edge																																																																																													
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																													
ANT	3+10																																																																																													
Pol.	Vertical					Fundamental																																																																																								
Peak	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>71.83</td><td>88.20</td><td>-16.37</td><td>60.57</td><td>36.23</td><td>8.68</td><td>33.65</td><td>100</td><td>10</td><td>PEAK</td></tr><tr><td>2</td><td>7295.95</td><td>52.82</td><td>74.00</td><td>-21.18</td><td>41.26</td><td>36.40</td><td>8.88</td><td>33.72</td><td>100</td><td>10</td><td>Peak</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7125.11	71.83	88.20	-16.37	60.57	36.23	8.68	33.65	100	10	PEAK	2	7295.95	52.82	74.00	-21.18	41.26	36.40	8.88	33.72	100	10	Peak	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>96.47</td><td>-----</td><td>-----</td><td>85.21</td><td>36.21</td><td>8.70</td><td>33.65</td><td>100</td><td>10</td><td>PEAK</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	96.47	-----	-----	85.21	36.21	8.70	33.65	100	10	PEAK
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.11	71.83	88.20	-16.37	60.57	36.23	8.68	33.65	100	10	PEAK																																																																																			
2	7295.95	52.82	74.00	-21.18	41.26	36.40	8.88	33.72	100	10	Peak																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	96.47	-----	-----	85.21	36.21	8.70	33.65	100	10	PEAK																																																																																			
Avg	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.11</td><td>57.27</td><td>68.20</td><td>-10.93</td><td>46.01</td><td>36.23</td><td>8.68</td><td>33.65</td><td>100</td><td>10</td><td>AVERAGE</td></tr><tr><td>2</td><td>7336.37</td><td>41.50</td><td>54.00</td><td>-12.50</td><td>29.79</td><td>36.44</td><td>9.01</td><td>33.74</td><td>100</td><td>10</td><td>Average</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7125.11	57.27	68.20	-10.93	46.01	36.23	8.68	33.65	100	10	AVERAGE	2	7336.37	41.50	54.00	-12.50	29.79	36.44	9.01	33.74	100	10	Average	 Level (dBuV/m) Date: 2023-03-25 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 60 Setting : 6M Power setting 6.5 Plane : Y with accessories 32fa7a52 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>(dB)</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>88.10</td><td>-----</td><td>-----</td><td>76.84</td><td>36.21</td><td>8.70</td><td>33.65</td><td>100</td><td>10</td><td>AVERAGE</td></tr></tbody></table>						Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	88.10	-----	-----	76.84	36.21	8.70	33.65	100	10	AVERAGE
		Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7125.11	57.27	68.20	-10.93	46.01	36.23	8.68	33.65	100	10	AVERAGE																																																																																			
2	7336.37	41.50	54.00	-12.50	29.79	36.44	9.01	33.74	100	10	Average																																																																																			
	Freq	Level	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	(dB)	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	7115.00	88.10	-----	-----	76.84	36.21	8.70	33.65	100	10	AVERAGE																																																																																			







Mode	60																																																																																		
	Harmonic																																																																																		
	U-NII-8_6.875-7.125_802.11a_CH233_7115MHz																																																																																		
ANT	3+10																																																																																		
Pol.	Horizontal						Vertical																																																																												
Peak Avg	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII)_6E AVG(U-NII)_6E						Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII)_6E AVG(U-NII)_6E																																																																												
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 60 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 6.5						Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 60 SN : 32fa7a52 Plane : Y with accessories : 6W Power setting 6.5																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14230.00</td><td>50.65</td><td>88.20</td><td>-37.55</td><td>50.27</td><td>40.88</td><td>12.73</td><td>53.23</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 14230.00	50.65	88.20	-37.55	50.27	40.88	12.73	53.23	--- --- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1 14230.00</td><td>50.13</td><td>88.20</td><td>-38.07</td><td>49.75</td><td>40.88</td><td>12.73</td><td>53.23</td><td>--- --- Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg	1 14230.00	50.13	88.20	-38.07	49.75	40.88	12.73	53.23
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																											
1 14230.00	50.65	88.20	-37.55	50.27	40.88	12.73	53.23	--- --- Peak																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																											
Freq	Level	Line	Margin	Factor	Loss	Factor																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm deg																																																																											
1 14230.00	50.13	88.20	-38.07	49.75	40.88	12.73	53.23	--- --- Peak																																																																											



		61																																																																																																																																																																																																									
Mode	Band Edge																																																																																																																																																																																																										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full_7115MHz																																																																																																																																																																																																										
ANT	3+10																																																																																																																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																																																																																																																				
Peak	Level (dBuV/m) Date: 2023-04-23  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>70.30</td><td>88.20</td><td>-17.90</td><td>59.05</td><td>36.22</td><td>8.68</td><td>33.65</td><td>100</td><td>312 Peak</td></tr><tr><td>2</td><td>7273.02</td><td>50.62</td><td>74.00</td><td>-23.38</td><td>39.15</td><td>36.37</td><td>8.81</td><td>33.71</td><td>100</td><td>312 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2023-04-23  Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>83.07</td><td>119.20</td><td>-36.13</td><td>71.81</td><td>36.22</td><td>8.69</td><td>33.65</td><td>100</td><td>312 Peak</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	70.30	88.20	-17.90	59.05	36.22	8.68	33.65	100	312 Peak	2	7273.02	50.62	74.00	-23.38	39.15	36.37	8.81	33.71	100	312 Peak		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	83.07	119.20	-36.13	71.81	36.22	8.69	33.65	100	312 Peak	Avg	Level (dBuV/m) Date: 2023-04-24  Site : 03CH03-SZ Condition: AVG(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>62.35</td><td>68.20</td><td>-5.85</td><td>51.10</td><td>36.22</td><td>8.68</td><td>33.65</td><td>100</td><td>312 Average</td></tr><tr><td>2</td><td>7266.30</td><td>40.86</td><td>54.00</td><td>-13.14</td><td>29.41</td><td>36.37</td><td>8.79</td><td>33.71</td><td>100</td><td>312 Average</td></tr></tbody></table> Level (dBuV/m) Date: 2023-04-23  Site : 03CH03-SZ Condition: AVG(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>75.34</td><td>99.20</td><td>-23.86</td><td>64.08</td><td>36.22</td><td>8.69</td><td>33.65</td><td>100</td><td>312 Average</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.00	62.35	68.20	-5.85	51.10	36.22	8.68	33.65	100	312 Average	2	7266.30	40.86	54.00	-13.14	29.41	36.37	8.79	33.71	100	312 Average		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	75.34	99.20	-23.86	64.08	36.22	8.69	33.65	100	312 Average
		Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	7125.00	70.30	88.20	-17.90	59.05	36.22	8.68	33.65	100	312 Peak																																																																																																																																																																																																	
2	7273.02	50.62	74.00	-23.38	39.15	36.37	8.81	33.71	100	312 Peak																																																																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	7115.00	83.07	119.20	-36.13	71.81	36.22	8.69	33.65	100	312 Peak																																																																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	7125.00	62.35	68.20	-5.85	51.10	36.22	8.68	33.65	100	312 Average																																																																																																																																																																																																	
2	7266.30	40.86	54.00	-13.14	29.41	36.37	8.79	33.71	100	312 Average																																																																																																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																																																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss Factor																																																																																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																	
1	7115.00	75.34	99.20	-23.86	64.08	36.22	8.69	33.65	100	312 Average																																																																																																																																																																																																	







Mode	61																																																																																														
	Band Edge																																																																																														
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full_7115MHz																																																																																														
ANT	3+10																																																																																														
Pol.	Vertical						Fundamental																																																																																								
Peak	Level (dBuV/m) Date: 2023-04-23  Frequency (MHz) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>75.94</td><td>88.20</td><td>-12.26</td><td>64.69</td><td>36.22</td><td>8.68</td><td>33.65</td><td>153</td><td></td><td>7 Peak</td></tr><tr><td>2</td><td>7325.53</td><td>50.72</td><td>74.00</td><td>-23.28</td><td>39.04</td><td>36.43</td><td>8.98</td><td>33.73</td><td>153</td><td></td><td>7 Peak</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.00	75.94	88.20	-12.26	64.69	36.22	8.68	33.65	153		7 Peak	2	7325.53	50.72	74.00	-23.28	39.04	36.43	8.98	33.73	153		7 Peak	Level (dBuV/m) Date: 2023-04-23  Frequency (MHz) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>85.89</td><td>119.20</td><td>-33.31</td><td>74.63</td><td>36.22</td><td>8.69</td><td>33.65</td><td>153</td><td></td><td>7 Peak</td></tr></tbody></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	85.89	119.20	-33.31	74.63	36.22	8.69	33.65	153		7 Peak
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	75.94	88.20	-12.26	64.69	36.22	8.68	33.65	153		7 Peak																																																																																				
2	7325.53	50.72	74.00	-23.28	39.04	36.43	8.98	33.73	153		7 Peak																																																																																				
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	85.89	119.20	-33.31	74.63	36.22	8.69	33.65	153		7 Peak																																																																																				
Avg	Level (dBuV/m) Date: 2023-04-24  Frequency (MHz) Site : 03CH03-SZ Condition: AVG(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7125.00</td><td>67.87</td><td>68.20</td><td>-0.33</td><td>56.62</td><td>36.22</td><td>8.68</td><td>33.65</td><td>153</td><td></td><td>7 Average</td></tr><tr><td>2</td><td>7328.61</td><td>40.87</td><td>54.00</td><td>-13.13</td><td>29.18</td><td>36.43</td><td>8.99</td><td>33.73</td><td>153</td><td></td><td>7 Average</td></tr></tbody></table>							Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7125.00	67.87	68.20	-0.33	56.62	36.22	8.68	33.65	153		7 Average	2	7328.61	40.87	54.00	-13.13	29.18	36.43	8.99	33.73	153		7 Average	Level (dBuV/m) Date: 2023-04-23  Frequency (MHz) Site : 03CH03-SZ Condition: AVG(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 200705 Mode : 61 Setting : MCS0 Powersetting -7 Plane : Y with Accessories 4ac163c4 <table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>7115.00</td><td>79.11</td><td>99.20</td><td>-20.09</td><td>67.85</td><td>36.22</td><td>8.69</td><td>33.65</td><td>153</td><td></td><td>7 Average</td></tr></tbody></table>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	7115.00	79.11	99.20	-20.09	67.85	36.22	8.69	33.65	153		7 Average
		Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.00	67.87	68.20	-0.33	56.62	36.22	8.68	33.65	153		7 Average																																																																																				
2	7328.61	40.87	54.00	-13.13	29.18	36.43	8.99	33.73	153		7 Average																																																																																				
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	79.11	99.20	-20.09	67.85	36.22	8.69	33.65	153		7 Average																																																																																				



Mode	61																																																																												
	Harmonic																																																																												
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Full_7115MHz																																																																												
ANT	3+10																																																																												
Pol.	Horizontal						Vertical																																																																						
Peak Avg	Level (dBuV/m) Date: 2023-03-27 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 61 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting -7 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>49.68</td><td>88.20</td><td>-38.52</td><td>49.30</td><td>40.88</td><td>12.73</td><td>53.23</td><td>---</td><td>---</td><td>Peak</td></tr></table> <td colspan="5"> Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 61 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting -7 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>50.09</td><td>88.20</td><td>-38.11</td><td>49.71</td><td>40.88</td><td>12.73</td><td>53.23</td><td>---</td><td>---</td><td>Peak</td></tr></table> </td>						Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	49.68	88.20	-38.52	49.30	40.88	12.73	53.23	---	---	Peak	Level (dBuV/m) Date: 2023-03-31 PEAK(U-NII_6E) AVG(U-NII_6E) Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 VERTICAL Project : 2D0705 Mode : 61 SN : 32fa7a52 Plane : Y with accessories MCS0 Power setting -7 <table><tr><th>Freq</th><th>Level</th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 14230.00</td><td>50.09</td><td>88.20</td><td>-38.11</td><td>49.71</td><td>40.88</td><td>12.73</td><td>53.23</td><td>---</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1 14230.00	50.09	88.20	-38.11	49.71	40.88	12.73	53.23	---	---	Peak
	Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 14230.00	49.68	88.20	-38.52	49.30	40.88	12.73	53.23	---	---	Peak																																																																			
Freq	Level	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																				
1 14230.00	50.09	88.20	-38.11	49.71	40.88	12.73	53.23	---	---	Peak																																																																			



	62																																																																																																		
Mode	Band Edge																																																																																																		
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU 26/52/106_7115MHz																																																																																																		
ANT	3+10																																																																																																		
Pol.	Horizontal					Fundamental																																																																																													
Peak																																																																																																			
	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 62 Setting : MCS0 Powersetting -11 Plane : Y with Accessories 52/40 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.00</td><td>75.33</td><td>88.20</td><td>-12.87</td><td>64.08</td><td>36.22</td><td>8.68</td><td>33.65</td><td>176</td><td>126 Peak</td></tr><tr><td>2 7326.86</td><td>51.04</td><td>74.00</td><td>-22.96</td><td>39.36</td><td>36.43</td><td>8.98</td><td>33.73</td><td>176</td><td>126 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.00	75.33	88.20	-12.87	64.08	36.22	8.68	33.65	176	126 Peak	2 7326.86	51.04	74.00	-22.96	39.36	36.43	8.98	33.73	176	126 Peak	Site : 03CH03-SZ Condition: PEAK(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 62 Setting : MCS0 Powersetting -11 Plane : Y with Accessories 52/40 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>81.99</td><td>-----</td><td>-----</td><td>70.73</td><td>36.22</td><td>8.69</td><td>33.65</td><td>176</td><td>126 Peak</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	81.99	-----	-----	70.73	36.22	8.69	33.65	176
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.00	75.33	88.20	-12.87	64.08	36.22	8.68	33.65	176	126 Peak																																																																																										
2 7326.86	51.04	74.00	-22.96	39.36	36.43	8.98	33.73	176	126 Peak																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7115.00	81.99	-----	-----	70.73	36.22	8.69	33.65	176	126 Peak																																																																																										
Avg																																																																																																			
	Site : 03CH03-SZ Condition: AVG(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 62 Setting : MCS0 Powersetting -11 Plane : Y with Accessories 52/40 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7125.00</td><td>66.69</td><td>68.20</td><td>-1.51</td><td>55.44</td><td>36.22</td><td>8.68</td><td>33.65</td><td>176</td><td>126 Average</td></tr><tr><td>2 7336.98</td><td>41.53</td><td>54.00</td><td>-12.47</td><td>29.82</td><td>36.44</td><td>9.01</td><td>33.74</td><td>176</td><td>126 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7125.00	66.69	68.20	-1.51	55.44	36.22	8.68	33.65	176	126 Average	2 7336.98	41.53	54.00	-12.47	29.82	36.44	9.01	33.74	176	126 Average	Site : 03CH03-SZ Condition: AVG(U-NII)_6E 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 62 Setting : MCS0 Powersetting -11 Plane : Y with Accessories 52/40 4ac163c4 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 7115.00</td><td>74.09</td><td>-----</td><td>-----</td><td>62.83</td><td>36.22</td><td>8.69</td><td>33.65</td><td>176</td><td>126 Average</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 7115.00	74.09	-----	-----	62.83	36.22	8.69	33.65	176
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7125.00	66.69	68.20	-1.51	55.44	36.22	8.68	33.65	176	126 Average																																																																																										
2 7336.98	41.53	54.00	-12.47	29.82	36.44	9.01	33.74	176	126 Average																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1 7115.00	74.09	-----	-----	62.83	36.22	8.69	33.65	176	126 Average																																																																																										



	62										
Mode	Band Edge										
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_Partial RU 26/52/106_7115MHz										
ANT	3+10										
Pol.	Vertical						Fundamental				
Peak	Level (dBuV/m)										



		66																																																																																										
Mode	Band Edge																																																																																											
	U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																											
ANT	3+10																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak	Level (dBuV/m) Date: 2023-03-27 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>73.29</td><td>88.20</td><td>-14.91</td><td>62.03</td><td>36.23</td><td>8.68</td><td>33.65</td><td>103</td><td>77 PEAK</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	73.29	88.20	-14.91	62.03	36.23	8.68	33.65	103	77 PEAK	Level (dBuV/m) Date: 2023-03-27 Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>88.04</td><td>-----</td><td>76.78</td><td>36.21</td><td>8.70</td><td>33.65</td><td>103</td><td>77 PEAK</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	88.04	-----	76.78	36.21	8.70	33.65	103	77 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	73.29	88.20	-14.91	62.03	36.23	8.68	33.65	103	77 PEAK																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	88.04	-----	76.78	36.21	8.70	33.65	103	77 PEAK																																																																																			
Avg	Level (dBuV/m) Date: 2023-03-27 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>61.00</td><td>68.20</td><td>-7.20</td><td>49.74</td><td>36.23</td><td>8.68</td><td>33.65</td><td>103</td><td>77 AVERAGE</td></tr></table>							Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	61.00	68.20	-7.20	49.74	36.23	8.68	33.65	103	77 AVERAGE	Level (dBuV/m) Date: 2023-03-27 Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 HORIZONTAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>78.18</td><td>-----</td><td>66.92</td><td>36.21</td><td>8.70</td><td>33.65</td><td>103</td><td>77 AVERAGE</td></tr></table>						Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	78.18	-----	66.92	36.21	8.70	33.65	103	77 AVERAGE
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7125.28	61.00	68.20	-7.20	49.74	36.23	8.68	33.65	103	77 AVERAGE																																																																																		
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	7115.00	78.18	-----	66.92	36.21	8.70	33.65	103	77 AVERAGE																																																																																			



		66																																																																																												
Mode		Band Edge																																																																																												
		U-NII-8_6.875-7.125_802.11ax HE20_CH233_7115MHz																																																																																												
ANT		3+10																																																																																												
Pol.		Vertical					Fundamental																																																																																							
Peak		Level (dBuV/m) Date: 2023-03-27 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>76.07</td><td>88.20</td><td>-12.13</td><td>64.81</td><td>36.23</td><td>8.68</td><td>33.65</td><td>100</td><td>13 PEAK</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	76.07	88.20	-12.13	64.81	36.23	8.68	33.65	100	13 PEAK	Level (dBuV/m) Date: 2023-03-27 PEAK_BE(UNII)_6E Site : 03CH03-SZ Condition: PEAK_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>89.85</td><td>-----</td><td>-----</td><td>78.59</td><td>36.22</td><td>8.69</td><td>33.65</td><td>100</td><td>13 PEAK</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	89.85	-----	-----	78.59	36.22	8.69	33.65	100	13 PEAK
		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	76.07	88.20	-12.13	64.81	36.23	8.68	33.65	100	13 PEAK																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	89.85	-----	-----	78.59	36.22	8.69	33.65	100	13 PEAK																																																																																				
Avg		Level (dBuV/m) Date: 2023-03-27 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7125.28</td><td>63.50</td><td>68.20</td><td>-4.70</td><td>52.24</td><td>36.23</td><td>8.68</td><td>33.65</td><td>100</td><td>13 AVERAGE</td></tr></table>											Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7125.28	63.50	68.20	-4.70	52.24	36.23	8.68	33.65	100	13 AVERAGE	Level (dBuV/m) Date: 2023-03-27 AVG_BE(UNII)_6E Site : 03CH03-SZ Condition: AVG_BE(UNII)_6E 3m ANT3117_0057 VERTICAL Mode : 66 Setting : MCS0 Power setting -7 Plane : Y with accessories TI00000630 <table><tr><th></th><th>Limit</th><th>Margin</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>(dB)</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>7115.00</td><td>81.62</td><td>-----</td><td>-----</td><td>70.36</td><td>36.21</td><td>8.70</td><td>33.65</td><td>100</td><td>13 AVERAGE</td></tr></table>		Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	7115.00	81.62	-----	-----	70.36	36.21	8.70	33.65	100	13 AVERAGE
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7125.28	63.50	68.20	-4.70	52.24	36.23	8.68	33.65	100	13 AVERAGE																																																																																				
	Limit	Margin	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	(dB)	Level	Factor	Loss	Factor		Remark																																																																																					
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	7115.00	81.62	-----	-----	70.36	36.21	8.70	33.65	100	13 AVERAGE																																																																																				



Mode	63																																																																																																																																																																																																																
	LF																																																																																																																																																																																																																
	U-NII-8_6.875-7.125_802.11ax CH20_CH233_7115MHz																																																																																																																																																																																																																
ANT	3+10																																																																																																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																																																																																																										
Peak Avg	Data: 1 Level (dBuV/m) Date: 2023-04-02 FCC CLASS-B Site : 03CH03-SZ Condition : FCC CLASS-B 3m VULB9168-01003 HORIZONTAL Mode : 63 SN : 32fa7a52 Plane : Y with Accessory MCS0 Powersetting -7 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>38.73</td><td>17.61</td><td>-22.39</td><td>40.00</td><td>31.99</td><td>19.16</td><td>1.33</td><td>34.87</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>154.16</td><td>27.23</td><td>-16.27</td><td>43.50</td><td>40.83</td><td>18.75</td><td>2.35</td><td>34.70</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>192.96</td><td>25.21</td><td>-18.29</td><td>43.50</td><td>40.85</td><td>16.40</td><td>2.66</td><td>34.70</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>348.16</td><td>33.14</td><td>-12.86</td><td>46.00</td><td>44.13</td><td>20.18</td><td>3.43</td><td>34.60</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>435.46</td><td>24.71</td><td>-21.29</td><td>46.00</td><td>33.43</td><td>22.36</td><td>3.42</td><td>34.50</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>656.62</td><td>26.83</td><td>-19.17</td><td>46.00</td><td>31.28</td><td>26.36</td><td>3.68</td><td>34.49</td><td>---</td><td>--- Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor						dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	38.73	17.61	-22.39	40.00	31.99	19.16	1.33	34.87	---	--- Peak	2	154.16	27.23	-16.27	43.50	40.83	18.75	2.35	34.70	---	--- Peak	3	192.96	25.21	-18.29	43.50	40.85	16.40	2.66	34.70	---	--- Peak	4	348.16	33.14	-12.86	46.00	44.13	20.18	3.43	34.60	---	--- Peak	5	435.46	24.71	-21.29	46.00	33.43	22.36	3.42	34.50	---	--- Peak	6	656.62	26.83	-19.17	46.00	31.28	26.36	3.68	34.49	---	--- Peak	Data: 2 Level (dBuV/m) Date: 2023-04-02 FCC CLASS-B Site : 03CH03-SZ Condition : FCC CLASS-B 3m VULB9168-01003 VERTICAL Mode : 63 SN : 32fa7a52 Plane : Y with Accessory MCS0 Powersetting -7 <table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>Limit</th><th>Line</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th></th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>58.13</td><td>25.12</td><td>-14.88</td><td>40.00</td><td>39.26</td><td>19.05</td><td>1.73</td><td>34.92</td><td>---</td><td>--- Peak</td></tr><tr><td>2</td><td>163.86</td><td>28.54</td><td>-14.96</td><td>43.50</td><td>42.68</td><td>18.16</td><td>2.40</td><td>34.70</td><td>---</td><td>--- Peak</td></tr><tr><td>3</td><td>348.16</td><td>32.37</td><td>-13.63</td><td>46.00</td><td>43.36</td><td>20.18</td><td>3.43</td><td>34.60</td><td>---</td><td>--- Peak</td></tr><tr><td>4</td><td>435.46</td><td>28.79</td><td>-17.21</td><td>46.00</td><td>37.51</td><td>22.36</td><td>3.42</td><td>34.50</td><td>---</td><td>--- Peak</td></tr><tr><td>5</td><td>585.81</td><td>25.70</td><td>-20.30</td><td>46.00</td><td>31.17</td><td>25.54</td><td>3.56</td><td>34.57</td><td>---</td><td>--- Peak</td></tr><tr><td>6</td><td>705.12</td><td>28.04</td><td>-17.96</td><td>46.00</td><td>31.55</td><td>27.15</td><td>3.74</td><td>34.40</td><td>---</td><td>--- Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor						dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	58.13	25.12	-14.88	40.00	39.26	19.05	1.73	34.92	---	--- Peak	2	163.86	28.54	-14.96	43.50	42.68	18.16	2.40	34.70	---	--- Peak	3	348.16	32.37	-13.63	46.00	43.36	20.18	3.43	34.60	---	--- Peak	4	435.46	28.79	-17.21	46.00	37.51	22.36	3.42	34.50	---	--- Peak	5	585.81	25.70	-20.30	46.00	31.17	25.54	3.56	34.57	---	--- Peak	6	705.12	28.04	-17.96	46.00	31.55	27.15	3.74	34.40	---	--- Peak
		Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																						
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																																																																																									
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																							
1	38.73	17.61	-22.39	40.00	31.99	19.16	1.33	34.87	---	--- Peak																																																																																																																																																																																																							
2	154.16	27.23	-16.27	43.50	40.83	18.75	2.35	34.70	---	--- Peak																																																																																																																																																																																																							
3	192.96	25.21	-18.29	43.50	40.85	16.40	2.66	34.70	---	--- Peak																																																																																																																																																																																																							
4	348.16	33.14	-12.86	46.00	44.13	20.18	3.43	34.60	---	--- Peak																																																																																																																																																																																																							
5	435.46	24.71	-21.29	46.00	33.43	22.36	3.42	34.50	---	--- Peak																																																																																																																																																																																																							
6	656.62	26.83	-19.17	46.00	31.28	26.36	3.68	34.49	---	--- Peak																																																																																																																																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																																																							
	MHz	dBuV/m	Limit	Line	Level	Factor	Loss	Factor																																																																																																																																																																																																									
			dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																																																							
1	58.13	25.12	-14.88	40.00	39.26	19.05	1.73	34.92	---	--- Peak																																																																																																																																																																																																							
2	163.86	28.54	-14.96	43.50	42.68	18.16	2.40	34.70	---	--- Peak																																																																																																																																																																																																							
3	348.16	32.37	-13.63	46.00	43.36	20.18	3.43	34.60	---	--- Peak																																																																																																																																																																																																							
4	435.46	28.79	-17.21	46.00	37.51	22.36	3.42	34.50	---	--- Peak																																																																																																																																																																																																							
5	585.81	25.70	-20.30	46.00	31.17	25.54	3.56	34.57	---	--- Peak																																																																																																																																																																																																							
6	705.12	28.04	-17.96	46.00	31.55	27.15	3.74	34.40	---	--- Peak																																																																																																																																																																																																							



Co-location

WIFI 802.11ax HE20_CH233+11g_CH01 Co-colocation

(Band Edge @ 3m)

WIFI	2.4GHz 2400-2483.5MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01 Co-colocation	
5+6	Horizontal	Fundamental
Peak	Date: 9 Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition : PEAK_96_74 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7	Date: 11 Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition : PEAK_74 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7
Avg.	Date: 10 Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition : AVG_96_54 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7	Date: 12 Level (dBuV/m) Date: 2023-03-31 Site : 03CH03-SZ Condition : AVG_54 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7







WIFI	2.4GHz 2400-2483.5MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01 Co-colocation	
5+6	Vertical	Fundamental
Peak	Date: 13 Site : 03CH03-S2 Condition : PEAK_BE_74 3m ANT3117_0057 VERTICAL Project : 200705 Mode : Mode 64 SN : 307a7a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7	Date: 15 Site : 03CH03-S2 Condition : PEAK_74 3m ANT3117_0057 VERTICAL Project : 200705 Mode : Mode 64 SN : 307a7a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7
Avg.	Date: 14 Site : 03CH03-S2 Condition : AVG_BE_54 3m ANT3117_0057 VERTICAL Project : 200705 Mode : Mode 64 SN : 307a7a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7	Date: 16 Site : 03CH03-S2 Condition : AVG_54 3m ANT3117_0057 VERTICAL Project : 200705 Mode : Mode 64 SN : 307a7a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7





WIFI	UNII-8 6875-7125MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01 Co-colocation	
3+10	Horizontal	Fundamental
Peak	Peak Site : 03CH03-SZ Condition : PEAK(U-NB)_01 3m ANT3117_0057 HORIZONTAL Project : RW1 1000.000kHz VEW 3000.000kHz Mode : 200705 Mode : 64 SN : 3267a52 Plane : Y with Accessory 6M PowerSetting 16.5 MCS0 PowerSetting -7	Site : 03CH03-SZ Condition : PEAK(U-NB)_01 3m ANT3117_0057 HORIZONTAL Project : RW1 1000.000kHz VEW 3000.000kHz Mode : 200705 Mode : 64 SN : 3267a52 Plane : Y with Accessory 6M PowerSetting 16.5 MCS0 PowerSetting -7
Avg.	Site : 03CH03-SZ Condition : AVG(U-NB)_01 3m ANT3117_0057 HORIZONTAL Project : RW1 1000.000kHz VEW 0.0100kHz Mode : 200705 Mode : 64 SN : 3267a52 Plane : Y with Accessory 6M PowerSetting 16.5 MCS0 PowerSetting -7	Site : 03CH03-SZ Condition : AVG(U-NB)_01 3m ANT3117_0057 HORIZONTAL Project : RW1 1000.000kHz VEW 10.000kHz Mode : 200705 Mode : 64 SN : 3267a52 Plane : Y with Accessory 6M PowerSetting 16.5 MCS0 PowerSetting -7



WIFI	UNII-8 6875-7125MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01 Co-colocation	
3+10	Vertical	Fundamental
Peak	Date: 7  Site Condition : 03CH03-SZ : PEAK(U-NB)_E 3m ANT3117_0057 VERTICAL : RBW 1000 000kHz VBW 3000 000kHz Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7	Date: 5  Site Condition : 03CH03-SZ : PEAK(U-NB)_E 3m ANT3117_0057 VERTICAL : RBW 1000 000kHz VBW 3000 000kHz Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7
Avg.	Date: 8  Site Condition : 03CH03-SZ : AVG(U-NB)_E 3m ANT3117_0057 VERTICAL : RBW 1000 000kHz VBW 0 0100kHz Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7	Date: 6  Site Condition : 03CH03-SZ : AVG(U-NB)_E 3m ANT3117_0057 VERTICAL : RBW 1000 000kHz VBW 10 000kHz Project : 200705 Mode : Mode 64 SN : 3267a52 Plane : Y with Accessory : 6M Powersetting 16.5 : MCS0 Powersetting -7



(Harmonic @ 3m)

WIFI	UNII-8 6875-7125MHz Harmonic @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01 Co-colocation	
	Horizontal	Vertical
Peak	Site : 03CH03-SZ Condition : PEAK(U-NII)_GE 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : Mode 64 SN : 3207a22 Plane : Y with Accessory 6M Powersetting 16.5 MC50 Powersetting -7 	Site : 03CH03-SZ Condition : PEAK(U-NII)_GE 3m ANT3117_0057 VERTICAL Project : 200705 Mode : Mode 64 SN : 3207a22 Plane : Y with Accessory 6M Powersetting 16.5 MC50 Powersetting -7 



WIFI 802.11ax HE20_CH233+11g_CH01+BLE_CH39 Co-location
(Band Edge @ 3m)

WIFI	2.4GHz 2400-2483.5MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-location	
5	Horizontal	Fundamental
Peak	Data: 9 Site Condition : 03CH03-SZ PEAK_5E_74.3m ANT3117_0057 HORIZONTAL REBW:1000.000kHz VEW:3000.000kHz 200705 Mode 65 SN 3207452 Plane Y with Accessory GM Powersetting 16.5 MCS0 Powersetting -7 2M	Data: 11 Site Condition : 03CH03-SZ PEAK_74.3m ANT3117_0057 HORIZONTAL REBW:1000.000kHz VEW:3000.000kHz 200705 Mode 65 SN 3207452 Plane Y with Accessory GM Powersetting 16.5 MCS0 Powersetting -7 2M
Avg.	Data: 10 Site Condition : 03CH03-SZ AVG_5E_74.3m ANT3117_0057 HORIZONTAL REBW:1000.000kHz VEW:3000.000kHz 200705 Mode 65 SN 3207452 Plane Y with Accessory GM Powersetting 16.5 MCS0 Powersetting -7 2M	Data: 12 Site Condition : 03CH03-SZ AVG_74.3m ANT3117_0057 HORIZONTAL REBW:1000.000kHz VEW:3000.000kHz 200705 Mode 65 SN 3207452 Plane Y with Accessory GM Powersetting 16.5 MCS0 Powersetting -7 2M



WIFI	2.4GHz 2400-2483.5MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-colocation	
5	Vertical	Fundamental
Peak	Date: 13 Level (dBuV/m) Frequency (MHz) Site Condition: 03CH03-SZ PEAK_BE_74 3m ANT3117_0057 VERTICAL RBNW:1000.000KHz VSW:3000.000KHz 200705 Project Mode: 65 SN: 320a7a52 Plane: Y with Accessory GM Powersetting: 16.5 MCS0 Powersetting: -7 2M	Date: 15 Level (dBuV/m) Frequency (MHz) Site Condition: 03CH03-SZ PEAK_74 3m ANT3117_0057 VERTICAL RBNW:1000.000KHz VSW:3000.000KHz 200705 Project Mode: 65 SN: 320a7a52 Plane: Y with Accessory GM Powersetting: 16.5 MCS0 Powersetting: -7 2M
Avg.	Date: 14 Level (dBuV/m) Frequency (MHz) Site Condition: 03CH03-SZ AVG_BE_54 3m ANT3117_0057 VERTICAL RBNW:1000.000KHz VSW:0.010KHz 200705 Project Mode: 65 SN: 320a7a52 Plane: Y with Accessory GM Powersetting: 16.5 MCS0 Powersetting: -7 2M	Date: 16 Level (dBuV/m) Frequency (MHz) Site Condition: 03CH03-SZ AVG_54 3m ANT3117_0057 VERTICAL RBNW:1000.000KHz VSW:0.010KHz 200705 Project Mode: 65 SN: 320a7a52 Plane: Y with Accessory GM Powersetting: 16.5 MCS0 Powersetting: -7 2M



WIFI	UNII-8 6875-7125MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-colocation	
3+10	Horizontal	Fundamental
Peak	Site : 03CH03-SZ Condition : PEAK(U-NI)_BE 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 65 SH : 32a7a52 Plane : Y with Accessory GM Powersetting : 16.5 MCS0 Powersetting : -7 2M Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at approximately 7083 MHz. The y-axis ranges from 17.5 to 140 dBm/1m, and the x-axis ranges from 6865 to 7350 MHz. A red line indicates the peak level, and a blue line shows the noise floor.	Site : 03CH03-SZ Condition : PEAK(U-NI)_BE 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 65 SH : 32a7a52 Plane : Y with Accessory GM Powersetting : 16.5 MCS0 Powersetting : -7 2M Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at approximately 7200 MHz. The y-axis ranges from 17.5 to 140 dBm/1m, and the x-axis ranges from 6865 to 7350 MHz. A red line indicates the peak level, and a blue line shows the noise floor.
Avg.	Site : 03CH03-SZ Condition : AVG(U-NI)_BE 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 65 SH : 32a7a52 Plane : Y with Accessory GM Powersetting : 16.5 MCS0 Powersetting : -7 2M Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at approximately 7083 MHz. The y-axis ranges from 17.5 to 140 dBm/1m, and the x-axis ranges from 6865 to 7350 MHz. A red line indicates the peak level, and a blue line shows the noise floor.	Site : 03CH03-SZ Condition : AVG(U-NI)_BE 3m ANT3117_0057 HORIZONTAL Project : 2D0705 Mode : 65 SH : 32a7a52 Plane : Y with Accessory GM Powersetting : 16.5 MCS0 Powersetting : -7 2M Level (dBm/1m) vs Frequency (MHz) plot showing a sharp peak at approximately 7200 MHz. The y-axis ranges from 17.5 to 140 dBm/1m, and the x-axis ranges from 6865 to 7350 MHz. A red line indicates the peak level, and a blue line shows the noise floor.







WIFI	UNII-8 6875-7125MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-colocation	
3+10	Vertical	Fundamental
Peak	Date: 7 Level (dBm/1m) Frequency (MHz) Site Condition : 03CH03-SZ : PEAK(U-NII)_E 3m ANT3117_0057 VERTICAL : RBW: 1000.000kHz VSW: 3000.000kHz : 2D0705 : Mode 65 : 3207a52 : Y with Accessory : 6M Powersetting: 16.5 : MCS9 Powersetting: -7 : 2M	Date: 5 Level (dBm/1m) Frequency (MHz) Site Condition : 03CH03-SZ : PEAK(U-NII)_E 3m ANT3117_0057 VERTICAL : RBW: 1000.000kHz VSW: 3000.000kHz : 2D0705 : Mode 65 : 3207a52 : Y with Accessory : 6M Powersetting: 16.5 : MCS9 Powersetting: -7 : 2M
Avg.	Date: 7 Level (dBm/1m) Frequency (MHz) Site Condition : 03CH03-SZ : AVG(U-NII)_E 3m ANT3117_0057 VERTICAL : RBW: 1000.000kHz VSW: 3000.000kHz : 2D0705 : Mode 65 : 3207a52 : Y with Accessory : 6M Powersetting: 16.5 : MCS9 Powersetting: -7 : 2M	Date: 6 Level (dBm/1m) Frequency (MHz) Site Condition : 03CH03-SZ : AVG(U-NII)_E 3m ANT3117_0057 VERTICAL : RBW: 1000.000kHz VSW: 3000.000kHz : 2D0705 : Mode 65 : 3207a52 : Y with Accessory : 6M Powersetting: 16.5 : MCS9 Powersetting: -7 : 2M



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-colocation	
6	Horizontal	Fundamental
Peak	Date: 19 Level (dBuV/m) Frequency (MHz) PEAK_BE_74 Site Condition: 03CH03-SZ PEAK_BE_74 3m ANT3117_0057 HORIZONTAL RBW: 1000.000kHz VSW: 3000.000kHz 200705 Mode 65 3267a52 Z with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7 2M	Date: 17 Level (dBuV/m) Frequency (MHz) PEAK_74 Site Condition: 03CH03-SZ PEAK_74 3m ANT3117_0057 HORIZONTAL RBW: 1000.000kHz VSW: 3000.000kHz 200705 Mode 65 3267a52 Z with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7 2M
Avg.	Date: 20 Level (dBuV/m) Frequency (MHz) AVG_BE_54 Site Condition: 03CH03-SZ AVG_BE_54 3m ANT3117_0057 HORIZONTAL RBW: 1000.000kHz VSW: 10.000kHz 200705 Mode 65 3267a52 Z with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7 2M	Date: 18 Level (dBuV/m) Frequency (MHz) AVG_54 Site Condition: 03CH03-SZ AVG_54 3m ANT3117_0057 HORIZONTAL RBW: 1000.000kHz VSW: 10.000kHz 200705 Mode 65 3267a52 Z with Accessory 6M Powersetting 16.5 MCS0 Powersetting -7 2M



BLE	2.4GHz 2400~2483.5MHz Band Edge @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-colocation	
6	Vertical	Fundamental
Peak	Date: 23  Level (dBm/1m) Frequency (MHz) PEAK_BE_74 Site Condition: 03CH03-SZ PEAK_BE_74 3m ANT3117_0057 VERTICAL RBNW:1000.000kHz VSW:3000.000kHz 2D0705 Mode 65 30a7a52 Plane Z with Accessory GM Powersetting:16.5 MCS0 Powersetting:7 2M	Date: 21  Level (dBm/1m) Frequency (MHz) PEAK_74 Site Condition: 03CH03-SZ PEAK_74 3m ANT3117_0057 VERTICAL RBNW:1000.000kHz VSW:3000.000kHz 2D0705 Mode 65 30a7a52 Plane Z with Accessory GM Powersetting:16.5 MCS0 Powersetting:7 2M
Avg.	Date: 24  Level (dBm/1m) Frequency (MHz) AVG_BE_54 Site Condition: 03CH03-SZ AVG_BE_54 3m ANT3117_0057 VERTICAL RBNW:1000.000kHz VSW:10.000kHz 2D0705 Mode 65 30a7a52 Plane Z with Accessory GM Powersetting:16.5 MCS0 Powersetting:7 2M	Date: 22  Level (dBm/1m) Frequency (MHz) AVG_54 Site Condition: 03CH03-SZ AVG_54 3m ANT3117_0057 VERTICAL RBNW:1000.000kHz VSW:10.000kHz 2D0705 Mode 65 30a7a52 Plane Z with Accessory GM Powersetting:16.5 MCS0 Powersetting:7 2M



(Harmonic @ 3m)

WIFI	UNII-8 6875-7125MHz Harmonic @ 3m	
ANT	11ax HE20_TX_CH233+11g_TX_CH01+BLE_TX_CH39 Co-colocation	
	Horizontal	Vertical
Peak	Date: 35 Level (dBm/Vm) Date: 2023-04-02 Site : 03CH03-SZ Condition : PEAK(U-NII)_GE 3m ANT3117_0057 HORIZONTAL Project : 200705 Mode : Mode 65 SN : 3287a52 Plane : Y with Accessory 6M Powersetting 16.5 MCSI Powersetting -7 2M	Date: 35 Level (dBm/Vm) Date: 2023-04-02 Site : 03CH03-SZ Condition : PEAK(U-NII)_GE 3m ANT3117_0057 VERTICAL Project : 200705 Mode : Mode 65 SN : 3287a52 Plane : Y with Accessory 6M Powersetting 16.5 MCSI Powersetting -7 2M


Appendix D. Duty Cycle Plots

Antenna	Band	Duty Cycle(%)	T(ms)	1/T(kHz)	VBW Setting
3	802.11a	98.99	-	-	10Hz
3	802.11ax HE20	99.63	-	-	10Hz
3	802.11ax HE40	99.79	-	-	10Hz
3	802.11ax HE80	99.61	-	-	10Hz
3	802.11ax HE160	99.10	-	-	10Hz
10	802.11a	98.99	-	-	10Hz
10	802.11ax HE20	99.81	-	-	10Hz
10	802.11ax HE40	99.79	-	-	10Hz
10	802.11ax HE80	99.22	-	-	10Hz
10	802.11ax HE160	99.10	-	-	10Hz




Antenna 3

802.11a



Date: 16.MAR.2023 13:29:41


802.11ax HE20



Date: 16.MAR.2023 13:51:27




802.11ax HE40



Date: 16.MAR.2023 14:04:29


802.11ax HE80



Date: 16.MAR.2023 14:16:25




802.11ax HE160



Date: 16.MAR.2023 14:25:14

Antenna 10


802.11a



Date: 16.MAR.2023 13:30:22




802.11ax HE20



Date: 16.MAR.2023 13:52:05


802.11ax HE40



Date: 16.MAR.2023 14:05:07




802.11ax HE80



Date: 16.MAR.2023 14:17:03

802.11ax HE160



Date: 16.MAR.2023 14:25:56