



REPORT No.: SZ24060253S01

Annex E Conducted Power

Note:

Conducted power unit: dBm

The target power was recorded in the manufacturer's document.

Mode	Channel	Frequency (MHz)	ANT 0		ANT 1	
			Average power (dBm)	Tune-up Limit	Average power (dBm)	Tune-up Limit
DECT	CH 1	1921.536	19.99	20.20	19.77	20.20
	CH 3	1924.992	20.01	20.20	19.78	20.20
	CH 5	1928.448	20.01	20.20	19.78	20.20

2.4GHz WLAN ANT 3

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
2.4GHz WLAN ANT 3	802.11b 1Mbps	CH 1	2412	19.08	20.00	18.00	99.28
		CH 6	2437	19.16	20.00	18.00	
		CH 11	2462	19.61	20.00	18.00	
	802.11g 54Mbps	CH 1	2412	18.90	20.00	18.00	99.34
		CH 6	2437	19.00	20.00	18.00	
		CH 11	2462	18.53	20.00	18.00	
	802.11n-HT20 MCS0	CH 1	2412	17.57	18.00	17.00	99.71
		CH 6	2437	17.69	18.00	17.00	
		CH 11	2462	17.30	18.00	17.00	
	802.11n-HT40 MCS0	CH 1	2412	17.25	18.00	16.00	99.69
		CH 6	2437	17.14	18.00	16.00	
		CH 11	2462	16.96	18.00	16.00	
	802.11ac-VHT20 MCS0	CH 1	2412	16.50	18.00	16.00	99.74
		CH 6	2437	16.60	18.00	16.00	
		CH 11	2462	16.32	18.00	16.00	
	802.11ac-VHT40 MCS0	CH 1	2412	16.27	18.00	16.00	99.73
		CH 6	2437	16.33	18.00	16.00	
		CH 11	2462	16.40	18.00	16.00	
	802.11ac-HEW20 MCS0	CH 1	2412	16.05	18.00	16.00	99.71
		CH 6	2437	16.00	18.00	16.00	
		CH 11	2462	16.04	18.00	16.00	
	802.11ac-HEW40 MCS0	CH 1	2412	15.84	18.00	16.00	99.86
		CH 6	2437	16.38	18.00	16.00	
		CH 11	2462	16.18	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU20)	CH 1	2412	16.08	18.00	16.00	99.81
		CH 6	2437	16.87	18.00	16.00	
		CH 11	2462	16.08	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU40)	CH 1	2412	16.46	18.00	16.00	99.81
		CH 6	2437	16.58	18.00	16.00	
		CH 11	2462	16.63	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU80)	CH 1	2412	16.49	18.00	16.00	99.58
		CH 6	2437	16.64	18.00	16.00	
		CH 11	2462	16.41	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU160)	CH 1	2412	16.70	18.00	16.00	99.81
		CH 6	2437	16.89	18.00	16.00	
		CH 11	2462	16.87	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU320)	CH 1	2412	15.87	17.00	16.00	99.81
		CH 6	2437	16.76	18.00	16.00	
		CH 11	2462	16.79	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU640)	CH 1	2412	15.81	16.00	16.00	99.58
		CH 6	2437	16.75	18.00	16.00	
		CH 11	2462	16.81	17.00	16.00	

2.4GHz WLAN ANT 4

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
2.4GHz WLAN ANT 4	802.11b 1Mbps	CH 1	2412	18.88	20.00	18.00	99.26
		CH 6	2437	19.07	20.00	18.00	
		CH 11	2462	19.16	20.00	18.00	
	802.11g 54Mbps	CH 1	2412	18.84	20.00	18.00	99.24
		CH 6	2437	19.07	20.00	18.00	
		CH 11	2462	19.08	20.00	18.00	
	802.11n-HT20 MCS0	CH 1	2412	17.44	18.00	17.00	99.74
		CH 6	2437	17.51	18.00	17.00	
		CH 11	2462	17.03	18.00	17.00	
	802.11n-HT40 MCS0	CH 1	2412	17.25	18.00	16.00	99.69
		CH 6	2437	17.06	18.00	16.00	
		CH 11	2462	17.16	18.00	16.00	
	802.11ac-VHT20 MCS0	CH 1	2412	16.36	18.00	16.00	99.74
		CH 6	2437	16.45	18.00	16.00	
		CH 11	2462	16.74	18.00	16.00	
	802.11ac-VHT40 MCS0	CH 1	2412	16.05	18.00	16.00	99.73
		CH 6	2437	16.50	18.00	16.00	
		CH 11	2462	16.77	18.00	16.00	
	802.11ac-HEW20 MCS0	CH 1	2412	16.00	18.00	16.00	99.71
		CH 6	2437	16.05	18.00	16.00	
		CH 11	2462	16.07	18.00	16.00	
	802.11ac-HEW40 MCS0	CH 1	2412	15.80	18.00	16.00	99.86
		CH 6	2437	16.22	18.00	16.00	
		CH 11	2462	16.20	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU20)	CH 1	2412	16.08	18.00	16.00	99.81
		CH 6	2437	16.80	18.00	16.00	
		CH 11	2462	16.46	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU40)	CH 1	2412	16.00	18.00	16.00	99.58
		CH 6	2437	16.72	18.00	16.00	
		CH 11	2462	16.51	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU80)	CH 1	2412	16.04	18.00	16.00	99.81
		CH 6	2437	16.84	17.00	16.00	
		CH 11	2462	17.08	18.00	16.00	
	802.11ac-HEW80 MCS0 (RU160)	CH 1	2412	15.85	16.00	16.00	99.81
		CH 6	2437	16.85	18.00	16.00	
		CH 11	2462	16.81	17.00	16.00	
	802.11ac-HEW80 MCS0 (RU320)	CH 1	2412	15.81	16.00	16.00	99.58
		CH 6	2437	16.81	18.00	16.00	
		CH 11	2462	16.92	17.00	16.00	

2.4GHz WLAN MIMO

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
2.4GHz WLAN MIMO	802.11b 1Mbps	CH 1	2412	N/A	N/A	N/A	N/A
		CH 6	2437	N/A	N/A	N/A	
		CH 11	2462	N/A	N/A	N/A	
	802.11g 54Mbps	CH 1	2412	N/A	N/A	N/A	N/A
		CH 6	2437	N/A	N/A	N/A	
		CH 11	2462	N/A	N/A	N/A	
	802.11n-HT20 MCS0	CH 1	2412	16.05	22.00	17.00	99.74
		CH 6	2437	16.76	22.00	17.00	
		CH 11	2462	16.63	22.00	17.00	
	802.11n-HT40 MCS0	CH 1	2412	16.27	21.00	16.00	99.69
		CH 6	2437	16.28	21.00	16.00	
		CH 11	2462	16.46	21.00	16.00	
	802.11ac-VHT20 MCS0	CH 1	2412	16.00	21.00	16.00	99.71
		CH 6	2437	16.75	21.00	16.00	
		CH 11	2462	16.60	21.00	16.00	
	802.11ac-VHT40 MCS0	CH 1	2412	15.86	21.00	16.00	99.73
		CH 6	2437	16.76	21.00	16.00	
		CH 11	2462	16.77	21.00	16.00	
	802.11ac-HEW20 MCS0	CH 1	2412	16.01	21.00	13.00	99.71
		CH 6	2437	16.06	21.00	13.00	
		CH 11	2462	16.01	21.00	13.00	
	802.11ac-HEW40 MCS0	CH 1	2412	15.87	21.00	13.00	99.81
		CH 6	2437	16.47	21.00	13.00	
		CH 11	2462	16.48	21.00	13.00	
	802.11ac-HEW80 MCS0 (RU20)	CH 1	2412	17.21	18.00	13.00	99.81
		CH 6	2437	17.40	18.00	13.00	
		CH 11	2462	17.11	18.00	13.00	
	802.11ac-HEW80 MCS0 (RU40)	CH 1	2412	16.86	18.00	13.00	99.81
		CH 6	2437	17.04	18.00	13.00	
		CH 11	2462	16.77	18.00	13.00	
	802.11ac-HEW80 MCS0 (RU80)	CH 1	2412	16.76	18.00	13.00	99.58
		CH 6	2437	16.86	18.00	13.00	
		CH 11	2462	16.65	18.00	13.00	
	802.11ac-HEW80 MCS0 (RU160)	CH 1	2412	17.40	18.00	13.00	99.81
		CH 6	2437	17.44	18.00	13.00	
		CH 11	2462	16.34	17.00	13.00	
	802.11ac-HEW80 MCS0 (RU320)	CH 1	2412	17.26	18.00	13.00	99.81
		CH 6	2437	17.24	18.00	13.00	
		CH 11	2462	16.16	17.00	13.00	
	802.11ac-HEW80 MCS0 (RU640)	CH 1	2412	17.04	18.00	13.00	99.58
		CH 6	2437	17.04	18.00	13.00	
		CH 11	2462	15.97	17.00	13.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Link	Power Setting	Duty Cycle %
802.11a BSSps	CH 36	5180	18.3	20.00	17.00	99.53
	CH 44	5220	18.88	20.00	17.00	
	CH 48	5260	18.88	20.00	17.00	
802.11a HT20 MCS0	CH 36	5180	18.68	20.00	17.00	99.63
	CH 44	5220	18.64	20.00	17.00	
	CH 48	5240	18.54	20.00	17.00	
802.11a HT40 MCS0	CH 36	5180	18.30	18.00	15.00	100.00
	CH 44	5220	18.17	18.00	15.00	
	CH 48	5180	17.68	18.00	15.00	
802.11a VHT20 MCS0	CH 44	5220	17.98	19.00	16.00	99.50
	CH 48	5240	18.20	19.00	16.00	
	CH 36	5184	17.24	18.00	15.00	
802.11a VHT40 MCS0	CH 44	5240	17.68	18.00	15.00	99.90
	CH 48	5240	17.68	18.00	15.00	
	CH 42	5210	17.95	19.00	16.00	
802.11a HEW20 MCS0	CH 36	5180	17.85	19.00	16.00	99.80
	CH 44	5220	17.89	19.00	16.00	
	CH 48	5245	17.67	19.00	16.00	
802.11a HEW40 MCS0	CH 44	5220	17.85	19.00	16.00	99.51
	CH 48	5235	18.00	18.00	15.00	
	CH 42	5210	17.94	19.00	16.00	
802.11a HEW80 MCS0	CH 36	5180	15.39	16.00	13.00	99.08
	CH 44	5180	15.61	15.00	12.00	
	CH 48	5220	15.49	13.00	10.00	
802.11a HEW20 MCS0 (FUS2)	CH 44	5220	12.48	13.00	10.00	99.90
	CH 36	5180	14.40	15.00	12.00	
	CH 48	5220	14.30	15.00	12.00	
802.11a HEW40 MCS0 (FUS2)	CH 44	5220	14.30	15.00	12.00	99.90
	CH 36	5180	17.18	18.00	15.00	
	CH 48	5220	17.64	18.00	15.00	
802.11a HEW80 MCS0 (FUS2)	CH 44	5240	18.81	18.00	15.00	99.90
	CH 36	5180	12.45	13.00	10.00	
	CH 48	5190	14.72	15.00	12.00	
802.11a HEW20 MCS0 (FUS2)	CH 36	5190	17.53	18.00	15.00	99.90
	CH 42	5210	12.81	13.00	10.00	
	CH 42	5210	14.85	15.00	12.00	
802.11a HEW40 MCS0 (FUS2)	CH 42	5210	17.65	18.00	15.00	100.00
	CH 30	5250	13.08	13.00	10.00	
	CH 30	5250	15.11	15.00	12.00	
802.11a HEW80 MCS0 (FUS2)	CH 30	5250	17.95	18.00	15.00	99.90

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Link	Power Setting	Duty Cycle %
802.11a BSSps	CH 32	5280	19.33	20.00	17.00	99.53
	CH 40	5320	18.85	20.00	17.00	
	CH 44	5320	18.75	20.00	17.00	
802.11a HT20 MCS0	CH 32	5280	18.62	20.00	17.00	99.90
	CH 40	5300	18.64	20.00	17.00	
	CH 44	5320	18.48	20.00	17.00	
802.11a HT40 MCS0	CH 32	5280	18.25	18.00	15.00	100.00
	CH 40	5300	18.25	18.00	15.00	
	CH 44	5320	17.99	18.00	15.00	
802.11a VHT20 MCS0	CH 40	5300	17.91	19.00	16.00	99.90
	CH 44	5320	17.99	19.00	16.00	
	CH 32	5276	17.49	18.00	15.00	
802.11a VHT40 MCS0	CH 40	5300	17.26	18.00	15.00	99.90
	CH 44	5320	17.38	19.00	16.00	
	CH 32	5280	18.30	18.00	15.00	
802.11a HEW20 MCS0	CH 32	5280	17.84	19.00	16.00	99.90
	CH 44	5320	17.71	19.00	16.00	
	CH 34	5270	17.18	18.00	15.00	
802.11a HEW40 MCS0	CH 40	5300	17.99	19.00	16.00	99.51
	CH 44	5320	17.99	19.00	16.00	
	CH 34	5270	17.96	19.00	16.00	
802.11a HEW80 MCS0	CH 32	5280	15.39	16.00	13.00	99.90
	CH 40	5300	15.47	15.00	12.00	
	CH 44	5320	15.30	13.00	10.00	
802.11a HEW20 MCS0 (FUS2)	CH 44	5320	14.30	15.00	12.00	99.90
	CH 32	5280	14.30	15.00	12.00	
	CH 34	5300	14.31	15.00	12.00	
802.11a HEW40 MCS0 (FUS2)	CH 44	5320	14.32	15.00	12.00	99.90
	CH 32	5280	17.20	18.00	15.00	
	CH 34	5300	18.81	18.00	15.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Link	Power Setting	Duty Cycle %
802.11a BSSps	CH 116	5360	18.88	20.00	17.00	99.53
	CH 144	5720	18.71	20.00	17.00	
	CH 160	5800	18.66	20.00	17.00	
802.11a HT20 MCS0	CH 116	5360	18.42	20.00	17.00	99.90
	CH 144	5720	18.30	20.00	17.00	
	CH 160	5810	18.66	20.00	18.00	
802.11a HT40 MCS0	CH 116	5360	18.62	19.00	16.00	99.90
	CH 142	5710	18.21	19.00	16.00	
	CH 160	5800	18.60	19.00	16.00	
802.11a VHT20 MCS0	CH 116	5360	17.47	19.00	16.00	99.90
	CH 144	5720	17.48	19.00	16.00	
	CH 162	5810	17.80	18.00	15.00	
802.11a VHT40 MCS0	CH 116	5360	17.78	19.00	16.00	99.90
	CH 142	5710	17.33	18.00	15.00	
	CH 166	5830	18.27	19.00	16.00	
802.11a HEW20 MCS0	CH 138	5680	18.20	19.00	16.00	99.93
	CH 114	5370	15.50	15.00	12.00	
	CH 160	5800	18.27	19.00	16.00	
802.11a HEW40 MCS0	CH 116	5360	17.71	19.00	16.00	99.90
	CH 144	5720	17.64	19.00	16.00	
	CH 162	5810	17.38	18.00	15.00	
802.11a HEW80 MCS0	CH 116	5360	17.45	18.00	15.00	100.00
	CH 142	5710	17.60	18.00	15.00	
	CH 138	5680	18.10	19.00	16.00	
802.11a HEW20 MCS0 (FUS2)	CH 114	5370	15.65	16.00	13.00	99.90
	CH 160	5800	12.38	13.00	10.00	
	CH 144	5720	12.63	13.00	10.00	
802.11a HEW40 MCS0 (FUS2)	CH 116	5360	14.48	15.00	12.00	99.90
	CH 116	5360	14.31	15.00	12.00	
	CH 144	5720	14.60	15.00	12.00	
802.11a HEW80 MCS0 (FUS2)	CH 160	5800	17.08	18.00	15.00	99.90
	CH 116	5360	17.28	18.00	15.00	
	CH 144	5720	18.30	18.00	15.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Link	Power Setting	Duty Cycle %
802.11a BSSps	CH 168	5740	18.26	19.00	17.00	99.53
	CH 192	5780	18.16	19.00	17.00	
	CH 195	5825	17.84	19.00	17.00	
802.11a HT20 MCS0	CH 168	5740	17.89	19.00	17.00	99.90
	CH 192	5780	17.76	19.00	17.00	
	CH 195	5825	17.28	19.00	17.00	
802.11a HT40 MCS0	CH 168	5776	18.13	19.00	16.00	99.90
	CH 195	5795	18.08	19.00	16.00	
	CH 144	5720	18.00	19.00	16.00	
802.11a VHT20 MCS0	CH 192	5776	17.86	18.00	15.00	99.90
	CH 195	5795	17.86	18.00	15.00	
	CH 157	5765	16.86	16.00	13.00	
802.11a VHT40 MCS0	CH 192	5776	17.28	18.00	15.00	99.90
	CH 195	5795	17.28	18.00	15.00	
	CH 157	5770	17.77	18.00	15.00	
802.11a HEW20 MCS0	CH 168	5740	17.14	18.00	15.00	100.00
	CH 192	5760	16.96	18.00	15.00	
	CH 195	5825	16.52	18.00	15.00	
802.11a HEW40 MCS0	CH 168	5740	16.58	18.00	15.00	99.51
	CH 192	5760	16.58	18.00	15.00	
	CH 157	5770	17.19	19.00	16.00	
802.11a HEW80 MCS0	CH 168	5740	12.49	13.00	10.00	99.90
	CH 192	5760	12.52	13.00	10.00	
	CH 144	5720	11.68	13.00	10.00	
802.11a HEW20 MCS0 (FUS2)	CH 168	5740	14.34	15.00	12.00	99.91
	CH 192	5760	14.29	15.00	12.00	
	CH 144	5740	16.88	18.00	15.00	
802.11a HEW40 MCS0 (FUS2)	CH 192	5760	16.86	18.00	15.00	99.90
	CH 195	5825	16.30	18.00	15.00	

5.2GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Link	Power Setting	Duty Cycle %
802.11a BSSps	CH 36	5180	18.25	20.00	17.00	99.08
	CH 44	5220	18.84	20.00	17.00	
	CH 48	5240	18.87	20.00	17.00	
802.11a HT20 MCS0	CH 36	5180	18.87	20.00	17.00	99.63
	CH 44	5220	18.65	20.00	17.00	
	CH 48	5240	18.81	20.00	17.00	
802.11a HT40 MCS0	CH 36	5180	18.31	19.00	16.00	100.00
	CH 44	5220	18.25	19.00	16.00	
	CH 48	5240	18.86	19.00	16.00	
802.11a VHT20 MCS0	CH 44	5220	18.18	19.00	16.00	99.90
	CH 48	5240	18.00	19.00	16.00	
802.11a VHT40 MCS0	CH 36	5180	17.74	18.00	15.00	99.90
	CH 44	5220	17.84	18.00	15.00	
802.11a VHT80 MCS0	CH 44	5220	17.94	18.00	15.00	99.90
	CH 48	5240	18.00	18.00	15.00	
802.11a VHT160 MCS0	CH 36	5180	17.12	16.00	13.00	99.83
	CH 44	5220	17.26	16.00	13.00	
802.11a HT160 MCS0	CH 36	5180	18.20	19.00	16.00	100.00
	CH 44	5220	18.30	19.00	16.00	
802.11a HT80 MCS0 (H20)	CH 36	5180	18.25	19.00	16.00	100.00
	CH 44	5220	18.35	19.00	16.00	
802.11a HT40 MCS0	CH 36	5180	17.08	18.00	15.00	99.91
	CH 44	5220	16.95	18.00	15.00	
802.11a HT20 MCS0	CH 36	5180	17.04	18.00	15.00	99.90
	CH 44	5220	17.04	18.00	15.00	
802.11a HT10 MCS0	CH 36	5180	16.08	17.00	14.00	100.00
	CH 44	5220	16.08	17.00	14.00	
802.11a HT5 MCS0 (H20)	CH 36	5180	15.08	16.00	13.00	100.00
	CH 44	5220	15.08	16.00	13.00	
802.11a HT5 MCS0 (H40)	CH 36	5180	14.07	15.00	12.00	100.00
	CH 44	5220	14.07	15.00	12.00	
802.11a HT5 MCS0 (H80)	CH 36	5180	13.28	14.00	11.00	99.90
	CH 44	5220	13.40	14.00	11.00	
802.11a HT5 MCS0 (H160)	CH 36	5180	12.85	13.50	10.00	99.81
	CH 44	5220	12.95	13.50	10.00	
802.11a HT5 MCS0 (H320)	CH 36	5180	12.79	13.50	10.00	99.81
	CH 44	5220	12.89	13.50	10.00	
802.11a HT5 MCS0 (H640)	CH 36	5180	11.78	12.50	9.00	99.98
	CH 44	5220	11.88	12.50	9.00	
802.11a HT5 MCS0 (H1280)	CH 36	5180	11.33	12.00	8.00	100.00
	CH 44	5220	11.43	12.00	8.00	
802.11a HT5 MCS0 (H2560)	CH 36	5180	10.16	11.00	7.00	100.00
	CH 44	5220	10.26	11.00	7.00	
802.11a HT5 MCS0 (H5120)	CH 36	5180	10.03	10.50	6.50	99.99
	CH 44	5220	10.13	10.50	6.50	
802.11a HT5 MCS0 (H10240)	CH 36	5250	13.25	13.50	10.00	99.90
	CH 44	5250	13.35	13.50	10.00	
802.11a HT5 MCS0 (H20480)	CH 36	5250	13.31	13.50	10.00	99.91
	CH 44	5250	13.41	13.50	10.00	
802.11a HT5 MCS0 (H40960)	CH 36	5250	13.01	13.50	10.00	99.91
	CH 44	5250	13.11	13.50	10.00	

6.2GHz WLAN ANT 2

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
6.2GHz WLAN ANT 2	802.11a-HEW60 MCS0	CH 1	5855	7.58	7.50	7.50	100.00
		CH 45	6175	6.85	7.50	7.50	
		CH 93	6495	6.64	8.00	7.50	
	802.11a-HEW60 MCS0 (RU20)	CH 3	5855	9.65	10.00	10.00	100.00
		CH 91	6225	9.71	10.00	10.00	
		CH 93	6495	11.67	12.00	10.00	
	802.11a-HEW60 MCS0 (RU20)	CH 7	5855	12.85	12.50	12.50	100.00
		CH 35	6225	12.03	12.50	12.50	
		CH 87	6385	13.02	13.50	13.00	
	802.11a-HEW100 MCS0	CH 15	6225	11.55	12.50	12.50	100.00
		CH 47	6185	11.65	12.50	12.50	
		CH 75	6345	12.32	12.50	12.50	
	802.11a-HEW100 MCS0 (RU20)	CH 1	5855	-1.02	-0.50	-0.50	100.00
		CH 45	6175	-1.27	-0.50	-0.50	
		CH 93	6415	-1.54	-0.50	-0.50	
	802.11a-HEW100 MCS0 (RU20)	CH 1	5855	0.75	0.50	0.50	100.00
		CH 45	6175	0.22	1.00	1.00	
		CH 93	6415	0.55	1.00	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 1	5855	4.02	4.50	1.00	100.00
		CH 45	6175	2.65	3.00	1.00	
		CH 93	6415	2.75	3.00	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 3	5855	0.21	0.50	-0.50	100.00
		CH 9	5855	3.35	3.50	-1.00	
		CH 9	5855	4.21	4.00	-1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 7	5855	0.52	1.00	-0.50	100.00
		CH 7	5855	3.52	4.00	-1.00	
		CH 7	5855	4.36	4.50	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 15	6225	-0.02	0.50	1.00	100.00
		CH 15	6225	2.02	2.50	-1.00	
		CH 15	6225	3.89	4.00	1.00	

6.5GHz WLAN ANT 2

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
6.5GHz WLAN ANT 2	802.11a-HEW100 MCS0	CH 97	6435	8.24	9.00	9.00	100.00
		CH 105	6475	8.74	9.50	9.00	
		CH 105	6495	11.72	12.50	11.00	
	802.11a-HEW100 MCS0	CH 107	6485	12.21	13.00	11.00	100.00
		CH 103	6465	11.39	14.00	13.00	
		CH 107	6425	0.50	1.00	-0.50	
	802.11a-HEW100 MCS0 (RU20)	CH 105	6475	0.42	1.00	-0.50	100.00
		CH 113	6515	0.22	1.00	1.00	
		CH 97	6435	2.45	3.00	0.00	
	802.11a-HEW100 MCS0 (RU20)	CH 105	6475	2.27	3.00	0.00	100.00
		CH 113	6515	4.18	4.00	0.00	
		CH 97	6425	4.28	5.00	0.00	
	802.11a-HEW100 MCS0 (RU20)	CH 105	6475	4.13	5.00	0.00	100.00
		CH 113	6515	4.01	5.00	2.00	

6.7GHz WLAN ANT 2

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
6.7GHz WLAN ANT 2	802.11a-HEW100 MCS0	CH 117	6535	8.87	9.00	7.50	100.00
		CH 149	6695	7.35	7.50	7.50	
		CH 181	6855	7.58	8.00	7.00	
	802.11a-HEW100 MCS0	CH 123	6565	11.35	11.50	10.50	100.00
		CH 147	6685	10.53	11.50	10.50	
		CH 175	6845	9.50	10.00	10.00	
	802.11a-HEW100 MCS0	CH 125	6525	12.82	13.00	12.50	100.00
		CH 151	6705	12.43	12.50	12.50	
		CH 167	6785	13.47	13.50	12.50	
	802.11a-HEW100 MCS0	CH 149	6685	12.88	14.00	12.50	100.00
		CH 117	6525	0.52	1.00	-0.50	
		CH 149	6685	0.55	1.00	-0.50	
	802.11a-HEW100 MCS0 (RU20)	CH 181	6855	-0.75	-0.50	-0.50	100.00
		CH 117	6525	2.35	2.50	-1.00	
		CH 149	6685	2.52	3.00	-1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 181	6855	0.97	1.00	1.00	100.00
		CH 117	6525	4.18	4.50	1.00	
		CH 149	6695	4.26	4.50	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 181	6855	2.47	3.00	1.00	100.00

7.0GHz WLAN ANT 2

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
7.0GHz WLAN ANT 2	802.11a-HEW100 MCS0	CH 185	6975	8.73	9.00	9.00	100.00
		CH 209	6995	9.51	9.50	9.00	
		CH 233	7115	7.88	8.00	8.00	
	802.11a-HEW100 MCS0	CH 187	6985	11.12	11.50	11.00	100.00
		CH 203	6965	11.84	12.00	11.00	
		CH 227	7085	11.35	11.00	11.00	
	802.11a-HEW100 MCS0	CH 189	6945	14.12	14.50	14.00	100.00
		CH 215	7025	13.44	14.00	14.00	
		CH 237	6985	11.45	11.50	13.00	
	802.11a-HEW100 MCS0 (RU20)	CH 185	6975	0.10	0.50	-0.50	100.00
		CH 209	6995	1.52	2.00	-0.50	
		CH 233	7115	-1.35	2.00	-0.50	
	802.11a-HEW100 MCS0 (RU20)	CH 185	6975	1.75	2.00	0.00	100.00
		CH 209	6995	3.15	3.50	1.00	
		CH 233	7115	0.22	0.50	0.00	
	802.11a-HEW100 MCS0 (RU20)	CH 185	6975	3.63	4.00	2.00	100.00
		CH 209	6995	5.10	5.50	2.00	
		CH 233	7115	2.21	2.50	2.00	

6.2GHz WLAN ANT 5

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
6.2GHz WLAN ANT 5	802.11a-HEW100 MCS0	CH 1	5855	8.80	9.00	8.50	100.00
		CH 45	6175	8.58	9.00	8.50	
		CH 93	6395	11.68	12.00	9.50	
	802.11a-HEW100 MCS0	CH 91	6205	11.37	11.50	9.00	100.00
		CH 93	6405	13.11	12.50	8.50	
		CH 7	5855	14.37	15.00	12.00	
	802.11a-HEW100 MCS0	CH 35	6225	10.52	10.50	12.00	100.00
		CH 87	6385	10.47	10.50	12.00	
		CH 15	6225	12.22	13.50	11.50	
	802.11a-HEW100 MCS0	CH 47	6185	10.48	13.50	11.50	100.00
		CH 75	6345	9.43	9.50	11.00	
	802.11a-HEW100 MCS0 (RU20)	CH 1	5855	1.18	1.50	-0.50	100.00
		CH 45	6175	0.43	0.50	-0.50	
		CH 93	6415	1.71	2.00	-0.50	
	802.11a-HEW100 MCS0 (RU20)	CH 1	5855	1.87	2.50	-1.00	100.00
		CH 45	6175	2.54	3.00	-1.00	
		CH 93	6415	2.81	3.50	-1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 1	5855	4.81	5.00	1.00	100.00
		CH 45	6175	4.13	4.50	1.00	
		CH 93	6415	4.24	5.00	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 3	5855	1.21	1.50	-0.50	100.00
		CH 9	5855	1.98	2.00	-1.00	
		CH 9	5855	3.07	3.50	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 7	5855	1.75	2.00	-0.50	100.00
		CH 7	5855	2.41	2.50	-1.00	
		CH 7	5855	5.45	5.50	1.00	
	802.11a-HEW100 MCS0 (RU20)	CH 15	6225	1.80	2.00	-0.50	100.00
		CH 15	6225	3.79	4.00	-1.00	
		CH 15	6225	6.27	5.50	1.00	

6.5GHz WLAN ANT 5

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
6.5GHz WLAN ANT 5	802.11a-HEW100 MCS0	CH 97	6435	10.28	10.50	7.50	100.00
		CH 105	6475	10.22	10.50	7.50	
		CH 113	6515	10.08	10.50	7.50	
	802.11a-HEW100 MCS0	CH 107	6485	13.02	12.50	10.50	100.00
		CH 103	6465	10.26	15.00	13.50	
		CH 107	6425	3.29	3.50	-0.50	
	802.11a-HEW100 MCS0 (RU20)	CH 105	6475	0.42	1.00	-0.50	100.00
		CH 113	6515	0.15	1.00	-0.50	
		CH 97	6435	0.58	0.50	0.00	
	802.11a-HEW100 MCS0 (RU20)	CH 105	6475	4.42	4.50	0.00	100.00
		CH 113	6515	4.08	4.50	0.00	
		CH 97	6425	6.96	7.00	0.00	
	802.11a-HEW100 MCS0 (RU20)	CH 105	6475	6.28	6.50	2.00	100.00
		CH 113	6515	6.35	6.50	2.00	

6.7GHz WLAN ANT 5

	Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-up Limit	Power Setting	Duty Cycle %
6.7GHz WLAN ANT 5	802.11a-HEW100 MCS0	CH 117	6535	8.87	9.00	8.00	100.00
		CH 149	6695	8.50	7.50	8.00	
		CH 181	6855	7.80	8.00	8.00	
	802.11a-HEW100 MCS0	CH 123	6565	11.75	12.00	8.50	100.00
		CH 147	6685	9.72	10.00	8.50	
		CH 175	6845	10.85	10.50		
	802.11a-HEW100 MCS0	CH 155	6625	13.25	14.00	12.00	100.00
		CH 151	6755	14.25	12.50	12.00	
		CH 167	6785	12.15	14.00	12.00	
	802.11a-HEW100 MCS0	CH 143	6665	13.85	14.00	11.50	100.00
		CH 117	6535	1.56	2.00	-0.50	
		CH 149	6695	1.48	1.50	-0.50	
802.11a-HEW100 MCS0 (FL20)	CH 181	6855	-41.15	-0.00	-0.00		
	CH 117	6535	3.57	-0.00	-0.00		
	CH 149	6695	3.41	3.50	-1.00		
802.11a-HEW100 MCS0 (FL20)	CH 181	6855	1.56	2.00	-0.50		
	CH 117	6535	5.81	5.00	1.50		
	CH 149	6695	5.15	5.50	1.00		
802.11a-HEW100 MCS0 (FL20)	CH 181	6855	3.50	4.00	1.00		

Mode	Channel	Frequency (MHz)	1Mbps		2Mbps		3Mbps	
			Average power (dBm)	Tune-up Limit	Average power (dBm)	Tune-up Limit	Average power (dBm)	Tune-up Limit
BR / EDR	CH 00	2402	7.23	8.00	6.17	7.00	5.89	6.50
	CH 39	2441	8.12	9.00	6.54	7.50	6.55	7.50
	CH 78	2480	5.60	6.50	4.34	5.00	4.13	5.00
Duty Cycle %			76.96		77.01		77.07	

Mode	Channel	Frequency (MHz)	Average power (dBm)		Average power (dBm)	
			GFSK		BLE 2M	
LE	CH 00	2402	4.80		2.17	
	CH 19	2440	5.54		2.55	
	CH 39	2480	2.92		0.43	
Tune-up Limit			6.5		3.5	
Duty Cycle %			62.72		33.28	

2.4GHz WLAN ANT 3

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Loss	Power Setting	Duty Cycle %
802.11n 18Mbps	CH1	2412	14.05	15.00	15.00	99.28
	CH6	2437	14.05	15.00	15.00	
	CH11	2462	13.91	15.00	15.00	
802.11g 6Mbps	CH1	2412	13.90	15.00	15.00	99.34
	CH6	2437	14.05	15.00	15.00	
	CH11	2462	13.91	15.00	15.00	
802.11n-HT20 MCS0	CH1	2412	12.97	14.00	12.00	99.71
	CH6	2437	12.69	14.00	12.00	
	CH11	2462	12.30	14.00	12.00	
802.11n-HT40 MCS0	CH1	2412	12.23	13.00	11.00	99.69
	CH6	2437	12.14	13.00	11.00	
	CH11	2462	11.96	13.00	11.00	
802.11n-VHT20 MCS0	CH1	2412	11.64	13.00	11.00	99.74
	CH6	2437	11.69	13.00	11.00	
	CH11	2462	11.52	13.00	11.00	
802.11n-VHT40 MCS0	CH1	2412	11.37	13.00	11.00	99.73
	CH6	2437	11.63	13.00	11.00	
	CH11	2462	11.49	13.00	11.00	
802.11n-HEW20 MCS0	CH1	2412	11.85	13.00	11.00	99.71
	CH6	2437	11.80	13.00	11.00	
	CH11	2462	11.59	13.00	11.00	
802.11n-HEW40 MCS0	CH1	2412	11.47	13.00	11.00	99.86
	CH6	2437	11.38	13.00	11.00	
	CH11	2462	11.18	13.00	11.00	
802.11n-HEW80 MCS0 (FLL2)	CH1	2412	11.98	13.00	11.00	99.81
	CH6	2437	11.87	13.00	11.00	
	CH11	2462	11.68	13.00	11.00	
802.11n-HEW160 MCS0 (FLL2)	CH1	2412	11.40	13.00	11.00	99.81
	CH6	2437	11.53	13.00	11.00	
	CH11	2462	11.35	13.00	11.00	
802.11n-HEW320 MCS0 (FLL2)	CH1	2412	11.49	13.00	11.00	99.59
	CH6	2437	11.64	13.00	11.00	
	CH11	2462	11.47	13.00	11.00	
802.11n-HEW640 MCS0 (FLL2)	CH1	2412	11.75	13.00	11.00	99.81
	CH6	2437	11.85	13.00	11.00	
	CH11	2462	11.67	13.00	11.00	
802.11n-HEW1280 MCS0 (FLL2)	CH1	2412	11.75	13.00	11.00	99.81
	CH6	2437	11.81	13.00	11.00	
	CH11	2462	11.65	13.00	11.00	
802.11n-HEW2560 MCS0 (FLL2)	CH1	2412	11.75	13.00	11.00	99.59
	CH6	2437	11.81	13.00	11.00	
	CH11	2462	11.64	13.00	11.00	

2.4GHz WLAN ANT 4

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Loss	Power Setting	Duty Cycle %
802.11n 18Mbps	CH1	2412	13.85	15.00	15.00	99.28
	CH6	2437	13.97	15.00	15.00	
	CH11	2462	13.76	15.00	15.00	
802.11g 6Mbps	CH1	2412	13.84	15.00	15.00	99.24
	CH6	2437	13.97	15.00	15.00	
	CH11	2462	13.68	15.00	15.00	
802.11n-VHT20 MCS0	CH1	2412	12.84	14.00	12.00	99.74
	CH6	2437	12.91	14.00	12.00	
	CH11	2462	12.63	14.00	12.00	
802.11n-VHT40 MCS0	CH1	2412	12.50	13.00	11.00	99.69
	CH6	2437	12.56	13.00	11.00	
	CH11	2462	12.18	13.00	11.00	
802.11n-VHT20 MCS0	CH1	2412	11.38	12.00	11.00	99.74
	CH6	2437	11.43	13.00	11.00	
	CH11	2462	11.24	13.00	11.00	
802.11n-VHT40 MCS0	CH1	2412	11.03	12.00	11.00	99.73
	CH6	2437	11.03	13.00	11.00	
	CH11	2462	10.77	13.00	11.00	
802.11n-HEW20 MCS0	CH1	2412	11.85	13.00	11.00	99.71
	CH6	2437	11.80	13.00	11.00	
	CH11	2462	11.57	13.00	11.00	
802.11n-HEW40 MCS0	CH1	2412	11.38	13.00	11.00	99.86
	CH6	2437	11.22	13.00	11.00	
	CH11	2462	11.03	13.00	11.00	
802.11n-HEW80 MCS0 (FLL2)	CH1	2412	11.85	13.00	11.00	99.57
	CH6	2437	11.80	13.00	11.00	
	CH11	2462	11.62	13.00	11.00	
802.11n-HEW160 MCS0 (FLL2)	CH1	2412	11.85	13.00	11.00	99.81
	CH6	2437	11.80	13.00	11.00	
	CH11	2462	11.48	13.00	11.00	
802.11n-HEW320 MCS0 (FLL2)	CH1	2412	11.85	13.00	11.00	99.58
	CH6	2437	11.72	13.00	11.00	
	CH11	2462	11.51	13.00	11.00	
802.11n-HEW640 MCS0 (FLL2)	CH1	2412	11.84	13.00	11.00	99.81
	CH6	2437	11.88	13.00	11.00	
	CH11	2462	11.64	13.00	11.00	
802.11n-HEW1280 MCS0 (FLL2)	CH1	2412	11.85	13.00	11.00	99.81
	CH6	2437	11.80	13.00	11.00	
	CH11	2462	11.61	13.00	11.00	
802.11n-HEW2560 MCS0 (FLL2)	CH1	2412	12.03	13.00	11.00	99.58
	CH6	2437	12.01	13.00	11.00	
	CH11	2462	11.80	13.00	11.00	

2.4GHz WLAN MIMO

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Loss	Power Setting	Duty Cycle %
802.11n 18Mbps	CH1	2412	N/A	N/A	N/A	N/A
	CH6	2437	N/A	N/A	N/A	
	CH11	2462	N/A	N/A	N/A	
802.11g 6Mbps	CH1	2412	N/A	N/A	N/A	N/A
	CH6	2437	N/A	N/A	N/A	
	CH11	2462	N/A	N/A	N/A	
802.11n-VHT20 MCS0	CH1	2412	10.60	17.00	12.00	99.74
	CH6	2437	10.75	17.00	12.00	
	CH11	2462	10.42	17.00	12.00	
802.11n-VHT40 MCS0	CH1	2412	10.38	16.00	11.00	99.69
	CH6	2437	10.38	16.00	11.00	
	CH11	2462	10.27	16.00	11.00	
802.11n-VHT20 MCS0	CH1	2412	10.64	16.00	11.00	99.71
	CH6	2437	10.75	16.00	11.00	
	CH11	2462	10.49	16.00	11.00	
802.11n-VHT40 MCS0	CH1	2412	10.36	16.00	11.00	99.73
	CH6	2437	10.78	16.00	11.00	
	CH11	2462	10.77	16.00	11.00	
802.11n-HEW20 MCS0	CH1	2412	10.86	16.00	8.00	99.71
	CH6	2437	10.81	16.00	8.00	
	CH11	2462	10.61	16.00	8.00	
802.11n-HEW40 MCS0	CH1	2412	10.43	16.00	8.00	99.81
	CH6	2437	10.47	16.00	8.00	
	CH11	2462	10.24	16.00	8.00	
802.11n-HEW80 MCS0 (FLL2)	CH1	2412	10.86	15.00	8.00	99.81
	CH6	2437	10.81	15.00	8.00	
	CH11	2462	10.61	15.00	8.00	
802.11n-HEW160 MCS0 (FLL2)	CH1	2412	11.26	15.00	8.00	99.58
	CH6	2437	11.30	15.00	8.00	
	CH11	2462	11.05	15.00	8.00	
802.11n-HEW320 MCS0 (FLL2)	CH1	2412	11.43	15.00	8.00	99.81
	CH6	2437	11.48	15.00	8.00	
	CH11	2462	11.24	15.00	8.00	
802.11n-HEW640 MCS0 (FLL2)	CH1	2412	11.26	15.00	8.00	99.81
	CH6	2437	11.30	15.00	8.00	
	CH11	2462	11.05	15.00	8.00	
802.11n-HEW1280 MCS0 (FLL2)	CH1	2412	11.26	15.00	8.00	99.81
	CH6	2437	11.34	15.00	8.00	
	CH11	2462	11.05	15.00	8.00	
802.11n-HEW2560 MCS0 (FLL2)	CH1	2412	11.26	15.00	8.00	99.58
	CH6	2437	11.34	15.00	8.00	
	CH11	2462	11.05	15.00	8.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a WLAN	CH 36	5180	18.00	18.00	18.00	98.53
	CH 44	5220	18.00	18.00	18.00	
	CH 48	5260	18.00	18.00	18.00	
	CH 52	5300	18.00	18.00	18.00	
802.11a-HT20 MCS0	CH 36	5180	18.00	18.00	18.00	98.83
	CH 44	5220	18.00	18.00	18.00	
	CH 48	5260	18.00	18.00	18.00	
	CH 52	5300	18.00	18.00	18.00	
802.11a-HT40 MCS0	CH 36	5180	18.00	18.00	18.00	100.00
	CH 44	5220	18.00	18.00	18.00	
	CH 48	5260	18.00	18.00	18.00	
	CH 52	5300	18.00	18.00	18.00	
802.11ac-VHT20 MCS0	CH 36	5180	15.00	17.00	14.00	98.80
	CH 44	5220	15.00	17.00	14.00	
	CH 48	5260	15.00	17.00	14.00	
	CH 52	5300	15.00	17.00	14.00	
802.11ac-VHT40 MCS0	CH 36	5180	15.00	17.00	14.00	98.80
	CH 44	5220	15.00	17.00	14.00	
	CH 48	5260	15.00	17.00	14.00	
	CH 52	5300	15.00	17.00	14.00	
802.11ac-HEW20 MCS0 (RU20)	CH 36	5180	14.00	16.00	13.00	98.81
	CH 44	5220	14.00	16.00	13.00	
	CH 48	5260	14.00	16.00	13.00	
	CH 52	5300	14.00	16.00	13.00	
802.11ac-HEW40 MCS0 (RU40)	CH 36	5180	14.00	16.00	13.00	98.81
	CH 44	5220	14.00	16.00	13.00	
	CH 48	5260	14.00	16.00	13.00	
	CH 52	5300	14.00	16.00	13.00	
802.11ac-HEW80 MCS0 (RU80)	CH 36	5180	13.00	15.00	10.00	98.80
	CH 44	5220	13.00	15.00	10.00	
	CH 48	5260	13.00	15.00	10.00	
	CH 52	5300	13.00	15.00	10.00	
802.11ac-HEW160 MCS0 (RU160)	CH 36	5180	11.00	13.00	8.00	98.80
	CH 44	5220	11.00	13.00	8.00	
	CH 48	5260	11.00	13.00	8.00	
	CH 52	5300	11.00	13.00	8.00	
802.11ac-HEW320 MCS0 (RU320)	CH 36	5180	10.00	12.00	7.00	98.80
	CH 44	5220	10.00	12.00	7.00	
	CH 48	5260	10.00	12.00	7.00	
	CH 52	5300	10.00	12.00	7.00	
802.11ac-HEW640 MCS0 (RU640)	CH 36	5180	9.00	11.00	6.00	98.80
	CH 44	5220	9.00	11.00	6.00	
	CH 48	5260	9.00	11.00	6.00	
	CH 52	5300	9.00	11.00	6.00	
802.11ac-HEW1280 MCS0 (RU1280)	CH 36	5180	8.00	10.00	5.00	98.80
	CH 44	5220	8.00	10.00	5.00	
	CH 48	5260	8.00	10.00	5.00	
	CH 52	5300	8.00	10.00	5.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a WLAN	CH 36	5180	17.00	18.00	15.00	98.53
	CH 44	5220	18.00	18.00	18.00	
	CH 48	5260	18.00	18.00	18.00	
	CH 52	5300	18.00	18.00	18.00	
802.11a-HT20 MCS0	CH 36	5180	18.00	18.00	18.00	98.80
	CH 44	5220	18.00	18.00	18.00	
	CH 48	5260	18.00	18.00	18.00	
	CH 52	5300	18.00	18.00	18.00	
802.11a-HT40 MCS0	CH 36	5180	18.00	18.00	18.00	100.00
	CH 44	5220	18.00	18.00	18.00	
	CH 48	5260	18.00	18.00	18.00	
	CH 52	5300	18.00	18.00	18.00	
802.11ac-VHT20 MCS0	CH 36	5180	15.00	17.00	14.00	98.80
	CH 44	5220	15.00	17.00	14.00	
	CH 48	5260	15.00	17.00	14.00	
	CH 52	5300	15.00	17.00	14.00	
802.11ac-VHT40 MCS0	CH 36	5180	15.00	17.00	14.00	98.80
	CH 44	5220	15.00	17.00	14.00	
	CH 48	5260	15.00	17.00	14.00	
	CH 52	5300	15.00	17.00	14.00	
802.11ac-HEW20 MCS0 (RU20)	CH 36	5180	14.00	16.00	13.00	98.80
	CH 44	5220	14.00	16.00	13.00	
	CH 48	5260	14.00	16.00	13.00	
	CH 52	5300	14.00	16.00	13.00	
802.11ac-HEW40 MCS0 (RU40)	CH 36	5180	14.00	16.00	13.00	98.81
	CH 44	5220	14.00	16.00	13.00	
	CH 48	5260	14.00	16.00	13.00	
	CH 52	5300	14.00	16.00	13.00	
802.11ac-HEW80 MCS0 (RU80)	CH 36	5180	13.00	15.00	10.00	98.80
	CH 44	5220	13.00	15.00	10.00	
	CH 48	5260	13.00	15.00	10.00	
	CH 52	5300	13.00	15.00	10.00	
802.11ac-HEW160 MCS0 (RU160)	CH 36	5180	11.00	13.00	8.00	98.80
	CH 44	5220	11.00	13.00	8.00	
	CH 48	5260	11.00	13.00	8.00	
	CH 52	5300	11.00	13.00	8.00	
802.11ac-HEW320 MCS0 (RU320)	CH 36	5180	10.00	12.00	7.00	98.80
	CH 44	5220	10.00	12.00	7.00	
	CH 48	5260	10.00	12.00	7.00	
	CH 52	5300	10.00	12.00	7.00	
802.11ac-HEW640 MCS0 (RU640)	CH 36	5180	9.00	11.00	6.00	98.80
	CH 44	5220	9.00	11.00	6.00	
	CH 48	5260	9.00	11.00	6.00	
	CH 52	5300	9.00	11.00	6.00	
802.11ac-HEW1280 MCS0 (RU1280)	CH 36	5180	8.00	10.00	5.00	98.80
	CH 44	5220	8.00	10.00	5.00	
	CH 48	5260	8.00	10.00	5.00	
	CH 52	5300	8.00	10.00	5.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a WLAN	CH 100	5500	17.00	18.00	15.00	98.53
	CH 116	5580	18.00	18.00	18.00	
	CH 144	5720	18.00	18.00	18.00	
	CH 160	5800	18.00	18.00	18.00	
802.11a-HT20 MCS0	CH 100	5500	18.00	18.00	18.00	98.80
	CH 116	5580	18.00	18.00	18.00	
	CH 144	5720	18.00	18.00	18.00	
	CH 160	5800	18.00	18.00	18.00	
802.11a-HT40 MCS0	CH 100	5500	18.00	18.00	18.00	98.80
	CH 116	5580	18.00	18.00	18.00	
	CH 144	5720	18.00	18.00	18.00	
	CH 160	5800	18.00	18.00	18.00	
802.11ac-VHT20 MCS0	CH 100	5500	15.00	17.00	14.00	98.80
	CH 116	5580	15.00	17.00	14.00	
	CH 144	5720	15.00	17.00	14.00	
	CH 160	5800	15.00	17.00	14.00	
802.11ac-VHT40 MCS0	CH 100	5500	15.00	17.00	14.00	98.80
	CH 116	5580	15.00	17.00	14.00	
	CH 144	5720	15.00	17.00	14.00	
	CH 160	5800	15.00	17.00	14.00	
802.11ac-HEW20 MCS0 (RU20)	CH 100	5500	14.00	16.00	13.00	98.80
	CH 116	5580	14.00	16.00	13.00	
	CH 144	5720	14.00	16.00	13.00	
	CH 160	5800	14.00	16.00	13.00	
802.11ac-HEW40 MCS0 (RU40)	CH 100	5500	14.00	16.00	13.00	98.81
	CH 116	5580	14.00	16.00	13.00	
	CH 144	5720	14.00	16.00	13.00	
	CH 160	5800	14.00	16.00	13.00	
802.11ac-HEW80 MCS0 (RU80)	CH 100	5500	13.00	15.00	10.00	98.80
	CH 116	5580	13.00	15.00	10.00	
	CH 144	5720	13.00	15.00	10.00	
	CH 160	5800	13.00	15.00	10.00	
802.11ac-HEW160 MCS0 (RU160)	CH 100	5500	11.00	13.00	8.00	98.80
	CH 116	5580	11.00	13.00	8.00	
	CH 144	5720	11.00	13.00	8.00	
	CH 160	5800	11.00	13.00	8.00	
802.11ac-HEW320 MCS0 (RU320)	CH 100	5500	10.00	12.00	7.00	98.80
	CH 116	5580	10.00	12.00	7.00	
	CH 144	5720	10.00	12.00	7.00	
	CH 160	5800	10.00	12.00	7.00	
802.11ac-HEW640 MCS0 (RU640)	CH 100	5500	9.00	11.00	6.00	98.80
	CH 116	5580	9.00	11.00	6.00	
	CH 144	5720	9.00	11.00	6.00	
	CH 160	5800	9.00	11.00	6.00	
802.11ac-HEW1280 MCS0 (RU1280)	CH 100	5500	8.00	10.00	5.00	98.80
	CH 116	5580	8.00	10.00	5.00	
	CH 144	5720	8.00	10.00	5.00	
	CH 160	5800	8.00	10.00	5.00	

5.2GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
802.11a WLAN	CH 36	5180	17.00	18.00	15.00	98.05
	CH 44	5220	17.00	18.00	15.00	
	CH 48	5260	17.00	18.00	15.00	
	CH 52	5300</				

Reduced Power Level 2

REPORT No.: SZ24060253S01

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
802.11a BSS	CH 32	5200	17.25	18.50	15.00	99.53
	CH 33	5300	16.65	18.50	15.00	
	CH 34	5320	16.75	18.50	15.00	
802.11n HT20 MCS0	CH 32	5200	16.62	18.50	15.00	99.90
	CH 33	5300	16.64	18.50	15.00	
	CH 34	5320	16.40	18.50	15.00	
802.11n HT40 MCS0	CH 34	5320	16.41	17.50	14.00	100.00
	CH 32	5200	16.25	17.50	14.00	
	CH 33	5300	15.99	17.50	14.00	
802.11ac VHT20 MCS0	CH 32	5200	15.99	17.50	14.00	99.90
	CH 33	5300	15.61	17.50	14.00	
	CH 34	5320	15.60	17.50	14.00	
802.11ac VHT40 MCS0	CH 34	5320	15.40	16.50	13.00	99.90
	CH 32	5200	15.25	16.50	13.00	
	CH 33	5300	15.09	16.50	13.00	
802.11ac HEW40 MCS0 (RU20)	CH 32	5200	15.10	16.50	13.00	99.91
	CH 33	5300	15.00	16.50	13.00	
	CH 34	5320	15.11	16.50	13.00	
802.11ac HEW80 MCS0 (RU20)	CH 32	5200	15.10	16.50	13.00	99.90
	CH 33	5300	15.00	16.50	13.00	
	CH 34	5320	15.11	16.50	13.00	
802.11ac HEW160 MCS0 (RU20)	CH 32	5200	15.10	16.50	13.00	99.90
	CH 33	5300	15.00	16.50	13.00	
	CH 34	5320	15.11	16.50	13.00	

5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
802.11a BSS	CH 100	5500	17.25	18.50	15.00	99.53
	CH 116	5580	16.75	18.50	15.00	
	CH 144	5720	16.75	18.50	15.00	
802.11n HT20 MCS0	CH 100	5500	16.60	18.50	15.00	99.90
	CH 116	5580	16.40	18.50	15.00	
	CH 144	5720	16.20	18.50	15.00	
802.11n HT40 MCS0	CH 100	5500	16.60	17.50	14.00	99.90
	CH 116	5580	16.61	17.50	14.00	
	CH 144	5720	16.21	17.50	14.00	
802.11ac VHT20 MCS0	CH 100	5500	16.61	17.50	14.00	99.90
	CH 116	5580	15.47	17.50	14.00	
	CH 144	5720	15.46	17.50	14.00	
802.11ac VHT40 MCS0	CH 100	5500	15.99	16.50	13.00	99.90
	CH 116	5580	15.71	16.50	13.00	
	CH 144	5720	15.70	16.50	13.00	
802.11ac HEW20 MCS0	CH 100	5500	15.27	17.50	14.00	99.93
	CH 116	5580	15.20	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	
802.11ac HEW40 MCS0	CH 100	5500	15.27	17.50	14.00	99.90
	CH 116	5580	15.10	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	
802.11ac HEW80 MCS0	CH 100	5500	15.10	17.50	14.00	99.90
	CH 116	5580	15.10	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	
802.11ac HEW160 MCS0	CH 100	5500	15.10	17.50	14.00	99.90
	CH 116	5580	15.10	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	

5.3GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
802.11a BSS	CH 52	5200	17.25	18.50	15.00	99.53
	CH 53	5300	17.05	18.50	15.00	
	CH 54	5320	16.90	18.50	15.00	
802.11n HT20 MCS0	CH 52	5200	16.85	18.50	15.00	99.90
	CH 53	5300	16.70	18.50	15.00	
	CH 54	5320	16.65	18.50	15.00	
802.11n HT40 MCS0	CH 54	5320	16.50	17.50	14.00	99.90
	CH 52	5200	16.22	17.50	14.00	
	CH 53	5300	15.96	17.50	14.00	
802.11ac VHT20 MCS0	CH 52	5200	15.96	17.50	14.00	100.00
	CH 53	5300	15.85	17.50	14.00	
	CH 54	5320	15.79	17.50	14.00	
802.11ac VHT40 MCS0	CH 54	5320	15.64	16.50	13.00	99.90
	CH 52	5200	15.17	16.50	13.00	
	CH 53	5300	15.06	16.50	13.00	
802.11ac HEW20 MCS0 (RU20)	CH 52	5200	15.07	17.50	14.00	99.90
	CH 53	5300	15.07	17.50	14.00	
	CH 54	5320	15.06	17.50	14.00	
802.11ac HEW40 MCS0 (RU20)	CH 52	5200	15.06	17.50	14.00	99.90
	CH 53	5300	15.06	17.50	14.00	
	CH 54	5320	15.06	17.50	14.00	
802.11ac HEW80 MCS0 (RU20)	CH 52	5200	15.06	17.50	14.00	99.90
	CH 53	5300	15.06	17.50	14.00	
	CH 54	5320	15.06	17.50	14.00	
802.11ac HEW160 MCS0 (RU20)	CH 52	5200	15.06	17.50	14.00	99.90
	CH 53	5300	15.06	17.50	14.00	
	CH 54	5320	15.06	17.50	14.00	

5.3GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
802.11a BSS	CH 100	5500	17.75	18.50	15.00	99.95
	CH 116	5580	17.05	18.50	15.00	
	CH 144	5720	17.23	18.50	15.00	
802.11n HT20 MCS0	CH 100	5500	17.24	18.50	15.00	100.00
	CH 116	5580	16.87	18.50	15.00	
	CH 144	5720	16.95	18.50	15.00	
802.11n HT40 MCS0	CH 100	5500	16.85	17.50	14.00	99.90
	CH 116	5580	16.50	17.50	14.00	
	CH 144	5720	16.50	17.50	14.00	
802.11ac VHT20 MCS0	CH 100	5500	16.50	17.50	14.00	99.90
	CH 116	5580	15.07	17.50	14.00	
	CH 144	5720	15.04	17.50	14.00	
802.11ac VHT40 MCS0	CH 100	5500	15.71	16.50	13.00	99.90
	CH 116	5580	15.07	16.50	13.00	
	CH 144	5720	15.07	16.50	13.00	
802.11ac HEW20 MCS0	CH 100	5500	15.21	17.50	14.00	99.93
	CH 116	5580	15.11	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	
802.11ac HEW40 MCS0	CH 100	5500	15.27	17.50	14.00	99.90
	CH 116	5580	15.10	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	
802.11ac HEW80 MCS0	CH 100	5500	15.10	17.50	14.00	99.95
	CH 116	5580	15.10	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	
802.11ac HEW160 MCS0	CH 100	5500	15.10	17.50	14.00	99.90
	CH 116	5580	15.10	17.50	14.00	
	CH 144	5720	15.09	17.50	14.00	

5.3GHz WLAN MIMO

Mode	Channel	Frequency (MHz)	Average power (dBm)	Time-Up Limit	Power Setting	Duty Cycle %
802.11a BSS	CH 52	5200	N/A	N/A	N/A	N/A
	CH 53	5300	N/A	N/A	N/A	
	CH 54	5320	N/A	N/A	N/A	
802.11n HT20 MCS0	CH 52	5200	16.40	17.50	11.00	99.90
	CH 53	5300	16.30	17.50	11.00	
	CH 54	5320	16.24	17.50	11.00	
802.11n HT40 MCS0	CH 54	5320	16.24	17.50	11.00	99.92
	CH 52	5200	16.24	17.50	11.00	
	CH 53	5300	16.24	17.50	11.00	
802.11ac VHT20 MCS0	CH 52	5200	15.61	16.50	10.00	99.90
	CH 53	5300	15.47	16.50	10.00	
	CH 54	5320	15.36	16.50	10.00	
802.11ac VHT40 MCS0	CH 54	5320	15.60	15.50	10.00	99.90
	CH 52	5200	15.06	15.50	10.00	
	CH 53	5300	15.06	15.50	10.00	
802.11ac HEW20 MCS0 (RU20)	CH 52	5200	15.06	15.50	10.00	99.90
	CH 53	5300	15.06	15.50	10.00	
	CH 54	5320	15.06	15.50	10.00	
802.11ac HEW40 MCS0 (RU20)	CH 52	5200	15.06	15.50	10.00	99.90
	CH 53	5300	15.06	15.50	10.00	
	CH 54	5320	15.06	15.50	10.00	
802.11ac HEW80 MCS0 (RU20)	CH 52	5200	15.06	15.50	10.00	99.90
	CH 53	5300	15.06	15.50	10.00	
	CH 54	5320	15.06	15.50	10.00	
802.11ac HEW160 MCS0 (RU20)	CH 52	5200	15.06	15.50	10.00	99.90
	CH 53	5300	15.06	15.50	10.00	
	CH 54	5320	15.06	15.50	10.00	

5.5GHz WLAN MIMO

	Mode	Channel	Frequency (MHz)	Average Power (dBm)	Transmit Limit	Power Setting	Duty Cycle %
5.2GHz WLAN (MCS0)	802.11a-OBSS	CH 100	5500	N/A	N/A	N/A	N/A
		CH 116	5580	N/A	N/A	N/A	
		CH 144	5720	N/A	N/A	N/A	
	802.11n-HT20 MCS0	CH 100	5500	16.80	18.50	11.00	99.90
		CH 116	5580	16.54	18.50	11.00	
		CH 144	5720	16.54	18.50	11.00	
	802.11n-HT40 MCS0	CH 100	5500	17.02	18.50	11.00	99.92
		CH 116	5580	16.50	18.50	11.00	
		CH 144	5720	16.71	18.50	11.00	
	802.11ac VHT20 MCS0	CH 100	5500	16.80	17.50	10.00	99.90
		CH 116	5580	16.43	17.50	10.00	
		CH 144	5720	16.63	17.50	10.00	
802.11n-VHT20 MCS0	CH 100	5500	16.14	17.50	10.00	99.90	
	CH 116	5580	15.94	17.50	10.00		
	CH 144	5720	15.94	17.50	10.00		
802.11n-VHT40 MCS0	CH 100	5500	16.84	17.50	10.00	99.93	
	CH 116	5580	16.57	17.50	10.00		
	CH 144	5720	16.57	17.50	10.00		
802.11ac VHT40 MCS0	CH 100	5500	16.23	17.50	10.00	99.97	
	CH 116	5580	15.88	17.50	8.00		
	CH 144	5720	16.17	17.50	10.00		
802.11n-HEV20 MCS0	CH 100	5500	16.17	17.50	10.00	99.90	
	CH 116	5580	15.83	17.50	10.00		
	CH 144	5720	15.83	17.50	10.00		
802.11n-HEV40 MCS0	CH 100	5500	16.84	17.50	10.00	99.90	
	CH 116	5580	16.53	17.50	10.00		
	CH 144	5720	16.38	17.50	10.00		
802.11n-HEV80 MCS0	CH 100	5500	16.31	17.50	10.00	99.93	
	CH 116	5580	15.91	17.50	10.00		
	CH 144	5720	15.91	17.50	10.00		
802.11n-HEV160 MCS0	CH 100	5500	15.72	15.00	8.00	99.90	
	CH 116	5580	15.48	15.00	5.00		
	CH 144	5720	15.48	15.00	5.00		
802.11n-HEV320 MCS0 (HSD)	CH 100	5500	15.10	10.00	5.00	99.90	
	CH 116	5580	14.10	10.00	5.00		
	CH 144	5720	14.10	10.00	5.00		
802.11n-HEV640 MCS0 (HSD)	CH 100	5500	13.72	10.00	8.00	99.90	
	CH 116	5580	13.08	10.00	8.00		
	CH 144	5720	13.78	10.00	8.00		
802.11n-HEV1280 MCS0 (HSD)	CH 100	5500	12.43	10.00	10.00	99.90	
	CH 116	5580	11.43	10.00	10.00		
	CH 144	5720	12.72	10.00	10.00		

6.2GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
8.2GHz WLAN MIMO	CH1	5855	4.08	5.00	4.00	100.00
	CH45	6175	3.85	4.50	4.00	
	CH135	6415	5.64	6.50	4.00	
802.11ax-HEWHD MCS0	CH13	5855	6.68	7.50	7.00	100.00
	CH51	6205	6.71	7.50	7.00	
	CH91	6425	8.67	9.50	7.00	
802.11ax-HEWHD MCS0 (RU20)	CH17	5855	8.46	10.50	10.00	100.00
	CH55	6225	9.03	9.50	10.00	
	CH97	6385	10.05	10.50	10.00	
802.11ax-HEWHD MCS0 (RU40)	CH19	6345	9.32	10.00	9.00	100.00
	CH15	6225	8.99	10.00	9.00	
	CH47	6185	8.89	10.00	9.00	
802.11ax-HEWHD MCS0 (RU80)	CH11	5855	-4.05	-3.00	-4.00	100.00
	CH45	6175	-4.27	-3.00	-4.00	
	CH93	6415	-4.54	-3.00	-4.00	
802.11ax-HEWHD MCS0 (RU160)	CH13	5855	-2.37	-1.50	-4.00	100.00
	CH53	6415	-2.05	-1.50	-4.00	
	CH11	5855	1.03	2.00	-2.00	
802.11ax-HEWHD MCS0 (RU320)	CH45	6175	-0.25	0.50	-2.00	100.00
	CH13	5855	-2.79	-2.00	-4.00	
	CH13	5855	0.37	1.00	-4.00	
802.11ax-HEWHD MCS0 (RU640)	CH13	5855	1.91	2.00	-2.00	100.00
	CH17	5855	-2.48	-1.50	-4.00	
	CH17	5855	0.32	1.50	-4.00	
802.11ax-HEWHD MCS0 (RU1280)	CH17	5855	1.36	3.00	-2.00	100.00
	CH15	6025	-3.02	-2.00	-4.00	
	CH15	6025	-0.98	0.00	-4.00	
802.11ax-HEWHD MCS0 (RU2560)	CH15	6025	0.89	1.00	-2.00	100.00
	CH15	6025				
	CH15	6025				

6.5GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
802.11ax-HEWHD MCS0	CH137	6435	4.24	5.00	4.00	100.00
	CH105	6475	4.74	5.50	4.00	
	CH113	6515	5.22	6.00	4.00	
802.11ax-HEWHD MCS0 (RU20)	CH137	6435	7.72	8.50	7.00	100.00
	CH107	6485	8.21	9.00	7.00	
	CH103	6465	9.36	10.00	9.00	
802.11ax-HEWHD MCS0 (RU40)	CH137	6435	-3.55	-3.00	-4.00	100.00
	CH105	6475	-3.56	-3.00	-4.00	
	CH113	6515	-3.78	-3.00	-4.00	
802.11ax-HEWHD MCS0 (RU80)	CH137	6435	-1.54	-1.00	-4.00	100.00
	CH105	6475	-1.73	-1.00	-4.00	
	CH113	6515	-1.49	-1.00	-4.00	
802.11ax-HEWHD MCS0 (RU160)	CH137	6435	0.28	1.00	-2.00	100.00
	CH105	6475	0.13	1.00	-2.00	
	CH113	6515	0.61	1.00	-2.00	

6.7GHz WLAN ANT 2

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
802.11ax-HEWHD MCS0	CH117	6935	5.87	6.50	4.00	100.00
	CH149	6955	4.36	5.00	4.00	
	CH181	6955	4.58	5.50	4.00	
802.11ax-HEWHD MCS0 (RU20)	CH123	6965	8.39	9.00	7.00	100.00
	CH147	6985	7.53	8.50	7.00	
	CH179	6945	6.50	7.50	7.00	
802.11ax-HEWHD MCS0 (RU40)	CH125	6925	9.92	10.00	9.00	100.00
	CH151	6705	9.43	10.00	9.00	
	CH167	6765	10.47	11.00	9.00	
802.11ax-HEWHD MCS0 (RU80)	CH149	6955	10.68	11.00	9.00	100.00
	CH117	6925	-2.47	-1.50	-4.00	
	CH149	6955	-2.35	-1.50	-4.00	
802.11ax-HEWHD MCS0 (RU160)	CH181	6955	-3.76	-3.00	-4.00	100.00
	CH117	6925	-0.64	0.50	-4.00	
	CH149	6955	-0.48	0.50	-4.00	
802.11ax-HEWHD MCS0 (RU320)	CH181	6955	-2.03	-1.50	-4.00	100.00
	CH117	6925	1.18	2.00	-2.00	
	CH149	6955	1.26	2.00	-2.00	
802.11ax-HEWHD MCS0 (RU640)	CH181	6955	-0.13	0.50	-2.00	100.00
	CH181	6955				
	CH181	6955				

6.2GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
8.2GHz WLAN MIMO	CH1	5855	5.90	6.50	5.00	100.00
	CH45	6175	5.58	6.50	5.00	
	CH135	6415	6.43	7.50	5.00	
802.11ax-HEWHD MCS0	CH13	5855	8.68	9.50	6.00	100.00
	CH51	6205	8.37	9.50	6.00	
	CH91	6405	9.11	10.00	6.00	
802.11ax-HEWHD MCS0 (RU20)	CH17	5855	11.37	12.00	9.00	100.00
	CH55	6225	11.52	12.00	9.00	
	CH97	6385	11.57	12.00	9.00	
802.11ax-HEWHD MCS0 (RU40)	CH19	6345	10.96	11.50	9.00	100.00
	CH15	6225	10.23	11.00	9.00	
	CH47	6185	10.48	11.00	9.00	
802.11ax-HEWHD MCS0 (RU80)	CH11	5855	-1.82	-1.00	-4.00	100.00
	CH45	6175	-2.57	-2.00	-4.00	
	CH93	6415	-2.28	-2.00	-4.00	
802.11ax-HEWHD MCS0 (RU160)	CH13	5855	-0.30	0.50	-4.00	100.00
	CH13	5855	1.81	2.00	-2.00	
	CH45	6175	1.13	2.00	-2.00	
802.11ax-HEWHD MCS0 (RU320)	CH13	5855	-1.78	-1.00	-4.00	100.00
	CH13	5855	2.07	3.00	-2.00	
	CH17	5855	-1.23	-0.50	-4.00	
802.11ax-HEWHD MCS0 (RU640)	CH17	5855	-0.38	0.50	-4.00	100.00
	CH17	5855	2.45	3.00	-2.00	
	CH15	6025	-1.40	-0.50	-4.00	
802.11ax-HEWHD MCS0 (RU1280)	CH15	6025	0.79	1.50	-4.00	100.00
	CH15	6025				
	CH15	6025				

6.5GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
802.11ax-HEWHD MCS0	CH137	6435	6.28	7.00	5.00	100.00
	CH105	6475	6.29	7.50	5.00	
	CH113	6515	6.71	7.50	5.00	
802.11ax-HEWHD MCS0 (RU20)	CH137	6435	9.58	10.00	8.00	100.00
	CH107	6485	9.03	10.00	8.00	
	CH103	6465	11.26	12.00	9.00	
802.11ax-HEWHD MCS0 (RU40)	CH137	6435	-4.71	-4.00	-4.00	100.00
	CH105	6475	-4.36	-4.00	-4.00	
	CH113	6515	-4.15	-4.00	-4.00	
802.11ax-HEWHD MCS0 (RU80)	CH137	6435	-1.36	-1.00	-4.00	100.00
	CH105	6475	0.43	1.00	-4.00	
	CH113	6515	-0.58	0.50	-4.00	
802.11ax-HEWHD MCS0 (RU160)	CH137	6435	2.36	3.00	-2.00	100.00
	CH105	6475	2.28	3.00	-2.00	
	CH113	6515	1.30	2.50	-2.00	

6.7GHz WLAN ANT 5

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
802.11ax-HEWHD MCS0	CH117	6935	6.87	7.50	5.00	100.00
	CH149	6955	5.65	6.50	5.00	
	CH181	6955	5.80	6.50	5.00	
802.11ax-HEWHD MCS0 (RU20)	CH123	6965	7.78	8.50	5.00	100.00
	CH147	6985	6.72	8.00	5.00	
	CH179	6945	6.46	7.50	5.00	
802.11ax-HEWHD MCS0 (RU40)	CH125	6925	9.95	10.00	9.00	100.00
	CH151	6705	9.05	9.50	6.00	
	CH167	6765	10.15	10.50	8.00	
802.11ax-HEWHD MCS0 (RU80)	CH149	6955	9.65	10.50	7.00	100.00
	CH117	6925	-2.10	-1.50	-7.00	
	CH149	6955	-2.54	-2.00	-7.00	
802.11ax-HEWHD MCS0 (RU160)	CH181	6955	-4.15	-3.50	-7.00	100.00
	CH117	6925	-0.30	0.50	-4.00	
	CH149	6955	-0.16	0.50	-4.00	
802.11ax-HEWHD MCS0 (RU320)	CH181	6955	-2.15	-1.50	-4.00	100.00
	CH117	6925	1.51	2.50	-3.00	
	CH149	6955	1.10	2.00	-3.00	
802.11ax-HEWHD MCS0 (RU640)	CH181	6955	-0.34	0.50	-3.00	100.00
	CH181	6955				
	CH181	6955				

6.2GHz WLAN MIMO

Mode	Channel	Frequency (MHz)	Average power (dBm)	Turn-Up Limit	Power Setting	Duty Cycle %
802.11ax-HEWHD MCS0	CH1	5855	4.38	5.00	0.00	100.00
	CH45	6175	4.57	5.00	0.00	
	CH135	6415	5.28	5.50	0.00	
	CH13	5855	7.57	8.50	3.00	
	CH51	6205	7.17	7.50	3.00	
802.11ax-HEWHD MCS0 (RU20)	CH91	6405	7.79	8.00	3.00	100.00
	CH17	5855	10.36	10.50	6.00	
	CH55	6225	10.28	10.50	6.00	
	CH97	6385	10.58	11.00	6.00	
	CH19	6345	10.45	11.00	6.00	
802.11ax-HEWHD MCS0 (RU40)	CH47	6185	10.61	11.00	6.00	100.00
	CH19	6345	10.76	11.00	6.00	
	CH11	5855	-0.48	-2.00	-6.00	
802.11ax-HEWHD MCS0 (RU80)	CH45	6175	-0.16	-2.00	-6.00	100.00
	CH93	6415	-0.41	-2.00	-6.00	
	CH13	5855	-1.58	-1.00	-7.00	
802.11ax-HEWHD MCS0 (RU160)	CH13	5855	1.36	1.50	-5.00	100.00
	CH51	6205	0.46	0.50	-5.00	
	CH91	6405	2.24	2.50	-5.00	
802.11ax-HEWHD MCS0 (RU320)	CH13	5855	2.33	2.50	-6.00	100.00
	CH5	5855	-0.31	-1.00	-5.00	
802.11ax-HEWHD MCS0 (RU640)	CH13	5855	1.33	1.50	-5.00	100.00
	CH7	5855	-0.79	-1.50	-7.00	
802.11ax-HEWHD MCS0 (RU1280)	CH7	5855	1.47	1.50	-7.00	99.90
	CH15	5855	1.67	2.00	-5.00	
802.11ax-HEWHD MCS0 (RU2560)	CH7	5855	0.42	0.50	-5.00	100.00
	CH15	6205	-0.42	-0.50	-5.00	
802.11ax-HEWHD MCS0 (RU5120)	CH15	6205	0.11	0.50	-7.00	100.00
	CH15	6202	1.71	2.00	-5.00	