



Test Mode: 01; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: High



Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5230.000	79.28	31.74	5.70	36.87	79.85	-----	-----	HORIZONTAL Average
2 *	5230.000	95.24	31.74	5.70	36.87	95.81	68.20	27.61	HORIZONTAL Peak
3	5350.020	49.19	31.77	6.05	36.88	50.13	54.00	-3.87	HORIZONTAL Average
4	5350.020	60.61	31.77	6.05	36.88	61.55	74.00	-12.45	HORIZONTAL Peak
5	5359.188	49.45	31.78	6.03	36.88	50.38	54.00	-3.62	HORIZONTAL Average
6	5359.513	61.26	31.78	6.03	36.88	62.19	74.00	-11.81	HORIZONTAL Peak


Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Trace: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5230.000	87.00	31.74	5.70	36.87	87.57	-----	-----	VERTICAL	Average
2 *	5230.000	105.55	31.74	5.70	36.87	106.12	68.20	37.92	VERTICAL	Peak
3	5350.020	49.48	31.77	6.05	36.88	50.42	54.00	-3.58	VERTICAL	Average
4	5350.020	60.61	31.77	6.05	36.88	61.55	74.00	-12.45	VERTICAL	Peak
5	5357.239	61.61	31.78	6.03	36.88	62.54	74.00	-11.46	VERTICAL	Peak
6	5359.675	49.97	31.78	6.03	36.88	50.90	54.00	-3.10	VERTICAL	Average

Test Mode: 01; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5101.775	49.61	31.72	5.65	36.86	50.12	54.00	-3.88	HORIZONTAL	Average
2	5101.775	62.33	31.72	5.65	36.86	62.84	74.00	-11.16	HORIZONTAL	Peak
3	5210.000	81.20	31.74	5.65	36.87	81.72	-----	-----	HORIZONTAL	Average
4 *	5210.000	97.63	31.74	5.65	36.87	98.15	68.20	29.95	HORIZONTAL	Peak
5	5355.205	49.26	31.78	6.03	36.88	50.19	54.00	-3.81	HORIZONTAL	Average
6	5357.335	61.03	31.78	6.03	36.88	61.96	74.00	-12.04	HORIZONTAL	Peak

Test Mode: 01; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5125.932	62.61	31.72	5.64	36.86	63.11	74.00	-10.89	VERTICAL	Peak
2	5136.903	51.00	31.72	5.63	36.86	51.49	54.00	-2.51	VERTICAL	Average
3	5210.000	88.91	31.74	5.65	36.87	89.43	-----	-----	VERTICAL	Average
4 *	5210.000	107.49	31.74	5.65	36.87	108.01	68.20	39.81	VERTICAL	Peak
5	5355.205	50.15	31.78	6.03	36.88	51.08	54.00	-2.92	VERTICAL	Average
6	5358.401	61.71	31.78	6.03	36.88	62.64	74.00	-11.36	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5114.349	48.84	31.72	5.64	36.86	49.34	54.00	-4.66	HORIZONTAL Average
2	5114.349	61.29	31.72	5.64	36.86	61.79	74.00	-12.21	HORIZONTAL Peak
3	5149.980	48.60	31.72	5.62	36.86	49.08	54.00	-4.92	HORIZONTAL Average
4	5149.980	60.84	31.72	5.62	36.86	61.32	74.00	-12.68	HORIZONTAL Peak
5	5260.000	90.69	31.75	5.77	36.87	91.34	-----	-----	HORIZONTAL Average
6 *	5260.000	100.12	31.75	5.77	36.87	100.77	68.20	32.57	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5112.221	49.23	31.72	5.64	36.86	49.73	54.00	-4.27	VERTICAL	Average
2	5112.221	61.55	31.72	5.64	36.86	62.05	74.00	-11.95	VERTICAL	Peak
3	5149.980	49.14	31.72	5.62	36.86	49.62	54.00	-4.38	VERTICAL	Average
4	5149.980	60.91	31.72	5.62	36.86	61.39	74.00	-12.61	VERTICAL	Peak
5	5260.000	100.19	31.75	5.77	36.87	100.84	-----	-----	VERTICAL	Average
6 *	5260.000	109.57	31.75	5.77	36.87	110.22	68.20	42.02	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11a; Bandwidth: 20MHz; Channel: High




Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5320.000	92.83	31.77	6.08	36.88	93.80	-----	-----	HORIZONTAL Average
2 *	5320.000	101.73	31.77	6.08	36.88	102.70	68.20	34.50	HORIZONTAL Peak
3	5350.020	48.48	31.77	6.05	36.88	49.42	54.00	-4.58	HORIZONTAL Average
4	5350.020	60.30	31.77	6.05	36.88	61.24	74.00	-12.76	HORIZONTAL Peak
5	5389.311	48.85	31.78	6.00	36.88	49.75	54.00	-4.25	HORIZONTAL Average
6	5390.218	61.59	31.78	6.00	36.88	62.49	74.00	-11.51	HORIZONTAL Peak




Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5320.000	100.21	31.77	6.08	36.88	101.18	-----	-----	VERTICAL	Average
2 *	5320.000	109.56	31.77	6.08	36.88	110.53	68.20	42.33	VERTICAL	Peak
3	5350.020	50.08	31.77	6.05	36.88	51.02	54.00	-2.98	VERTICAL	Average
4	5350.020	61.30	31.77	6.05	36.88	62.24	74.00	-11.76	VERTICAL	Peak
5	5353.468	62.90	31.77	6.05	36.88	63.84	74.00	-10.16	VERTICAL	Peak
6	5356.571	50.31	31.78	6.03	36.88	51.24	54.00	-2.76	VERTICAL	Average

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5114.349	48.81	31.72	5.64	36.86	49.31	54.00	-4.69	HORIZONTAL	Average
2	5114.349	61.72	31.72	5.64	36.86	62.22	74.00	-11.78	HORIZONTAL	Peak
3	5149.980	48.42	31.72	5.62	36.86	48.90	54.00	-5.10	HORIZONTAL	Average
4	5149.980	60.34	31.72	5.62	36.86	60.82	74.00	-13.18	HORIZONTAL	Peak
5	5260.000	85.58	31.75	5.77	36.87	86.23	-----	-----	HORIZONTAL	Average
6 *	5260.000	97.14	31.75	5.77	36.87	97.79	68.20	29.59	HORIZONTAL	Peak


Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

	Freq	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5102.477	49.20	31.72	5.65	36.86	49.71	54.00	-4.29	VERTICAL	Average
2	5102.477	62.29	31.72	5.65	36.86	62.80	74.00	-11.20	VERTICAL	Peak
3	5149.980	49.02	31.72	5.62	36.86	49.50	54.00	-4.50	VERTICAL	Average
4	5149.980	61.40	31.72	5.62	36.86	61.88	74.00	-12.12	VERTICAL	Peak
5	5260.000	94.80	31.75	5.77	36.87	95.45	-----	-----	VERTICAL	Average
6 *	5260.000	107.37	31.75	5.77	36.87	108.02	68.20	39.82	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5320.000	88.28	31.77	6.08	36.88	89.25	-----	-----	HORIZONTAL	Average
2 *	5320.000	101.29	31.77	6.08	36.88	102.26	68.20	34.06	HORIZONTAL	Peak
3	5350.020	48.50	31.77	6.05	36.88	49.44	54.00	-4.56	HORIZONTAL	Average
4	5350.020	60.14	31.77	6.05	36.88	61.08	74.00	-12.92	HORIZONTAL	Peak
5	5398.083	48.88	31.78	6.00	36.88	49.78	54.00	-4.22	HORIZONTAL	Average
6	5398.083	61.59	31.78	6.00	36.88	62.49	74.00	-11.51	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5320.000	95.21	31.77	6.08	36.88	96.18	-----	-----	VERTICAL	Average
2 *	5320.000	109.03	31.77	6.08	36.88	110.00	68.20	41.80	VERTICAL	Peak
3	5350.020	50.08	31.77	6.05	36.88	51.02	54.00	-2.98	VERTICAL	Average
4	5350.020	61.25	31.77	6.05	36.88	62.19	74.00	-11.81	VERTICAL	Peak
5	5354.769	50.41	31.78	6.03	36.88	51.34	54.00	-2.66	VERTICAL	Average
6	5354.769	62.78	31.78	6.03	36.88	63.71	74.00	-10.29	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5102.354	48.86	31.72	5.65	36.86	49.37	54.00	-4.63	HORIZONTAL	Average
2	5102.354	61.49	31.72	5.65	36.86	62.00	74.00	-12.00	HORIZONTAL	Peak
3	5149.980	48.49	31.72	5.62	36.86	48.97	54.00	-5.03	HORIZONTAL	Average
4	5149.980	60.61	31.72	5.62	36.86	61.09	74.00	-12.91	HORIZONTAL	Peak
5	5270.000	78.30	31.75	5.80	36.87	78.98	-----	-----	HORIZONTAL	Average
6 *	5270.000	96.18	31.75	5.80	36.87	96.86	68.20	28.66	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



race: (Discrete)		Frequency (MHz)								
	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark	
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5109.229	49.19	31.72	5.65	36.86	49.70	54.00	-4.30	VERTICAL	Average
2	5117.293	61.68	31.72	5.64	36.86	62.18	74.00	-11.82	VERTICAL	Peak
3	5149.980	48.87	31.72	5.62	36.86	49.35	54.00	-4.65	VERTICAL	Average
4	5149.980	60.70	31.72	5.62	36.86	61.18	74.00	-12.82	VERTICAL	Peak
5	5270.000	85.62	31.75	5.80	36.87	86.30	-----	-----	VERTICAL	Average
6 *	5270.000	105.31	31.75	5.80	36.87	105.99	68.20	37.79	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)

	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5310.000	79.59	31.77	6.08	36.87	80.57	-----	-----	HORIZONTAL Average
2 *	5310.000	97.81	31.77	6.08	36.87	98.79	68.20	30.59	HORIZONTAL Peak
3	5350.020	48.82	31.77	6.05	36.88	49.76	54.00	-4.24	HORIZONTAL Average
4	5350.020	60.30	31.77	6.05	36.88	61.24	74.00	-12.76	HORIZONTAL Peak
5	5352.277	48.76	31.77	6.05	36.88	49.70	54.00	-4.30	HORIZONTAL Average
6	5352.277	61.89	31.77	6.05	36.88	62.83	74.00	-11.17	HORIZONTAL Peak


Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)

		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5310.000	85.84	31.77	6.08	36.87	86.82	-----	-----	VERTICAL	Average
2 *	5310.000	105.68	31.77	6.08	36.87	106.66	68.20	38.46	VERTICAL	Peak
3	5350.020	50.20	31.77	6.05	36.88	51.14	54.00	-2.86	VERTICAL	Average
4	5350.020	62.55	31.77	6.05	36.88	63.49	74.00	-10.51	VERTICAL	Peak
5	5350.955	50.30	31.77	6.05	36.88	51.24	54.00	-2.76	VERTICAL	Average
6	5352.037	62.70	31.77	6.05	36.88	63.64	74.00	-10.36	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna Level	Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5107.258	48.89	31.72	5.65	36.86	49.40	54.00	-4.60	HORIZONTAL	Average
2	5115.591	62.01	31.72	5.64	36.86	62.51	74.00	-11.49	HORIZONTAL	Peak
3	5149.980	48.52	31.72	5.62	36.86	49.00	54.00	-5.00	HORIZONTAL	Average
4	5149.980	60.80	31.72	5.62	36.86	61.28	74.00	-12.72	HORIZONTAL	Peak
5	5260.000	76.72	31.75	5.77	36.87	77.37	-----	-----	HORIZONTAL	Average
6 *	5260.000	99.37	31.75	5.77	36.87	100.02	68.20	31.82	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: Low




race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5113.107	48.97	31.72	5.64	36.86	49.47	54.00	-4.53	VERTICAL	Average
2	5113.107	61.30	31.72	5.64	36.86	61.80	74.00	-12.20	VERTICAL	Peak
3	5149.980	48.81	31.72	5.62	36.86	49.29	54.00	-4.71	VERTICAL	Average
4	5149.980	60.97	31.72	5.62	36.86	61.45	74.00	-12.55	VERTICAL	Peak
5	5260.000	79.84	31.75	5.77	36.87	80.49	-----	-----	VERTICAL	Average
6 *	5260.000	102.47	31.75	5.77	36.87	103.12	68.20	34.92	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High




race: (Discrete)		Frequency (MHz)								
	Freq	Read Level	Antenna Factor	Cable Loss	Preamp Factor	Level	Limit Line	Over Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5320.000	78.52	31.77	6.08	36.88	79.49	-----	-----	HORIZONTAL	Average
2 *	5320.000	101.16	31.77	6.08	36.88	102.13	68.20	33.93	HORIZONTAL	Peak
3	5350.020	48.49	31.77	6.05	36.88	49.43	54.00	-4.57	HORIZONTAL	Average
4	5350.020	60.51	31.77	6.05	36.88	61.45	74.00	-12.55	HORIZONTAL	Peak
5	5357.973	48.68	31.78	6.03	36.88	49.61	54.00	-4.39	HORIZONTAL	Average
6	5357.973	61.58	31.78	6.03	36.88	62.51	74.00	-11.49	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 20MHz; Channel: High



		ReadAntenna		Cable	Preamp		Limit	Over		
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5320.000	83.38	31.77	6.08	36.88	84.35	-----	-----	VERTICAL	Average
2 *	5320.000	108.53	31.77	6.08	36.88	109.50	68.20	41.30	VERTICAL	Peak
3	5350.020	49.68	31.77	6.05	36.88	50.62	54.00	-3.38	VERTICAL	Average
4	5350.020	60.95	31.77	6.05	36.88	61.89	74.00	-12.11	VERTICAL	Peak
5	5351.267	49.99	31.77	6.05	36.88	50.93	54.00	-3.07	VERTICAL	Average
6	5355.269	62.24	31.78	6.03	36.88	63.17	74.00	-10.83	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5100.393	49.63	31.72	5.65	36.86	50.14	54.00	-3.86	HORIZONTAL	Average
2	5100.588	61.34	31.72	5.65	36.86	61.85	74.00	-12.15	HORIZONTAL	Peak
3	5149.980	49.20	31.72	5.62	36.86	49.68	54.00	-4.32	HORIZONTAL	Average
4	5149.980	60.46	31.72	5.62	36.86	60.94	74.00	-13.06	HORIZONTAL	Peak
5	5270.000	79.93	31.75	5.80	36.87	80.61	-----	-----	HORIZONTAL	Average
6 *	5270.000	96.41	31.75	5.80	36.87	97.09	68.20	28.89	HORIZONTAL	Peak

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



race: (Discrete)	Frequency (MHz)									
		ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
	Freq	Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5124.582	50.17	31.72	5.64	36.86	50.67	54.00	-3.33	VERTICAL	Average
2	5124.582	61.53	31.72	5.64	36.86	62.03	74.00	-11.97	VERTICAL	Peak
3	5149.980	49.34	31.72	5.62	36.86	49.82	54.00	-4.18	VERTICAL	Average
4	5149.980	60.55	31.72	5.62	36.86	61.03	74.00	-12.97	VERTICAL	Peak
5	5270.000	87.16	31.75	5.80	36.87	87.84	-----	-----	VERTICAL	Average
6 *	5270.000	104.63	31.75	5.80	36.87	105.31	68.20	37.11	VERTICAL	Peak


Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: High



Trace: (Discrete)


	Read	Antenna	Cable	Preamp		Limit	Over		
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5310.000	81.08	31.77	6.08	36.87	82.06	-----	-----	HORIZONTAL Average
2 *	5310.000	97.44	31.77	6.08	36.87	98.42	68.20	30.22	HORIZONTAL Peak
3	5350.020	49.17	31.77	6.05	36.88	50.11	54.00	-3.89	HORIZONTAL Average
4	5350.020	60.63	31.77	6.05	36.88	61.57	74.00	-12.43	HORIZONTAL Peak
5	5354.202	49.44	31.78	6.03	36.88	50.37	54.00	-3.63	HORIZONTAL Average
6	5354.202	61.12	31.78	6.03	36.88	62.05	74.00	-11.95	HORIZONTAL Peak

Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 40MHz; Channel: High




race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5310.000	87.41	31.77	6.08	36.87	88.39	-----	-----	VERTICAL	Average
2 *	5310.000	105.04	31.77	6.08	36.87	106.02	68.20	37.82	VERTICAL	Peak
3	5350.020	50.43	31.77	6.05	36.88	51.37	54.00	-2.63	VERTICAL	Average
4	5350.020	62.59	31.77	6.05	36.88	63.53	74.00	-10.47	VERTICAL	Peak
5	5362.391	50.65	31.78	6.03	36.88	51.58	54.00	-2.42	VERTICAL	Average
6	5362.391	62.52	31.78	6.03	36.88	63.45	74.00	-10.55	VERTICAL	Peak

Test Mode: 02; Polarity: Horizontal; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




race: (Discrete)		Frequency (MHz)								
	Freq	ReadAntenna	Cable	Preamp		Limit	Over			
		Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5103.500	49.41	31.72	5.65	36.86	49.92	54.00	-4.08	HORIZONTAL	Average
2	5103.500	61.29	31.72	5.65	36.86	61.80	74.00	-12.20	HORIZONTAL	Peak
3	5290.000	78.30	31.76	6.00	36.87	79.19	-----	-----	HORIZONTAL	Average
4 *	5290.000	93.00	31.76	6.00	36.87	93.89	68.20	25.69	HORIZONTAL	Peak
5	5352.676	60.95	31.77	6.05	36.88	61.89	74.00	-12.11	HORIZONTAL	Peak
6	5357.267	49.35	31.78	6.03	36.88	50.28	54.00	-3.72	HORIZONTAL	Average

Test Mode: 02; Polarity: Vertical; Modulation: 802.11ac; Bandwidth: 80MHz; Channel: middle




race: (Discrete)	Frequency (MHz)									
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark	
		Level	Factor	Loss	Factor	Level	Line			Limit
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5139.212	49.79	31.72	5.63	36.86	50.28	54.00	-3.72	VERTICAL	Average
2	5139.212	61.80	31.72	5.63	36.86	62.29	74.00	-11.71	VERTICAL	Peak
3	5290.000	84.86	31.76	6.00	36.87	85.75	-----	-----	VERTICAL	Average
4 *	5290.000	101.66	31.76	6.00	36.87	102.55	68.20	34.35	VERTICAL	Peak
5	5357.267	62.88	31.78	6.03	36.88	63.81	74.00	-10.19	VERTICAL	Peak
6	5358.492	50.19	31.78	6.03	36.88	51.12	54.00	-2.88	VERTICAL	Average

Test Mode: 03; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



race: (Discrete)	Frequency (MHz)								
	Freq	ReadAntenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark
		Level	Factor	Loss	Factor	Level	Line		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	5449.959	61.30	31.79	6.26	36.88	62.47	74.00	-11.53	HORIZONTAL Peak
2	5454.393	48.59	31.79	6.26	36.88	49.76	54.00	-4.24	HORIZONTAL Average
3	5468.317	61.72	31.80	6.31	36.88	62.95	68.20	-5.25	HORIZONTAL Peak
4	5500.000	90.49	31.80	6.40	36.88	91.81	-----	-----	HORIZONTAL Average
5 *	5500.000	100.30	31.80	6.40	36.88	101.62	68.20	33.42	HORIZONTAL Peak

Test Mode: 03; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



race: (Discrete)	Frequency (MHz)									
		Read	Antenna	Cable	Preamp		Limit	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level	Line	Limit		
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	5416.166	49.81	31.79	6.06	36.88	50.78	54.00	-3.22	VERTICAL	Average
2	5416.166	62.26	31.79	6.06	36.88	63.23	74.00	-10.77	VERTICAL	Peak
3	5467.476	61.70	31.80	6.31	36.88	62.93	68.20	-5.27	VERTICAL	Peak
4	5500.000	100.30	31.80	6.40	36.88	101.62	-----	-----	VERTICAL	Average
5 *	5500.000	108.88	31.80	6.40	36.88	110.20	68.20	42.00	VERTICAL	Peak