


Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
						dBuV/m	dBuV/m			
1	1224.247	42.72	24.85	2.31	38.37	31.51	74.00	-42.49	VERTICAL	Peak
2	1682.477	42.47	25.68	2.80	37.91	33.04	74.00	-40.96	VERTICAL	Peak
3	3415.787	43.46	28.85	4.13	36.97	39.47	68.20	-28.73	VERTICAL	Peak
4	4443.453	43.67	30.73	4.83	36.81	42.42	68.20	-25.78	VERTICAL	Peak
5	10600.000	38.42	39.59	7.46	37.34	48.13	68.20	-20.07	VERTICAL	Peak
6	15900.000	35.98	38.44	9.86	35.40	48.88	74.00	-25.12	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	Line	Line	dB		
1	1227.791	42.04	24.88	2.31	38.37	30.86	74.00	-43.14	HORIZONTAL	Peak	
2	1663.137	41.66	25.65	2.80	37.91	32.20	74.00	-41.80	HORIZONTAL	Peak	
3	3425.675	43.38	28.86	4.15	36.97	39.42	68.20	-28.78	HORIZONTAL	Peak	
4	4443.453	42.74	30.73	4.83	36.81	41.49	68.20	-26.71	HORIZONTAL	Peak	
5	10640.000	38.61	39.63	7.48	37.33	48.39	74.00	-25.61	HORIZONTAL	Peak	
6	15960.000	36.68	38.37	9.85	35.40	49.50	74.00	-24.50	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Trace: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1220.714	41.77	24.82	2.32	38.37	30.54	74.00	-43.46	VERTICAL	Peak	
2	1692.231	42.16	25.70	2.80	37.89	32.77	74.00	-41.23	VERTICAL	Peak	
3	3435.590	43.16	28.87	4.16	36.97	39.22	68.20	-28.98	VERTICAL	Peak	
4	4417.841	43.15	30.70	4.74	36.81	41.78	68.20	-26.42	VERTICAL	Peak	
5	10640.000	38.39	39.63	7.48	37.33	48.17	74.00	-25.83	VERTICAL	Peak	
6	15960.000	36.32	38.37	9.85	35.40	49.14	74.00	-24.86	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1242.068	41.73	24.98	2.31	38.35	30.67	68.20	-37.53	HORIZONTAL Peak
2	1677.621	42.84	25.68	2.80	37.91	33.41	74.00	-40.59	HORIZONTAL Peak
3	3455.508	43.65	28.88	4.20	36.96	39.77	68.20	-28.43	HORIZONTAL Peak
4	4050.904	43.95	29.87	4.60	36.80	41.62	74.00	-32.38	HORIZONTAL Peak
5	10520.000	37.85	39.50	7.42	37.35	47.42	68.20	-20.78	HORIZONTAL Peak
6	15780.000	35.88	38.70	9.86	35.39	49.05	74.00	-24.95	HORIZONTAL Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /Inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com




SGS-CSTC Standards Technical Services Co., Ltd. No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn

Guangzhou Branch Testing Center EEC Laboratory

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1245.663	42.11	25.00	2.33	38.35	31.09	68.20	-37.11	VERTICAL	Peak
2	1692.231	41.34	25.70	2.80	37.89	31.95	74.00	-42.05	VERTICAL	Peak
3	3328.077	43.56	28.78	4.07	37.02	39.39	68.20	-28.81	VERTICAL	Peak
4	4469.214	43.80	30.77	4.93	36.81	42.69	68.20	-25.51	VERTICAL	Peak
5	10520.000	38.34	39.50	7.42	37.35	47.91	68.20	-20.29	VERTICAL	Peak
6	15780.000	36.22	38.70	9.86	35.39	49.39	74.00	-24.61	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1242.068	41.66	24.98	2.31	38.35	30.60	68.20	-37.60	HORIZONTAL	Peak	
2	1672.779	43.37	25.67	2.80	37.91	33.93	74.00	-40.07	HORIZONTAL	Peak	
3	3495.691	43.51	28.90	4.30	36.94	39.77	68.20	-28.43	HORIZONTAL	Peak	
4	4341.886	43.57	30.57	4.67	36.81	42.00	74.00	-32.00	HORIZONTAL	Peak	
5	10600.000	38.07	39.59	7.46	37.34	47.78	68.20	-20.42	HORIZONTAL	Peak	
6	15900.000	36.49	38.44	9.86	35.40	49.39	74.00	-24.61	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1293.359	41.52	25.18	2.57	38.31	30.96	68.20	-37.24	VERTICAL	Peak
2	1682.477	42.32	25.68	2.80	37.91	32.89	74.00	-41.11	VERTICAL	Peak
3	3445.535	43.61	28.87	4.18	36.96	39.70	68.20	-28.50	VERTICAL	Peak
4	4430.628	43.25	30.72	4.78	36.81	41.94	68.20	-26.26	VERTICAL	Peak
5	10600.000	38.11	39.59	7.46	37.34	47.82	68.20	-20.38	VERTICAL	Peak
6	15900.000	36.45	38.44	9.86	35.40	49.35	74.00	-24.65	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1274.802	41.38	25.12	2.48	38.33	30.65	68.20	-37.55	HORIZONTAL Peak
2	1697.129	41.89	25.71	2.80	37.89	32.51	74.00	-41.49	HORIZONTAL Peak
3	3455.508	43.83	28.88	4.20	36.96	39.95	68.20	-28.25	HORIZONTAL Peak
4	4392.376	43.87	30.66	4.70	36.81	42.42	74.00	-31.58	HORIZONTAL Peak
5	10640.000	38.75	39.63	7.48	37.33	48.53	74.00	-25.47	HORIZONTAL Peak
6	15960.000	35.85	38.37	9.85	35.40	48.67	74.00	-25.33	HORIZONTAL Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Line	Limit	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB			
1 1220.714	41.80	24.82	2.32	38.37	30.57	74.00	-43.43	VERTICAL			Peak	
2 1692.231	42.20	25.70	2.80	37.89	32.81	74.00	-41.19	VERTICAL			Peak	
3 3366.778	43.82	28.82	4.09	36.99	39.74	68.20	-28.46	VERTICAL			Peak	
4 4341.886	43.59	30.57	4.67	36.81	42.02	74.00	-31.98	VERTICAL			Peak	
5 10640.000	38.10	39.63	7.48	37.33	47.88	74.00	-26.12	VERTICAL			Peak	
6 15960.000	35.82	38.37	9.85	35.40	48.64	74.00	-25.36	VERTICAL			Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1148.823	42.99	24.49	2.34	38.42	31.40	74.00	-42.60	HORIZONTAL	Peak
2	1583.392	42.82	25.56	2.80	38.00	33.18	74.00	-40.82	HORIZONTAL	Peak
3	3280.326	43.55	28.73	4.04	37.04	39.28	68.20	-28.92	HORIZONTAL	Peak
4	4050.904	43.98	29.87	4.60	36.80	41.65	74.00	-32.35	HORIZONTAL	Peak
5	10540.000	38.83	39.53	7.43	37.35	48.44	68.20	-19.76	HORIZONTAL	Peak
6	15810.000	36.86	38.61	9.86	35.39	49.94	74.00	-24.06	HORIZONTAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1300.858	41.33	25.20	2.60	38.31	30.82	74.00	-43.18	VERTICAL	Peak
2	1672.779	42.35	25.67	2.80	37.91	32.91	74.00	-41.09	VERTICAL	Peak
3	3357.061	43.79	28.81	4.09	37.01	39.68	74.00	-34.32	VERTICAL	Peak
4	4367.058	43.89	30.62	4.68	36.81	42.38	74.00	-31.62	VERTICAL	Peak
5	10540.000	38.06	39.53	7.43	37.35	47.67	68.20	-20.53	VERTICAL	Peak
6	15810.000	36.19	38.61	9.86	35.39	49.27	74.00	-24.73	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1242.068	42.05	24.98	2.31	38.35	30.99	68.20	-37.21	HORIZONTAL	Peak	
2	1663.137	43.22	25.65	2.80	37.91	33.76	74.00	-40.24	HORIZONTAL	Peak	
3	3252.005	44.09	28.68	4.03	37.06	39.74	68.20	-28.46	HORIZONTAL	Peak	
4	4169.698	44.02	30.09	4.60	36.80	41.91	74.00	-32.09	HORIZONTAL	Peak	
5	10620.000	38.56	39.59	7.46	37.34	48.27	74.00	-25.73	HORIZONTAL	Peak	
6	15930.000	36.63	38.37	9.85	35.40	49.45	74.00	-24.55	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1155.483	42.12	24.51	2.38	38.42	30.59	74.00	-43.41	VERTICAL	Peak	
2	1672.779	41.57	25.67	2.80	37.91	32.13	74.00	-41.87	VERTICAL	Peak	
3	3485.601	43.85	28.89	4.27	36.95	40.06	68.20	-28.14	VERTICAL	Peak	
4	4469.214	43.08	30.77	4.93	36.81	41.97	68.20	-26.23	VERTICAL	Peak	
5	10620.000	38.48	39.59	7.46	37.34	48.19	74.00	-25.81	VERTICAL	Peak	
6	15930.000	36.62	38.37	9.85	35.40	49.44	74.00	-24.56	VERTICAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1293.359	41.58	25.18	2.57	38.31	31.02	68.20	-37.18	HORIZONTAL	Peak	
2	1677.621	41.74	25.68	2.80	37.91	32.31	74.00	-41.69	HORIZONTAL	Peak	
3	3405.929	43.26	28.85	4.11	36.98	39.24	68.20	-28.96	HORIZONTAL	Peak	
4	4469.214	43.38	30.77	4.93	36.81	42.27	68.20	-25.93	HORIZONTAL	Peak	
5	10520.000	37.91	39.50	7.42	37.35	47.48	68.20	-20.72	HORIZONTAL	Peak	
6	15780.000	36.16	38.70	9.86	35.39	49.33	74.00	-24.67	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Sample: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1138.904	42.56	24.46	2.27	38.42	30.87	74.00	-43.13	VERTICAL	Peak	
2	1667.951	42.63	25.66	2.80	37.91	33.18	74.00	-40.82	VERTICAL	Peak	
3	3386.297	43.39	28.83	4.10	36.99	39.33	68.20	-28.87	VERTICAL	Peak	
4	4482.150	43.31	30.78	4.99	36.81	42.27	68.20	-25.93	VERTICAL	Peak	
5	10520.000	38.84	39.50	7.42	37.35	48.41	68.20	-19.79	VERTICAL	Peak	
6	15780.000	36.07	38.70	9.86	35.39	49.24	74.00	-24.76	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1227.791	41.86	24.88	2.31	38.37	30.68	74.00	-43.32	HORIZONTAL	Peak	
2	1682.477	42.03	25.68	2.80	37.91	32.60	74.00	-41.40	HORIZONTAL	Peak	
3	3495.691	43.13	28.90	4.30	36.94	39.39	68.20	-28.81	HORIZONTAL	Peak	
4	4341.886	43.48	30.57	4.67	36.81	41.91	74.00	-32.09	HORIZONTAL	Peak	
5	10600.000	37.97	39.59	7.46	37.34	47.68	68.20	-20.52	HORIZONTAL	Peak	
6	15900.000	35.32	38.44	9.86	35.40	48.22	74.00	-25.78	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle




Trace: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1135.617	42.11	24.45	2.25	38.43	30.38	74.00	-43.62	VERTICAL	Peak	
2	1672.779	42.80	25.67	2.80	37.91	33.36	74.00	-40.64	VERTICAL	Peak	
3	3475.541	43.76	28.89	4.25	36.95	39.95	68.20	-28.25	VERTICAL	Peak	
4	4456.315	42.66	30.75	4.88	36.81	41.48	68.20	-26.72	VERTICAL	Peak	
5	10600.000	38.36	39.59	7.46	37.34	48.07	68.20	-20.13	VERTICAL	Peak	
6	15900.000	35.58	38.44	9.86	35.40	48.48	74.00	-25.52	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1227.791	41.47	24.88	2.31	38.37	30.29	74.00	-43.71	HORIZONTAL	Peak	
2	1672.779	42.20	25.67	2.80	37.91	32.76	74.00	-41.24	HORIZONTAL	Peak	
3	3465.510	43.62	28.88	4.22	36.95	39.77	68.20	-28.43	HORIZONTAL	Peak	
4	4495.125	43.14	30.80	5.05	36.82	42.17	68.20	-26.03	HORIZONTAL	Peak	
5	10640.000	38.69	39.63	7.48	37.33	48.47	74.00	-25.53	HORIZONTAL	Peak	
6	15960.000	36.50	38.37	9.85	35.40	49.32	74.00	-24.68	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1227.791	41.25	24.88	2.31	38.37	30.07	74.00	-43.93	VERTICAL Peak
2	1663.137	42.55	25.65	2.80	37.91	33.09	74.00	-40.91	VERTICAL Peak
3	3495.691	42.69	28.90	4.30	36.94	38.95	68.20	-29.25	VERTICAL Peak
4	4329.354	43.78	30.54	4.67	36.81	42.18	74.00	-31.82	VERTICAL Peak
5	10640.000	38.54	39.63	7.48	37.33	48.32	74.00	-25.68	VERTICAL Peak
6	15960.000	36.37	38.37	9.85	35.40	49.19	74.00	-24.81	VERTICAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1103.264	42.24	24.37	2.29	38.45	30.45	74.00	-43.55	HORIZONTAL Peak
2	1687.347	42.82	25.69	2.80	37.91	33.40	74.00	-40.60	HORIZONTAL Peak
3	3445.535	43.65	28.87	4.18	36.96	39.74	68.20	-28.46	HORIZONTAL Peak
4	4354.454	43.44	30.59	4.68	36.81	41.90	74.00	-32.10	HORIZONTAL Peak
5	10540.000	38.89	39.53	7.43	37.35	48.50	68.20	-19.70	HORIZONTAL Peak
6	15810.000	36.31	38.61	9.86	35.39	49.39	74.00	-24.61	HORIZONTAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Mode: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1227.791	41.99	24.88	2.31	38.37	30.81	74.00	-43.19	VERTICAL	Peak
2	1667.951	41.80	25.66	2.80	37.91	32.35	74.00	-41.65	VERTICAL	Peak
3	3425.675	42.95	28.86	4.15	36.97	38.99	68.20	-29.21	VERTICAL	Peak
4	3969.767	44.29	29.77	4.60	36.81	41.85	74.00	-32.15	VERTICAL	Peak
5	10540.000	38.32	39.53	7.43	37.35	47.93	68.20	-20.27	VERTICAL	Peak
6	15810.000	36.04	38.61	9.86	35.39	49.12	74.00	-24.88	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com