


Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1 1152.148	44.07	24.50	2.36	38.42	32.51	74.00	-41.49	VERTICAL	Peak	
2 1578.822	42.14	25.56	2.80	38.00	32.50	74.00	-41.50	VERTICAL	Peak	
3 3495.691	43.36	28.90	4.30	36.94	39.62	68.20	-28.58	VERTICAL	Peak	
4 4329.354	43.71	30.54	4.67	36.81	42.11	74.00	-31.89	VERTICAL	Peak	
5 10360.000	37.51	39.28	7.29	37.37	46.71	68.20	-21.49	VERTICAL	Peak	
6 15540.000	36.12	39.05	9.88	35.39	49.66	74.00	-24.34	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com




Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



	ReadAntenna	Cable	Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Pol/Phase	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1 1148.823	42.13	24.49	2.34	38.42	30.54	74.00	-43.46	VERTICAL	Peak
2 1663.137	41.69	25.65	2.80	37.91	32.23	74.00	-41.77	VERTICAL	Peak
3 3425.675	42.99	28.86	4.15	36.97	39.03	68.20	-29.17	VERTICAL	Peak
4 4495.125	42.46	30.80	5.05	36.82	41.49	68.20	-26.71	VERTICAL	Peak
5 10400.000	38.11	39.33	7.32	37.36	47.40	68.20	-20.80	VERTICAL	Peak
6 15600.000	35.72	38.99	9.88	35.39	49.20	74.00	-24.80	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science & Technology Park, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1289.627	41.12	25.17	2.55	38.31	30.53	68.20	-37.67	HORIZONTAL Peak
2	1697.129	41.63	25.71	2.80	37.89	32.25	74.00	-41.75	HORIZONTAL Peak
3	3495.691	42.87	28.90	4.30	36.94	39.13	68.20	-29.07	HORIZONTAL Peak
4	4430.628	43.36	30.72	4.78	36.81	42.05	68.20	-26.15	HORIZONTAL Peak
5	10480.000	37.90	39.46	7.40	37.36	47.40	68.20	-20.80	HORIZONTAL Peak
6	15720.000	36.28	38.78	9.87	35.39	49.54	74.00	-24.46	HORIZONTAL Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Mode: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1297.103	42.01	25.19	2.58	38.31	31.47	68.20	-36.73	VERTICAL	Peak
2	1663.137	41.83	25.65	2.80	37.91	32.37	74.00	-41.63	VERTICAL	Peak
3	3357.061	43.06	28.81	4.09	37.01	38.95	74.00	-35.05	VERTICAL	Peak
4	4482.150	42.24	30.78	4.99	36.81	41.20	68.20	-27.00	VERTICAL	Peak
5	10480.000	38.22	39.46	7.40	37.36	47.72	68.20	-20.48	VERTICAL	Peak
6	15720.000	36.38	38.78	9.87	35.39	49.64	74.00	-24.36	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Race: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1227.791	41.37	24.88	2.31	38.37	30.19	74.00	-43.81	HORIZONTAL	Peak	
2	1682.477	41.06	25.68	2.80	37.91	31.63	74.00	-42.37	HORIZONTAL	Peak	
3	3205.345	44.02	28.60	4.00	37.09	39.53	68.20	-28.67	HORIZONTAL	Peak	
4	4469.214	42.73	30.77	4.93	36.81	41.62	68.20	-26.58	HORIZONTAL	Peak	
5	10360.000	38.46	39.28	7.29	37.37	47.66	68.20	-20.54	HORIZONTAL	Peak	
6	15540.000	35.59	39.05	9.88	35.39	49.13	74.00	-24.87	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1245.663	41.07	25.00	2.33	38.35	30.05	68.20	-38.15	VERTICAL	Peak
2	1658.337	42.27	25.65	2.80	37.93	32.79	68.20	-35.41	VERTICAL	Peak
3	3445.535	43.05	28.87	4.18	36.96	39.14	68.20	-29.06	VERTICAL	Peak
4	4405.090	42.96	30.68	4.70	36.81	41.53	68.20	-26.67	VERTICAL	Peak
5	10360.000	37.89	39.28	7.29	37.37	47.09	68.20	-21.11	VERTICAL	Peak
6	15540.000	36.16	39.05	9.88	35.39	49.70	74.00	-24.30	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1 1152.148	47.46	24.50	2.36	38.42	35.90	74.00	74.00	-38.10	HORIZONTAL	Peak
2 1583.392	41.38	25.56	2.80	38.00	31.74	74.00	74.00	-42.26	HORIZONTAL	Peak
3 3366.778	42.79	28.82	4.09	36.99	38.71	68.20	68.20	-29.49	HORIZONTAL	Peak
4 4495.125	42.37	30.80	5.05	36.82	41.40	68.20	68.20	-26.80	HORIZONTAL	Peak
5 10400.000	37.77	39.33	7.32	37.36	47.06	68.20	68.20	-21.14	HORIZONTAL	Peak
6 15600.000	36.32	38.99	9.88	35.39	49.80	74.00	74.00	-24.20	HORIZONTAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1217.190	41.86	24.79	2.32	38.37	30.60	74.00	-43.40	VERTICAL	Peak
2	1692.231	41.99	25.70	2.80	37.89	32.60	74.00	-41.40	VERTICAL	Peak
3	3465.510	43.06	28.88	4.22	36.95	39.21	68.20	-28.99	VERTICAL	Peak
4	4329.354	43.43	30.54	4.67	36.81	41.83	74.00	-32.17	VERTICAL	Peak
5	10400.000	37.39	39.33	7.32	37.36	46.68	68.20	-21.52	VERTICAL	Peak
6	15600.000	35.83	38.99	9.88	35.39	49.31	74.00	-24.69	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82075058, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com


Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Trace: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1155.483	42.22	24.51	2.38	38.42	30.69	74.00	-43.31	VERTICAL	Peak	
2	1663.137	41.65	25.65	2.80	37.91	32.19	74.00	-41.81	VERTICAL	Peak	
3	3475.541	42.37	28.89	4.25	36.95	38.56	68.20	-29.64	VERTICAL	Peak	
4	4482.150	42.40	30.78	4.99	36.81	41.36	68.20	-26.84	VERTICAL	Peak	
5	10480.000	37.66	39.46	7.40	37.36	47.16	68.20	-21.04	VERTICAL	Peak	
6	15720.000	36.62	38.78	9.87	35.39	49.88	74.00	-24.12	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1297.103	40.84	25.19	2.58	38.31	30.30	68.20	-37.90	HORIZONTAL	Peak	
2	1587.975	42.39	25.57	2.80	37.98	32.78	74.00	-41.22	HORIZONTAL	Peak	
3	3445.535	42.98	28.87	4.18	36.96	39.07	68.20	-29.13	HORIZONTAL	Peak	
4	4405.090	42.96	30.68	4.70	36.81	41.53	68.20	-26.67	HORIZONTAL	Peak	
5	10380.000	37.53	39.33	7.32	37.37	46.81	68.20	-21.39	HORIZONTAL	Peak	
6	15570.000	35.97	38.99	9.88	35.39	49.45	74.00	-24.55	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1300.858	41.53	25.20	2.60	38.31	31.02	74.00	-42.98	VERTICAL	Peak
2	1672.779	41.45	25.67	2.80	37.91	32.01	74.00	-41.99	VERTICAL	Peak
3	3347.371	43.54	28.80	4.08	37.01	39.41	74.00	-34.59	VERTICAL	Peak
4	4098.010	43.47	29.94	4.60	36.80	41.21	74.00	-32.79	VERTICAL	Peak
5	10380.000	38.21	39.33	7.32	37.37	47.49	68.20	-20.71	VERTICAL	Peak
6	15570.000	36.47	38.99	9.88	35.39	49.95	74.00	-24.05	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Freq	ReadAntenna		Cable		Preamp		Level	Limit	Over		Remark
	Level	Factor	Loss	Factor	Level	Line			Limit	Pol/Phase	
	MHz	dBuV	dB/m		dB	dB	dBuV/m	dBuV/m		dB	
1	1138.904	42.27	24.46	2.27	38.42	30.58	74.00	-43.42	HORIZONTAL	Peak	
2	1672.779	41.62	25.67	2.80	37.91	32.18	74.00	-41.82	HORIZONTAL	Peak	
3	3415.787	42.89	28.85	4.13	36.97	38.90	68.20	-29.30	HORIZONTAL	Peak	
4	4392.376	42.83	30.66	4.70	36.81	41.38	74.00	-32.62	HORIZONTAL	Peak	
5	10460.000	38.35	39.42	7.37	37.36	47.78	68.20	-20.42	HORIZONTAL	Peak	
6	15690.000	36.72	38.86	9.87	35.39	50.06	74.00	-23.94	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full accordance with the applicable laws. Any unauthorized alteration, including any falsification of the content or appearance of this document, is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the appearance of this document is confidential to the company and may not be reproduced by any means without the express written permission of the company.

Results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.



Test Mode: 01; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High




Trace: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1199.726	42.25	24.68	2.34	38.39	30.88	74.00	-43.12	VERTICAL	Peak	
2	1677.621	41.76	25.68	2.80	37.91	32.33	74.00	-41.67	VERTICAL	Peak	
3	3357.061	42.91	28.81	4.09	37.01	38.80	74.00	-35.20	VERTICAL	Peak	
4	4354.454	43.06	30.59	4.68	36.81	41.52	74.00	-32.48	VERTICAL	Peak	
5	10460.000	37.46	39.42	7.37	37.36	46.89	68.20	-21.31	VERTICAL	Peak	
6	15690.000	36.29	38.86	9.87	35.39	49.63	74.00	-24.37	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Index	Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
		MHz	Level	Factor	Loss					
1	1152.148	42.29	24.50	2.36	38.42	30.73	74.00	-43.27	HORIZONTAL	Peak
2	1697.129	41.50	25.71	2.80	37.89	32.12	74.00	-41.88	HORIZONTAL	Peak
3	3435.590	43.22	28.87	4.16	36.97	39.28	68.20	-28.92	HORIZONTAL	Peak
4	4329.354	43.55	30.54	4.67	36.81	41.95	74.00	-32.05	HORIZONTAL	Peak
5	10360.000	37.98	39.28	7.29	37.37	47.18	68.20	-21.02	HORIZONTAL	Peak
6	15540.000	35.83	39.05	9.88	35.39	49.37	74.00	-24.63	HORIZONTAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	Line	Limit	dB	
1	1297.103	41.00	25.19	2.58	38.31	30.46	68.20	-37.74	VERTICAL	Peak
2	1677.621	41.67	25.68	2.80	37.91	32.24	74.00	-41.76	VERTICAL	Peak
3	3455.508	43.25	28.88	4.20	36.96	39.37	68.20	-28.83	VERTICAL	Peak
4	4354.454	42.90	30.59	4.68	36.81	41.36	74.00	-32.64	VERTICAL	Peak
5	10360.000	37.77	39.28	7.29	37.37	46.97	68.20	-21.23	VERTICAL	Peak
6	15540.000	36.16	39.05	9.88	35.39	49.70	74.00	-24.30	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1152.148	44.53	24.50	2.36	38.42	32.97	74.00	-41.03	HORIZONTAL	Peak	
2	1672.779	41.56	25.67	2.80	37.91	32.12	74.00	-41.88	HORIZONTAL	Peak	
3	3485.601	42.98	28.89	4.27	36.95	39.19	68.20	-29.01	HORIZONTAL	Peak	
4	4482.150	42.62	30.78	4.99	36.81	41.58	68.20	-26.62	HORIZONTAL	Peak	
5	10400.000	38.33	39.33	7.32	37.36	47.62	68.20	-20.58	HORIZONTAL	Peak	
6	15600.000	37.09	38.99	9.88	35.39	50.57	74.00	-23.43	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1210.174	41.64	24.74	2.33	38.39	30.32	74.00	-43.68	VERTICAL	Peak
2	1682.477	42.66	25.68	2.80	37.91	33.23	74.00	-40.77	VERTICAL	Peak
3	3386.297	43.44	28.83	4.10	36.99	39.38	68.20	-28.82	VERTICAL	Peak
4	4443.453	43.17	30.73	4.83	36.81	41.92	68.20	-26.28	VERTICAL	Peak
5	10400.000	38.29	39.33	7.32	37.36	47.58	68.20	-20.62	VERTICAL	Peak
6	15600.000	35.99	38.99	9.88	35.39	49.47	74.00	-24.53	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1158.828	41.49	24.52	2.40	38.42	29.99	74.00	-44.01	HORIZONTAL	Peak
2	1658.337	42.45	25.65	2.80	37.93	32.97	68.20	-35.23	HORIZONTAL	Peak
3	3425.675	43.31	28.86	4.15	36.97	39.35	68.20	-28.85	HORIZONTAL	Peak
4	4367.058	43.19	30.62	4.68	36.81	41.68	74.00	-32.32	HORIZONTAL	Peak
5	10480.000	38.05	39.46	7.40	37.36	47.55	68.20	-20.65	HORIZONTAL	Peak
6	15720.000	36.61	38.78	9.87	35.39	49.87	74.00	-24.13	HORIZONTAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Trace: (Discrete)	ReadAntenna						Limit	Over	Line	Pol/Phase	Remark
	Freq	Level	Factor	Cable	Preamp	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1158.828	41.75	24.52	2.40	38.42	30.25	74.00	-43.75	VERTICAL	Peak	
2	1597.181	41.82	25.58	2.80	37.98	32.22	74.00	-41.78	VERTICAL	Peak	
3	3357.061	42.86	28.81	4.09	37.01	38.75	74.00	-35.25	VERTICAL	Peak	
4	4482.150	43.50	30.78	4.99	36.81	42.46	68.20	-25.74	VERTICAL	Peak	
5	10480.000	37.88	39.46	7.40	37.36	47.38	68.20	-20.82	VERTICAL	Peak	
6	15720.000	36.47	38.78	9.87	35.39	49.73	74.00	-24.27	VERTICAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low



Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1138.904	42.05	24.46	2.27	38.42	30.36	74.00	-43.64	HORIZONTAL Peak
2	1697.129	41.24	25.71	2.80	37.89	31.86	74.00	-42.14	HORIZONTAL Peak
3	3445.535	43.27	28.87	4.18	36.96	39.36	68.20	-28.84	HORIZONTAL Peak
4	4062.629	44.38	29.88	4.60	36.80	42.06	74.00	-31.94	HORIZONTAL Peak
5	10380.000	37.82	39.33	7.32	37.37	47.10	68.20	-21.10	HORIZONTAL Peak
6	15570.000	35.98	38.99	9.88	35.39	49.46	74.00	-24.54	HORIZONTAL Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82075058, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd. No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn

Guangzhou Branch Testing Center EEC Laboratory

中国·广州·经济技术开发区科学城科珠路198号

邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com