


Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:Low




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1249.269	40.90	25.02	2.34	38.35	29.91	68.20	-38.29	VERTICAL	Peak
2	1692.231	41.73	25.70	2.80	37.89	32.34	74.00	-41.66	VERTICAL	Peak
3	3475.541	43.83	28.89	4.25	36.95	40.02	68.20	-28.18	VERTICAL	Peak
4	4443.453	43.51	30.73	4.83	36.81	42.26	68.20	-25.94	VERTICAL	Peak
5	10380.000	37.80	39.33	7.32	37.37	47.08	68.20	-21.12	VERTICAL	Peak
6	15570.000	36.00	38.99	9.88	35.39	49.48	74.00	-24.52	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Mode: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1135.617	41.92	24.45	2.25	38.43	30.19	74.00	-43.81	HORIZONTAL	Peak	
2	1667.951	41.91	25.66	2.80	37.91	32.46	74.00	-41.54	HORIZONTAL	Peak	
3	3495.691	42.79	28.90	4.30	36.94	39.05	68.20	-29.15	HORIZONTAL	Peak	
4	4329.354	43.42	30.54	4.67	36.81	41.82	74.00	-32.18	HORIZONTAL	Peak	
5	10460.000	37.81	39.42	7.37	37.36	47.24	68.20	-20.96	HORIZONTAL	Peak	
6	15690.000	36.77	38.86	9.87	35.39	50.11	74.00	-23.89	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:40MHz; Channel:High



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1 1285.904	40.77	25.16	2.53	38.33	30.13	68.20	-38.07	VERTICAL	Peak	
2 1692.231	41.41	25.70	2.80	37.89	32.02	74.00	-41.98	VERTICAL	Peak	
3 3376.523	43.11	28.83	4.09	36.99	39.04	68.20	-29.16	VERTICAL	Peak	
4 4367.058	42.76	30.62	4.68	36.81	41.25	74.00	-32.75	VERTICAL	Peak	
5 10460.000	37.64	39.42	7.37	37.36	47.07	68.20	-21.13	VERTICAL	Peak	
6 15690.000	36.71	38.86	9.87	35.39	50.05	74.00	-23.95	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 01; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1300.858	41.02	25.20	2.60	38.31	30.51	74.00	-43.49	HORIZONTAL	Peak	
2	1697.129	41.63	25.71	2.80	37.89	32.25	74.00	-41.75	HORIZONTAL	Peak	
3	3415.787	43.69	28.85	4.13	36.97	39.70	68.20	-28.50	HORIZONTAL	Peak	
4	4456.315	42.88	30.75	4.88	36.81	41.70	68.20	-26.50	HORIZONTAL	Peak	
5	10420.000	37.73	39.38	7.35	37.36	47.10	68.20	-21.10	HORIZONTAL	Peak	
6	15630.000	36.30	38.92	9.87	35.39	49.70	74.00	-24.30	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn



No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 01; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:middle




	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level				
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1138.904	41.53	24.46	2.27	38.42	29.84	74.00	-44.16	VERTICAL	Peak
2	1597.181	41.98	25.58	2.80	37.98	32.38	74.00	-41.62	VERTICAL	Peak
3	3465.510	42.69	28.88	4.22	36.95	38.84	68.20	-29.36	VERTICAL	Peak
4	4495.125	42.62	30.80	5.05	36.82	41.65	68.20	-26.55	VERTICAL	Peak
5	10420.000	38.05	39.38	7.35	37.36	47.42	68.20	-20.78	VERTICAL	Peak
6	15630.000	36.76	38.92	9.87	35.39	50.16	74.00	-23.84	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn



Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1227.791	41.38	24.88	2.31	38.37	30.20	74.00	-43.80	HORIZONTAL	Peak
2	1653.550	41.52	25.64	2.80	37.93	32.03	68.20	-36.17	HORIZONTAL	Peak
3	3435.590	42.85	28.87	4.16	36.97	38.91	68.20	-29.29	HORIZONTAL	Peak
4	4329.354	43.31	30.54	4.67	36.81	41.71	74.00	-32.29	HORIZONTAL	Peak
5	10520.000	37.91	39.50	7.42	37.35	47.48	68.20	-20.72	HORIZONTAL	Peak
6	15780.000	37.37	38.70	9.86	35.39	50.54	74.00	-23.46	HORIZONTAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Sample: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1152.148	46.37	24.50	2.36	38.42	34.81	74.00	-39.19	VERTICAL	Peak	
2	1587.975	42.71	25.57	2.80	37.98	33.10	74.00	-40.90	VERTICAL	Peak	
3	3386.297	43.63	28.83	4.10	36.99	39.57	68.20	-28.63	VERTICAL	Peak	
4	4341.886	42.98	30.57	4.67	36.81	41.41	74.00	-32.59	VERTICAL	Peak	
5	10520.000	38.27	39.50	7.42	37.35	47.84	68.20	-20.36	VERTICAL	Peak	
6	15780.000	36.19	38.70	9.86	35.39	49.36	74.00	-24.64	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1289.627	40.92	25.17	2.55	38.31	30.33	68.20	-37.87	HORIZONTAL	Peak	
2	1697.129	41.50	25.71	2.80	37.89	32.12	74.00	-41.88	HORIZONTAL	Peak	
3	3435.590	43.31	28.87	4.16	36.97	39.37	68.20	-28.83	HORIZONTAL	Peak	
4	4145.664	43.57	30.03	4.60	36.80	41.40	74.00	-32.60	HORIZONTAL	Peak	
5	10600.000	38.66	39.59	7.46	37.34	48.37	68.20	-19.83	HORIZONTAL	Peak	
6	15900.000	36.28	38.44	9.86	35.40	49.18	74.00	-24.82	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1 1234.909	41.29	24.93	2.30	38.37	30.15	74.00	74.00	-43.85	VERTICAL	Peak
2 1672.779	41.69	25.67	2.80	37.91	32.25	74.00	74.00	-41.75	VERTICAL	Peak
3 3252.005	43.53	28.68	4.03	37.06	39.18	68.20	68.20	-29.02	VERTICAL	Peak
4 4230.396	43.57	30.26	4.61	36.81	41.63	74.00	74.00	-32.37	VERTICAL	Peak
5 10600.000	38.42	39.59	7.46	37.34	48.13	68.20	68.20	-20.07	VERTICAL	Peak
6 15900.000	35.32	38.44	9.86	35.40	48.22	74.00	74.00	-25.78	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1 1234.909	41.48	24.93	2.30	38.37	30.34	74.00	74.00	-43.66	HORIZONTAL	Peak	
2 1682.477	41.56	25.68	2.80	37.91	32.13	74.00	74.00	-41.87	HORIZONTAL	Peak	
3 3455.508	42.73	28.88	4.20	36.96	38.85	68.20	68.20	-29.35	HORIZONTAL	Peak	
4 4469.214	42.18	30.77	4.93	36.81	41.07	68.20	68.20	-27.13	HORIZONTAL	Peak	
5 10640.000	37.70	39.63	7.48	37.33	47.48	74.00	74.00	-26.52	HORIZONTAL	Peak	
6 15960.000	35.52	38.37	9.85	35.40	48.34	74.00	74.00	-25.66	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn



Test Mode: 02; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1300.858	40.48	25.20	2.60	38.31	29.97	74.00	-44.03	VERTICAL	Peak
2	1702.042	41.55	25.72	2.80	37.89	32.18	74.00	-41.82	VERTICAL	Peak
3	3485.601	42.76	28.89	4.27	36.95	38.97	68.20	-29.23	VERTICAL	Peak
4	4354.454	43.69	30.59	4.68	36.81	42.15	74.00	-31.85	VERTICAL	Peak
5	10640.000	38.71	39.63	7.48	37.33	48.49	74.00	-25.51	VERTICAL	Peak
6	15960.000	35.87	38.37	9.85	35.40	48.69	74.00	-25.31	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1242.068	41.40	24.98	2.31	38.35	30.34	68.20	-37.86	HORIZONTAL	Peak	
2	1702.042	41.88	25.72	2.80	37.89	32.51	74.00	-41.49	HORIZONTAL	Peak	
3	3485.601	42.99	28.89	4.27	36.95	39.20	68.20	-29.00	HORIZONTAL	Peak	
4	4230.396	43.92	30.26	4.61	36.81	41.98	74.00	-32.02	HORIZONTAL	Peak	
5	10520.000	37.29	39.50	7.42	37.35	46.86	68.20	-21.34	HORIZONTAL	Peak	
6	15780.000	35.59	38.70	9.86	35.39	48.76	74.00	-25.24	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1 1168.920	41.85	24.55	2.39	38.40	30.39	74.00	-43.61	VERTICAL	Peak	
2 1682.477	41.73	25.68	2.80	37.91	32.30	74.00	-41.70	VERTICAL	Peak	
3 3495.691	43.27	28.90	4.30	36.94	39.53	68.20	-28.67	VERTICAL	Peak	
4 4495.125	42.83	30.80	5.05	36.82	41.86	68.20	-26.34	VERTICAL	Peak	
5 10520.000	38.16	39.50	7.42	37.35	47.73	68.20	-20.47	VERTICAL	Peak	
6 15780.000	35.62	38.70	9.86	35.39	48.79	74.00	-25.21	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Mode: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1267.454	41.41	25.10	2.44	38.33	30.62	68.20	-37.58	HORIZONTAL	Peak	
2	1658.337	41.52	25.65	2.80	37.93	32.04	68.20	-36.16	HORIZONTAL	Peak	
3	3475.541	42.53	28.89	4.25	36.95	38.72	68.20	-29.48	HORIZONTAL	Peak	
4	4482.150	42.85	30.78	4.99	36.81	41.81	68.20	-26.39	HORIZONTAL	Peak	
5	10600.000	38.69	39.59	7.46	37.34	48.40	68.20	-19.80	HORIZONTAL	Peak	
6	15900.000	35.80	38.44	9.86	35.40	48.70	74.00	-25.30	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1249.269	41.18	25.02	2.34	38.35	30.19	68.20	-38.01	VERTICAL	Peak
2	1625.121	41.11	25.61	2.80	37.95	31.57	74.00	-42.43	VERTICAL	Peak
3	3396.098	43.46	28.84	4.10	36.98	39.42	68.20	-28.78	VERTICAL	Peak
4	4379.699	42.94	30.64	4.69	36.81	41.46	74.00	-32.54	VERTICAL	Peak
5	10600.000	38.49	39.59	7.46	37.34	48.20	68.20	-20.00	VERTICAL	Peak
6	15900.000	36.74	38.44	9.86	35.40	49.64	74.00	-24.36	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV	dB	dBuV/m	dB	
1 1182.513	41.71	24.60	2.37	38.40	30.28	74.00	-43.72	HORIZONTAL	Peak		
2 1677.621	41.97	25.68	2.80	37.91	32.54	74.00	-41.46	HORIZONTAL	Peak		
3 3485.601	43.31	28.89	4.27	36.95	39.52	68.20	-28.68	HORIZONTAL	Peak		
4 4495.125	42.42	30.80	5.05	36.82	41.45	68.20	-26.75	HORIZONTAL	Peak		
5 10640.000	38.54	39.63	7.48	37.33	48.32	74.00	-25.68	HORIZONTAL	Peak		
6 15960.000	35.29	38.37	9.85	35.40	48.11	74.00	-25.89	HORIZONTAL	Peak		


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1238.483	41.21	24.96	2.30	38.35	30.12	74.00	-43.88	VERTICAL	Peak
2	1569.721	42.30	25.55	2.80	38.00	32.65	74.00	-41.35	VERTICAL	Peak
3	3465.510	42.73	28.88	4.22	36.95	38.88	68.20	-29.32	VERTICAL	Peak
4	4482.150	42.11	30.78	4.99	36.81	41.07	68.20	-27.13	VERTICAL	Peak
5	10640.000	37.79	39.63	7.48	37.33	47.57	74.00	-26.43	VERTICAL	Peak
6	15960.000	36.10	38.37	9.85	35.40	48.92	74.00	-25.08	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Line	Limit	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB			
1	1260.149	40.90	25.07	2.40	38.35	30.02	68.20	-38.18	HORIZONTAL	Peak		
2	1672.779	42.17	25.67	2.80	37.91	32.73	74.00	-41.27	HORIZONTAL	Peak		
3	3435.590	42.87	28.87	4.16	36.97	38.93	68.20	-29.27	HORIZONTAL	Peak		
4	4482.150	42.04	30.78	4.99	36.81	41.00	68.20	-27.20	HORIZONTAL	Peak		
5	10540.000	37.57	39.53	7.43	37.35	47.18	68.20	-21.02	HORIZONTAL	Peak		
6	15810.000	36.07	38.61	9.86	35.39	49.15	74.00	-24.85	HORIZONTAL	Peak		


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1267.454	41.66	25.10	2.44	38.33	30.87	68.20	-37.33	VERTICAL	Peak
2	1692.231	41.94	25.70	2.80	37.89	32.55	74.00	-41.45	VERTICAL	Peak
3	3485.601	42.39	28.89	4.27	36.95	38.60	68.20	-29.60	VERTICAL	Peak
4	4495.125	42.66	30.80	5.05	36.82	41.69	68.20	-26.51	VERTICAL	Peak
5	10540.000	37.31	39.53	7.43	37.35	46.92	68.20	-21.28	VERTICAL	Peak
6	15810.000	36.41	38.61	9.86	35.39	49.49	74.00	-24.51	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 02; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



1	1300.858	41.06	25.20	2.60	38.31	30.55	74.00	-43.45	HORIZONTAL	Peak
2	1697.129	41.45	25.71	2.80	37.89	32.07	74.00	-41.93	HORIZONTAL	Peak
3	3386.297	43.13	28.83	4.10	36.99	39.07	68.20	-29.13	HORIZONTAL	Peak
4	4495.125	42.23	30.80	5.05	36.82	41.26	68.20	-26.94	HORIZONTAL	Peak
5	10620.000	38.93	39.59	7.46	37.34	48.64	74.00	-25.36	HORIZONTAL	Peak
6	15930.000	35.54	38.37	9.85	35.40	48.36	74.00	-25.64	HORIZONTAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 02; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1278.492	41.09	25.14	2.50	38.33	30.40	68.20	-37.80	VERTICAL Peak
2	1648.778	42.22	25.63	2.80	37.93	32.72	68.20	-35.48	VERTICAL Peak
3	3475.541	43.06	28.89	4.25	36.95	39.25	68.20	-28.95	VERTICAL Peak
4	4193.872	43.46	30.15	4.60	36.81	41.40	74.00	-32.60	VERTICAL Peak
5	10620.000	38.84	39.59	7.46	37.34	48.55	74.00	-25.45	VERTICAL Peak
6	15930.000	35.32	38.37	9.85	35.40	48.14	74.00	-25.86	VERTICAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 83071443, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 02; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Sample: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1249.269	40.95	25.02	2.34	38.35	29.96	68.20	-38.24	HORIZONTAL	Peak	
2	1667.951	41.99	25.66	2.80	37.91	32.54	74.00	-41.46	HORIZONTAL	Peak	
3	3396.098	42.92	28.84	4.10	36.98	38.88	68.20	-29.32	HORIZONTAL	Peak	
4	4405.090	42.35	30.68	4.70	36.81	40.92	68.20	-27.28	HORIZONTAL	Peak	
5	10520.000	37.35	39.50	7.42	37.35	46.92	68.20	-21.28	HORIZONTAL	Peak	
6	15780.000	35.64	38.70	9.86	35.39	48.81	74.00	-25.19	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com

