


Test Mode: 03; Polarity: Vertical; Modulation:802.11ac; Bandwidth:80MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1238.483	41.66	24.96	2.30	38.35	30.57	74.00	-43.43	VERTICAL Peak
2	1682.477	42.93	25.68	2.80	37.91	33.50	74.00	-40.50	VERTICAL Peak
3	3485.601	43.05	28.89	4.27	36.95	39.26	68.20	-28.94	VERTICAL Peak
4	4469.214	42.89	30.77	4.93	36.81	41.78	68.20	-26.42	VERTICAL Peak
5	11220.000	36.27	40.03	7.95	37.19	47.06	74.00	-26.94	VERTICAL Peak
6	16830.000	34.66	40.94	9.40	35.37	49.63	68.20	-18.57	VERTICAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)


Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1 1185.936	41.81	24.62	2.37	38.40	30.40	74.00	74.00	-43.60	HORIZONTAL	Peak
2 1663.137	41.97	25.65	2.80	37.91	32.51	74.00	74.00	-41.49	HORIZONTAL	Peak
3 3405.929	43.73	28.85	4.11	36.98	39.71	68.20	68.20	-28.49	HORIZONTAL	Peak
4 4291.977	43.38	30.45	4.64	36.81	41.66	74.00	74.00	-32.34	HORIZONTAL	Peak
5 11490.000	34.65	39.90	8.41	37.15	45.81	74.00	74.00	-28.19	HORIZONTAL	Peak
6 17235.000	31.47	43.01	10.08	35.33	49.23	68.20	68.20	-18.97	HORIZONTAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1245.663	41.33	25.00	2.33	38.35	30.31	68.20	-37.89	VERTICAL	Peak	
2	1682.477	40.75	25.68	2.80	37.91	31.32	74.00	-42.68	VERTICAL	Peak	
3	3475.541	44.02	28.89	4.25	36.95	40.21	68.20	-27.99	VERTICAL	Peak	
4	4379.699	42.50	30.64	4.69	36.81	41.02	74.00	-32.98	VERTICAL	Peak	
5	11490.000	36.60	39.90	8.41	37.15	47.76	74.00	-26.24	VERTICAL	Peak	
6	17235.000	30.86	43.01	10.08	35.33	48.62	68.20	-19.58	VERTICAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1	1238.483	41.19	24.96	2.30	38.35	30.10	74.00	-43.90	HORIZONTAL Peak
2	1702.042	41.33	25.72	2.80	37.89	31.96	74.00	-42.04	HORIZONTAL Peak
3	3485.601	43.96	28.89	4.27	36.95	40.17	68.20	-28.03	HORIZONTAL Peak
4	4341.886	42.87	30.57	4.67	36.81	41.30	74.00	-32.70	HORIZONTAL Peak
5	11570.000	35.51	39.78	8.38	37.14	46.53	74.00	-27.47	HORIZONTAL Peak
6	17355.000	31.02	43.40	10.39	35.32	49.49	68.20	-18.71	HORIZONTAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:middle



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Line	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1	1185.936	41.95	24.62	2.37	38.40	30.54	74.00	-43.46	VERTICAL	Peak	
2	1672.779	41.21	25.67	2.80	37.91	31.77	74.00	-42.23	VERTICAL	Peak	
3	3455.508	42.69	28.88	4.20	36.96	38.81	68.20	-29.39	VERTICAL	Peak	
4	4304.400	43.07	30.48	4.65	36.81	41.39	74.00	-32.61	VERTICAL	Peak	
5	11570.000	35.36	39.78	8.38	37.14	46.38	74.00	-27.62	VERTICAL	Peak	
6	17355.000	31.62	43.40	10.39	35.32	50.09	68.20	-18.11	VERTICAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 04; Polarity: Horizontal; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Race:	Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
		Level	Factor	Loss	Factor					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1162.182	41.94	24.53	2.40	38.42	30.45	74.00	-43.55	HORIZONTAL	Peak
2	1692.231	41.40	25.70	2.80	37.89	32.01	74.00	-41.99	HORIZONTAL	Peak
3	3495.691	43.90	28.90	4.30	36.94	40.16	68.20	-28.04	HORIZONTAL	Peak
4	4392.376	43.35	30.66	4.70	36.81	41.90	74.00	-32.10	HORIZONTAL	Peak
5	11650.000	35.19	39.65	8.35	37.13	46.06	74.00	-27.94	HORIZONTAL	Peak
6	17475.000	29.75	43.90	10.77	35.32	49.10	68.20	-19.10	HORIZONTAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11a; Bandwidth:20MHz; Channel:High



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1245.663	41.01	25.00	2.33	38.35	29.99	68.20	-38.21	VERTICAL	Peak
2	1667.951	41.52	25.66	2.80	37.91	32.07	74.00	-41.93	VERTICAL	Peak
3	3485.601	43.03	28.89	4.27	36.95	39.24	68.20	-28.96	VERTICAL	Peak
4	4495.125	42.44	30.80	5.05	36.82	41.47	68.20	-26.73	VERTICAL	Peak
5	11650.000	34.93	39.65	8.35	37.13	45.80	74.00	-28.20	VERTICAL	Peak
6	17475.000	29.66	43.90	10.77	35.32	49.01	68.20	-19.19	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1172.303	41.93	24.56	2.39	38.40	30.48	74.00	-43.52	HORIZONTAL Peak
2	1663.137	41.82	25.65	2.80	37.91	32.36	74.00	-41.64	HORIZONTAL Peak
3	3465.510	43.70	28.88	4.22	36.95	39.85	68.20	-28.35	HORIZONTAL Peak
4	4405.090	43.14	30.68	4.70	36.81	41.71	68.20	-26.49	HORIZONTAL Peak
5	11490.000	34.38	39.90	8.41	37.15	45.54	74.00	-28.46	HORIZONTAL Peak
6	17235.000	31.58	43.01	10.08	35.33	49.34	68.20	-18.86	HORIZONTAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science & Technology Park, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1267.454	40.93	25.10	2.44	38.33	30.14	68.20	-38.06	VERTICAL	Peak
2	1663.137	41.85	25.65	2.80	37.91	32.39	74.00	-41.61	VERTICAL	Peak
3	3455.508	42.52	28.88	4.20	36.96	38.64	68.20	-29.56	VERTICAL	Peak
4	4329.354	43.22	30.54	4.67	36.81	41.62	74.00	-32.38	VERTICAL	Peak
5	11490.000	34.79	39.90	8.41	37.15	45.95	74.00	-28.05	VERTICAL	Peak
6	17235.000	31.54	43.01	10.08	35.33	49.30	68.20	-18.90	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science & Technology Park, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Race: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1242.068	41.96	24.98	2.31	38.35	30.90	68.20	-37.30	HORIZONTAL	Peak	
2	1592.571	41.90	25.57	2.80	37.98	32.29	74.00	-41.71	HORIZONTAL	Peak	
3	3396.098	43.24	28.84	4.10	36.98	39.20	68.20	-29.00	HORIZONTAL	Peak	
4	4341.886	42.77	30.57	4.67	36.81	41.20	74.00	-32.80	HORIZONTAL	Peak	
5	11570.000	35.84	39.78	8.38	37.14	46.86	74.00	-27.14	HORIZONTAL	Peak	
6	17355.000	30.93	43.40	10.39	35.32	49.40	68.20	-18.80	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:middle




Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1152.148	41.80	24.50	2.36	38.42	30.24	74.00	-43.76	VERTICAL Peak
2	1697.129	41.11	25.71	2.80	37.89	31.73	74.00	-42.27	VERTICAL Peak
3	3485.601	42.94	28.89	4.27	36.95	39.15	68.20	-29.05	VERTICAL Peak
4	4341.886	43.06	30.57	4.67	36.81	41.49	74.00	-32.51	VERTICAL Peak
5	11570.000	35.87	39.78	8.38	37.14	46.89	74.00	-27.11	VERTICAL Peak
6	17355.000	31.23	43.40	10.39	35.32	49.70	68.20	-18.50	VERTICAL Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV	m	dBuV	m	dB
1	1231.345	41.03	24.91	2.31	38.37	29.88	74.00	-44.12	HORIZONTAL	Peak	
2	1658.337	41.34	25.65	2.80	37.93	31.86	68.20	-36.34	HORIZONTAL	Peak	
3	3141.145	43.77	28.51	3.95	37.12	39.11	68.20	-29.09	HORIZONTAL	Peak	
4	4329.354	43.54	30.54	4.67	36.81	41.94	74.00	-32.06	HORIZONTAL	Peak	
5	11650.000	35.71	39.65	8.35	37.13	46.58	74.00	-27.42	HORIZONTAL	Peak	
6	17475.000	31.51	43.90	10.77	35.32	50.86	68.20	-17.34	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:20MHz; Channel:High




Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1162.182	41.46	24.53	2.40	38.42	29.97	74.00	-44.03	VERTICAL	Peak
2	1648.778	41.23	25.63	2.80	37.93	31.73	68.20	-36.47	VERTICAL	Peak
3	3455.508	43.06	28.88	4.20	36.96	39.18	68.20	-29.02	VERTICAL	Peak
4	4495.125	42.79	30.80	5.05	36.82	41.82	68.20	-26.38	VERTICAL	Peak
5	11650.000	35.90	39.65	8.35	37.13	46.77	74.00	-27.23	VERTICAL	Peak
6	17475.000	29.93	43.90	10.77	35.32	49.28	68.20	-18.92	VERTICAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB		
1 1165.546	41.38	24.54	2.39	38.40	29.91	74.00	74.00	-44.09	HORIZONTAL	Peak	
2 1644.019	41.72	25.63	2.80	37.93	32.22	68.20	68.20	-35.98	HORIZONTAL	Peak	
3 3485.601	43.05	28.89	4.27	36.95	39.26	68.20	68.20	-28.94	HORIZONTAL	Peak	
4 4392.376	43.42	30.66	4.70	36.81	41.97	74.00	74.00	-32.03	HORIZONTAL	Peak	
5 11510.000	35.30	39.90	8.41	37.15	46.46	74.00	74.00	-27.54	HORIZONTAL	Peak	
6 17265.000	31.08	43.21	10.24	35.33	49.20	68.20	68.20	-19.00	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1	1234.909	41.03	24.93	2.30	38.37	29.89	74.00	-44.11	VERTICAL	Peak
2	1672.779	41.06	25.67	2.80	37.91	31.62	74.00	-42.38	VERTICAL	Peak
3	3465.510	43.77	28.88	4.22	36.95	39.92	68.20	-28.28	VERTICAL	Peak
4	4392.376	42.78	30.66	4.70	36.81	41.33	74.00	-32.67	VERTICAL	Peak
5	11510.000	34.41	39.90	8.41	37.15	45.57	74.00	-28.43	VERTICAL	Peak
6	17265.000	31.49	43.21	10.24	35.33	49.61	68.20	-18.59	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science & Technology Park, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV	dB	dBuV/m	dB	
1	1297.103	40.84	25.19	2.58	38.31	30.30	68.20	-37.90	HORIZONTAL	Peak	
2	1667.951	41.69	25.66	2.80	37.91	32.24	74.00	-41.76	HORIZONTAL	Peak	
3	3396.098	43.16	28.84	4.10	36.98	39.12	68.20	-29.08	HORIZONTAL	Peak	
4	4367.058	42.82	30.62	4.68	36.81	41.31	74.00	-32.69	HORIZONTAL	Peak	
5	11590.000	34.93	39.72	8.37	37.14	45.88	74.00	-28.12	HORIZONTAL	Peak	
6	17385.000	30.89	43.57	10.53	35.32	49.67	68.20	-18.53	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, f (86-20) 82075058, www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11n; Bandwidth:40MHz; Channel:High



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level				
1	1263.796	40.90	25.08	2.42	38.33	30.07	68.20	-38.13	VERTICAL	Peak
2	1702.042	41.14	25.72	2.80	37.89	31.77	74.00	-42.23	VERTICAL	Peak
3	3425.675	43.23	28.86	4.15	36.97	39.27	68.20	-28.93	VERTICAL	Peak
4	4482.150	42.69	30.78	4.99	36.81	41.65	68.20	-26.55	VERTICAL	Peak
5	11590.000	34.97	39.72	8.37	37.14	45.92	74.00	-28.08	VERTICAL	Peak
6	17385.000	31.46	43.57	10.53	35.32	50.24	68.20	-17.96	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low




Trace: (Discrete)	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	Freq	Level	Factor	Loss	Factor	Level					
	MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB			
1	1245.663	41.34	25.00	2.33	38.35	30.32	68.20	-37.88	HORIZONTAL	Peak	
2	1692.231	40.80	25.70	2.80	37.89	31.41	74.00	-42.59	HORIZONTAL	Peak	
3	3465.510	42.73	28.88	4.22	36.95	38.88	68.20	-29.32	HORIZONTAL	Peak	
4	4367.058	43.16	30.62	4.68	36.81	41.65	74.00	-32.35	HORIZONTAL	Peak	
5	11490.000	34.87	39.90	8.41	37.15	46.03	74.00	-27.97	HORIZONTAL	Peak	
6	17235.000	32.22	43.01	10.08	35.33	49.98	68.20	-18.22	HORIZONTAL	Peak	

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:Low



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1238.483	41.03	24.96	2.30	38.35	29.94	74.00	-44.06	VERTICAL	Peak
2	1672.779	41.04	25.67	2.80	37.91	31.60	74.00	-42.40	VERTICAL	Peak
3	3376.523	43.49	28.83	4.09	36.99	39.42	68.20	-28.78	VERTICAL	Peak
4	4145.664	43.59	30.03	4.60	36.80	41.42	74.00	-32.58	VERTICAL	Peak
5	11490.000	34.82	39.90	8.41	37.15	45.98	74.00	-28.02	VERTICAL	Peak
6	17235.000	31.56	43.01	10.08	35.33	49.32	68.20	-18.88	VERTICAL	Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555, or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Over	Pol/Phase	Remark
	MHz	dBuV	Level Factor	Loss	Factor	dB	dBuV/m	dBuV/m	dB		
1	1242.068	41.68	24.98	2.31	38.35	30.62	68.20	-37.58	HORIZONTAL	Peak	
2	1601.804	41.52	25.58	2.80	37.98	31.92	74.00	-42.08	HORIZONTAL	Peak	
3	3396.098	43.40	28.84	4.10	36.98	39.36	68.20	-28.84	HORIZONTAL	Peak	
4	4405.090	42.69	30.68	4.70	36.81	41.26	68.20	-26.94	HORIZONTAL	Peak	
5	11570.000	35.11	39.78	8.38	37.14	46.13	74.00	-27.87	HORIZONTAL	Peak	
6	17355.000	30.94	43.40	10.39	35.32	49.41	68.20	-18.79	HORIZONTAL	Peak	


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Vertical; Modulation:802.11ac; Bandwidth:20MHz; Channel:middle



Mode: (Discrete)

Freq	ReadAntenna		Cable		Preamp	Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss					
1	1165.546	41.59	24.54	2.39	38.40	30.12	74.00	-43.88	VERTICAL Peak
2	1697.129	41.76	25.71	2.80	37.89	32.38	74.00	-41.62	VERTICAL Peak
3	3465.510	43.00	28.88	4.22	36.95	39.15	68.20	-29.05	VERTICAL Peak
4	4417.841	42.77	30.70	4.74	36.81	41.40	68.20	-26.80	VERTICAL Peak
5	11570.000	36.06	39.78	8.38	37.14	47.08	74.00	-26.92	VERTICAL Peak
6	17355.000	30.58	43.40	10.39	35.32	49.05	68.20	-19.15	VERTICAL Peak


Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science Park, Guangzhou Economic & Technology Development District, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com

Test Mode: 04; Polarity: Horizontal; Modulation:802.11ac; Bandwidth:20MHz; Channel:High



Trace: (Discrete)

Freq	ReadAntenna		Cable		Preamp		Limit	Over	Pol/Phase	Remark
	MHz	Level	Factor	Loss	Factor	Level	dBuV/m	dBuV/m	dB	
1	1242.068	41.09	24.98	2.31	38.35	30.03	68.20	-38.17	HORIZONTAL	Peak
2	1663.137	42.02	25.65	2.80	37.91	32.56	74.00	-41.44	HORIZONTAL	Peak
3	3485.601	42.31	28.89	4.27	36.95	38.52	68.20	-29.68	HORIZONTAL	Peak
4	4405.090	43.09	30.68	4.70	36.81	41.66	68.20	-26.54	HORIZONTAL	Peak
5	11650.000	35.26	39.65	8.35	37.13	46.13	74.00	-27.87	HORIZONTAL	Peak
6	17475.000	30.23	43.90	10.77	35.32	49.58	68.20	-18.62	HORIZONTAL	Peak

Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn or email: CN.Doccheck@sgs.com



SGS-CSTC Standards Technical Services Co., Ltd.
Guangzhou Branch Testing Center EEC Laboratory
No.198 Kezhu Road, Science & Technology Park, Guangzhou, China 510663 t (86-20) 82155555 f (86-20) 82075058 www.sgsgroup.com.cn
中国·广州·经济技术开发区科学城科珠路198号 邮编: 510663 t (86-20) 82155555 f (86-20) 82075058 sgs.china@sgs.com