




802.11ac(VHT20)_HCH_5240MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5240MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5260MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5300MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5320MHz_Ant2_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant1_NTNV




802.11ac(VHT20)_LCH_5500MHz_Ant2_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant1_NTNV




802.11ac(VHT20)_MCH_5580MHz_Ant2_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant1_NTNV




802.11ac(VHT20)_HCH_5700MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5190MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5230MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5270MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5310MHz_Ant2_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant1_NTNV




802.11ac(VHT40)_LCH_5510MHz_Ant2_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant1_NTNV




802.11ac(VHT40)_MCH_5550MHz_Ant2_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant1_NTNV




802.11ac(VHT40)_HCH_5670MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5210MHz_Ant2_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant1_NTNV




802.11ac(VHT80)_MCH_5290MHz_Ant2_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant1_NTNV




802.11ac(VHT80)_LCH_5530MHz_Ant2_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant1_NTNV



802.11ac(VHT80)_HCH_5610MHz_Ant2_NTNV



3. Maximum Conducted Output Power

3.1 Power for WF2-5G1

3.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Power Setting	Maximum Average Conducted Output Power (dBm)				Verdict
				ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	6	14.65	13.98	/	<=30	Pass
		5200	6	14.88	14.05	/	<=30	Pass
		5240	6	14.29	14.23	/	<=30	Pass
		5260	6	18.14	17.78	/	<=23.98	Pass
		5300	6	17.57	17.53	/	<=23.98	Pass
		5320	6	18.09	17.91	/	<=23.98	Pass
		5500	6	20.17	21.17	/	<=23.98	Pass
		5580	6	19.36	21.12	/	<=23.98	Pass
		5700	6	19.98	20.41	/	<=23.98	Pass
		5745	6	19.35	20.18	/	<=30	Pass
		5785	6	18.95	20.43	/	<=30	Pass
		5825	6	19.05	20.34	/	<=30	Pass
802.11n (HT20)	MIMO	5180	4	12.47	13.05	15.78	<=28.39	Pass
		5200	4	12.71	12.61	15.67	<=28.39	Pass
		5240	4	12.79	11.13	15.05	<=28.39	Pass
		5260	4	14.89	14.86	17.89	<=22.37	Pass
		5300	4	15.04	14.48	17.78	<=22.37	Pass
		5320	4	15.36	14.66	18.03	<=22.37	Pass
		5500	8	14.37	17.28	19.07	<=22.37	Pass
		5580	8	15.9	17.17	19.59	<=22.37	Pass
		5700	8	16.61	16.81	19.72	<=22.37	Pass
		5745	2	17.58	18.58	21.12	<=28.39	Pass
		5785	2	17.55	18.62	21.13	<=28.39	Pass
		5825	2	17.34	18.96	21.24	<=28.39	Pass
802.11n (HT40)	MIMO	5190	4	14.25	14.7	17.49	<=28.39	Pass
		5230	4	15.01	15.25	18.14	<=28.39	Pass
		5270	4	14.9	15.16	18.04	<=22.37	Pass
		5310	4	14.8	15.87	18.38	<=22.37	Pass
		5510	8	16.56	18.61	20.72	<=22.37	Pass
		5550	8	17.97	19.33	21.71	<=22.37	Pass
		5670	2	18.29	18.85	21.59	<=22.37	Pass
		5755	2	17.8	18.65	21.26	<=28.39	Pass
		5795	2	17.7	18.88	21.34	<=28.39	Pass
802.11ac (VHT20)	MIMO	5180	4	10.98	11.64	14.33	<=28.39	Pass
		5200	4	11.71	11.74	14.74	<=28.39	Pass

		5240	4	13.37	11.98	15.74	<=28.39	Pass
		5260	4	14.64	14.37	17.52	<=22.37	Pass
		5300	4	15.3	14.53	17.94	<=22.37	Pass
		5320	4	15.05	14.38	17.74	<=22.37	Pass
		5500	8	14.33	16.45	18.53	<=22.37	Pass
		5580	8	16.1	17.1	19.64	<=22.37	Pass
		5700	8	16.52	16.39	19.47	<=22.37	Pass
		5745	2	17.63	18.39	21.04	<=28.39	Pass
		5785	2	17.48	18.82	21.21	<=28.39	Pass
		5825	2	16.81	18.29	20.62	<=28.39	Pass
802.11ac (VHT40)	MIMO	5190	4	12.97	13.21	16.10	<=28.39	Pass
		5230	4	13.67	14.22	16.96	<=28.39	Pass
		5270	4	14.8	14.99	17.91	<=22.37	Pass
		5310	4	15.04	14.77	17.92	<=22.37	Pass
		5510	8	16.26	18.47	20.51	<=22.37	Pass
		5550	8	17.81	19.13	21.53	<=22.37	Pass
		5670	2	18.05	18.7	21.40	<=22.37	Pass
		5755	2	17.58	18.63	21.15	<=28.39	Pass
		5795	2	17.4	18.69	21.10	<=28.39	Pass
802.11ac (VHT80)	MIMO	5210	8	14.67	15.44	18.08	<=28.39	Pass
		5290	0	14.61	14.46	17.55	<=22.37	Pass
		5530	8	16.44	18.26	20.45	<=22.37	Pass
		5610	8	16.27	18.11	20.25	<=22.37	Pass
		5775	2	17.02	18.22	20.67	<=28.39	Pass

Note: Please refer to section 6.1.2 of this report for antenna gain and directional gain calculation.

3.2 Power for GW-5G01

3.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Power Setting	Maximum Average Conducted Output Power (dBm)				Verdict
				ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	6	14.65	13.98	/	<=30	Pass
		5200	6	14.88	14.05	/	<=30	Pass
		5240	6	14.29	14.23	/	<=30	Pass
		5260	6	18.14	17.78	/	<=23.98	Pass
		5300	6	17.57	17.53	/	<=23.98	Pass
		5320	6	18.09	17.91	/	<=23.98	Pass
		5500	6	20.17	21.17	/	<=23.98	Pass
		5580	6	19.36	21.12	/	<=23.98	Pass
		5700	6	19.98	20.41	/	<=23.98	Pass
		5745	6	19.35	20.18	/	<=30	Pass
		5785	6	18.95	20.43	/	<=30	Pass

		5825	6	19.05	20.34	/	<=30	Pass
802.11n (HT20)	MIMO	5180	4	12.47	13.05	15.78	<=28.68	Pass
		5200	4	12.71	12.61	15.67	<=28.68	Pass
		5240	4	12.79	11.13	15.05	<=28.68	Pass
		5260	4	14.89	14.86	17.89	<=22.66	Pass
		5300	4	15.04	14.48	17.78	<=22.66	Pass
		5320	4	15.36	14.66	18.03	<=22.66	Pass
		5500	8	14.37	17.28	19.07	<=22.66	Pass
		5580	8	15.9	17.17	19.59	<=22.66	Pass
		5700	8	16.61	16.81	19.72	<=22.66	Pass
		5745	2	17.58	18.58	21.12	<=28.68	Pass
		5785	2	17.55	18.62	21.13	<=28.68	Pass
		5825	2	17.34	18.96	21.24	<=28.68	Pass
802.11n (HT40)	MIMO	5190	4	14.25	14.7	17.49	<=28.68	Pass
		5230	4	15.01	15.25	18.14	<=28.68	Pass
		5270	4	14.9	15.16	18.04	<=22.66	Pass
		5310	4	14.8	15.87	18.38	<=22.66	Pass
		5510	8	16.56	18.61	20.72	<=22.66	Pass
		5550	8	17.97	19.33	21.71	<=22.66	Pass
		5670	2	18.29	18.85	21.59	<=22.66	Pass
		5755	2	17.8	18.65	21.26	<=28.68	Pass
		5795	2	17.7	18.88	21.34	<=28.68	Pass
802.11ac (VHT20)	MIMO	5180	4	10.98	11.64	14.33	<=28.68	Pass
		5200	4	11.71	11.74	14.74	<=28.68	Pass
		5240	4	13.37	11.98	15.74	<=28.68	Pass
		5260	4	14.64	14.37	17.52	<=22.66	Pass
		5300	4	15.3	14.53	17.94	<=22.66	Pass
		5320	4	15.05	14.38	17.74	<=22.66	Pass
		5500	8	14.33	16.45	18.53	<=22.66	Pass
		5580	8	16.1	17.1	19.64	<=22.66	Pass
		5700	8	16.52	16.39	19.47	<=22.66	Pass
		5745	2	17.63	18.39	21.04	<=28.68	Pass
		5785	2	17.48	18.82	21.21	<=28.68	Pass
		5825	2	16.81	18.29	20.62	<=28.68	Pass
802.11ac (VHT40)	MIMO	5190	4	12.97	13.21	16.10	<=28.68	Pass
		5230	4	13.67	14.22	16.96	<=28.68	Pass
		5270	4	14.8	14.99	17.91	<=22.66	Pass
		5310	4	15.04	14.77	17.92	<=22.66	Pass
		5510	8	16.26	18.47	20.51	<=22.66	Pass
		5550	8	17.81	19.13	21.53	<=22.66	Pass
		5670	2	18.05	18.7	21.40	<=22.66	Pass
		5755	2	17.58	18.63	21.15	<=28.68	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

		5795	2	17.4	18.69	21.10	<=28.68	Pass
802.11ac (VHT80)	MIMO	5210	8	14.67	15.44	18.08	<=28.68	Pass
		5290	0	14.61	14.46	17.55	<=22.66	Pass
		5530	8	16.44	18.26	20.45	<=22.66	Pass
		5610	8	16.27	18.11	20.25	<=22.66	Pass
		5775	2	17.02	18.22	20.67	<=28.68	Pass

Note: Please refer to section 6.1.2 of this report for antenna gain and directional gain calculation.

3.3. Transmit Power Control for WF2-5G1

3.3.1 Test Result

Mode	TX Type	Frequency (MHz)	Power Setting	E.I.R.P (dBm)				Verdict
				ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5260	6	16.13	15.96	/	<=24	Pass
		5300	6	15.31	16.03	/	<=24	Pass
		5320	6	16.05	15.94	/	<=24	Pass
		5500	6	18.5	19.3	/	<=24	Pass
		5580	6	17.37	18.75	/	<=24	Pass
		5700	6	17.88	18.16	/	<=24	Pass
802.11n (HT20)	MIMO	5260	4	13.3	12.56	15.95	<=22.39	Pass
		5300	4	13.33	12.52	15.96	<=22.39	Pass
		5320	4	13.45	12.65	16.08	<=22.39	Pass
		5500	8	12.64	15.26	17.15	<=22.39	Pass
		5580	8	14.49	15.75	18.18	<=22.39	Pass
		5700	8	15.1	15.29	18.21	<=22.39	Pass
802.11n (HT40)	MIMO	5270	4	12.8	12.83	15.82	<=22.39	Pass
		5310	4	13.32	13.49	16.42	<=22.39	Pass
		5510	8	14.91	16.28	18.66	<=22.39	Pass
		5550	8	16.4	17.13	19.79	<=22.39	Pass
		5670	2	16.4	16.94	19.69	<=22.39	Pass
802.11ac (VHT20)	MIMO	5260	4	12.6	12.17	15.4	<=22.39	Pass
		5300	4	13.87	12.2	16.13	<=22.39	Pass
		5320	4	13.56	12.07	15.89	<=22.39	Pass
		5500	8	12.03	14.36	16.36	<=22.39	Pass
		5580	8	14.24	14.93	17.61	<=22.39	Pass
		5700	8	14.89	14.94	17.93	<=22.39	Pass
802.11ac (VHT40)	MIMO	5270	4	12.47	13.05	15.78	<=22.39	Pass
		5310	4	13.47	12.61	16.08	<=22.39	Pass
		5510	8	14.05	17.04	18.81	<=22.39	Pass
		5550	8	15.61	17.42	19.62	<=22.39	Pass
		5670	2	15.93	16.37	19.17	<=22.39	Pass

802.11ac (VHT80)	MIMO	5290	0	13.01	12.61	15.82	<=22.39	Pass
		5530	8	14.92	16.33	18.7	<=22.39	Pass
		5610	8	14.45	16.71	18.74	<=22.39	Pass

Note: E.I.R.P.=Conducted Power + Antenna Gain

Please refer to section 6.1.2 of this report for antenna gain and directional gain calculation.

3.4. Transmit Power Control for GW-5G01

3.4.1 Test Result

Mode	TX Type	Frequency (MHz)	Power Setting	E.I.R.P (dBm)				Verdict
				ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5260	6	16.13	15.36	/	<=24	Pass
		5300	6	15.31	15.43	/	<=24	Pass
		5320	6	16.05	15.34	/	<=24	Pass
		5500	6	18.5	18.7	/	<=24	Pass
		5580	6	17.37	18.15	/	<=24	Pass
		5700	6	17.88	17.56	/	<=24	Pass
802.11n (HT20)	MIMO	5260	4	13.3	11.96	15.95	<=22.68	Pass
		5300	4	13.33	11.92	15.96	<=22.68	Pass
		5320	4	13.45	12.05	16.08	<=22.68	Pass
		5500	8	12.64	14.66	17.15	<=22.68	Pass
		5580	8	14.49	15.15	18.18	<=22.68	Pass
		5700	8	15.1	14.69	18.21	<=22.68	Pass
802.11n (HT40)	MIMO	5270	4	12.8	12.23	15.82	<=22.68	Pass
		5310	4	13.32	12.89	16.42	<=22.68	Pass
		5510	8	14.91	15.68	18.66	<=22.68	Pass
		5550	8	16.4	16.53	19.79	<=22.68	Pass
		5670	2	16.4	16.34	19.69	<=22.68	Pass
		5755	2	15.62	15.75	19.01	<=22.68	Pass
		5795	2	15.6	16.68	19.53	<=22.68	Pass
802.11ac (VHT20)	MIMO	5260	4	12.6	11.57	15.4	<=22.68	Pass
		5300	4	13.87	11.6	16.13	<=22.68	Pass
		5320	4	13.56	11.47	15.89	<=22.68	Pass
		5500	8	12.03	13.76	16.36	<=22.68	Pass
		5580	8	14.24	14.33	17.61	<=22.68	Pass
		5700	8	14.89	14.34	17.93	<=22.68	Pass
802.11ac (VHT40)	MIMO	5270	4	12.47	12.45	15.78	<=22.68	Pass
		5310	4	13.47	12.01	16.08	<=22.68	Pass
		5510	8	14.05	16.44	18.81	<=22.68	Pass
		5550	8	15.61	16.82	19.62	<=22.68	Pass
		5670	2	15.93	15.77	19.17	<=22.68	Pass

802.11ac (VHT80)	MIMO	5290	0	13.01	12.01	15.82	<=22.68	Pass
		5530	8	14.92	15.73	18.7	<=22.68	Pass
		5610	8	14.45	16.11	18.74	<=22.68	Pass

Note: E.I.R.P.=Conducted Power + Antenna Gain

Please refer to section 6.1.2 of this report for antenna gain and directional gain calculation.

4. Maximum Power Spectral Density

4.1 PSD for WF2-5G1

4.1.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)				Verdict
			ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	10.31	9.85	/	<=17	Pass
		5200	10.89	10.24	/	<=17	Pass
		5240	11.94	10.23	/	<=17	Pass
		5260	10.67	10.02	/	<=11	Pass
		5300	10.04	10.64	/	<=11	Pass
		5320	10.33	10.95	/	<=11	Pass
		5500	9.92	10.90	/	<=11	Pass
		5580	9.17	10.81	/	<=11	Pass
		5700	9.65	10.32	/	<=11	Pass
802.11n (HT20)	MIMO	5180	8.18	7.99	11.10	<=15.39	Pass
		5200	8.74	8.18	11.34	<=15.39	Pass
		5240	9.12	7.74	11.48	<=15.39	Pass
		5260	6.20	4.17	8.28	<=9.39	Pass
		5300	5.39	5.76	8.55	<=9.39	Pass
		5320	4.67	5.98	8.26	<=9.39	Pass
		5500	3.65	6.57	8.35	<=9.39	Pass
		5580	5.36	6.52	8.84	<=9.39	Pass
		5700	5.91	6.09	8.99	<=9.39	Pass
802.11n (HT40)	MIMO	5190	5.88	5.20	8.41	<=15.39	Pass
		5230	6.99	5.49	9.18	<=15.39	Pass
		5270	1.52	1.61	4.47	<=9.39	Pass
		5310	1.18	2.31	4.68	<=9.39	Pass
		5510	2.94	4.95	7.01	<=9.39	Pass
		5550	4.50	5.80	8.14	<=9.39	Pass
		5670	4.62	5.29	7.94	<=9.39	Pass
802.11ac (VHT20)	MIMO	5180	8.42	8.06	11.01	<=15.39	Pass
		5200	8.83	7.81	11.09	<=15.39	Pass
		5240	9.57	7.94	11.60	<=15.39	Pass
		5260	5.88	6.75	9.16	<=9.39	Pass
		5300	4.97	6.15	8.39	<=9.39	Pass
		5320	5.46	6.69	9.10	<=9.39	Pass
		5500	3.82	6.12	8.11	<=9.39	Pass
		5580	5.87	6.65	9.26	<=9.39	Pass
		5700	6.01	6.30	8.81	<=9.39	Pass
802.11ac	MIMO	5190	5.49	5.01	8.07	<=15.39	Pass



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

(VHT40)		5230	6.31	5.16	8.65	<=15.39	Pass
		5270	5.41	5.72	8.48	<=9.39	Pass
		5310	4.97	5.74	8.16	<=9.39	Pass
		5510	3.28	5.22	7.27	<=9.39	Pass
		5550	4.58	5.65	7.91	<=9.39	Pass
		5670	4.71	5.33	7.91	<=9.39	Pass
802.11ac (VHT80)	MIMO	5210	1.36	0.98	3.37	<=15.39	Pass
		5290	3.09	3.73	5.84	<=9.39	Pass
		5530	-0.28	1.25	3.38	<=9.39	Pass
		5610	1.38	1.98	4.58	<=9.39	Pass

Note: Please refer to section 6.1.2 of this report for antenna gain and directional gain calculation.

4.2 PSD for GW-5G01


4.2.1 Test Result

Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)				Verdict
			ANT1	ANT2	MIMO	Limit	
802.11a	SISO	5180	10.31	9.85	/	<=17	Pass
		5200	10.89	10.24	/	<=17	Pass
		5240	11.94	10.23	/	<=17	Pass
		5260	10.67	10.02	/	<=11	Pass
		5300	10.04	10.64	/	<=11	Pass
		5320	10.33	10.95	/	<=11	Pass
		5500	9.92	10.90	/	<=11	Pass
		5580	9.17	10.81	/	<=11	Pass
		5700	9.65	10.32	/	<=11	Pass
802.11n (HT20)	MIMO	5180	8.18	7.99	11.10	<=15.68	Pass
		5200	8.74	8.18	11.34	<=15.68	Pass
		5240	9.12	7.74	11.48	<=15.68	Pass
		5260	6.20	4.17	8.28	<=9.68	Pass
		5300	5.39	5.76	8.55	<=9.68	Pass
		5320	4.67	5.98	8.26	<=9.68	Pass
		5500	3.65	6.57	8.35	<=9.68	Pass
		5580	5.36	6.52	8.84	<=9.68	Pass
		5700	5.91	6.09	8.99	<=9.68	Pass
802.11n (HT40)	MIMO	5190	5.88	5.20	8.41	<=15.68	Pass
		5230	6.99	5.49	9.18	<=15.68	Pass
		5270	1.52	1.61	4.47	<=9.68	Pass
		5310	1.18	2.31	4.68	<=9.68	Pass
		5510	2.94	4.95	7.01	<=9.68	Pass
		5550	4.50	5.80	8.14	<=9.68	Pass
		5670	4.62	5.29	7.94	<=9.68	Pass


802.11ac (VHT20)	MIMO	5180	8.42	8.06	11.01	<=15.68	Pass
		5200	8.83	7.81	11.09	<=15.68	Pass
		5240	9.57	7.94	11.60	<=15.68	Pass
		5260	5.88	6.75	9.16	<=9.68	Pass
		5300	4.97	6.15	8.39	<=9.68	Pass
		5320	5.46	6.69	9.10	<=9.68	Pass
		5500	3.82	6.12	8.11	<=9.68	Pass
		5580	5.87	6.65	9.26	<=9.68	Pass
		5700	6.01	6.30	8.81	<=9.68	Pass
802.11ac (VHT40)	MIMO	5190	5.49	5.01	8.07	<=15.68	Pass
		5230	6.31	5.16	8.65	<=15.68	Pass
		5270	5.41	5.72	8.48	<=9.68	Pass
		5310	4.97	5.74	8.16	<=9.68	Pass
		5510	3.28	5.22	7.27	<=9.68	Pass
		5550	4.58	5.65	7.91	<=9.68	Pass
		5670	4.71	5.33	7.91	<=9.68	Pass
802.11ac (VHT80)	MIMO	5210	1.36	0.98	3.37	<=15.68	Pass
		5290	3.09	3.73	5.84	<=9.68	Pass
		5530	-0.28	1.25	3.38	<=9.68	Pass
		5610	1.38	1.98	4.58	<=9.68	Pass

Note: Please refer to section 6.1.2 of this report for antenna gain and directional gain calculation.


4.2.2 Test Graph




802.11a_MCH_5200MHz_Ant1_NTNV




802.11a_MCH_5200MHz_Ant2_NTNV




802.11a_HCH_5240MHz_Ant1_NTNV



802.11a_HCH_5240MHz_Ant2_NTNV



802.11a_LCH_5260MHz_Ant1_NTNV



802.11a_LCH_5260MHz_Ant2_NTNV

