

Appendix: Modulation Calibration Parameters

UID	Communication System Name		A dB	B dB $\sqrt{\mu V}$	C	D dB	VR mV	Max Unc ^E (k=2)
0	CW	X	0.00	0.00	1.00	0.00	121.8	$\pm 2.7\%$
		Y	0.00	0.00	1.00		136.5	
		Z	0.00	0.00	1.00		128.5	
10010- CAA	SAR Validation (Square, 100ms, 10ms)	X	3.35	68.32	12.25	10.00	20.0	$\pm 9.6\%$
		Y	3.18	67.69	11.93		20.0	
		Z	3.36	68.37	12.30		20.0	
10011- CAB	UMTS-FDD (WCDMA)	X	1.32	72.09	18.13	0.00	150.0	$\pm 9.6\%$
		Y	1.14	69.82	16.78		150.0	
		Z	1.15	69.23	16.54		150.0	
10012- CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps)	X	1.25	65.32	16.37	0.41	150.0	$\pm 9.6\%$
		Y	1.22	64.70	15.79		150.0	
		Z	1.22	64.46	15.68		150.0	
10013- CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps)	X	4.94	66.73	17.12	1.46	150.0	$\pm 9.6\%$
		Y	4.80	66.76	16.99		150.0	
		Z	4.92	66.60	16.97		150.0	
10021- DAB	GSM-FDD (TDMA, GMSK)	X	17.82	90.42	21.66	9.39	50.0	$\pm 9.6\%$
		Y	12.67	85.89	20.17		50.0	
		Z	15.97	89.05	21.24		50.0	
10023- DAB	GPRS-FDD (TDMA, GMSK, TN 0)	X	14.26	87.38	20.77	9.57	50.0	$\pm 9.6\%$
		Y	10.08	82.68	19.13		50.0	
		Z	12.99	86.19	20.38		50.0	
10024- DAB	GPRS-FDD (TDMA, GMSK, TN 0-1)	X	100.00	109.76	25.06	6.56	60.0	$\pm 9.6\%$
		Y	35.55	97.92	22.06		60.0	
		Z	88.94	108.72	24.82		60.0	
10025- DAB	EDGE-FDD (TDMA, 8PSK, TN 0)	X	10.60	94.10	35.97	12.57	50.0	$\pm 9.6\%$
		Y	4.34	67.79	23.20		50.0	
		Z	8.07	85.86	32.39		50.0	
10026- DAB	EDGE-FDD (TDMA, 8PSK, TN 0-1)	X	14.02	98.40	33.86	9.56	60.0	$\pm 9.6\%$
		Y	9.03	88.05	29.88		60.0	
		Z	11.78	94.38	32.43		60.0	
10027- DAB	GPRS-FDD (TDMA, GMSK, TN 0-1-2)	X	100.00	108.84	23.90	4.80	80.0	$\pm 9.6\%$
		Y	100.00	108.57	23.62		80.0	
		Z	100.00	109.24	23.99		80.0	
10028- DAB	GPRS-FDD (TDMA, GMSK, TN 0-1-2-3)	X	100.00	109.32	23.47	3.55	100.0	$\pm 9.6\%$
		Y	100.00	109.07	23.18		100.0	
		Z	100.00	109.78	23.57		100.0	
10029- DAB	EDGE-FDD (TDMA, 8PSK, TN 0-1-2)	X	8.58	87.57	28.92	7.80	80.0	$\pm 9.6\%$
		Y	6.20	80.59	26.03		80.0	
		Z	7.39	84.37	27.68		80.0	
10030- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH1)	X	100.00	108.06	23.83	5.30	70.0	$\pm 9.6\%$
		Y	23.57	92.50	19.84		70.0	
		Z	99.10	108.24	23.85		70.0	
10031- CAA	IEEE 802.15.1 Bluetooth (GFSK, DH3)	X	100.00	110.25	22.61	1.88	100.0	$\pm 9.6\%$
		Y	100.00	108.75	21.80		100.0	
		Z	100.00	110.35	22.56		100.0	

10032-CAA	IEEE 802.15.1 Bluetooth (GFSK, DH5)	X	100.00	118.74	25.18	1.17	100.0	± 9.6 %
		Y	100.00	116.08	23.93		100.0	
		Z	100.00	117.85	24.75		100.0	
10033-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH1)	X	10.80	89.88	23.49	5.30	70.0	± 9.6 %
		Y	5.75	79.55	19.18		70.0	
		Z	7.69	84.95	21.85		70.0	
10034-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH3)	X	4.87	82.76	20.38	1.88	100.0	± 9.6 %
		Y	3.02	75.26	16.54		100.0	
		Z	3.26	77.07	18.22		100.0	
10035-CAA	IEEE 802.15.1 Bluetooth (PI/4-DQPSK, DH5)	X	3.37	79.41	19.21	1.17	100.0	± 9.6 %
		Y	2.35	73.73	15.89		100.0	
		Z	2.37	74.33	17.13		100.0	
10036-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH1)	X	13.88	93.87	24.79	5.30	70.0	± 9.6 %
		Y	6.67	81.85	20.06		70.0	
		Z	9.29	87.99	22.92		70.0	
10037-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH3)	X	4.55	81.90	20.04	1.88	100.0	± 9.6 %
		Y	2.78	74.31	16.15		100.0	
		Z	3.09	76.41	17.94		100.0	
10038-CAA	IEEE 802.15.1 Bluetooth (8-DPSK, DH5)	X	3.48	80.15	19.59	1.17	100.0	± 9.6 %
		Y	2.39	74.21	16.19		100.0	
		Z	2.41	74.78	17.42		100.0	
10039-CAB	CDMA2000 (1xRTT, RC1)	X	3.73	82.72	20.70	0.00	150.0	± 9.6 %
		Y	3.17	80.32	18.60		150.0	
		Z	2.55	76.73	18.27		150.0	
10042-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Halfrate)	X	21.08	91.04	20.41	7.78	50.0	± 9.6 %
		Y	11.29	83.87	18.19		50.0	
		Z	17.11	88.88	19.82		50.0	
10044-CAA	IS-91/EIA/TIA-553 FDD (FDMA, FM)	X	0.00	106.10	0.01	0.00	150.0	± 9.6 %
		Y	0.00	101.12	0.12		150.0	
		Z	0.00	97.46	0.09		150.0	
10048-CAA	DECT (TDD, TDMA/FDM, GFSK, Full Slot, 24)	X	7.87	77.39	18.97	13.80	25.0	± 9.6 %
		Y	7.03	74.99	17.89		25.0	
		Z	7.95	77.00	18.76		25.0	
10049-CAA	DECT (TDD, TDMA/FDM, GFSK, Double Slot, 12)	X	9.05	80.71	18.89	10.79	40.0	± 9.6 %
		Y	7.55	77.92	17.74		40.0	
		Z	8.75	80.13	18.66		40.0	
10056-CAA	UMTS-TDD (TD-SCDMA, 1.28 Mcps)	X	11.06	85.75	22.50	9.03	50.0	± 9.6 %
		Y	8.15	80.34	20.02		50.0	
		Z	10.12	84.35	21.97		50.0	
10058-DAB	EDGE-FDD (TDMA, 8PSK, TN 0-1-2-3)	X	6.29	81.61	25.96	6.55	100.0	± 9.6 %
		Y	4.88	76.50	23.74		100.0	
		Z	5.54	78.99	24.87		100.0	
10059-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps)	X	1.35	66.90	17.08	0.61	110.0	± 9.6 %
		Y	1.28	65.89	16.31		110.0	
		Z	1.28	65.70	16.24		110.0	
10060-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps)	X	100.00	134.03	34.26	1.30	110.0	± 9.6 %
		Y	15.77	106.98	27.76		110.0	
		Z	20.91	111.03	28.88		110.0	

10061-CAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps)	X	5.27	88.11	24.37	2.04	110.0	± 9.6 %
		Y	3.13	79.59	21.12		110.0	
		Z	3.40	80.83	21.72		110.0	
10062-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps)	X	4.76	66.83	16.67	0.49	100.0	± 9.6 %
		Y	4.61	66.84	16.55		100.0	
		Z	4.74	66.69	16.52		100.0	
10063-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps)	X	4.78	66.91	16.75	0.72	100.0	± 9.6 %
		Y	4.62	66.91	16.62		100.0	
		Z	4.75	66.76	16.59		100.0	
10064-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps)	X	5.09	67.17	16.95	0.86	100.0	± 9.6 %
		Y	4.88	67.10	16.80		100.0	
		Z	5.05	67.03	16.81		100.0	
10065-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps)	X	4.95	67.07	17.03	1.21	100.0	± 9.6 %
		Y	4.76	66.97	16.85		100.0	
		Z	4.92	66.92	16.88		100.0	
10066-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps)	X	4.97	67.08	17.17	1.46	100.0	± 9.6 %
		Y	4.77	66.96	16.97		100.0	
		Z	4.93	66.92	17.01		100.0	
10067-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps)	X	5.24	67.13	17.52	2.04	100.0	± 9.6 %
		Y	5.06	67.14	17.37		100.0	
		Z	5.21	66.99	17.38		100.0	
10068-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps)	X	5.32	67.28	17.76	2.55	100.0	± 9.6 %
		Y	5.10	67.11	17.52		100.0	
		Z	5.28	67.12	17.61		100.0	
10069-CAB	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps)	X	5.39	67.22	17.93	2.67	100.0	± 9.6 %
		Y	5.18	67.12	17.70		100.0	
		Z	5.36	67.08	17.78		100.0	
10071-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 9 Mbps)	X	5.04	66.80	17.38	1.99	100.0	± 9.6 %
		Y	4.90	66.81	17.24		100.0	
		Z	5.01	66.67	17.24		100.0	
10072-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 12 Mbps)	X	5.04	67.19	17.60	2.30	100.0	± 9.6 %
		Y	4.88	67.11	17.41		100.0	
		Z	5.01	67.02	17.44		100.0	
10073-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 18 Mbps)	X	5.11	67.34	17.89	2.83	100.0	± 9.6 %
		Y	4.95	67.28	17.70		100.0	
		Z	5.07	67.17	17.72		100.0	
10074-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 24 Mbps)	X	5.09	67.25	18.03	3.30	100.0	± 9.6 %
		Y	4.96	67.22	17.83		100.0	
		Z	5.05	67.07	17.86		100.0	
10075-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 36 Mbps)	X	5.16	67.48	18.37	3.82	90.0	± 9.6 %
		Y	5.01	67.32	18.10		90.0	
		Z	5.12	67.27	18.19		90.0	
10076-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 48 Mbps)	X	5.16	67.22	18.44	4.15	90.0	± 9.6 %
		Y	5.04	67.18	18.23		90.0	
		Z	5.12	67.03	18.27		90.0	
10077-CAB	IEEE 802.11g WiFi 2.4 GHz (DSSS/OFDM, 54 Mbps)	X	5.18	67.28	18.53	4.30	90.0	± 9.6 %
		Y	5.07	67.26	18.33		90.0	
		Z	5.14	67.09	18.36		90.0	

10081-CAB	CDMA2000 (1xRTT, RC3)	X	1.36	73.05	16.77	0.00	150.0	± 9.6 %
		Y	1.01	69.42	13.98		150.0	
		Z	1.06	68.99	14.72		150.0	
10082-CAB	IS-54 / IS-136 FDD (TDMA/FDM, PI/4-DQPSK, Fullrate)	X	1.00	60.00	5.21	4.77	80.0	± 9.6 %
		Y	0.93	60.00	5.11		80.0	
		Z	0.95	60.00	5.17		80.0	
10090-DAB	GPRS-FDD (TDMA, GMSK, TN 0-4)	X	100.00	109.79	25.09	6.56	60.0	± 9.6 %
		Y	33.03	97.10	21.87		60.0	
		Z	80.20	107.57	24.58		60.0	
10097-CAB	UMTS-FDD (HSDPA)	X	2.05	69.81	17.18	0.00	150.0	± 9.6 %
		Y	1.98	69.69	16.73		150.0	
		Z	1.94	68.61	16.42		150.0	
10098-CAB	UMTS-FDD (HSUPA, Subtest 2)	X	2.01	69.81	17.17	0.00	150.0	± 9.6 %
		Y	1.94	69.63	16.71		150.0	
		Z	1.90	68.58	16.40		150.0	
10099-DAB	EDGE-FDD (TDMA, 8PSK, TN 0-4)	X	14.06	98.41	33.85	9.56	60.0	± 9.6 %
		Y	9.07	88.08	29.88		60.0	
		Z	11.81	94.40	32.43		60.0	
10100-CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	3.55	72.57	17.90	0.00	150.0	± 9.6 %
		Y	3.25	71.48	17.44		150.0	
		Z	3.36	71.45	17.30		150.0	
10101-CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	3.42	68.51	16.60	0.00	150.0	± 9.6 %
		Y	3.25	68.03	16.31		150.0	
		Z	3.36	68.04	16.27		150.0	
10102-CAB	LTE-FDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	3.52	68.40	16.65	0.00	150.0	± 9.6 %
		Y	3.36	68.02	16.41		150.0	
		Z	3.46	67.97	16.34		150.0	
10103-CAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK)	X	7.20	76.46	20.35	3.98	65.0	± 9.6 %
		Y	6.40	75.02	19.74		65.0	
		Z	6.49	74.80	19.64		65.0	
10104-CAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM)	X	7.11	74.77	20.54	3.98	65.0	± 9.6 %
		Y	6.42	73.38	19.83		65.0	
		Z	6.77	73.96	20.15		65.0	
10105-CAB	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM)	X	6.82	73.94	20.50	3.98	65.0	± 9.6 %
		Y	6.13	72.41	19.71		65.0	
		Z	6.17	72.10	19.64		65.0	
10108-CAC	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	3.10	71.71	17.74	0.00	150.0	± 9.6 %
		Y	2.82	70.78	17.30		150.0	
		Z	2.94	70.61	17.12		150.0	
10109-CAC	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	3.09	68.46	16.61	0.00	150.0	± 9.6 %
		Y	2.91	68.07	16.29		150.0	
		Z	3.02	67.93	16.23		150.0	
10110-CAC	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	2.54	70.88	17.49	0.00	150.0	± 9.6 %
		Y	2.29	70.06	16.96		150.0	
		Z	2.40	69.69	16.80		150.0	
10111-CAC	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	2.86	69.64	17.18	0.00	150.0	± 9.6 %
		Y	2.72	69.73	16.92		150.0	
		Z	2.77	68.91	16.69		150.0	

10112-CAC	LTE-FDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	3.21	68.35	16.61	0.00	150.0	± 9.6 %
		Y	3.04	68.08	16.35		150.0	
		Z	3.14	67.87	16.26		150.0	
10113-CAC	LTE-FDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	3.01	69.65	17.24	0.00	150.0	± 9.6 %
		Y	2.88	69.87	17.04		150.0	
		Z	2.92	68.99	16.78		150.0	
10114-CAB	IEEE 802.11n (HT Greenfield, 13.5 Mbps, BPSK)	X	5.21	67.44	16.65	0.00	150.0	± 9.6 %
		Y	5.09	67.41	16.61		150.0	
		Z	5.19	67.32	16.53		150.0	
10115-CAB	IEEE 802.11n (HT Greenfield, 81 Mbps, 16-QAM)	X	5.55	67.69	16.78	0.00	150.0	± 9.6 %
		Y	5.34	67.45	16.63		150.0	
		Z	5.52	67.56	16.65		150.0	
10116-CAB	IEEE 802.11n (HT Greenfield, 135 Mbps, 64-QAM)	X	5.33	67.69	16.70	0.00	150.0	± 9.6 %
		Y	5.17	67.59	16.63		150.0	
		Z	5.30	67.55	16.57		150.0	
10117-CAB	IEEE 802.11n (HT Mixed, 13.5 Mbps, BPSK)	X	5.20	67.39	16.65	0.00	150.0	± 9.6 %
		Y	5.06	67.30	16.57		150.0	
		Z	5.17	67.25	16.51		150.0	
10118-CAB	IEEE 802.11n (HT Mixed, 81 Mbps, 16-QAM)	X	5.63	67.85	16.86	0.00	150.0	± 9.6 %
		Y	5.41	67.64	16.73		150.0	
		Z	5.59	67.72	16.73		150.0	
10119-CAB	IEEE 802.11n (HT Mixed, 135 Mbps, 64-QAM)	X	5.30	67.62	16.68	0.00	150.0	± 9.6 %
		Y	5.16	67.56	16.62		150.0	
		Z	5.27	67.48	16.55		150.0	
10140-CAB	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	3.56	68.39	16.56	0.00	150.0	± 9.6 %
		Y	3.39	68.01	16.32		150.0	
		Z	3.50	67.97	16.26		150.0	
10141-CAB	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	3.68	68.43	16.70	0.00	150.0	± 9.6 %
		Y	3.51	68.15	16.50		150.0	
		Z	3.62	68.04	16.41		150.0	
10142-CAC	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	2.36	71.33	17.49	0.00	150.0	± 9.6 %
		Y	2.11	70.58	16.76		150.0	
		Z	2.19	69.89	16.66		150.0	
10143-CAC	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	2.84	71.08	17.34	0.00	150.0	± 9.6 %
		Y	2.70	71.24	16.81		150.0	
		Z	2.69	70.02	16.69		150.0	
10144-CAC	LTE-FDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	2.52	68.26	15.52	0.00	150.0	± 9.6 %
		Y	2.25	67.52	14.49		150.0	
		Z	2.42	67.49	14.99		150.0	
10145-CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	1.79	70.39	15.28	0.00	150.0	± 9.6 %
		Y	1.18	65.56	11.54		150.0	
		Z	1.54	68.05	13.98		150.0	
10146-CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	3.14	72.23	15.03	0.00	150.0	± 9.6 %
		Y	1.56	64.05	9.71		150.0	
		Z	2.65	69.84	13.74		150.0	
10147-CAC	LTE-FDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	4.67	77.50	17.26	0.00	150.0	± 9.6 %
		Y	1.77	65.40	10.50		150.0	
		Z	3.55	73.62	15.49		150.0	

10149-CAB	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	3.10	68.53	16.66	0.00	150.0	± 9.6 %
		Y	2.93	68.15	16.35		150.0	
		Z	3.03	67.99	16.28		150.0	
10150-CAB	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	3.22	68.41	16.65	0.00	150.0	± 9.6 %
		Y	3.05	68.16	16.40		150.0	
		Z	3.15	67.93	16.31		150.0	
10151-CAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	7.54	78.57	21.26	3.98	65.0	± 9.6 %
		Y	6.67	77.15	20.60		65.0	
		Z	6.97	77.34	20.74		65.0	
10152-CAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM)	X	6.65	74.74	20.27	3.98	65.0	± 9.6 %
		Y	5.91	73.16	19.35		65.0	
		Z	6.29	73.82	19.83		65.0	
10153-CAB	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM)	X	7.04	75.65	21.02	3.98	65.0	± 9.6 %
		Y	6.36	74.35	20.25		65.0	
		Z	6.67	74.74	20.59		65.0	
10154-CAC	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	2.62	71.49	17.84	0.00	150.0	± 9.6 %
		Y	2.36	70.67	17.31		150.0	
		Z	2.46	70.22	17.12		150.0	
10155-CAC	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	2.86	69.65	17.19	0.00	150.0	± 9.6 %
		Y	2.73	69.75	16.94		150.0	
		Z	2.77	68.92	16.70		150.0	
10156-CAC	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	2.28	72.08	17.67	0.00	150.0	± 9.6 %
		Y	2.00	71.07	16.66		150.0	
		Z	2.07	70.32	16.69		150.0	
10157-CAC	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	2.44	69.50	15.94	0.00	150.0	± 9.6 %
		Y	2.14	68.51	14.67		150.0	
		Z	2.30	68.41	15.26		150.0	
10158-CAC	LTE-FDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	3.02	69.72	17.29	0.00	150.0	± 9.6 %
		Y	2.89	69.97	17.10		150.0	
		Z	2.93	69.05	16.83		150.0	
10159-CAC	LTE-FDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	2.59	70.13	16.30	0.00	150.0	± 9.6 %
		Y	2.28	69.16	15.03		150.0	
		Z	2.43	68.99	15.60		150.0	
10160-CAB	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	2.99	70.10	17.25	0.00	150.0	± 9.6 %
		Y	2.80	69.71	16.97		150.0	
		Z	2.88	69.29	16.75		150.0	
10161-CAB	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	3.12	68.38	16.63	0.00	150.0	± 9.6 %
		Y	2.95	68.18	16.35		150.0	
		Z	3.05	67.88	16.26		150.0	
10162-CAB	LTE-FDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	3.22	68.44	16.69	0.00	150.0	± 9.6 %
		Y	3.06	68.36	16.47		150.0	
		Z	3.16	67.97	16.35		150.0	
10166-CAC	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	3.81	70.49	19.65	3.01	150.0	± 9.6 %
		Y	3.54	70.14	19.40		150.0	
		Z	3.75	70.18	19.40		150.0	
10167-CAC	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	4.96	74.32	20.46	3.01	150.0	± 9.6 %
		Y	4.49	73.73	20.06		150.0	
		Z	4.87	74.07	20.24		150.0	

10168-CAC	LTE-FDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	5.62	77.01	21.94	3.01	150.0	± 9.6 %
		Y	5.29	77.27	21.97		150.0	
		Z	5.54	76.83	21.76		150.0	
10169-CAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	3.34	71.43	20.12	3.01	150.0	± 9.6 %
		Y	2.99	69.61	19.17		150.0	
		Z	3.24	70.96	19.79		150.0	
10170-CAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	5.52	80.80	23.63	3.01	150.0	± 9.6 %
		Y	4.61	77.99	22.48		150.0	
		Z	5.41	80.58	23.42		150.0	
10171-AAB	LTE-FDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	4.12	74.56	20.10	3.01	150.0	± 9.6 %
		Y	3.44	71.81	18.79		150.0	
		Z	3.99	74.17	19.80		150.0	
10172-CAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK)	X	15.50	99.40	30.06	6.02	65.0	± 9.6 %
		Y	7.06	85.63	25.38		65.0	
		Z	8.76	89.26	26.78		65.0	
10173-CAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM)	X	25.31	102.70	28.91	6.02	65.0	± 9.6 %
		Y	11.28	90.19	24.99		65.0	
		Z	21.42	100.25	28.12		65.0	
10174-CAB	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM)	X	16.90	94.67	26.01	6.02	65.0	± 9.6 %
		Y	6.17	79.95	21.09		65.0	
		Z	12.06	89.77	24.44		65.0	
10175-CAC	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	3.28	71.02	19.82	3.01	150.0	± 9.6 %
		Y	2.94	69.20	18.86		150.0	
		Z	3.19	70.55	19.49		150.0	
10176-CAC	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	5.53	80.83	23.64	3.01	150.0	± 9.6 %
		Y	4.62	78.02	22.50		150.0	
		Z	5.42	80.62	23.44		150.0	
10177-CAE	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	3.32	71.22	19.94	3.01	150.0	± 9.6 %
		Y	2.97	69.39	18.98		150.0	
		Z	3.23	70.76	19.61		150.0	
10178-CAC	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	5.42	80.42	23.45	3.01	150.0	± 9.6 %
		Y	4.55	77.69	22.34		150.0	
		Z	5.31	80.20	23.25		150.0	
10179-CAC	LTE-FDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	4.73	77.43	21.68	3.01	150.0	± 9.6 %
		Y	3.94	74.57	20.43		150.0	
		Z	4.60	77.09	21.41		150.0	
10180-CAC	LTE-FDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	4.10	74.44	20.02	3.01	150.0	± 9.6 %
		Y	3.43	71.72	18.73		150.0	
		Z	3.97	74.05	19.72		150.0	
10181-CAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	3.31	71.20	19.93	3.01	150.0	± 9.6 %
		Y	2.96	69.37	18.97		150.0	
		Z	3.22	70.73	19.60		150.0	
10182-CAB	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	5.41	80.39	23.44	3.01	150.0	± 9.6 %
		Y	4.54	77.66	22.32		150.0	
		Z	5.30	80.17	23.23		150.0	
10183-AAA	LTE-FDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	4.09	74.41	20.01	3.01	150.0	± 9.6 %
		Y	3.42	71.69	18.72		150.0	
		Z	3.96	74.02	19.71		150.0	

10184-CAC	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	3.32	71.25	19.96	3.01	150.0	± 9.6 %
		Y	2.97	69.42	18.99		150.0	
		Z	3.23	70.79	19.63		150.0	
10185-CAC	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	5.45	80.49	23.49	3.01	150.0	± 9.6 %
		Y	4.57	77.76	22.37		150.0	
		Z	5.34	80.28	23.28		150.0	
10186-AAC	LTE-FDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	4.11	74.49	20.05	3.01	150.0	± 9.6 %
		Y	3.44	71.77	18.76		150.0	
		Z	3.98	74.10	19.75		150.0	
10187-CAC	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	3.33	71.30	20.02	3.01	150.0	± 9.6 %
		Y	2.98	69.50	19.07		150.0	
		Z	3.24	70.84	19.69		150.0	
10188-CAC	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	5.74	81.58	24.01	3.01	150.0	± 9.6 %
		Y	4.80	78.80	22.90		150.0	
		Z	5.64	81.40	23.82		150.0	
10189-AAC	LTE-FDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	4.25	75.13	20.41	3.01	150.0	± 9.6 %
		Y	3.54	72.33	19.10		150.0	
		Z	4.12	74.74	20.11		150.0	
10193-CAB	IEEE 802.11n (HT Greenfield, 6.5 Mbps, BPSK)	X	4.63	66.90	16.44	0.00	150.0	± 9.6 %
		Y	4.49	66.96	16.35		150.0	
		Z	4.61	66.77	16.29		150.0	
10194-CAB	IEEE 802.11n (HT Greenfield, 39 Mbps, 16-QAM)	X	4.82	67.25	16.55	0.00	150.0	± 9.6 %
		Y	4.64	67.24	16.47		150.0	
		Z	4.79	67.10	16.41		150.0	
10195-CAB	IEEE 802.11n (HT Greenfield, 65 Mbps, 64-QAM)	X	4.86	67.27	16.56	0.00	150.0	± 9.6 %
		Y	4.68	67.26	16.49		150.0	
		Z	4.83	67.12	16.42		150.0	
10196-CAB	IEEE 802.11n (HT Mixed, 6.5 Mbps, BPSK)	X	4.64	66.99	16.47	0.00	150.0	± 9.6 %
		Y	4.48	67.00	16.35		150.0	
		Z	4.62	66.85	16.32		150.0	
10197-CAB	IEEE 802.11n (HT Mixed, 39 Mbps, 16-QAM)	X	4.83	67.27	16.57	0.00	150.0	± 9.6 %
		Y	4.66	67.25	16.48		150.0	
		Z	4.80	67.12	16.42		150.0	
10198-CAB	IEEE 802.11n (HT Mixed, 65 Mbps, 64-QAM)	X	4.86	67.28	16.58	0.00	150.0	± 9.6 %
		Y	4.68	67.28	16.49		150.0	
		Z	4.83	67.14	16.43		150.0	
10219-CAB	IEEE 802.11n (HT Mixed, 7.2 Mbps, BPSK)	X	4.59	67.01	16.44	0.00	150.0	± 9.6 %
		Y	4.43	67.03	16.32		150.0	
		Z	4.57	66.86	16.28		150.0	
10220-CAB	IEEE 802.11n (HT Mixed, 43.3 Mbps, 16-QAM)	X	4.83	67.25	16.56	0.00	150.0	± 9.6 %
		Y	4.65	67.21	16.47		150.0	
		Z	4.80	67.10	16.41		150.0	
10221-CAB	IEEE 802.11n (HT Mixed, 72.2 Mbps, 64-QAM)	X	4.87	67.21	16.56	0.00	150.0	± 9.6 %
		Y	4.69	67.20	16.48		150.0	
		Z	4.84	67.07	16.41		150.0	
10222-CAB	IEEE 802.11n (HT Mixed, 15 Mbps, BPSK)	X	5.18	67.41	16.65	0.00	150.0	± 9.6 %
		Y	5.03	67.30	16.57		150.0	
		Z	5.15	67.27	16.51		150.0	

10223-CAB	IEEE 802.11n (HT Mixed, 90 Mbps, 16-QAM)	X	5.49	67.57	16.74	0.00	150.0	± 9.6 %
		Y	5.32	67.50	16.68		150.0	
		Z	5.46	67.43	16.60		150.0	
10224-CAB	IEEE 802.11n (HT Mixed, 150 Mbps, 64-QAM)	X	5.22	67.52	16.63	0.00	150.0	± 9.6 %
		Y	5.08	67.41	16.55		150.0	
		Z	5.20	67.38	16.49		150.0	
10225-CAB	UMTS-FDD (HSPA+)	X	2.95	66.86	16.03	0.00	150.0	± 9.6 %
		Y	2.80	66.83	15.63		150.0	
		Z	2.90	66.50	15.71		150.0	
10226-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM)	X	28.02	104.58	29.55	6.02	65.0	± 9.6 %
		Y	12.22	91.63	25.54		65.0	
		Z	23.70	102.11	28.76		65.0	
10227-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM)	X	21.13	98.23	27.12	6.02	65.0	± 9.6 %
		Y	11.07	88.77	24.03		65.0	
		Z	18.56	96.43	26.48		65.0	
10228-CAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK)	X	17.91	102.38	31.03	6.02	65.0	± 9.6 %
		Y	8.34	88.93	26.60		65.0	
		Z	13.45	97.33	29.44		65.0	
10229-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM)	X	25.50	102.81	28.96	6.02	65.0	± 9.6 %
		Y	11.38	90.31	25.04		65.0	
		Z	21.61	100.38	28.17		65.0	
10230-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM)	X	19.52	96.83	26.63	6.02	65.0	± 9.6 %
		Y	10.33	87.58	23.57		65.0	
		Z	17.13	95.03	25.98		65.0	
10231-CAB	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK)	X	16.76	101.00	30.53	6.02	65.0	± 9.6 %
		Y	7.92	87.89	26.15		65.0	
		Z	12.69	96.12	28.98		65.0	
10232-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM)	X	25.47	102.80	28.95	6.02	65.0	± 9.6 %
		Y	11.36	90.29	25.03		65.0	
		Z	21.58	100.37	28.16		65.0	
10233-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM)	X	19.51	96.83	26.63	6.02	65.0	± 9.6 %
		Y	10.30	87.56	23.56		65.0	
		Z	17.11	95.02	25.98		65.0	
10234-CAB	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK)	X	15.72	99.61	29.99	6.02	65.0	± 9.6 %
		Y	7.57	86.91	25.70		65.0	
		Z	12.01	94.92	28.48		65.0	
10235-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM)	X	25.54	102.86	28.97	6.02	65.0	± 9.6 %
		Y	11.37	90.32	25.04		65.0	
		Z	21.62	100.42	28.18		65.0	
10236-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM)	X	19.73	96.98	26.66	6.02	65.0	± 9.6 %
		Y	10.39	87.66	23.59		65.0	
		Z	17.30	95.17	26.02		65.0	
10237-CAB	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK)	X	16.85	101.14	30.57	6.02	65.0	± 9.6 %
		Y	7.92	87.93	26.17		65.0	
		Z	12.73	96.22	29.01		65.0	
10238-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM)	X	25.43	102.79	28.95	6.02	65.0	± 9.6 %
		Y	11.33	90.26	25.02		65.0	
		Z	21.54	100.35	28.16		65.0	

10239-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM)	X	19.47	96.82	26.62	6.02	65.0	± 9.6 %
		Y	10.27	87.53	23.55		65.0	
		Z	17.06	95.00	25.97		65.0	
10240-CAB	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK)	X	16.79	101.08	30.55	6.02	65.0	± 9.6 %
		Y	7.90	87.89	26.16		65.0	
		Z	12.69	96.16	28.99		65.0	
10241-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM)	X	9.49	82.85	25.62	6.98	65.0	± 9.6 %
		Y	8.41	81.29	24.66		65.0	
		Z	8.97	81.95	25.22		65.0	
10242-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM)	X	8.75	81.15	24.87	6.98	65.0	± 9.6 %
		Y	7.62	79.32	23.79		65.0	
		Z	7.66	78.69	23.82		65.0	
10243-CAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK)	X	6.98	77.82	24.42	6.98	65.0	± 9.6 %
		Y	6.12	75.86	23.24		65.0	
		Z	6.17	75.27	23.23		65.0	
10244-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	6.75	76.19	18.59	3.98	65.0	± 9.6 %
		Y	4.84	71.16	15.37		65.0	
		Z	6.17	74.93	17.96		65.0	
10245-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	6.64	75.69	18.34	3.98	65.0	± 9.6 %
		Y	4.75	70.67	15.10		65.0	
		Z	6.08	74.47	17.72		65.0	
10246-CAB	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	6.60	79.05	19.90	3.98	65.0	± 9.6 %
		Y	4.62	73.77	16.92		65.0	
		Z	5.71	76.95	19.02		65.0	
10247-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM)	X	5.86	74.77	18.90	3.98	65.0	± 9.6 %
		Y	4.80	71.83	16.82		65.0	
		Z	5.42	73.59	18.33		65.0	
10248-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM)	X	5.86	74.29	18.69	3.98	65.0	± 9.6 %
		Y	4.78	71.34	16.60		65.0	
		Z	5.44	73.17	18.14		65.0	
10249-CAB	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK)	X	7.78	81.84	21.70	3.98	65.0	± 9.6 %
		Y	6.02	78.03	19.65		65.0	
		Z	6.75	79.66	20.83		65.0	
10250-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM)	X	6.81	77.13	21.28	3.98	65.0	± 9.6 %
		Y	6.03	75.47	20.20		65.0	
		Z	6.34	75.94	20.74		65.0	
10251-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM)	X	6.46	75.00	20.09	3.98	65.0	± 9.6 %
		Y	5.65	73.22	18.88		65.0	
		Z	6.07	74.01	19.61		65.0	
10252-CAB	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK)	X	7.93	81.44	22.35	3.98	65.0	± 9.6 %
		Y	6.73	79.29	21.28		65.0	
		Z	7.09	79.65	21.63		65.0	
10253-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM)	X	6.48	74.15	20.04	3.98	65.0	± 9.6 %
		Y	5.82	72.75	19.13		65.0	
		Z	6.14	73.28	19.62		65.0	
10254-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM)	X	6.85	75.02	20.73	3.98	65.0	± 9.6 %
		Y	6.21	73.80	19.91		65.0	
		Z	6.51	74.15	20.31		65.0	

10255-CAB	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK)	X	7.21	78.04	21.29	3.98	65.0	± 9.6 %
		Y	6.42	76.68	20.59		65.0	
		Z	6.69	76.83	20.77		65.0	
10256-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM)	X	5.38	72.56	16.15	3.98	65.0	± 9.6 %
		Y	3.62	67.10	12.43		65.0	
		Z	4.90	71.37	15.49		65.0	
10257-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM)	X	5.27	71.94	15.80	3.98	65.0	± 9.6 %
		Y	3.57	66.63	12.11		65.0	
		Z	4.82	70.81	15.17		65.0	
10258-CAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK)	X	5.17	75.02	17.60	3.98	65.0	± 9.6 %
		Y	3.39	69.01	13.93		65.0	
		Z	4.53	73.22	16.78		65.0	
10259-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM)	X	6.24	75.63	19.75	3.98	65.0	± 9.6 %
		Y	5.27	73.21	18.06		65.0	
		Z	5.78	74.45	19.19		65.0	
10260-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM)	X	6.26	75.39	19.67	3.98	65.0	± 9.6 %
		Y	5.30	72.98	17.96		65.0	
		Z	5.82	74.25	19.13		65.0	
10261-CAB	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK)	X	7.47	80.91	21.72	3.98	65.0	± 9.6 %
		Y	6.06	77.89	20.06		65.0	
		Z	6.60	78.97	20.93		65.0	
10262-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM)	X	6.80	77.08	21.24	3.98	65.0	± 9.6 %
		Y	6.01	75.40	20.15		65.0	
		Z	6.33	75.89	20.70		65.0	
10263-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM)	X	6.45	74.99	20.09	3.98	65.0	± 9.6 %
		Y	5.64	73.20	18.87		65.0	
		Z	6.07	74.00	19.61		65.0	
10264-CAB	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK)	X	7.86	81.26	22.26	3.98	65.0	± 9.6 %
		Y	6.66	79.09	21.17		65.0	
		Z	7.03	79.48	21.54		65.0	
10265-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM)	X	6.65	74.74	20.27	3.98	65.0	± 9.6 %
		Y	5.91	73.16	19.36		65.0	
		Z	6.29	73.83	19.83		65.0	
10266-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM)	X	7.03	75.64	21.01	3.98	65.0	± 9.6 %
		Y	6.35	74.33	20.24		65.0	
		Z	6.66	74.73	20.58		65.0	
10267-CAB	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK)	X	7.52	78.53	21.24	3.98	65.0	± 9.6 %
		Y	6.66	77.11	20.59		65.0	
		Z	6.96	77.31	20.73		65.0	
10268-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM)	X	7.23	74.55	20.58	3.98	65.0	± 9.6 %
		Y	6.59	73.36	19.94		65.0	
		Z	6.91	73.80	20.22		65.0	
10269-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM)	X	7.18	74.14	20.48	3.98	65.0	± 9.6 %
		Y	6.59	73.03	19.84		65.0	
		Z	6.88	73.42	20.13		65.0	
10270-CAB	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	7.26	76.02	20.42	3.98	65.0	± 9.6 %
		Y	6.62	75.00	19.95		65.0	
		Z	6.87	75.16	20.03		65.0	

10274-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.10)	X	2.72	67.35	16.02	0.00	150.0	± 9.6 %
		Y	2.63	67.43	15.68		150.0	
		Z	2.67	66.89	15.65		150.0	
10275-CAB	UMTS-FDD (HSUPA, Subtest 5, 3GPP Rel8.4)	X	1.90	70.86	17.40	0.00	150.0	± 9.6 %
		Y	1.73	69.80	16.63		150.0	
		Z	1.75	69.19	16.44		150.0	
10277-CAA	PHS (QPSK)	X	2.99	63.32	8.98	9.03	50.0	± 9.6 %
		Y	2.68	62.23	7.91		50.0	
		Z	2.93	63.17	8.86		50.0	
10278-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.5)	X	5.45	72.87	16.16	9.03	50.0	± 9.6 %
		Y	4.09	68.12	13.20		50.0	
		Z	5.18	72.12	15.77		50.0	
10279-CAA	PHS (QPSK, BW 884MHz, Rolloff 0.38)	X	5.60	73.14	16.31	9.03	50.0	± 9.6 %
		Y	4.17	68.31	13.33		50.0	
		Z	5.31	72.38	15.92		50.0	
10290-AAB	CDMA2000, RC1, SO55, Full Rate	X	2.38	75.92	17.87	0.00	150.0	± 9.6 %
		Y	1.74	72.15	15.16		150.0	
		Z	1.86	72.05	16.07		150.0	
10291-AAB	CDMA2000, RC3, SO55, Full Rate	X	1.30	72.51	16.52	0.00	150.0	± 9.6 %
		Y	0.98	69.00	13.77		150.0	
		Z	1.03	68.65	14.54		150.0	
10292-AAB	CDMA2000, RC3, SO32, Full Rate	X	2.85	85.41	21.92	0.00	150.0	± 9.6 %
		Y	2.53	82.71	19.58		150.0	
		Z	1.57	75.81	18.11		150.0	
10293-AAB	CDMA2000, RC3, SO3, Full Rate	X	11.64	108.02	29.28	0.00	150.0	± 9.6 %
		Y	100.00	134.67	33.59		150.0	
		Z	3.21	86.98	22.70		150.0	
10295-AAB	CDMA2000, RC1, SO3, 1/8th Rate 25 fr.	X	7.79	80.00	21.77	9.03	50.0	± 9.6 %
		Y	7.91	79.10	20.42		50.0	
		Z	7.45	79.15	21.36		50.0	
10297-AAA	LTE-FDD (SC-FDMA, 50% RB, 20 MHz, QPSK)	X	3.12	71.84	17.82	0.00	150.0	± 9.6 %
		Y	2.84	70.92	17.39		150.0	
		Z	2.95	70.72	17.19		150.0	
10298-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, QPSK)	X	2.13	72.25	16.94	0.00	150.0	± 9.6 %
		Y	1.67	69.63	14.76		150.0	
		Z	1.86	69.98	15.72		150.0	
10299-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM)	X	3.95	75.15	17.15	0.00	150.0	± 9.6 %
		Y	2.46	68.97	13.24		150.0	
		Z	3.45	73.03	16.03		150.0	
10300-AAB	LTE-FDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM)	X	2.49	67.85	13.24	0.00	150.0	± 9.6 %
		Y	1.71	64.00	10.12		150.0	
		Z	2.32	66.89	12.57		150.0	
10301-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC)	X	4.95	66.01	17.92	4.17	50.0	± 9.6 %
		Y	4.76	66.18	17.75		50.0	
		Z	4.83	65.47	17.56		50.0	
10302-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, QPSK, PUSC, 3 CTRL symbols)	X	5.39	66.44	18.52	4.96	50.0	± 9.6 %
		Y	5.16	66.34	18.20		50.0	
		Z	5.33	66.20	18.33		50.0	