

10303-AAA	IEEE 802.16e WiMAX (31:15, 5ms, 10MHz, 64QAM, PUSC)	X	5.16	66.18	18.43	4.96	50.0	± 9.6 %
		Y	4.93	66.05	18.05		50.0	
		Z	5.10	65.91	18.21		50.0	
10304-AAA	IEEE 802.16e WiMAX (29:18, 5ms, 10MHz, 64QAM, PUSC)	X	4.94	65.95	17.87	4.17	50.0	± 9.6 %
		Y	4.73	65.94	17.58		50.0	
		Z	4.88	65.70	17.66		50.0	
10305-AAA	IEEE 802.16e WiMAX (31:15, 10ms, 10MHz, 64QAM, PUSC, 15 symbols)	X	4.86	69.18	20.76	6.02	35.0	± 9.6 %
		Y	4.79	69.56	20.20		35.0	
		Z	4.75	68.61	20.35		35.0	
10306-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 64QAM, PUSC, 18 symbols)	X	5.02	67.42	19.90	6.02	35.0	± 9.6 %
		Y	4.88	67.69	19.49		35.0	
		Z	4.94	67.06	19.60		35.0	
10307-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, PUSC, 18 symbols)	X	4.97	67.85	19.99	6.02	35.0	± 9.6 %
		Y	4.82	67.99	19.51		35.0	
		Z	4.88	67.43	19.67		35.0	
10308-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, PUSC)	X	4.95	68.10	20.15	6.02	35.0	± 9.6 %
		Y	4.82	68.28	19.69		35.0	
		Z	4.86	67.65	19.82		35.0	
10309-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, 16QAM, AMC 2x3, 18 symbols)	X	5.09	67.71	20.06	6.02	35.0	± 9.6 %
		Y	4.92	67.82	19.59		35.0	
		Z	5.02	67.32	19.76		35.0	
10310-AAA	IEEE 802.16e WiMAX (29:18, 10ms, 10MHz, QPSK, AMC 2x3, 18 symbols)	X	4.98	67.57	19.91	6.02	35.0	± 9.6 %
		Y	4.85	67.84	19.51		35.0	
		Z	4.90	67.19	19.61		35.0	
10311-AAA	LTE-FDD (SC-FDMA, 100% RB, 15 MHz, QPSK)	X	3.51	71.02	17.38	0.00	150.0	± 9.6 %
		Y	3.22	70.10	16.98		150.0	
		Z	3.33	70.00	16.81		150.0	
10313-AAA	iDEN 1:3	X	4.21	72.70	15.66	6.99	70.0	± 9.6 %
		Y	3.59	71.16	15.06		70.0	
		Z	3.75	71.60	15.28		70.0	
10314-AAA	iDEN 1:6	X	5.62	78.77	20.63	10.00	30.0	± 9.6 %
		Y	5.12	77.64	20.25		30.0	
		Z	4.83	76.71	19.93		30.0	
10315-AAB	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 96pc duty cycle)	X	1.15	65.28	16.42	0.17	150.0	± 9.6 %
		Y	1.13	64.77	15.90		150.0	
		Z	1.13	64.40	15.69		150.0	
10316-AAB	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 96pc duty cycle)	X	4.67	66.88	16.48	0.17	150.0	± 9.6 %
		Y	4.52	66.86	16.36		150.0	
		Z	4.65	66.73	16.33		150.0	
10317-AAB	IEEE 802.11a WiFi 5 GHz (OFDM, 6 Mbps, 96pc duty cycle)	X	4.67	66.88	16.48	0.17	150.0	± 9.6 %
		Y	4.52	66.86	16.36		150.0	
		Z	4.65	66.73	16.33		150.0	
10400-AAC	IEEE 802.11ac WiFi (20MHz, 64-QAM, 99pc duty cycle)	X	4.82	67.30	16.55	0.00	150.0	± 9.6 %
		Y	4.62	67.25	16.44		150.0	
		Z	4.79	67.15	16.39		150.0	
10401-AAC	IEEE 802.11ac WiFi (40MHz, 64-QAM, 99pc duty cycle)	X	5.46	67.32	16.59	0.00	150.0	± 9.6 %
		Y	5.31	67.24	16.51		150.0	
		Z	5.44	67.22	16.48		150.0	

10402-AAC	IEEE 802.11ac WiFi (80MHz, 64-QAM, 99pc duty cycle)	X	5.75	67.79	16.67	0.00	150.0	± 9.6 %
		Y	5.59	67.63	16.58		150.0	
		Z	5.72	67.67	16.55		150.0	
10403-AAB	CDMA2000 (1xEV-DO, Rev. 0)	X	2.38	75.92	17.87	0.00	115.0	± 9.6 %
		Y	1.74	72.15	15.16		115.0	
		Z	1.86	72.05	16.07		115.0	
10404-AAB	CDMA2000 (1xEV-DO, Rev. A)	X	2.38	75.92	17.87	0.00	115.0	± 9.6 %
		Y	1.74	72.15	15.16		115.0	
		Z	1.86	72.05	16.07		115.0	
10406-AAB	CDMA2000, RC3, SO32, SCH0, Full Rate	X	100.00	121.61	30.43	0.00	100.0	± 9.6 %
		Y	100.00	117.87	28.37		100.0	
		Z	100.00	119.17	29.17		100.0	
10410-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.84	60.00	4.21	2.23	80.0	± 9.6 %
		Y	0.73	60.00	3.41		80.0	
		Z	0.79	60.00	3.97		80.0	
10415-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 99pc duty cycle)	X	1.06	64.27	15.88	0.00	150.0	± 9.6 %
		Y	1.04	63.95	15.45		150.0	
		Z	1.04	63.58	15.22		150.0	
10416-AAA	IEEE 802.11g WiFi 2.4 GHz (ERP-OFDM, 6 Mbps, 99pc duty cycle)	X	4.63	66.94	16.49	0.00	150.0	± 9.6 %
		Y	4.49	66.98	16.42		150.0	
		Z	4.61	66.80	16.35		150.0	
10417-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 99pc duty cycle)	X	4.63	66.94	16.49	0.00	150.0	± 9.6 %
		Y	4.49	66.98	16.42		150.0	
		Z	4.61	66.80	16.35		150.0	
10418-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Long preamble)	X	4.62	67.11	16.52	0.00	150.0	± 9.6 %
		Y	4.48	67.18	16.46		150.0	
		Z	4.60	66.96	16.36		150.0	
10419-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 99pc duty cycle, Short preamble)	X	4.65	67.05	16.52	0.00	150.0	± 9.6 %
		Y	4.50	67.11	16.45		150.0	
		Z	4.62	66.91	16.37		150.0	
10422-AAA	IEEE 802.11n (HT Greenfield, 7.2 Mbps, BPSK)	X	4.77	67.04	16.52	0.00	150.0	± 9.6 %
		Y	4.61	67.08	16.45		150.0	
		Z	4.74	66.91	16.37		150.0	
10423-AAA	IEEE 802.11n (HT Greenfield, 43.3 Mbps, 16-QAM)	X	4.95	67.39	16.64	0.00	150.0	± 9.6 %
		Y	4.75	67.36	16.55		150.0	
		Z	4.92	67.24	16.50		150.0	
10424-AAA	IEEE 802.11n (HT Greenfield, 72.2 Mbps, 64-QAM)	X	4.87	67.34	16.62	0.00	150.0	± 9.6 %
		Y	4.68	67.33	16.53		150.0	
		Z	4.84	67.20	16.47		150.0	
10425-AAA	IEEE 802.11n (HT Greenfield, 15 Mbps, BPSK)	X	5.44	67.58	16.73	0.00	150.0	± 9.6 %
		Y	5.28	67.50	16.65		150.0	
		Z	5.41	67.46	16.60		150.0	
10426-AAA	IEEE 802.11n (HT Greenfield, 90 Mbps, 16-QAM)	X	5.44	67.59	16.72	0.00	150.0	± 9.6 %
		Y	5.30	67.56	16.68		150.0	
		Z	5.41	67.46	16.60		150.0	

10427-AAA	IEEE 802.11n (HT Greenfield, 150 Mbps, 64-QAM)	X	5.46	67.59	16.72	0.00	150.0	± 9.6 %
		Y	5.29	67.47	16.64		150.0	
		Z	5.43	67.47	16.59		150.0	
10430-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1)	X	4.51	71.63	18.89	0.00	150.0	± 9.6 %
		Y	4.65	73.57	19.43		150.0	
		Z	4.43	71.29	18.61		150.0	
10431-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1)	X	4.36	67.61	16.60	0.00	150.0	± 9.6 %
		Y	4.15	67.66	16.43		150.0	
		Z	4.32	67.41	16.41		150.0	
10432-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1)	X	4.64	67.42	16.60	0.00	150.0	± 9.6 %
		Y	4.45	67.44	16.49		150.0	
		Z	4.61	67.26	16.44		150.0	
10433-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1)	X	4.88	67.38	16.64	0.00	150.0	± 9.6 %
		Y	4.70	67.36	16.55		150.0	
		Z	4.85	67.23	16.49		150.0	
10434-AAA	W-CDMA (BS Test Model 1, 64 DPCH)	X	4.69	72.74	19.01	0.00	150.0	± 9.6 %
		Y	4.96	75.10	19.59		150.0	
		Z	4.59	72.31	18.69		150.0	
10435-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	0.84	60.00	4.20	2.23	80.0	± 9.6 %
		Y	0.74	60.00	3.40		80.0	
		Z	0.80	60.00	3.96		80.0	
10447-AAA	LTE-FDD (OFDMA, 5 MHz, E-TM 3.1, Clipping 44%)	X	3.70	67.89	16.19	0.00	150.0	± 9.6 %
		Y	3.45	67.83	15.69		150.0	
		Z	3.64	67.56	15.91		150.0	
10448-AAA	LTE-FDD (OFDMA, 10 MHz, E-TM 3.1, Clipping 44%)	X	4.19	67.40	16.47	0.00	150.0	± 9.6 %
		Y	4.00	67.45	16.30		150.0	
		Z	4.15	67.19	16.28		150.0	
10449-AAA	LTE-FDD (OFDMA, 15 MHz, E-TM 3.1, Clipping 44%)	X	4.45	67.27	16.52	0.00	150.0	± 9.6 %
		Y	4.28	67.29	16.41		150.0	
		Z	4.41	67.10	16.35		150.0	
10450-AAA	LTE-FDD (OFDMA, 20 MHz, E-TM 3.1, Clipping 44%)	X	4.63	67.17	16.51	0.00	150.0	± 9.6 %
		Y	4.48	67.15	16.42		150.0	
		Z	4.60	67.01	16.36		150.0	
10451-AAA	W-CDMA (BS Test Model 1, 64 DPCH, Clipping 44%)	X	3.64	68.26	15.95	0.00	150.0	± 9.6 %
		Y	3.32	67.94	15.20		150.0	
		Z	3.56	67.86	15.63		150.0	
10456-AAA	IEEE 802.11ac WiFi (160MHz, 64-QAM, 99pc duty cycle)	X	6.29	68.12	16.85	0.00	150.0	± 9.6 %
		Y	6.19	68.09	16.82		150.0	
		Z	6.27	68.01	16.74		150.0	
10457-AAA	UMTS-FDD (DC-HSDPA)	X	3.84	65.57	16.23	0.00	150.0	± 9.6 %
		Y	3.78	65.65	16.14		150.0	
		Z	3.83	65.43	16.07		150.0	
10458-AAA	CDMA2000 (1xEV-DO, Rev. B, 2 carriers)	X	3.45	67.52	15.40	0.00	150.0	± 9.6 %
		Y	3.07	66.92	14.30		150.0	
		Z	3.38	67.15	15.08		150.0	
10459-AAA	CDMA2000 (1xEV-DO, Rev. B, 3 carriers)	X	4.50	65.41	16.01	0.00	150.0	± 9.6 %
		Y	4.11	65.09	15.32		150.0	
		Z	4.57	65.71	16.05		150.0	

10460-AAA	UMTS-FDD (WCDMA, AMR)	X	1.22	74.30	19.73	0.00	150.0	± 9.6 %
		Y	1.06	71.74	18.24		150.0	
		Z	1.02	70.42	17.63		150.0	
10461-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	120.03	29.71	3.29	80.0	± 9.6 %
		Y	6.23	84.76	20.35		80.0	
		Z	21.24	99.85	24.76		80.0	
10462-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.90	65.34	10.68	3.23	80.0	± 9.6 %
		Y	1.00	60.27	7.88		80.0	
		Z	1.38	62.65	9.25		80.0	
10463-AAA	LTE-TDD (SC-FDMA, 1 RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.33	61.66	8.58	3.23	80.0	± 9.6 %
		Y	0.98	60.00	7.27		80.0	
		Z	1.08	60.18	7.61		80.0	
10464-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	117.17	28.25	3.23	80.0	± 9.6 %
		Y	4.05	78.66	17.78		80.0	
		Z	12.78	91.99	21.99		80.0	
10465-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.70	64.28	10.16	3.23	80.0	± 9.6 %
		Y	0.97	60.00	7.68		80.0	
		Z	1.29	62.02	8.89		80.0	
10466-AAA	LTE-TDD (SC-FDMA, 1 RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.27	61.20	8.31	3.23	80.0	± 9.6 %
		Y	0.99	60.00	7.23		80.0	
		Z	1.06	60.00	7.47		80.0	
10467-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	117.43	28.36	3.23	80.0	± 9.6 %
		Y	4.42	79.80	18.19		80.0	
		Z	14.85	93.94	22.55		80.0	
10468-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.74	64.52	10.27	3.23	80.0	± 9.6 %
		Y	0.97	60.02	7.71		80.0	
		Z	1.30	62.16	8.97		80.0	
10469-AAA	LTE-TDD (SC-FDMA, 1 RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.27	61.21	8.31	3.23	80.0	± 9.6 %
		Y	0.98	60.00	7.23		80.0	
		Z	1.05	60.00	7.47		80.0	
10470-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	117.44	28.36	3.23	80.0	± 9.6 %
		Y	4.41	79.80	18.19		80.0	
		Z	14.88	93.97	22.55		80.0	
10471-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.73	64.45	10.23	3.23	80.0	± 9.6 %
		Y	0.97	60.00	7.69		80.0	
		Z	1.30	62.11	8.93		80.0	
10472-AAA	LTE-TDD (SC-FDMA, 1 RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.26	61.17	8.28	3.23	80.0	± 9.6 %
		Y	0.98	60.00	7.21		80.0	
		Z	1.05	60.00	7.45		80.0	
10473-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	100.00	117.40	28.34	3.23	80.0	± 9.6 %
		Y	4.39	79.73	18.16		80.0	
		Z	14.80	93.88	22.52		80.0	
10474-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.72	64.42	10.22	3.23	80.0	± 9.6 %
		Y	0.96	60.00	7.69		80.0	
		Z	1.29	62.09	8.92		80.0	
10475-AAA	LTE-TDD (SC-FDMA, 1 RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.25	61.15	8.27	3.23	80.0	± 9.6 %
		Y	0.98	60.00	7.21		80.0	
		Z	1.05	60.00	7.46		80.0	

10477-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.69	64.20	10.10	3.23	80.0	± 9.6 %
		Y	0.96	60.00	7.67		80.0	
		Z	1.27	61.95	8.84		80.0	
10478-AAA	LTE-TDD (SC-FDMA, 1 RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.25	61.11	8.24	3.23	80.0	± 9.6 %
		Y	0.98	60.00	7.20		80.0	
		Z	1.05	60.00	7.45		80.0	
10479-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	1.02	60.00	6.98	1.99	80.0	± 9.6 %
		Y	1.04	60.00	5.31		80.0	
		Z	1.00	60.00	6.74		80.0	
10480-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.33	60.00	6.16	1.99	80.0	± 9.6 %
		Y	1.57	60.00	4.50		80.0	
		Z	1.31	60.00	5.87		80.0	
10481-AAA	LTE-TDD (SC-FDMA, 50% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.37	60.00	5.94	1.99	80.0	± 9.6 %
		Y	0.43	55.40	2.42		80.0	
		Z	1.36	60.00	5.65		80.0	
10482-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	3.56	73.41	16.62	1.99	80.0	± 9.6 %
		Y	1.84	65.50	12.23		80.0	
		Z	2.66	69.68	15.02		80.0	
10483-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.31	72.31	15.85	1.99	80.0	± 9.6 %
		Y	1.99	63.26	10.60		80.0	
		Z	3.38	69.28	14.45		80.0	
10484-AAA	LTE-TDD (SC-FDMA, 50% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.09	71.46	15.55	1.99	80.0	± 9.6 %
		Y	1.97	62.94	10.47		80.0	
		Z	3.28	68.70	14.24		80.0	
10485-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.37	76.54	18.79	1.99	80.0	± 9.6 %
		Y	2.85	71.05	15.92		80.0	
		Z	3.32	72.66	17.19		80.0	
10486-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.49	70.22	16.07	1.99	80.0	± 9.6 %
		Y	2.51	66.26	13.40		80.0	
		Z	3.04	68.30	15.12		80.0	
10487-AAA	LTE-TDD (SC-FDMA, 50% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.47	69.77	15.89	1.99	80.0	± 9.6 %
		Y	2.51	65.93	13.25		80.0	
		Z	3.05	67.98	14.99		80.0	
10488-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.51	75.55	19.19	1.99	80.0	± 9.6 %
		Y	3.46	72.33	17.66		80.0	
		Z	3.75	72.75	18.00		80.0	
10489-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.82	70.36	17.40	1.99	80.0	± 9.6 %
		Y	3.29	68.74	16.27		80.0	
		Z	3.49	68.95	16.68		80.0	
10490-AAA	LTE-TDD (SC-FDMA, 50% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.89	70.08	17.32	1.99	80.0	± 9.6 %
		Y	3.37	68.58	16.23		80.0	
		Z	3.58	68.77	16.65		80.0	
10491-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.42	73.06	18.46	1.99	80.0	± 9.6 %
		Y	3.66	70.88	17.42		80.0	
		Z	3.91	71.19	17.60		80.0	
10492-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.10	69.39	17.34	1.99	80.0	± 9.6 %
		Y	3.66	68.23	16.57		80.0	
		Z	3.84	68.35	16.79		80.0	

10493-AAA	LTE-TDD (SC-FDMA, 50% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.15	69.20	17.29	1.99	80.0	± 9.6 %
		Y	3.72	68.10	16.53		80.0	
		Z	3.91	68.22	16.76		80.0	
10494-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.99	75.00	18.98	1.99	80.0	± 9.6 %
		Y	3.98	72.25	17.81		80.0	
		Z	4.29	72.72	18.00		80.0	
10495-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.17	69.93	17.57	1.99	80.0	± 9.6 %
		Y	3.70	68.61	16.79		80.0	
		Z	3.89	68.80	16.99		80.0	
10496-AAA	LTE-TDD (SC-FDMA, 50% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.22	69.54	17.46	1.99	80.0	± 9.6 %
		Y	3.77	68.37	16.74		80.0	
		Z	3.96	68.52	16.92		80.0	
10497-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	2.13	66.90	13.02	1.99	80.0	± 9.6 %
		Y	1.08	60.00	8.29		80.0	
		Z	1.72	64.49	11.79		80.0	
10498-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	1.64	61.56	9.66	1.99	80.0	± 9.6 %
		Y	1.27	60.00	7.38		80.0	
		Z	1.49	60.65	9.04		80.0	
10499-AAA	LTE-TDD (SC-FDMA, 100% RB, 1.4 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	1.61	61.13	9.31	1.99	80.0	± 9.6 %
		Y	1.29	60.00	7.25		80.0	
		Z	1.47	60.30	8.74		80.0	
10500-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.29	75.65	18.82	1.99	80.0	± 9.6 %
		Y	3.10	71.58	16.66		80.0	
		Z	3.44	72.42	17.45		80.0	
10501-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.65	70.34	16.62	1.99	80.0	± 9.6 %
		Y	2.89	67.60	14.67		80.0	
		Z	3.25	68.66	15.78		80.0	
10502-AAA	LTE-TDD (SC-FDMA, 100% RB, 3 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.69	70.09	16.48	1.99	80.0	± 9.6 %
		Y	2.92	67.38	14.52		80.0	
		Z	3.30	68.50	15.67		80.0	
10503-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.43	75.27	19.07	1.99	80.0	± 9.6 %
		Y	3.40	72.06	17.53		80.0	
		Z	3.69	72.52	17.90		80.0	
10504-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	3.79	70.25	17.33	1.99	80.0	± 9.6 %
		Y	3.27	68.61	16.19		80.0	
		Z	3.47	68.84	16.62		80.0	
10505-AAA	LTE-TDD (SC-FDMA, 100% RB, 5 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	3.86	69.96	17.26	1.99	80.0	± 9.6 %
		Y	3.35	68.46	16.16		80.0	
		Z	3.56	68.67	16.59		80.0	
10506-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.93	74.81	18.89	1.99	80.0	± 9.6 %
		Y	3.94	72.07	17.72		80.0	
		Z	4.25	72.55	17.92		80.0	
10507-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.15	69.85	17.52	1.99	80.0	± 9.6 %
		Y	3.68	68.53	16.74		80.0	
		Z	3.87	68.74	16.95		80.0	

10508-AAA	LTE-TDD (SC-FDMA, 100% RB, 10 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.20	69.46	17.42	1.99	80.0	± 9.6 %
		Y	3.76	68.28	16.69		80.0	
		Z	3.95	68.45	16.88		80.0	
10509-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	4.98	72.72	18.17	1.99	80.0	± 9.6 %
		Y	4.25	70.82	17.35		80.0	
		Z	4.51	71.18	17.47		80.0	
10510-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.60	69.39	17.45	1.99	80.0	± 9.6 %
		Y	4.16	68.25	16.84		80.0	
		Z	4.36	68.51	16.99		80.0	
10511-AAA	LTE-TDD (SC-FDMA, 100% RB, 15 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.63	69.05	17.38	1.99	80.0	± 9.6 %
		Y	4.21	68.04	16.80		80.0	
		Z	4.40	68.24	16.94		80.0	
10512-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, QPSK, UL Subframe=2,3,4,7,8,9)	X	5.44	74.77	18.75	1.99	80.0	± 9.6 %
		Y	4.43	72.15	17.69		80.0	
		Z	4.77	72.76	17.89		80.0	
10513-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 16-QAM, UL Subframe=2,3,4,7,8,9)	X	4.52	69.82	17.60	1.99	80.0	± 9.6 %
		Y	4.05	68.48	16.92		80.0	
		Z	4.26	68.83	17.09		80.0	
10514-AAA	LTE-TDD (SC-FDMA, 100% RB, 20 MHz, 64-QAM, UL Subframe=2,3,4,7,8,9)	X	4.50	69.28	17.46	1.99	80.0	± 9.6 %
		Y	4.07	68.11	16.83		80.0	
		Z	4.26	68.39	16.99		80.0	
10515-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 99pc duty cycle)	X	1.02	64.59	16.04	0.00	150.0	± 9.6 %
		Y	1.01	64.20	15.57		150.0	
		Z	1.01	63.81	15.32		150.0	
10516-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 99pc duty cycle)	X	1.29	86.12	25.05	0.00	150.0	± 9.6 %
		Y	0.81	76.77	20.96		150.0	
		Z	0.75	74.60	19.88		150.0	
10517-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 99pc duty cycle)	X	0.93	68.06	17.57	0.00	150.0	± 9.6 %
		Y	0.88	66.85	16.67		150.0	
		Z	0.88	66.27	16.31		150.0	
10518-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 99pc duty cycle)	X	4.63	67.03	16.48	0.00	150.0	± 9.6 %
		Y	4.48	67.08	16.40		150.0	
		Z	4.60	66.88	16.33		150.0	
10519-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 99pc duty cycle)	X	4.83	67.28	16.60	0.00	150.0	± 9.6 %
		Y	4.64	67.26	16.50		150.0	
		Z	4.80	67.13	16.45		150.0	
10520-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 99pc duty cycle)	X	4.68	67.27	16.54	0.00	150.0	± 9.6 %
		Y	4.50	67.22	16.43		150.0	
		Z	4.65	67.11	16.38		150.0	
10521-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 99pc duty cycle)	X	4.62	67.29	16.54	0.00	150.0	± 9.6 %
		Y	4.43	67.22	16.42		150.0	
		Z	4.59	67.12	16.37		150.0	
10522-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 99pc duty cycle)	X	4.67	67.32	16.59	0.00	150.0	± 9.6 %
		Y	4.49	67.34	16.52		150.0	
		Z	4.64	67.17	16.44		150.0	

10523-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 99pc duty cycle)	X	4.55	67.21	16.46	0.00	150.0	± 9.6 %
		Y	4.40	67.27	16.40		150.0	
		Z	4.52	67.05	16.30		150.0	
10524-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 99pc duty cycle)	X	4.62	67.25	16.57	0.00	150.0	± 9.6 %
		Y	4.44	67.27	16.49		150.0	
		Z	4.59	67.09	16.41		150.0	
10525-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 99pc duty cycle)	X	4.59	66.30	16.16	0.00	150.0	± 9.6 %
		Y	4.45	66.36	16.11		150.0	
		Z	4.56	66.15	16.01		150.0	
10526-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 99pc duty cycle)	X	4.78	66.70	16.31	0.00	150.0	± 9.6 %
		Y	4.60	66.68	16.23		150.0	
		Z	4.75	66.53	16.15		150.0	
10527-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 99pc duty cycle)	X	4.70	66.68	16.27	0.00	150.0	± 9.6 %
		Y	4.52	66.66	16.18		150.0	
		Z	4.67	66.50	16.10		150.0	
10528-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 99pc duty cycle)	X	4.72	66.69	16.30	0.00	150.0	± 9.6 %
		Y	4.54	66.67	16.21		150.0	
		Z	4.68	66.52	16.13		150.0	
10529-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 99pc duty cycle)	X	4.72	66.69	16.30	0.00	150.0	± 9.6 %
		Y	4.54	66.67	16.21		150.0	
		Z	4.68	66.52	16.13		150.0	
10531-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 99pc duty cycle)	X	4.72	66.83	16.32	0.00	150.0	± 9.6 %
		Y	4.52	66.74	16.21		150.0	
		Z	4.68	66.64	16.15		150.0	
10532-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 99pc duty cycle)	X	4.58	66.70	16.27	0.00	150.0	± 9.6 %
		Y	4.39	66.61	16.15		150.0	
		Z	4.54	66.51	16.10		150.0	
10533-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 99pc duty cycle)	X	4.73	66.73	16.28	0.00	150.0	± 9.6 %
		Y	4.55	66.74	16.21		150.0	
		Z	4.69	66.56	16.12		150.0	
10534-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 99pc duty cycle)	X	5.23	66.75	16.30	0.00	150.0	± 9.6 %
		Y	5.08	66.66	16.23		150.0	
		Z	5.20	66.61	16.16		150.0	
10535-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 99pc duty cycle)	X	5.30	66.90	16.36	0.00	150.0	± 9.6 %
		Y	5.14	66.82	16.30		150.0	
		Z	5.27	66.76	16.23		150.0	
10536-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 99pc duty cycle)	X	5.17	66.89	16.35	0.00	150.0	± 9.6 %
		Y	5.02	66.81	16.28		150.0	
		Z	5.14	66.74	16.20		150.0	
10537-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 99pc duty cycle)	X	5.23	66.85	16.32	0.00	150.0	± 9.6 %
		Y	5.07	66.76	16.25		150.0	
		Z	5.20	66.70	16.18		150.0	
10538-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 99pc duty cycle)	X	5.33	66.88	16.37	0.00	150.0	± 9.6 %
		Y	5.15	66.74	16.28		150.0	
		Z	5.29	66.73	16.24		150.0	
10540-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 99pc duty cycle)	X	5.24	66.87	16.39	0.00	150.0	± 9.6 %
		Y	5.08	66.73	16.29		150.0	
		Z	5.21	66.72	16.25		150.0	

10541-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 99pc duty cycle)	X	5.22	66.75	16.32	0.00	150.0	± 9.6 %
		Y	5.06	66.63	16.23		150.0	
		Z	5.19	66.61	16.19		150.0	
10542-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 99pc duty cycle)	X	5.37	66.80	16.36	0.00	150.0	± 9.6 %
		Y	5.21	66.71	16.28		150.0	
		Z	5.34	66.66	16.22		150.0	
10543-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 99pc duty cycle)	X	5.45	66.81	16.38	0.00	150.0	± 9.6 %
		Y	5.27	66.71	16.31		150.0	
		Z	5.42	66.68	16.25		150.0	
10544-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 99pc duty cycle)	X	5.52	66.84	16.27	0.00	150.0	± 9.6 %
		Y	5.41	66.73	16.20		150.0	
		Z	5.50	66.71	16.15		150.0	
10545-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 99pc duty cycle)	X	5.72	67.23	16.41	0.00	150.0	± 9.6 %
		Y	5.58	67.14	16.35		150.0	
		Z	5.69	67.09	16.28		150.0	
10546-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 99pc duty cycle)	X	5.61	67.09	16.36	0.00	150.0	± 9.6 %
		Y	5.45	66.88	16.24		150.0	
		Z	5.57	66.95	16.23		150.0	
10547-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 99pc duty cycle)	X	5.68	67.13	16.37	0.00	150.0	± 9.6 %
		Y	5.52	66.94	16.27		150.0	
		Z	5.65	66.98	16.23		150.0	
10548-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 99pc duty cycle)	X	5.92	68.03	16.79	0.00	150.0	± 9.6 %
		Y	5.70	67.67	16.60		150.0	
		Z	5.87	67.83	16.63		150.0	
10550-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 99pc duty cycle)	X	5.62	67.07	16.35	0.00	150.0	± 9.6 %
		Y	5.49	66.97	16.30		150.0	
		Z	5.60	66.93	16.23		150.0	
10551-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 99pc duty cycle)	X	5.64	67.13	16.35	0.00	150.0	± 9.6 %
		Y	5.47	66.92	16.23		150.0	
		Z	5.61	66.99	16.22		150.0	
10552-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 99pc duty cycle)	X	5.55	66.92	16.26	0.00	150.0	± 9.6 %
		Y	5.42	66.83	16.20		150.0	
		Z	5.52	66.79	16.13		150.0	
10553-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 99pc duty cycle)	X	5.64	66.96	16.30	0.00	150.0	± 9.6 %
		Y	5.48	66.81	16.21		150.0	
		Z	5.61	66.83	16.18		150.0	
10554-AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 99pc duty cycle)	X	5.92	67.19	16.34	0.00	150.0	± 9.6 %
		Y	5.82	67.06	16.27		150.0	
		Z	5.90	67.07	16.23		150.0	
10555-AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 99pc duty cycle)	X	6.06	67.49	16.47	0.00	150.0	± 9.6 %
		Y	5.93	67.32	16.38		150.0	
		Z	6.03	67.35	16.34		150.0	
10556-AAA	IEEE 1602.11ac WiFi (160MHz, MCS2, 99pc duty cycle)	X	6.08	67.53	16.48	0.00	150.0	± 9.6 %
		Y	5.95	67.39	16.40		150.0	
		Z	6.05	67.40	16.36		150.0	
10557-AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 99pc duty cycle)	X	6.05	67.46	16.47	0.00	150.0	± 9.6 %
		Y	5.91	67.28	16.37		150.0	
		Z	6.02	67.33	16.35		150.0	

10558-AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 99pc duty cycle)	X	6.10	67.63	16.57	0.00	150.0	± 9.6 %
		Y	5.95	67.41	16.45		150.0	
		Z	6.07	67.49	16.44		150.0	
10560-AAA	IEEE 1602.11ac WiFi (160MHz, MCS6, 99pc duty cycle)	X	6.10	67.48	16.53	0.00	150.0	± 9.6 %
		Y	5.95	67.28	16.42		150.0	
		Z	6.07	67.35	16.41		150.0	
10561-AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 99pc duty cycle)	X	6.02	67.44	16.55	0.00	150.0	± 9.6 %
		Y	5.88	67.25	16.44		150.0	
		Z	5.99	67.30	16.42		150.0	
10562-AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 99pc duty cycle)	X	6.15	67.85	16.75	0.00	150.0	± 9.6 %
		Y	5.96	67.52	16.57		150.0	
		Z	6.11	67.69	16.62		150.0	
10563-AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 99pc duty cycle)	X	6.47	68.35	16.95	0.00	150.0	± 9.6 %
		Y	6.04	67.38	16.47		150.0	
		Z	6.41	68.15	16.79		150.0	
10564-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 99pc duty cycle)	X	4.95	67.05	16.58	0.46	150.0	± 9.6 %
		Y	4.79	67.04	16.48		150.0	
		Z	4.92	66.92	16.45		150.0	
10565-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 99pc duty cycle)	X	5.19	67.52	16.91	0.46	150.0	± 9.6 %
		Y	5.00	67.49	16.82		150.0	
		Z	5.16	67.39	16.77		150.0	
10566-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 99pc duty cycle)	X	5.03	67.38	16.74	0.46	150.0	± 9.6 %
		Y	4.83	67.31	16.61		150.0	
		Z	5.00	67.24	16.59		150.0	
10567-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 99pc duty cycle)	X	5.06	67.81	17.11	0.46	150.0	± 9.6 %
		Y	4.88	67.80	17.04		150.0	
		Z	5.03	67.65	16.96		150.0	
10568-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 99pc duty cycle)	X	4.93	67.11	16.48	0.46	150.0	± 9.6 %
		Y	4.73	67.02	16.33		150.0	
		Z	4.90	66.97	16.33		150.0	
10569-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 99pc duty cycle)	X	5.00	67.85	17.14	0.46	150.0	± 9.6 %
		Y	4.86	67.97	17.15		150.0	
		Z	4.97	67.70	16.99		150.0	
10570-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 99pc duty cycle)	X	5.05	67.70	17.08	0.46	150.0	± 9.6 %
		Y	4.87	67.76	17.05		150.0	
		Z	5.02	67.56	16.94		150.0	
10571-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 1 Mbps, 90pc duty cycle)	X	1.26	65.97	16.64	0.46	130.0	± 9.6 %
		Y	1.21	65.17	15.96		130.0	
		Z	1.22	64.94	15.87		130.0	
10572-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 2 Mbps, 90pc duty cycle)	X	1.29	66.71	17.08	0.46	130.0	± 9.6 %
		Y	1.23	65.85	16.38		130.0	
		Z	1.23	65.55	16.24		130.0	
10573-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 5.5 Mbps, 90pc duty cycle)	X	24.47	127.40	35.36	0.46	130.0	± 9.6 %
		Y	3.17	92.88	25.76		130.0	
		Z	2.79	90.25	24.87		130.0	
10574-AAA	IEEE 802.11b WiFi 2.4 GHz (DSSS, 11 Mbps, 90pc duty cycle)	X	1.64	75.41	21.26	0.46	130.0	± 9.6 %
		Y	1.47	73.24	20.08		130.0	
		Z	1.41	72.03	19.48		130.0	