

10575-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 6 Mbps, 90pc duty cycle)	X	4.72	66.77	16.57	0.46	130.0	± 9.6 %
		Y	4.56	66.76	16.44		130.0	
		Z	4.69	66.63	16.42		130.0	
10576-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 9 Mbps, 90pc duty cycle)	X	4.75	66.94	16.64	0.46	130.0	± 9.6 %
		Y	4.59	66.96	16.53		130.0	
		Z	4.72	66.80	16.49		130.0	
10577-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 12 Mbps, 90pc duty cycle)	X	4.96	67.26	16.81	0.46	130.0	± 9.6 %
		Y	4.77	67.22	16.69		130.0	
		Z	4.93	67.11	16.67		130.0	
10578-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 18 Mbps, 90pc duty cycle)	X	4.87	67.44	16.93	0.46	130.0	± 9.6 %
		Y	4.68	67.42	16.83		130.0	
		Z	4.83	67.29	16.78		130.0	
10579-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 24 Mbps, 90pc duty cycle)	X	4.62	66.72	16.23	0.46	130.0	± 9.6 %
		Y	4.42	66.52	16.01		130.0	
		Z	4.59	66.55	16.07		130.0	
10580-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 36 Mbps, 90pc duty cycle)	X	4.67	66.71	16.24	0.46	130.0	± 9.6 %
		Y	4.46	66.57	16.03		130.0	
		Z	4.64	66.56	16.08		130.0	
10581-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 48 Mbps, 90pc duty cycle)	X	4.76	67.50	16.87	0.46	130.0	± 9.6 %
		Y	4.59	67.47	16.78		130.0	
		Z	4.73	67.32	16.71		130.0	
10582-AAA	IEEE 802.11g WiFi 2.4 GHz (DSSS-OFDM, 54 Mbps, 90pc duty cycle)	X	4.57	66.45	16.01	0.46	130.0	± 9.6 %
		Y	4.35	66.24	15.76		130.0	
		Z	4.54	66.29	15.85		130.0	
10583-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 6 Mbps, 90pc duty cycle)	X	4.72	66.77	16.57	0.46	130.0	± 9.6 %
		Y	4.56	66.76	16.44		130.0	
		Z	4.69	66.63	16.42		130.0	
10584-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 9 Mbps, 90pc duty cycle)	X	4.75	66.94	16.64	0.46	130.0	± 9.6 %
		Y	4.59	66.96	16.53		130.0	
		Z	4.72	66.80	16.49		130.0	
10585-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 12 Mbps, 90pc duty cycle)	X	4.96	67.26	16.81	0.46	130.0	± 9.6 %
		Y	4.77	67.22	16.69		130.0	
		Z	4.93	67.11	16.67		130.0	
10586-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 18 Mbps, 90pc duty cycle)	X	4.87	67.44	16.93	0.46	130.0	± 9.6 %
		Y	4.68	67.42	16.83		130.0	
		Z	4.83	67.29	16.78		130.0	
10587-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 24 Mbps, 90pc duty cycle)	X	4.62	66.72	16.23	0.46	130.0	± 9.6 %
		Y	4.42	66.52	16.01		130.0	
		Z	4.59	66.55	16.07		130.0	
10588-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 36 Mbps, 90pc duty cycle)	X	4.67	66.71	16.24	0.46	130.0	± 9.6 %
		Y	4.46	66.57	16.03		130.0	
		Z	4.64	66.56	16.08		130.0	
10589-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 48 Mbps, 90pc duty cycle)	X	4.76	67.50	16.87	0.46	130.0	± 9.6 %
		Y	4.59	67.47	16.78		130.0	
		Z	4.73	67.32	16.71		130.0	
10590-AAA	IEEE 802.11a/h WiFi 5 GHz (OFDM, 54 Mbps, 90pc duty cycle)	X	4.57	66.45	16.01	0.46	130.0	± 9.6 %
		Y	4.35	66.24	15.76		130.0	
		Z	4.54	66.29	15.85		130.0	

10591-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS0, 90pc duty cycle)	X	4.87	66.82	16.66	0.46	130.0	± 9.6 %
		Y	4.71	66.84	16.56		130.0	
		Z	4.84	66.70	16.52		130.0	
10592-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS1, 90pc duty cycle)	X	5.03	67.17	16.79	0.46	130.0	± 9.6 %
		Y	4.85	67.15	16.69		130.0	
		Z	5.01	67.04	16.65		130.0	
10593-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS2, 90pc duty cycle)	X	4.96	67.10	16.68	0.46	130.0	± 9.6 %
		Y	4.77	67.02	16.54		130.0	
		Z	4.93	66.96	16.54		130.0	
10594-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS3, 90pc duty cycle)	X	5.01	67.26	16.83	0.46	130.0	± 9.6 %
		Y	4.83	67.22	16.72		130.0	
		Z	4.98	67.12	16.69		130.0	
10595-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS4, 90pc duty cycle)	X	4.98	67.21	16.73	0.46	130.0	± 9.6 %
		Y	4.79	67.17	16.61		130.0	
		Z	4.95	67.07	16.58		130.0	
10596-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS5, 90pc duty cycle)	X	4.92	67.21	16.73	0.46	130.0	± 9.6 %
		Y	4.72	67.15	16.60		130.0	
		Z	4.89	67.07	16.58		130.0	
10597-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS6, 90pc duty cycle)	X	4.87	67.13	16.63	0.46	130.0	± 9.6 %
		Y	4.67	67.02	16.46		130.0	
		Z	4.84	66.98	16.47		130.0	
10598-AAA	IEEE 802.11n (HT Mixed, 20MHz, MCS7, 90pc duty cycle)	X	4.85	67.40	16.91	0.46	130.0	± 9.6 %
		Y	4.67	67.31	16.77		130.0	
		Z	4.82	67.24	16.75		130.0	
10599-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS0, 90pc duty cycle)	X	5.53	67.35	16.83	0.46	130.0	± 9.6 %
		Y	5.37	67.24	16.73		130.0	
		Z	5.50	67.22	16.70		130.0	
10600-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS1, 90pc duty cycle)	X	5.67	67.77	17.00	0.46	130.0	± 9.6 %
		Y	5.48	67.60	16.87		130.0	
		Z	5.63	67.62	16.86		130.0	
10601-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS2, 90pc duty cycle)	X	5.55	67.52	16.90	0.46	130.0	± 9.6 %
		Y	5.38	67.40	16.80		130.0	
		Z	5.53	67.39	16.77		130.0	
10602-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS3, 90pc duty cycle)	X	5.63	67.49	16.80	0.46	130.0	± 9.6 %
		Y	5.51	67.54	16.78		130.0	
		Z	5.61	67.36	16.67		130.0	
10603-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS4, 90pc duty cycle)	X	5.74	67.86	17.11	0.46	130.0	± 9.6 %
		Y	5.58	67.85	17.08		130.0	
		Z	5.71	67.73	16.99		130.0	
10604-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS5, 90pc duty cycle)	X	5.53	67.30	16.82	0.46	130.0	± 9.6 %
		Y	5.45	67.49	16.88		130.0	
		Z	5.50	67.18	16.70		130.0	
10605-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS6, 90pc duty cycle)	X	5.63	67.59	16.96	0.46	130.0	± 9.6 %
		Y	5.48	67.53	16.89		130.0	
		Z	5.60	67.47	16.84		130.0	
10606-AAA	IEEE 802.11n (HT Mixed, 40MHz, MCS7, 90pc duty cycle)	X	5.41	67.07	16.57	0.46	130.0	± 9.6 %
		Y	5.22	66.84	16.39		130.0	
		Z	5.38	66.93	16.44		130.0	

10607-AAA	IEEE 802.11ac WiFi (20MHz, MCS0, 90pc duty cycle)	X	4.71	66.16	16.30	0.46	130.0	± 9.6 %
		Y	4.56	66.19	16.21		130.0	
		Z	4.68	66.02	16.15		130.0	
10608-AAA	IEEE 802.11ac WiFi (20MHz, MCS1, 90pc duty cycle)	X	4.91	66.59	16.46	0.46	130.0	± 9.6 %
		Y	4.72	66.56	16.36		130.0	
		Z	4.88	66.43	16.31		130.0	
10609-AAA	IEEE 802.11ac WiFi (20MHz, MCS2, 90pc duty cycle)	X	4.80	66.45	16.31	0.46	130.0	± 9.6 %
		Y	4.61	66.38	16.18		130.0	
		Z	4.76	66.28	16.16		130.0	
10610-AAA	IEEE 802.11ac WiFi (20MHz, MCS3, 90pc duty cycle)	X	4.85	66.61	16.48	0.46	130.0	± 9.6 %
		Y	4.67	66.56	16.36		130.0	
		Z	4.82	66.45	16.32		130.0	
10611-AAA	IEEE 802.11ac WiFi (20MHz, MCS4, 90pc duty cycle)	X	4.77	66.42	16.32	0.46	130.0	± 9.6 %
		Y	4.58	66.35	16.19		130.0	
		Z	4.73	66.25	16.16		130.0	
10612-AAA	IEEE 802.11ac WiFi (20MHz, MCS5, 90pc duty cycle)	X	4.78	66.57	16.37	0.46	130.0	± 9.6 %
		Y	4.57	66.46	16.22		130.0	
		Z	4.74	66.40	16.20		130.0	
10613-AAA	IEEE 802.11ac WiFi (20MHz, MCS6, 90pc duty cycle)	X	4.79	66.47	16.26	0.46	130.0	± 9.6 %
		Y	4.57	66.30	16.08		130.0	
		Z	4.75	66.30	16.09		130.0	
10614-AAA	IEEE 802.11ac WiFi (20MHz, MCS7, 90pc duty cycle)	X	4.73	66.68	16.51	0.46	130.0	± 9.6 %
		Y	4.54	66.59	16.37		130.0	
		Z	4.69	66.50	16.34		130.0	
10615-AAA	IEEE 802.11ac WiFi (20MHz, MCS8, 90pc duty cycle)	X	4.76	66.22	16.09	0.46	130.0	± 9.6 %
		Y	4.56	66.13	15.93		130.0	
		Z	4.73	66.06	15.93		130.0	
10616-AAA	IEEE 802.11ac WiFi (40MHz, MCS0, 90pc duty cycle)	X	5.35	66.65	16.47	0.46	130.0	± 9.6 %
		Y	5.20	66.54	16.37		130.0	
		Z	5.33	66.52	16.33		130.0	
10617-AAA	IEEE 802.11ac WiFi (40MHz, MCS1, 90pc duty cycle)	X	5.41	66.77	16.49	0.46	130.0	± 9.6 %
		Y	5.26	66.71	16.42		130.0	
		Z	5.38	66.64	16.36		130.0	
10618-AAA	IEEE 802.11ac WiFi (40MHz, MCS2, 90pc duty cycle)	X	5.31	66.84	16.55	0.46	130.0	± 9.6 %
		Y	5.16	66.77	16.48		130.0	
		Z	5.28	66.69	16.41		130.0	
10619-AAA	IEEE 802.11ac WiFi (40MHz, MCS3, 90pc duty cycle)	X	5.33	66.64	16.38	0.46	130.0	± 9.6 %
		Y	5.16	66.51	16.27		130.0	
		Z	5.29	66.50	16.25		130.0	
10620-AAA	IEEE 802.11ac WiFi (40MHz, MCS4, 90pc duty cycle)	X	5.43	66.71	16.46	0.46	130.0	± 9.6 %
		Y	5.24	66.53	16.33		130.0	
		Z	5.39	66.56	16.32		130.0	
10621-AAA	IEEE 802.11ac WiFi (40MHz, MCS5, 90pc duty cycle)	X	5.42	66.81	16.64	0.46	130.0	± 9.6 %
		Y	5.26	66.73	16.57		130.0	
		Z	5.39	66.68	16.50		130.0	
10622-AAA	IEEE 802.11ac WiFi (40MHz, MCS6, 90pc duty cycle)	X	5.42	66.94	16.69	0.46	130.0	± 9.6 %
		Y	5.26	66.84	16.61		130.0	
		Z	5.39	66.81	16.56		130.0	

10623-AAA	IEEE 802.11ac WiFi (40MHz, MCS7, 90pc duty cycle)	X	5.30	66.49	16.34	0.46	130.0	± 9.6 %
		Y	5.13	66.33	16.21		130.0	
		Z	5.27	66.35	16.21		130.0	
10624-AAA	IEEE 802.11ac WiFi (40MHz, MCS8, 90pc duty cycle)	X	5.49	66.68	16.50	0.46	130.0	± 9.6 %
		Y	5.33	66.57	16.40		130.0	
		Z	5.46	66.55	16.37		130.0	
10625-AAA	IEEE 802.11ac WiFi (40MHz, MCS9, 90pc duty cycle)	X	5.87	67.67	17.04	0.46	130.0	± 9.6 %
		Y	5.54	67.08	16.71		130.0	
		Z	5.83	67.51	16.89		130.0	
10626-AAA	IEEE 802.11ac WiFi (80MHz, MCS0, 90pc duty cycle)	X	5.63	66.69	16.40	0.46	130.0	± 9.6 %
		Y	5.51	66.58	16.32		130.0	
		Z	5.60	66.57	16.28		130.0	
10627-AAA	IEEE 802.11ac WiFi (80MHz, MCS1, 90pc duty cycle)	X	5.86	67.21	16.61	0.46	130.0	± 9.6 %
		Y	5.73	67.13	16.56		130.0	
		Z	5.84	67.08	16.49		130.0	
10628-AAA	IEEE 802.11ac WiFi (80MHz, MCS2, 90pc duty cycle)	X	5.68	66.81	16.36	0.46	130.0	± 9.6 %
		Y	5.51	66.56	16.20		130.0	
		Z	5.65	66.68	16.23		130.0	
10629-AAA	IEEE 802.11ac WiFi (80MHz, MCS3, 90pc duty cycle)	X	5.77	66.90	16.39	0.46	130.0	± 9.6 %
		Y	5.59	66.65	16.24		130.0	
		Z	5.74	66.77	16.26		130.0	
10630-AAA	IEEE 802.11ac WiFi (80MHz, MCS4, 90pc duty cycle)	X	6.20	68.37	17.12	0.46	130.0	± 9.6 %
		Y	5.89	67.76	16.80		130.0	
		Z	6.14	68.14	16.95		130.0	
10631-AAA	IEEE 802.11ac WiFi (80MHz, MCS5, 90pc duty cycle)	X	6.13	68.26	17.26	0.46	130.0	± 9.6 %
		Y	5.88	67.85	17.06		130.0	
		Z	6.08	68.07	17.11		130.0	
10632-AAA	IEEE 802.11ac WiFi (80MHz, MCS6, 90pc duty cycle)	X	5.84	67.30	16.80	0.46	130.0	± 9.6 %
		Y	5.73	67.29	16.79		130.0	
		Z	5.82	67.18	16.68		130.0	
10633-AAA	IEEE 802.11ac WiFi (80MHz, MCS7, 90pc duty cycle)	X	5.75	67.00	16.48	0.46	130.0	± 9.6 %
		Y	5.59	66.80	16.36		130.0	
		Z	5.72	66.86	16.35		130.0	
10634-AAA	IEEE 802.11ac WiFi (80MHz, MCS8, 90pc duty cycle)	X	5.74	67.03	16.56	0.46	130.0	± 9.6 %
		Y	5.57	66.85	16.45		130.0	
		Z	5.71	66.90	16.43		130.0	
10635-AAA	IEEE 802.11ac WiFi (80MHz, MCS9, 90pc duty cycle)	X	5.61	66.35	15.94	0.46	130.0	± 9.6 %
		Y	5.42	66.03	15.74		130.0	
		Z	5.58	66.22	15.82		130.0	
10636-AAA	IEEE 1602.11ac WiFi (160MHz, MCS0, 90pc duty cycle)	X	6.04	67.06	16.48	0.46	130.0	± 9.6 %
		Y	5.93	66.92	16.39		130.0	
		Z	6.01	66.94	16.37		130.0	
10637-AAA	IEEE 1602.11ac WiFi (160MHz, MCS1, 90pc duty cycle)	X	6.19	67.42	16.64	0.46	130.0	± 9.6 %
		Y	6.07	67.26	16.55		130.0	
		Z	6.16	67.29	16.52		130.0	
10638-AAA	IEEE 1602.11ac WiFi (160MHz, MCS2, 90pc duty cycle)	X	6.19	67.40	16.61	0.46	130.0	± 9.6 %
		Y	6.07	67.25	16.52		130.0	
		Z	6.17	67.28	16.49		130.0	

10639-AAA	IEEE 1602.11ac WiFi (160MHz, MCS3, 90pc duty cycle)	X	6.18	67.39	16.65	0.46	130.0	± 9.6 %
		Y	6.04	67.18	16.53		130.0	
		Z	6.16	67.26	16.53		130.0	
10640-AAA	IEEE 1602.11ac WiFi (160MHz, MCS4, 90pc duty cycle)	X	6.19	67.41	16.60	0.46	130.0	± 9.6 %
		Y	6.03	67.14	16.44		130.0	
		Z	6.16	67.27	16.48		130.0	
10641-AAA	IEEE 1602.11ac WiFi (160MHz, MCS5, 90pc duty cycle)	X	6.21	67.23	16.53	0.46	130.0	± 9.6 %
		Y	6.09	67.10	16.44		130.0	
		Z	6.19	67.12	16.42		130.0	
10642-AAA	IEEE 1602.11ac WiFi (160MHz, MCS6, 90pc duty cycle)	X	6.28	67.56	16.87	0.46	130.0	± 9.6 %
		Y	6.14	67.39	16.77		130.0	
		Z	6.25	67.44	16.75		130.0	
10643-AAA	IEEE 1602.11ac WiFi (160MHz, MCS7, 90pc duty cycle)	X	6.10	67.21	16.59	0.46	130.0	± 9.6 %
		Y	5.97	67.03	16.47		130.0	
		Z	6.07	67.09	16.47		130.0	
10644-AAA	IEEE 1602.11ac WiFi (160MHz, MCS8, 90pc duty cycle)	X	6.29	67.79	16.90	0.46	130.0	± 9.6 %
		Y	6.07	67.35	16.65		130.0	
		Z	6.25	67.63	16.76		130.0	
10645-AAA	IEEE 1602.11ac WiFi (160MHz, MCS9, 90pc duty cycle)	X	6.71	68.57	17.23	0.46	130.0	± 9.6 %
		Y	6.18	67.33	16.60		130.0	
		Z	6.65	68.38	17.08		130.0	

^E Uncertainty is determined using the max. deviation from linear response applying rectangular distribution and is expressed for the square of the field value.