

Date: November 11, 2024

Request for Modular Approval for

FCC ID: C3K2128

Item	Requirements	EUT
1.	The radio elements must have the radio frequency	The module contains a metal shield which covers all
	circuitry shielded. Physical components and	RF components and circuitry.
	tuning capacitor(s) may be located external to the	
	shield, but must be on the module assembly	
2.	The module must have buffered modulation/data	The module has buffer modulation / data inputs.
	inputs to ensure that the device will comply with	
	Part 15 requirements with any type of input signal	
3.	The module must contain power supply regulation	The module has its own power supply regulation.
	on the module	
4.	The module must contain a permanently attached	The module connects to its antenna using an UFL
	antenna, or contain a unique antenna connector,	connector which is considered a non-standard
	and be marketed and operated only with specific	connector. The antenna and connector specification are
	antenna(s), per §§ 15.203, 15.204(b), 15.204(c),	provided with this filing.
	15.212(a), 2.929(b)	
5.	The module must demonstrate compliance in a	The module was tested in stand-alone mode.
	stand-alone configuration	
6.	The module must be labeled with its permanently	The module transmitter will be labeled with its own
	affixed FCC ID label, or use an electronic display	FCC ID, and for OEM integration the integration
		manual contains labeling instructions for the host
		device per Part 15.212 (vi)
7.	The module must comply with all specific rules	The module approved transmitter complies with all
	applicable to the transmitter, including all the	applicable rules and the integration manual contains
	conditions provided in the integration instructions	any specific requirements addressed to the integrator
	by the grantee	and/or to the end-user of the final end-product.
8.	The module must comply with RF exposure	The module meets mobile/portable conditions levels as
	requirements	shown in the RF exposure test report.

Natoshe