

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## TEST REPORT

### **Tait TMAB12-B100 VHF Mobile Transceiver (FCC ID: CASTMAB1A)**

*tested to*

**47 Code of Federal Regulations**


**Part 22 – Public Mobile Services**

**Part 90 – Private Land Mobile Service**

*for*

**Tait Electronics Ltd**

This Test Report is issued with the authority of:



---

**Andrew Cutler - General Manager**

Prepared By:



---

**Karen Miller - Office Administrator**



All tests reported  
herein have been  
performed in accordance  
with the laboratory's  
scope of accreditation

---

**EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Page 1 of 15

This report may not be reproduced except in full

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)

Web Site: [www.emctech.com.au](http://www.emctech.com.au)

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## Table of Contents

1.	STATEMENT OF COMPLIANCE	3
2.	RESULTS SUMMARY	3
3.	CLIENT INFORMATION	4
4.	DESCRIPTION OF TEST SAMPLE	4
5.	TEST SAMPLE SPECIFICATIONS	5
6.	ATTESTATION	6
7.	TEST RESULTS	7
8.	TEST EQUIPMENT USED	10
9.	ACCREDITATIONS	10
10.	PHOTOGRAPH(S)	11

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## 1. STATEMENT OF COMPLIANCE

The Tait TMAB12-B100 VHF Mobile Transceiver complies with:

- FCC Part 22 Section 22.359 when tested in accordance with FCC Part 2 Section 2.1053
- FCC Part 90 Section 90.210 when tested in accordance with FCC Part 2 Section 2.1053

## 2. RESULTS SUMMARY

The results from testing are summarised in the following table:

Section	Result
22.359 and 90.210 when tested to 2.1053 – Radiated spurious emissions	Complies with a 19.0 dB margin at 310.2000 MHz (vertical) when transmitting on 155.1000 MHz with high power.

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## 3. CLIENT INFORMATION

<b>Company Name</b>	Tait Electronics Ltd
<b>Address</b>	PO Box 1645
<b>City</b>	Christchurch
<b>Country</b>	New Zealand
<b>Contact</b>	Mr Des Fox

## 4. DESCRIPTION OF TEST SAMPLE

<b>Brand Name</b>	Tait
<b>Model Number</b>	TMAB12-B100
<b>Product</b>	VHF Mobile Transceiver
<b>Manufacturer</b>	Tait Electronics Ltd
<b>Country of Origin</b>	New Zealand
<b>Serial Number</b>	19001093
<b>FCC ID</b>	CASTMAB1A

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## 5. TEST SAMPLE SPECIFICATIONS

### Transmit frequency

155.1000 MHz

### Band of operation

136.0000 – 174.000 MHz

### FCC bands

Part 90: 150 – 174 MHz

### Power Supply

13.8 Vdc from an external DC supply (lead acid battery).

### Power Output

High power 25 watts

Low power approximately 1 watt.

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## 6. ATTESTATION

This report describes the tests and measurements performed for the purpose of determining compliance with the specification with the following conditions:

**The client selected the test sample.**

**The report relates only to the sample tested.**


**This report does not contain corrections or erasures.**

Measurement uncertainties with statistical confidence intervals of 95% are shown below test results. Both Class A and Class B uncertainties have been accounted for, as well as influence uncertainties where appropriate.

In addition this equipment has been tested in accordance with the requirements contained in the appropriate Commission regulations.

To the best of my knowledge, these tests were performed using measurement procedures that are consistent with industry or Commission standards and demonstrate that the equipment complies with the appropriate standards.

I further certify that the necessary measurements were made by EMC Technologies NZ Ltd, 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand.



Andrew Cutler  
General Manager  
EMC Technologies NZ Ltd

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

## 7. TEST RESULTS

### Field strength of spurious emissions

Transmitter in stand by – Non specific emissions observed

Emission frequency (MHz)	Level (dBuV/m)	Power (dBm)	Limit (dBm)	Polarity	Margin (dB)
40.9000	17.5	-79.9	-20.0	Vertical	59.9
73.7270	15.1	-82.3	-20.0	Vertical	62.3
86.0145	20.3	-77.1	-20.0	Vertical	57.1
110.5900	11.8	-85.6	-20.0	Vertical	65.6
110.5900	11.6	-85.8	-20.0	Horizontal	65.8

Transmitter transmitting

Frequency: 155.1000 MHz

Power: 25 watts

Emission frequency (MHz)	Level (dBuV/m)	Power (dBm)	Limit (dBm)	Polarity	Margin (dB)
310.2000	59.0	-39.0	-20.0	Vertical	19.0
310.2000	53.1	-44.3	-20.0	Horizontal	24.3
465.3000	45.6	-51.8	-20.0	Vertical	31.8
465.3000	44.0	-53.4	-20.0	Horizontal	33.4
620.4000	38.2	-59.2	-20.0	Vertical	39.2
620.4000	34.0	-63.4	-20.0	Horizontal	43.4
775.5000	33.4	-64.0	-20.0	Vertical	44.0
775.5000	35.3	-62.1	-20.0	Horizontal	42.1
930.6000	33.0	-64.4	-20.0	Vertical	44.4
930.6000	36.3	-61.1	-20.0	Horizontal	41.1
1085.7000	35.7	-61.7	-20.0	Vertical	41.7
1085.7000	36.4	-61.0	-20.0	Horizontal	41.0
1240.8000	35.4	-62.0	-20.0	Vertical	42.0
1240.8000	43.1	-54.3	-20.0	Horizontal	34.3
1395.9000	36.1	-61.3	-20.0	Vertical	41.3
1395.9000	35.0	-62.4	-20.0	Horizontal	42.4
1551.0000	37.6	-59.8	-20.0	Vertical	39.8
1551.0000	36.4	-61.0	-20.0	Horizontal	41.0

EMC Technologies (NZ) Ltd

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: aucklab@ihug.co.nz

Web Site: www.emctech.com.au

# EMC Technologies (NZ) Ltd

Test Report No 30713.3

Report date: 18 August 2003

Frequency: 155.1000 MHz

Power: low

Emission frequency (MHz)	Level (dBuV/m)	Power (dBm)	Limit (dBm)	Polarity	Margin (dB)
310.2000	44.4	-53.0	-20.0	Vertical	33.0
310.2000	38.5	-58.9	-20.0	Horizontal	38.9
465.3000	32.3	-65.1	-20.0	Vertical	45.1
465.3000	32.3	-65.1	-20.0	Horizontal	45.1
620.4000	40.9	-56.5	-20.0	Vertical	36.5
620.4000	43.9	-53.5	-20.0	Horizontal	33.5
775.5000	-	-	-20.0	Vertical	-
775.5000	-	-	-20.0	Horizontal	-
930.6000	-	-	-20.0	Vertical	-
930.6000	-	-	-20.0	Horizontal	-
1085.7000	-	-	-20.0	Vertical	-
1085.7000	-	-	-20.0	Horizontal	-
1240.8000	-	-	-20.0	Vertical	-
1240.8000	-	-	-20.0	Horizontal	-
1395.9000	-	-	-20.0	Vertical	-
1395.9000	-	-	-20.0	Horizontal	-
1551.0000	-	-	-20.0	Vertical	-
1551.0000	-	-	-20.0	Horizontal	-

All other emissions observed are greater than 20 dB of the -20 dBm limit (ie all are less than -40 dBm) and have therefore not been recorded.

Device was tested on an open area test site at a distance of 3 metres.

Testing was carried out at EMC Technologies NZ Ltd Open Area Test Site, which is located at Driving Creek, Orere Point, Auckland. Details of this site have been filed with the Commission, Registration Number: 90838, which was last updated on May 12<sup>th</sup>, 2003.

The transmitter was tested with a resistive dummy load attached to the antenna terminal of the device.

Testing was carried out when the device was powered using a 12 Vdc lead acid battery.

The power level of each emission was determined by replacing the transmitter with a dipole antenna that was connected to a signal generator.

# EMC Technologies (NZ) Ltd

Test Report No 30713.3

Report date: 18 August 2003

---

The signal generator output level was increased until the same field strength level was observed at each emission frequency.

The level recorded is the signal generator output level in dBm less any gains / losses due to the coax cable and the dipole antenna.

*Limit:*

All spurious emissions are to be attenuated by at least  $50 + 10 \log (P)$ .

This gives a limit of  $-20$  dBm.

No measurements were made above the 10<sup>th</sup> harmonic.

**Result:** Complies

*Measurement Uncertainty:*  $\pm 4.1$  dB

# EMC Technologies (NZ) Ltd

Test Report No 30713.3

Report date: 18 August 2003

## 8. TEST EQUIPMENT USED

Instrument	Manufacturer	Model	Serial #	Asset
Aerial Controller	EMCO	1090	9112-1062	RFS 3710
Aerial Mast	EMCO	1070-1	9203-1661	RFS 3708
Turntable	EMCO	1080-1-2.1	9109-1578	RFS 3709
Biconical Antenna	Schwarzbeck	BBA 9106	-	RFS 3612
Log Periodic Antenna	Schwarzbeck	UHALP 9107	-	RFS 3702
UHF Dipole Antenna	Schwarzbeck	UHA 9105	-	RFS 3679
Horn Antenna	EMCO	3115	9511-4629	E1526
Horn Antenna	Electrometrics	RGA-60	6234	E1494
Coax Cable	Sucoflex	104PA	2736/4PA	-
Signal Generator	Rohde & Schwarz	SMHU.58	838923/028	E1493
Measurement Receiver	Rohde & Schwarz	ESCS 30	839873/1	
Measurement Receiver	Rohde & Schwarz	ESHS 10	828404/005	RFS 3728
Spectrum Analyzer	Hewlett Packard	E7405A	US39150142	3776
Artificial Mains Network	Rhode & Schwarz	ESH 2-Z5	881362/034	RFS 3628
Variac	General Radio	1592	-	RFS 3690

## 9. ACCREDITATIONS

Testing was carried out in accordance with EMC Technologies NZ Ltd registration with the Federal Communications Commission as a listed facility, Registration Number: 90838, which was updated on May 12<sup>th</sup>, 2003.

The tests were carried out in accordance with the terms of EMC Technologies (NZ) Ltd's International Accreditation New Zealand (IANZ) Accreditation to NZS/ISO/IEC 17025: 1999.

All measurement equipment has been calibrated in accordance with the terms of EMC Technologies (NZ) Ltd's International Accreditation New Zealand (IANZ) Accreditation to NZS/ISO/IEC 17025: 1999.

International Accreditation New Zealand has Mutual Recognition Arrangements for testing and calibration with 46 accreditation bodies in 34 economies. This includes NATA (Australia), UKAS (UK), SANAS (South Africa), NVLAP (USA), A2LA (USA), SWEDAC (Sweden). Further details can be supplied on request.

### **EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)

Web Site: [www.emctech.com.au](http://www.emctech.com.au)

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---

## 10. PHOTOGRAPH(S)



---

### **EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Page 11 of 15      This report may not be reproduced except in full

Telephone: +64 9 360 0862 Fax: +64 9 360 0861


E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)

Web Site: [www.emctech.com.au](http://www.emctech.com.au)

# EMC Technologies (NZ) Ltd

Test Report No 30713.3

Report date: 18 August 2003



**EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Page 12 of 15      This report may not be reproduced except in full

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)

Web Site: [www.emctech.com.au](http://www.emctech.com.au)

# EMC Technologies (NZ) Ltd

Test Report No 30713.3  
Report date: 18 August 2003

---



---

**EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)  
Web Site: [www.emctech.com.au](http://www.emctech.com.au)

# EMC Technologies (NZ) Ltd

Test Report No 30713.3

Report date: 18 August 2003

---



---

**EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Page 14 of 15      This report may not be reproduced except in full

Telephone: +64 9 360 0862    Fax: +64 9 360 0861

E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)

Web Site: [www.emctech.com.au](http://www.emctech.com.au)

# EMC Technologies (NZ) Ltd

Test Report No 30713.3

Report date: 18 August 2003

---



---

**EMC Technologies (NZ) Ltd**

STREET ADDRESS - 47 MacKelvie Street, Grey Lynn, Auckland, New Zealand  
POSTAL ADDRESS - PO Box 68 307, Newton, Auckland, New Zealand

Telephone: +64 9 360 0862 Fax: +64 9 360 0861

E-mail: [aucklab@ihug.co.nz](mailto:aucklab@ihug.co.nz)

Web Site: [www.emctech.com.au](http://www.emctech.com.au)