



TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Modulation Limiting – 25 kHz Channel Spacing


Tx FREQUENCY: 931.525 MHz



Tx FREQUENCY: 935.025 MHz



Tx FREQUENCY: 939.875 MHz



TELTEST Laboratories
Tait International Ltd
Report Number 4402
TRANSMITTER OCCUPIED (99%) BANDWIDTH

SPECIFICATION: FCC 47 CFR 2.1046
RSS-119 5.5

GUIDE: ANSI C63.26 5.4.4

MEASUREMENT PROCEDURE:

1. Refer Annex A for Equipment Set up.
2. For analogue measurements: The EUT was modulated by a 2500 Hz tone at an input level 16 dB above a level that produced 50% deviation. The input level was established at the frequency of maximum response of the audio modulating circuit.
For Data measurements: The EUT was modulated with an internally generated pseudo random bit sequence at the appropriate Baud rates.
3. The Occupied Bandwidth was measured on the Spectrum Analyser, with bandwidth settings as follows.
Resolution Bandwidth = 100 Hz, Video Bandwidth = 300 Hz

Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

Channel Frequency (MHz)	Bandwidths (kHz)		
	Analogue 12.5 kHz channel spacing	Analogue 20.0 kHz channel spacing	Analogue 25.0 kHz channel spacing
138.025 MHz	9.80		14.9
143.975 MHz	9.80		14.9
148.025 MHz	9.80		14.9
150.025 MHz	9.80		14.9
150.050 MHz	9.80		14.9
156.025 MHz	9.87		14.9
161.975 MHz	9.87		14.9
162.025 MHz	9.87		14.9
173.975 MHz	9.87		14.9
378.125 MHz	9.80		14.9
406.125 MHz	9.80		14.9
418.025 MHz	9.80		14.9
429.975 MHz	9.80		14.9
438.025 MHz	9.80		14.9
450.025 MHz	9.80		14.9
460.025 MHz	9.80		14.9
469.975 MHz	9.80		14.9
491.025 MHz	9.87		14.9
511.975 MHz	9.87		14.9
757.500 MHz	9.87	10.5	14.9
768.025 MHz	9.80	10.5	14.9
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	20.0	20.0
Necessary BW used in emission designator	11.0	14.0	16.0
Result	Pass	Pass	Pass

TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

	Bandwidths (kHz)		
Channel Frequency (MHz)	Analogue 12.5 kHz channel spacing	Analogue 20.0 kHz channel spacing	Analogue 25.0 kHz channel spacing
769.075 MHz	9.80	10.5	14.9
774.900 MHz	9.80	10.5	14.9
775.975 MHz	9.80	10.5	14.9
798.025 MHz	9.80	10.5	14.9
799.075 MHz	9.80	10.5	14.9
804.900 MHz	9.80	10.5	14.9
805.975 MHz	9.80	10.5	14.9
806.025 MHz	9.80	10.5	14.9
815.025 MHz	9.87	10.5	14.9
823.975 MHz	9.87	10.5	14.9
851.025 MHz	9.87	10.5	14.9
860.025 MHz	9.87	10.5	14.9
868.975 MHz	9.87	10.5	14.9
896.025 MHz	9.87		14.9
900.975 MHz	9.87		14.9
902.025 MHz	9.87		14.9
915.025 MHz	9.87		14.8
928.025 MHz	9.87		14.9
931.525 MHz	9.87		14.8
935.025 MHz	9.87		14.9
939.875 MHz	9.87		14.9
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	20.0	20.0
Necessary BW used in emission designator	11.0	14.0	16.0
Result	Pass	Pass	Pass

TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

Channel Frequency (MHz)	Bandwidths (kHz)		
	FFSK 1200bps 12.5 kHz channel spacing	FFSK 1200bps 20.0 kHz channel spacing	FFSK 1200bps 25.0 kHz channel spacing
138.025 MHz	6.10		9.38
143.975 MHz	5.75		9.57
148.025 MHz	6.08		9.42
150.025 MHz	6.00		9.22
150.050 MHz	6.12		9.32
156.025 MHz	6.00		9.05
161.975 MHz	6.05		9.30
162.025 MHz	6.10		8.70
173.975 MHz	6.15		8.58
378.125 MHz	5.88		9.32
406.125 MHz	6.30		8.90
418.025 MHz	6.10		8.78
429.975 MHz	6.15		8.67
438.025 MHz	6.00		9.32
450.025 MHz	6.00		9.45
460.025 MHz	5.88		9.20
469.975 MHz	5.83		9.57
491.025 MHz	6.22		9.23
511.975 MHz	5.90		9.45
757.500 MHz	6.10	7.93	9.45
768.025 MHz	6.12	7.87	9.48
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	20.0	20.0
Necessary BW used in emission designator	6.6	8.4	9.6
Result	Pass	Pass	Pass

TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

Channel Frequency (MHz)	Bandwidths (kHz)		
	FFSK 1200bps 12.5 kHz channel spacing	FFSK 1200bps 20.0 kHz channel spacing	FFSK 1200bps 25.0 kHz channel spacing
769.075 MHz	6.20	7.87	9.25
774.900 MHz	6.08	7.87	9.25
775.975 MHz	5.98	7.93	9.45
798.025 MHz	6.08	7.80	9.28
799.075 MHz	6.22	7.80	8.90
804.900 MHz	6.20	8.13	9.10
805.975 MHz	6.33	8.0	9.43
806.025 MHz	6.15	7.67	9.32
815.025 MHz	5.93	7.73	9.10
823.975 MHz	6.05	7.67	9.25
851.025 MHz	6.05	7.67	9.18
860.025 MHz	6.20	7.67	9.25
868.975 MHz	6.05	7.67	9.48
896.025 MHz	5.98		9.28
900.975 MHz	6.08		9.18
902.025 MHz	6.28		9.48
915.025 MHz	6.17		9.32
928.025 MHz	6.12		9.10
931.525 MHz	5.98		9.03
935.025 MHz	6.12		9.32
939.875 MHz	6.10		9.00
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	20.0	20.0
Necessary BW used in emission designator	6.6	8.4	9.6
Result	Pass	Pass	Pass

TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

Channel Frequency (MHz)	Bandwidths (kHz)		
	FFSK 2400bps 12.5 kHz channel spacing	FFSK 2400bps 20.0 kHz channel spacing	FFSK 2400bps 25.0 kHz channel spacing
138.025 MHz	5.53		9.80
143.975 MHz	5.60		10.0
148.025 MHz	5.53		9.93
150.025 MHz	5.60		9.87
150.050 MHz	5.60		9.93
156.025 MHz	5.40		9.80
161.975 MHz	5.53		9.87
162.025 MHz	5.53		9.93
173.975 MHz	5.60		9.80
378.125 MHz	5.40		9.87
406.125 MHz	5.60		10.1
418.025 MHz	5.73		10.0
429.975 MHz	5.73		9.87
438.025 MHz	5.60		10.1
450.025 MHz	5.53		9.93
460.025 MHz	5.60		10.1
469.975 MHz	5.60		10.0
491.025 MHz	5.60		10.1
511.975 MHz	5.67		9.93
757.500 MHz	5.67	9.33	10.0
768.025 MHz	5.60	9.47	10.1
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	20.0	20.0
Necessary BW used in emission designator	7.8	9.6	10.8
Result	Pass	Pass	Pass

TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

	Bandwidths (kHz)		
Channel Frequency (MHz)	FFSK 2400bps 12.5 kHz channel spacing	FFSK 2400bps 20.0 kHz channel spacing	FFSK 2400bps 25.0 kHz channel spacing
769.075 MHz	5.60	9.33	10.2
774.900 MHz	5.53	9.27	9.93
775.975 MHz	5.67	9.27	10.3
798.025 MHz	5.67	9.13	10.1
799.075 MHz	5.53	9.13	10.1
804.900 MHz	5.73	9.47	10.4
805.975 MHz	5.73	9.47	10.3
806.025 MHz	5.67	9.00	10.3
815.025 MHz	5.67	8.87	10.3
823.975 MHz	5.73	9.27	10.3
851.025 MHz	5.60	8.87	10.2
860.025 MHz	5.60	9.00	10.3
868.975 MHz	5.67	9.07	10.3
896.025 MHz	5.80		10.3
900.975 MHz	5.60		10.4
902.025 MHz	5.53		10.3
915.025 MHz	5.73		10.2
928.025 MHz	5.73		10.4
931.525 MHz	5.67		10.3
935.025 MHz	5.80		10.3
939.875 MHz	5.80		10.3
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	20.0	20.0
Necessary BW used in emission designator	7.8	9.6	10.8
Result	Pass	Pass	Pass

TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:

Channel Frequency (MHz)	Bandwidths (kHz)		
	DMR 12.5 kHz channel spacing	P25 Phase I 12.5 kHz channel spacing	P25 Phase II 12.5 kHz channel spacing
138.025 MHz	7.62	8.05	8.03
143.975 MHz	7.58	7.97	8.07
148.025 MHz	7.58	8.00	8.07
150.025 MHz	7.67	7.82	8.10
150.050 MHz	7.62	8.05	8.02
156.025 MHz	7.60	7.88	8.05
161.975 MHz	7.62	8.02	7.92
162.025 MHz	7.57	8.03	8.07
173.975 MHz	7.70	8.00	8.02
378.125 MHz	7.70	7.95	8.02
406.125 MHz	7.78	8.00	8.08
418.025 MHz	7.72	7.93	8.05
429.975 MHz	7.77	7.93	8.05
438.025 MHz	7.57	7.90	8.02
450.025 MHz	7.65	8.05	8.00
460.025 MHz	7.57	7.97	8.10
469.975 MHz	7.55	7.97	8.00
491.025 MHz	7.72	7.97	8.07
511.975 MHz	7.62	7.97	8.00
757.500 MHz	7.78	8.08	8.05
768.025 MHz	7.65	8.10	8.08
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	11.25	11.25
Necessary BW used in emission designator	8.0	8.1	8.1
Result	Pass	Pass	Pass


TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth

MEASUREMENT RESULTS:


Channel Frequency (MHz)	Bandwidths (kHz)		
	DMR 12.5 kHz channel spacing	P25 Phase I 12.5 kHz channel spacing	P25 Phase II 12.5 kHz channel spacing
769.075 MHz	7.80	8.05	8.10
774.900 MHz	7.68	8.00	8.10
775.975 MHz	7.78	8.10	8.10
798.025 MHz	7.70	8.08	8.08
799.075 MHz	7.65	8.00	7.98
804.900 MHz	7.65	8.07	8.07
805.975 MHz	7.75	8.02	8.10
806.025 MHz	7.73	7.98	8.00
815.025 MHz	7.65	8.00	8.10
823.975 MHz	7.62	8.03	8.05
851.025 MHz	7.68	8.05	8.07
860.025 MHz	7.50	7.98	8.08
868.975 MHz	7.63	8.05	7.97
896.025 MHz	7.58	8.00	8.08
900.975 MHz	7.73	8.02	8.10
902.025 MHz	7.73	8.00	8.08
915.025 MHz	7.63	8.00	8.10
928.025 MHz	7.65	7.88	8.08
931.525 MHz	7.55	8.03	8.10
935.025 MHz	7.80	7.97	7.98
939.875 MHz	7.68	8.05	8.05
<u>Limit</u> Authorized Bandwidth 47 CFR 90.209 RSS 119 5.5	11.25	11.25	11.25
Necessary BW used in emission designator	8.0	8.1	8.1
Result	Pass	Pass	Pass

Tx Frequency 138.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 143.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 148.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 150.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 150.050 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 156.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 161.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 162.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 173.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 378.125 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - Analogue

Tx Frequency 406.125 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 418.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 429.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 438.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - Analogue

Tx Frequency 450.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 460.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 469.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 491.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - Analogue

Tx Frequency 511.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 757.500 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 768.025 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 769.075 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 774.900 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 775.975 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 798.025 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 799.075 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 804.900 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 805.975 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 806.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 815.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 823.975 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 851.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 860.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 868.975 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 896.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 900.975 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth - Analogue

Tx Frequency 902.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 915.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – Analogue

Tx Frequency 928.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 931.525 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth - Analogue

Tx Frequency 935.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 939.875 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 138.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 143.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 148.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 150.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 150.050 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 156.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 161.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 162.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 173.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 378.125 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth - FFSK 1200 bps

Tx Frequency 406.125 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 418.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 429.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 438.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




TELTEST Laboratories
Tait International Ltd
Report Number 4402
Transmitter Occupied (99%) Bandwidth - FFSK 1200 bps

Tx Frequency 450.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 460.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 469.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 491.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 1200 bps

Tx Frequency 511.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 757.500 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 768.025 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 769.075 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 774.900 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 775.975 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 798.025 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 799.075 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 804.900 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 805.975 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 806.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 815.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 823.975 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 851.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 860.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 868.975 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 896.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 900.975 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 1200 bps

Tx Frequency 902.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 915.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 1200 bps

Tx Frequency 928.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 931.525 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 1200 bps

Tx Frequency 935.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 939.875 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 138.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 143.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 148.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 150.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 150.050 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 156.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 161.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 162.025 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 173.975 MHz, 50 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 378.125 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 2400 bps

Tx Frequency 406.125 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 418.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 429.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 438.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 2400 bps

Tx Frequency 450.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 460.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 469.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 491.025 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 2400 bps

Tx Frequency 511.975 MHz, 40 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 757.500 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 768.025 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 769.075 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 774.900 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 775.975 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 798.025 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 799.075 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 804.900 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 805.975 MHz, 30 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 806.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 815.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 823.975 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 851.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 860.025 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 868.975 MHz, 35 W


12.5 kHz Channel Spacing



20 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 896.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 900.975 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 2400 bps

Tx Frequency 902.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 915.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth – FFSK 2400 bps

Tx Frequency 928.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 931.525 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Transmitter Occupied (99%) Bandwidth - FFSK 2400 bps

Tx Frequency 935.025 MHz, 30 W

12.5 kHz Channel Spacing




25 kHz Channel Spacing




Tx Frequency 939.875 MHz, 30 W







12.5 kHz Channel Spacing









25 kHz Channel Spacing









Transmitter Occupied (99%) Bandwidth – DMR









Transmitter Occupied (99%) Bandwidth – DMR









Transmitter Occupied (99%) Bandwidth – DMR









Transmitter Occupied (99%) Bandwidth – DMR









Transmitter Occupied (99%) Bandwidth – DMR









Transmitter Occupied (99%) Bandwidth - DMR









Transmitter Occupied (99%) Bandwidth – DMR









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 1









Transmitter Occupied (99%) Bandwidth – P25 Phase 2









Transmitter Occupied (99%) Bandwidth – P25 Phase 2









Transmitter Occupied (99%) Bandwidth – P25 Phase 2









Transmitter Occupied (99%) Bandwidth – P25 Phase 2



Transmitter Occupied (99%) Bandwidth – P25 Phase 2



Transmitter Occupied (99%) Bandwidth – P25 Phase 2



Transmitter Occupied (99%) Bandwidth – P25 Phase 2

