

TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.828 mW/g, SAR (10g): 0.480 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.41$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.919 mW/g, SAR (10g): 0.523 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.808 mW/g, SAR (10g): 0.442 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.821 mW/g, SAR (10g): 0.435 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.871 mW/g, SAR (10g): 0.477 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.898 mW/g, SAR (10g): 0.459 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.41$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.205 mW/g, SAR (10g): 0.125 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.202 mW/g, SAR (10g): 0.123 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.180 mW/g, SAR (10g): 0.108 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.165 mW/g, SAR (10g): 0.0994 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.188 mW/g, SAR (10g): 0.112 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.177 mW/g, SAR (10g): 0.105 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.09 mW/g, SAR (10g): 0.616 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.41$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.25 mW/g, SAR (10g): 0.688 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.924 mW/g *, SAR (10g): 0.529 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.05 mW/g *, SAR (10g): 0.557 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.02 mW/g, SAR (10g): 0.552 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.03 mW/g *, SAR (10g): 0.576 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.04 mW/g *, SAR (10g): 0.597 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.23 mW/g *, SAR (10g): 0.685 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.194 mW/g, SAR (10g): 0.116 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A-- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.113 mW/g, SAR (10g): 0.0721 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.205 mW/g, SAR (10g): 0.121 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.145 mW/g, SAR (10g): 0.0887 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.205 mW/g, SAR (10g): 0.120 mW/g

Toshiba TriMode Phone Model: CDM-9500


PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(5.16,5.16,5.16)

Med. Parameters 1900 MHz Brain: $\sigma = 1.40$ mho/m $\epsilon_r = 40.5$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.194 mW/g, SAR (10g): 0.116 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.1°C / Meas. Tissue Temp. = 22.0°C

Conducted Power = 24.0dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/25/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]

