

TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.38 mW/g, SAR (10g): 0.932 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.948 mW/g, SAR (10g): 0.646 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.15 mW/g, SAR (10g): 0.772 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.10 mW/g, SAR (10g): 0.734 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.22 mW/g, SAR (10g): 0.811 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.813 mW/g, SAR (10g): 0.549 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.33 mW/g, SAR (10g): 0.892 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0991 [824.04MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.00 mW/g, SAR (10g): 0.685 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.319 mW/g, SAR (10g): 0.230 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.285 mW/g, SAR (10g): 0.217 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.232 mW/g, SAR (10g): 0.167 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.331 mW/g, SAR (10g): 0.249 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.257 mW/g, SAR (10g): 0.183 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



2.29E-1

1.78E-1

1.27E-1

7.62E-2

2.54E-2

TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.295 mW/g, SAR (10g): 0.223 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Ear/15° Tilt position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.18 mW/g, SAR (10g): 0.821 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.835 mW/g, SAR (10g): 0.592 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.931 mW/g, SAR (10g): 0.647 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.855 mW/g, SAR (10g): 0.603 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.09 mW/g, SAR (10g): 0.759 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.760 mW/g, SAR (10g): 0.535 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Cheek/Touch position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.307 mW/g, SAR (10g): 0.224 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.298 mW/g, SAR (10g): 0.227 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.204 mW/g, SAR (10g): 0.147 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.312 mW/g, SAR (10g): 0.237 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.224 mW/g, SAR (10g): 0.163 mW/g

Toshiba TriMode Phone Model: CDM-9500


FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/23/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



SAR_{Tot} [mW/g]



TOSHIBA FCC ID:CJ6DCE46036A--FM Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1560; ConvF(6.78,6.78,6.78)

Med. Parameters 835 MHz Brain: $\sigma = 0.91$ mho/m $\epsilon_r = 40.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.285 mW/g, SAR (10g): 0.217 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0799 [848.97MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Left Head Phantom, Ear/15° Tilt position

Test Date - 04/24/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

