

TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.327 mW/g, SAR (10g): 0.184 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/ Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.341 mW/g, SAR (10g): 0.186 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.267 mW/g, SAR (10g): 0.150 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/ Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.262 mW/g, SAR (10g): 0.146 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600[1880.00MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/ Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.225 mW/g, SAR (10g): 0.125 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175[1908.75MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/ Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.211 mW/g, SAR (10g): 0.115 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/ Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.257 mW/g, SAR (10g): 0.145 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025[1851.25MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.225 mW/g, SAR (10g): 0.127 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.266 mW/g, SAR (10g): 0.136 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.270 mW/g, SAR (10g): 0.140 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.234 mW/g, SAR (10g): 0.119 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.231 mW/g, SAR (10g): 0.118 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.194 mW/g, SAR (10g): 0.101 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.217 mW/g, SAR (10g): 0.104 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.248 mW/g, SAR (10g): 0.128 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe:ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.244 mW/g, SAR (10g): 0.124 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.0dBm; Spacing = 3.0cm from EUT (antenna side) to flat phantom, w/Plastic Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

