

TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.05 mW/g, SAR (10g): 0.600 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25Hz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.02 mW/g, SAR (10g): 0.577 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.793 mW/g, SAR (10g): 0.446 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00Hz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.737 mW/g, SAR (10g): 0.420 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.620 mW/g, SAR (10g): 0.346 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75Hz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.598 mW/g, SAR (10g): 0.338 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.987 mW/g, SAR (10g): 0.575 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25Hz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.861 mW/g, SAR (10g): 0.498 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, Cheek Touch position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.136 mW/g, SAR (10g): 0.0835 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00Hz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, EAR/15 Degrees Tilt position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Right Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.157 mW/g, SAR (10g): 0.0933 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Right Head Phantom, EAR/15 Degrees Tilt position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.35 mW/g, SAR (10g): 0.764 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date -07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.20 mW/g, SAR (10g): 0.703 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date - 07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.972 mW/g, SAR (10g): 0.553 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date -07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.877 mW/g, SAR (10g): 0.509 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date - 07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.773 mW/g, SAR (10g): 0.435 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date -07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.662 mW/g, SAR (10g): 0.380 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.1175 [1908.75MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date - 07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.29 mW/g, SAR (10g): 0.732 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25Hz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 1.19 mW/g, SAR (10g): 0.692 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Extended Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.177 mW/g, SAR (10g): 0.105 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00Hz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, EAR/15 Degrees Tilt position

Test Date -07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe:ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.149 mW/g, SAR (10g): 0.0873 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0600 [1880.00MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, EAR/15 Degrees Tilt position

Test Date - 07/16/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

