

TOSHIBA FCC ID: CJ6DCE46036A -- FM Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.33 mW/g, SAR (10g): 0.862 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0383 [836.49MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 27.2dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/17/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- Cellular CDMA Head SAR

SAM Phantom; Right Hand Section; Probe: ET3DV6 - SN1677; ConvF(6.70,6.70,6.70)

Med. Parameters 835 MHz Brain: $\sigma = 0.88$ mho/m $\epsilon_r = 40.6$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 0.636 mW/g, SAR (10g): 0.410 mW/g

Toshiba TriMode Phone Model: CDM-9500

CDMA Cellular Mode, Ch.0363 [835.89MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.5dBm; Right Head Phantom, Cheek/Touch position

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Head SAR

SAM Phantom; Left Hand Section; Probe: ET3DV6 - SN1677; ConvF(5.30,5.30,5.30)

Med. Parameters 1900 MHz Brain: $\sigma = 1.42$ mho/m $\epsilon_r = 41.1$ $\rho = 1.00$ g/cm³; Antenna Position -- In; Crest Factor 1.0


SAR (1g): 1.35 mW/g, SAR (10g): 0.764 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = open; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.1°C

Conducted Power = 24.0dBm; Left Head Phantom, Cheek Touch position

Test Date -07/15/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- FM Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 54.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.591 mW/g SAR (10g): 0.398 mW/g

Toshiba TriMode Phone Model: CDM-9500

FM Mode, Ch.0991 [824.04MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 27.2dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- Cellular CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1677; ConvF(6.40,6.40,6.40)

Med. Parameters 835 MHz Muscle: $\sigma = 0.98$ mho/m $\epsilon_r = 54.6$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0


SAR (1g): 0.327 mW/g, SAR (10g): 0.225 mW/g

Toshiba TriMode Phone Model: CDM-9500

Cellular CDMA, Ch.1013 [824.70MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.4°C / Meas. Tissue Temp. = 22.3°C

Conducted Power = 24.5dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/22/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]



TOSHIBA FCC ID: CJ6DCE46036A -- PCS CDMA Body SAR

SAM Phantom; Flat Section; Probe: ET3DV6 - SN1677; ConvF(4.90,4.90,4.90)

Med. Parameters 1900 MHz Muscle: $\sigma = 1.54$ mho/m $\epsilon_r = 53.9$ $\rho = 1.00$ g/cm³; Antenna Position -- Out; Crest Factor 1.0

SAR (1g): 0.341 mW/g SAR (10g): 0.186 mW/g

Toshiba TriMode Phone Model: CDM-9500

PCS CDMA Mode, Ch.0025 [1851.25MHz]; Standard Battery; Flip = closed; Ambient Temp. = 22.3°C / Meas. Tissue Temp. = 22.2°C

Conducted Power = 24.0dBm; Spacing = 2.2cm from EUT (antenna side) to flat phantom, w/Leather Hoster/Beltclip

Test Date - 07/19/2002 [FCC/OET Bulletin 65 - Supplement C, July 2001]

