


Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.429 mW/g, SAR (1g): 0.209 mW/g, SAR (10g): 0.101 mW/g, (Worst-case extrapolation)
Penetration depth: 7.1 (6.7, 8.1) [mm]; Powerdrift: -0.05 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.3



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.488 mW/g, SAR (1g): 0.235 mW/g, SAR (10g): 0.112 mW/g, (Worst-case extrapolation)
Penetration depth: 6.8 (6.4, 7.9) [mm]; Powerdrift: 0.12 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.4



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.541 mW/g, SAR (1g): 0.262 mW/g, SAR (10g): 0.126 mW/g, (Worst-case extrapolation)
Penetration depth: 7.0 (6.6, 8.0) [mm]; Powerdrift: 0.11 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.4



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.7 (6.4, 7.7) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.4



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2412MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0275 mW/g, SAR (1g): 0.0139 mW/g, SAR (10g): 0.0080 mW/g, (Worst-case extrapolation)
Penetration depth: 14.9 (6.3, 35.3) [mm]; Powerdrift: -0.03 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.2



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2437MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0311 mW/g, SAR (1g): 0.0164 mW/g, SAR (10g): 0.0093 mW/g, (Worst-case extrapolation)
Penetration depth: 8.2 (7.7, 9.9) [mm]; Powerdrift: -0.17 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.2



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 8.8 (7.5, 11.2) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.2



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0301 mW/g, SAR (1g): 0.0126 mW/g, SAR (10g): 0.0078 mW/g, (Worst-case extrapolation)
Penetration depth: 43.1 (4.3, 308.6) [mm]; Powerdrift: 0.10 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.3



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.690 mW/g, SAR (1g): 0.328 mW/g, SAR (10g): 0.145 mW/g, (Worst-case extrapolation)
Penetration depth: 6.7 (6.4, 7.6) [mm]; Powerdrift: -0.13 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.1



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.2 (5.7, 7.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.1



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.652 mW/g, SAR (1g): 0.296 mW/g, SAR (10g): 0.127 mW/g, (Worst-case extrapolation)
Penetration depth: 6.3 (5.9, 7.5) [mm]; Powerdrift: -0.05 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.2



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.556 mW/g, SAR (1g): 0.256 mW/g, SAR (10g): 0.113 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (5.9, 7.9) [mm]; Powerdrift: -0.11 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.3



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 2.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.365 mW/g, SAR (1g): 0.170 mW/g, SAR (10g): 0.0748 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.2, 7.1) [mm]; Powerdrift: -0.05 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.4



Toshiba, NIMBUS (Wideband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 2.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.7 (6.3, 7.7) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 22.4

