


Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.299 mW/g, SAR (1g): 0.153 mW/g, SAR (10g): 0.0759 mW/g, (Worst-case extrapolation)
Penetration depth: 7.6 (7.3, 8.2) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.6



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.352 mW/g, SAR (1g): 0.177 mW/g, SAR (10g): 0.0873 mW/g, (Worst-case extrapolation)
Penetration depth: 7.5 (7.1, 8.5) [mm]; Powerdrift: -0.01 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.4



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 7.3 (6.9, 8.4) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.4



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.250 mW/g, SAR (1g): 0.125 mW/g, SAR (10g): 0.0620 mW/g, (Worst-case extrapolation)
Penetration depth: 7.4 (6.9, 8.4) [mm]; Powerdrift: -0.06 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.3



Toshiba, NIMBUS (Daulband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0250 mW/g, SAR (1g): 0.0128 mW/g, SAR (10g): 0.0076 mW/g, (Worst-case extrapolation)
Penetration depth: 8.5 (6.5, 13.8) [mm]; Powerdrift: 0.10 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.2



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0310 mW/g, SAR (1g): 0.0165 mW/g, SAR (10g): 0.0090 mW/g, (Worst-case extrapolation)
Penetration depth: 9.7 (8.7, 11.0) [mm]; Powerdrift: -0.08 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.2



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 9.5 (7.4, 13.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.2



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.0245 mW/g, SAR (1g): 0.0123 mW/g, SAR (10g): 0.0069 mW/g, (Worst-case extrapolation)
Penetration depth: 8.3 (6.9, 12.1) [mm]; Powerdrift: 0.03 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.3



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.837 mW/g, SAR (1g): 0.396 mW/g, SAR (10g): 0.176 mW/g, (Worst-case extrapolation)
Penetration depth: 6.3 (6.1, 7.1) [mm]; Powerdrift: 0.07 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.1



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.1 (5.7, 7.2) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.1



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2437 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.725 mW/g, SAR (1g): 0.328 mW/g, SAR (10g): 0.142 mW/g, (Worst-case extrapolation)
Penetration depth: 6.4 (6.0, 7.4) [mm]; Powerdrift: 0.02 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.1



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2462 MHz

Frequency: 2450 MHz; Crest factor: 1.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: (90°,90°)
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.625 mW/g, SAR (1g): 0.274 mW/g, SAR (10g): 0.116 mW/g, (Worst-case extrapolation)
Penetration depth: 6.0 (5.6, 7.2) [mm]; Powerdrift: -0.04 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0


Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.1



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 2.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Flat Section; Position: $(90^\circ, 90^\circ)$
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:Cube 5x5x7: Peak: 0.465 mW/g, SAR (1g): 0.221 mW/g, SAR (10g): 0.0998 mW/g, (Worst-case extrapolation)
Penetration depth: 6.5 (6.3, 7.2) [mm]; Powerdrift: -0.04 dB
Coarse: Dx = 15.0, Dy = 15.0, Dz = 0.0

Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.3



Toshiba, NIMBUS (Dualband Film Antenna); Frequency: 2412 MHz

Frequency: 2450 MHz; Crest factor: 2.0
Medium: Muscle 2450 MHz: $s = 2.06 \text{ mho/m}$ $\epsilon_r = 51.1$ $\rho = 1.00 \text{ g/cm}^3$
SAM-1 Phantom; Section; Position:
Probe: ET3DV6 - SN1578; ConvF(4.10,4.10,4.10);
SAR:: , , ()
Penetration depth: 6.1 (5.7, 7.3) [mm];
Z-Axis: Dx = 0.0, Dy = 0.0, Dz = 2.0

Ambient Temperature (degree C): 23
Liquid Temperature (degree C): 21.3

