

Mode: Charging



Ctrl. No.: *N/A*

Report No.: 9901174

Mode: Charging

Tested By: Hong, Report No.: 9901174

Scan Settings (1 Range)

----- Frequencies -----			----- Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

7.22500	29.7	48.0
---------	------	------

* limit exceeded

Ctrl. No.: N/A

Mode: Standby

3. 41. $\log 7 \approx 0.8451$, $\log 11 \approx 1.0414$.

[illegible]

Year	Area	Year	IP RM	Defectives	M Time	Area	Pre-amp	OpRge
1991	100	1991	100	100	100	100	100	100
1992	100	1992	100	100	100	100	100	100
1993	100	1993	100	100	100	100	100	100
1994	100	1994	100	100	100	100	100	100
1995	100	1995	100	100	100	100	100	100
1996	100	1996	100	100	100	100	100	100
1997	100	1997	100	100	100	100	100	100
1998	100	1998	100	100	100	100	100	100
1999	100	1999	100	100	100	100	100	100
2000	100	2000	100	100	100	100	100	100
2001	100	2001	100	100	100	100	100	100
2002	100	2002	100	100	100	100	100	100
2003	100	2003	100	100	100	100	100	100
2004	100	2004	100	100	100	100	100	100
2005	100	2005	100	100	100	100	100	100
2006	100	2006	100	100	100	100	100	100
2007	100	2007	100	100	100	100	100	100
2008	100	2008	100	100	100	100	100	100
2009	100	2009	100	100	100	100	100	100
2010	100	2010	100	100	100	100	100	100
2011	100	2011	100	100	100	100	100	100
2012	100	2012	100	100	100	100	100	100
2013	100	2013	100	100	100	100	100	100
2014	100	2014	100	100	100	100	100	100
2015	100	2015	100	100	100	100	100	100
2016	100	2016	100	100	100	100	100	100
2017	100	2017	100	100	100	100	100	100
2018	100	2018	100	100	100	100	100	100
2019	100	2019	100	100	100	100	100	100
2020	100	2020	100	100	100	100	100	100
2021	100	2021	100	100	100	100	100	100
2022	100	2022	100	100	100	100	100	100
2023	100	2023	100	100	100	100	100	100
2024	100	2024	100	100	100	100	100	100
2025	100	2025	100	100	100	100	100	100
2026	100	2026	100	100	100	100	100	100
2027	100	2027	100	100	100	100	100	100
2028	100	2028	100	100	100	100	100	100
2029	100	2029	100	100	100	100	100	100
2030	100	2030	100	100	100	100	100	100
2031	100	2031	100	100	100	100	100	100
2032	100	2032	100	100	100	100	100	100
2033	100	2033	100	100	100	100	100	100
2034	100	2034	100	100	100	100	100	100
2035	100	2035	100					


45.00	3.00	50	100	PH	One	AUTO	LN	OFF	CODE
-------	------	----	-----	----	-----	------	----	-----	------

Transducer	No.	Start	Stop	Name
Final Measurement:	1	90	90	Elong

1) $\frac{1}{2} \times 100 = 50$ (100 is the total number of items)

$$2 \cdot 10^5 \text{ g} \cdot \text{mol}^{-1} \quad 1.2 \cdot 10^5 \text{ g} \cdot \text{mol}^{-1} \quad 1.2 \cdot 10^5 \text{ g} \cdot \text{mol}^{-1}$$

As a result, the β values are not significantly different from zero, and the α values are not significantly different from one. This indicates that the model is well specified.



12. 2. 1981 5.

Ctrl. No.: *N/A*

Report No.: 9901174

Mode: Standby

Tested By: Hong, Report No.: 9901174

Scan Settings (1 Range)

|----- Frequencies -----|----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
7.22500	30.8	48.0
10.84000	26.6	48.0

* limit exceeded

Ctrl. No.: N/A

Report No.: 9901174

Mode: Transmission

$$P(\alpha) = 2 + 5 = 7 \text{ and } P(\beta) =$$

1. Fe^{2+} and Fe^{3+} concentrations were determined by the method of Collins and Stookey (1969). The Fe^{2+} concentration was determined by the method of Collins and Stookey (1969). The Fe^{3+} concentration was determined by the method of Collins and Stookey (1969).

Author	Year	Journal	Topic	Findings	Implications	Limitations	Future Research	Opinion
Smith, J. A.	2015	Journal of Management Education	Effectiveness of flipped classroom	Improved student engagement and learning outcomes	Requires careful design and implementation	Limited sample size, short-term study	Long-term impact, diverse student populations	Positive
Johnson, M. K.	2016	Journal of Educational Technology	Integration of technology in flipped classroom	Enhanced personalized learning experiences	Need for teacher training and infrastructure	Lack of standardized metrics	Developing best practices, addressing equity	Optimistic
Williams, L. R.	2017	Journal of Pedagogical Research	Challenges of flipped classroom	Increased student autonomy and critical thinking	Requires significant time and resources	Subjective data collection	Comparative studies, long-term follow-up	Realistic
Chen, H. Y.	2018	Journal of Instructional Technology	Impact of flipped classroom on student motivation	Improved student motivation and participation	Need for ongoing support and resources	Limited generalizability	Exploring different instructional models	Positive
Miller, D. E.	2019	Journal of Educational Research	Effectiveness of flipped classroom in STEM fields	Enhanced student understanding and problem-solving skills	Requires specialized equipment and resources	Lack of control group	Investigating interdisciplinary applications	Optimistic

DATE	TIME	LOCATION	TYPE	BY	STATUS	REMARKS	CODE
10/10/10	10:00	101	101	101	101	101	101

THE UNIVERSITY OF CHICAGO

1. *Journal of the American Medical Association*, 1997; 278: 1039-1044.

1997, 1998, 1999, 2000, 2001, 2002, 2003, 2004, 2005, 2006, 2007, 2008, 2009, 2010, 2011, 2012, 2013, 2014, 2015, 2016, 2017, 2018, 2019, 2020, 2021, 2022, 2023, 2024, 2025, 2026, 2027, 2028, 2029, 2030, 2031, 2032, 2033, 2034, 2035, 2036, 2037, 2038, 2039, 2040, 2041, 2042, 2043, 2044, 2045, 2046, 2047, 2048, 2049, 2050, 2051, 2052, 2053, 2054, 2055, 2056, 2057, 2058, 2059, 2060, 2061, 2062, 2063, 2064, 2065, 2066, 2067, 2068, 2069, 2070, 2071, 2072, 2073, 2074, 2075, 2076, 2077, 2078, 2079, 2080, 2081, 2082, 2083, 2084, 2085, 2086, 2087, 2088, 2089, 2090, 2091, 2092, 2093, 2094, 2095, 2096, 2097, 2098, 2099, 2100, 2101, 2102, 2103, 2104, 2105, 2106, 2107, 2108, 2109, 2110, 2111, 2112, 2113, 2114, 2115, 2116, 2117, 2118, 2119, 2120, 2121, 2122, 2123, 2124, 2125, 2126, 2127, 2128, 2129, 2130, 2131, 2132, 2133, 2134, 2135, 2136, 2137, 2138, 2139, 2140, 2141, 2142, 2143, 2144, 2145, 2146, 2147, 2148, 2149, 2150, 2151, 2152, 2153, 2154, 2155, 2156, 2157, 2158, 2159, 2160, 2161, 2162, 2163, 2164, 2165, 2166, 2167, 2168, 2169, 2170, 2171, 2172, 2173, 2174, 2175, 2176, 2177, 2178, 2179, 2180, 2181, 2182, 2183, 2184, 2185, 2186, 2187, 2188, 2189, 2190, 2191, 2192, 2193, 2194, 2195, 2196, 2197, 2198, 2199, 2200, 2201, 2202, 2203, 2204, 2205, 2206, 2207, 2208, 2209, 2210, 2211, 2212, 2213, 2214, 2215, 2216, 2217, 2218, 2219, 2220, 2221, 2222, 2223, 2224, 2225, 2226, 2227, 2228, 2229, 2230, 2231, 2232, 2233, 2234, 2235, 2236, 2237, 2238, 2239, 2240, 2241, 2242, 2243, 2244, 2245, 2246, 2247, 2248, 2249, 2250, 2251, 2252, 2253, 2254, 2255, 2256, 2257, 2258, 2259, 2260, 2261, 2262, 2263, 2264, 2265, 2266, 2267, 2268, 2269, 2270, 2271, 2272, 2273, 2274, 2275, 2276, 2277, 2278, 2279, 2280, 2281, 2282, 2283, 2284, 2285, 2286, 2287, 2288, 2289, 2290, 2291, 2292, 2293, 2294, 2295, 2296, 2297, 2298, 2299, 2300, 2301, 2302, 2303, 2304, 2305, 2306, 2307, 2308, 2309, 2310, 2311, 2312, 2313, 2314, 2315, 2316, 2317, 2318, 2319, 2320, 2321, 2322, 2323, 2324, 2325, 2326, 2327, 2328, 2329, 2330, 2331, 2332, 2333, 2334, 2335, 2336, 2337, 2338, 2339, 2340, 2341, 2342, 2343, 2344, 2345, 2346, 2347, 2348, 2349, 2350, 2351, 2352, 2353, 2354, 2355, 2356, 2357, 2358, 2359, 2360, 2361, 2362, 2363, 2364, 2365, 2366, 2367, 2368, 2369, 2370, 2371, 2372, 2373, 2374, 2375, 2376, 2377, 2378, 2379, 2380, 2381, 2382, 2383, 2384, 2385, 2386, 2387, 2388, 2389, 2390, 2391, 2392, 2393, 2394, 2395, 2396, 2397, 2398, 2399, 2400, 2401, 2402, 2403, 2404, 2405, 2406, 2407, 2408, 2409, 2410, 2411, 2412, 2413, 2414, 2415, 2416, 2417, 2418, 2419, 2420, 2421, 2422, 2423, 2424, 2425, 2426, 2427, 2428, 2429, 2430, 2431, 2432, 2433, 2434, 2435, 2436, 2437, 2438, 2439, 2440, 2441, 2442, 2443, 2444, 2445, 2446, 2447, 2448, 2449, 2450, 2451, 2452, 2453, 2454, 2455, 2456, 2457, 2458, 2459, 2460, 2461, 2462, 2463, 2464, 2465, 2466, 2467, 2468, 2469, 2470, 2471, 2472, 2473, 2474, 2475, 2476, 2477, 2478, 2479, 2480, 2481, 2482, 2483, 2484, 2485, 2486, 2487, 2488, 2489, 2490, 2491, 2492, 2493, 2494, 2495, 2496, 2497, 2498, 2499, 2500, 2501, 2502, 2503, 2504, 2505, 2506, 2507, 2508, 2509, 2510, 2511, 2512, 2513, 2514, 2515, 2516, 2517, 2518, 2519, 2520, 2521, 2522, 2523, 2524, 2525, 2526, 2527, 2528, 2529, 2530, 2531, 2532, 2533, 2534, 2535, 2536, 2537, 2538, 2539, 2540, 2541, 2542, 2543, 2544, 2545, 2546, 2547, 2548, 2549, 2550, 2551, 2552, 2553, 2554, 2555, 2556, 2557, 2558, 2559, 2560, 2561, 2562, 2563, 2564, 2565, 2566, 2567, 2568, 2569, 2570, 2571, 2572, 2573, 2574, 2575, 2576, 2577, 2578, 2579, 2580, 2581, 2582, 2583, 2584, 2585, 2586, 2587, 2588, 2589, 2590, 2591, 2592, 2593, 2594, 2595, 2596, 2597, 2598, 2599, 2600, 2601, 2602, 2603, 2604, 2605, 2606, 2607, 2608, 2609, 2610, 2611, 2612, 2613, 2614, 2615, 2616, 2617, 2618, 2619, 2620, 2621, 2622, 2623, 2624, 2625, 2626, 2627, 2628, 2629, 2630, 2631, 2632, 2633, 2634, 2635, 2636, 2637, 2638, 2639, 2640, 2641, 2642, 2643, 2644, 2645, 2646, 2647, 2648, 2649, 2650, 2651, 2652, 2653, 2654, 2655, 2656, 2657, 2658, 2659, 2660, 2661, 2662, 2663, 2664, 2665, 2666, 2667, 2668, 2669, 2670, 2671, 2672, 2673, 2674, 2675, 2676, 2677, 2678, 26

... .. 2000

U. m. 100-100-1 No. 51, 1917

187

344

Name=

E1.78



1448

Ctrl. No.: *N/A*

Report No.: 9901174
Mode: Transmission

Tested By: Hong, Report No.: 9901174

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
450k	30M	5k	10k	PK	20ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency MHz	QP Level dBuV	QP Limit dBuV
7.22500	31.9	48.0
10.84000	27.5	48.0

* limit exceeded

Ctrl. No.: N/A