




PAGE 2 OF 2


Remark:
Add R2(1K8) and change T1(HF/BC2884R) to improve returnloss.

REV	DATE	BY	CHK	APP	DATE
1					

COMPANY		TITLE	
DESIGN	DATE	CHECKED	DATE
QUALITY CONTROL	DATE	RELEASED	DATE
CODE	SIZE	ORIGIN NO.	REV
SCALE	SHEET	OF	

UTR
ECO NO
REVISION (CIRCUIT)
APPROVAL (DATE)


COMPANY: S. MEGGA		TITLE: TW00-X640	
DRAWN:	DATE:	CODE:	SIZE:
Kenneth D.	980422	0	0
DRAWING NO:		SHEET 1 OF 2	



1.5V
4.0V
5.0V

VCC2
4.0V
5.0V

741000



TW00-X640

DATE:	11/11/2020
TIME:	11:00 AM

JASPER LAM	761211
------------	--------


1

6176

TRAINING

6176

TRAINING



DATE: _____

111A0341e5v

FCC ID: CLHSKYHAWK98

Skyhawk HANDSET (CID II)

DATE: 980422

SKETCH: Kenneth To

APPROVED:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

DATE:

EXTERNAL ROM:
(FOR BACK MAPPING)

Close to bottom of board

short for parking

SHORT TO GND

