

FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT

For

MFOURTEL MEXICO S.A. DE C.V.

Av. Ejército Nacional 436 Piso 3 Chapultepec Morales Miguel Hidalgo Distrito Federal
11570, Mexico

FCC ID: CLNM4HS2


Report Type: Original Report	Product Type: 4G Mobile Wifi
Report Number: RSZ180312003-00D	
Report Date: 2018-04-19	
Rocky Kang 	
Reviewed By: RF Engineer	
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	3
TEST METHODOLOGY	3
MEASUREMENT UNCERTAINTY	4
TEST FACILITY	4
SYSTEM TEST CONFIGURATION	5
DESCRIPTION OF TEST CONFIGURATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50(C) (D) (H) - RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST DATA	11
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	35
APPLICABLE STANDARD	35
TEST PROCEDURE	35
TEST DATA	35
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	86
APPLICABLE STANDARD	86
TEST PROCEDURE	86
TEST DATA	86
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS	120
APPLICABLE STANDARD	120
TEST PROCEDURE	120
TEST DATA	120
FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES	124
APPLICABLE STANDARD	124
TEST PROCEDURE	124
TEST DATA	124
FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY	175
APPLICABLE STANDARD	175
TEST PROCEDURE	175
TEST DATA	176

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

The *MFOURTEL MEXICO S.A. DE C.V.*'s product, model number: *M4 HS2 (FCC ID: CLNM4HS2)* or the "EUT" in this report was a *4G Mobile Wifi*, which was measured approximately: 9.4 cm (L) × 6.2 cm (W) × 0.9 cm (H), rated with input voltage: DC 3.8V battery.

**All measurement and test data in this report was gathered from production sample serial number: 180312003. (Assigned by BACL, Shenzhen). The EUT supplied by the applicant was received on 2018-03-12.*

Objective

This test report is prepared on behalf of *MFOURTEL MEXICO S.A. DE C.V.* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DTS submissions with FCC ID: CLNM4HS2.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
Part 24 Subpart E - Personal Communication Services
Part 27 – Miscellaneous wireless communications services

Applicable Standards: 971168 D01 Power Meas License Digital Systems v02r02.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		Uncertainty
Occupied Channel Bandwidth		±5%
RF output power, conducted		±1.5dB
Unwanted Emission, conducted		±1.5dB
Emissions, radiated	Below 1GHz	±4.70dB
	Above 1GHz	±4.80dB
Temperature		±1 °C
Supply voltages		±0.4%

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§ 1.1307 , §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (c) (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ180312003-20.

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal ANALYZER	FSIQ26	8386001028	2017-04-24	2018-04-24
Sunol Sciences	Bi-log Antenna	JB1	A040904-2	2017-11-19	2018-05-21
Mini	Pre-amplifier	ZVA-183-S+	5969001149	2017-05-21	2018-05-21
HP	Amplifier	HP8447E	1937A01046	2017-11-19	2018-05-21
Anritsu	Signal Generator	68369B	004114	2017-12-07	2018-12-07
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2018-01-11	2019-01-11
COM POWER	Dipole Antenna	AD-100	041000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2015-08-18	2018-08-17
Ducommun technologies	RF Cable	UFA210A-1-4724-30050U	MFR64369 223410-001	2017-11-19	2018-05-21
Ducommun technologies	RF Cable	104PEA	218124002	2017-11-19	2018-05-21
Ducommun technologies	RF Cable	RG-214	1	2017-11-19	2018-05-21
Ducommun technologies	RF Cable	RG-214	2	2017-11-22	2018-05-22
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Ducommun technologies	Pre-amplifier	ALN-22093530-01	991373-01	2017-08-03	2018-08-03

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	SPECTRUM ANALYZER	FSU26	200120	2017-12-24	2018-12-24
ESPEC	Temperature & Humidity Chamber	EL-10KA	09107726	2017-12-21	2018-12-21
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Aglient	ESG Vector Signal Generator	E4438C	MY42080875	2017-05-09	2018-05-09
Rohde & Schwarz	Wideband Radio Communication Tester	CMU200	106891	2017-12-14	2018-12-14
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh	2017-04-24	2018-04-24
Ducommun technologies	RF Cable	RG-214	3	2017-11-22	2018-05-22
WEINSCHL	10dB Attenuator	5324	AU 3842	2017-11-22	2018-05-23
WEINSCHL	3dB Attenuator	N/A	N/A	2017-11-22	2018-05-23
N/A	Power Splitter	N/A	N/A	2017-05-21	2018-05-21

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ180312003-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50(c) (d) (h) - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.

According to §27.50(c), Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2018-03-08.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	31.79	28.87	26.81	25.81	38.45
	190	836.6	31.54	28.61	26.87	25.86	38.45
	251	848.8	31.57	28.67	26.85	25.97	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	25.25	25.21	24.38	23.42	38.45
	190	836.6	25.20	25.19	24.29	23.37	38.45
	251	848.8	25.15	25.13	24.18	23.33	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		22.00	22.11	22.06
		HSDPA	1	20.74	20.86	20.82
			2	20.67	20.77	20.73
			3	20.83	20.90	20.88
			4	20.69	20.81	20.75
		HSUPA	1	20.79	20.91	20.79
			2	20.67	20.82	20.74
			3	20.84	21.00	20.90
			4	20.67	20.83	20.69
			5	20.83	20.94	20.90
		HSPA+	1	20.93	20.96	20.58

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	29.43	27.92	26.45	25.82	33
	661	1880.0	28.70	27.23	25.73	25.07	33
	810	1909.8	27.79	26.20	24.76	24.04	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	26.57	25.51	25.11	24.39	33
	661	1880.0	25.84	24.79	24.39	23.65	33
	810	1909.8	24.77	23.90	23.35	22.67	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		21.81	21.73	21.59
		HSDPA	1	20.67	20.51	20.43
			2	20.56	20.46	20.39
			3	20.76	20.62	20.50
			4	20.56	20.45	20.35
		HSUPA	1	20.38	20.34	20.39
			2	20.25	20.25	20.33
			3	20.41	20.43	20.45
			4	20.33	20.22	20.35
			5	20.50	20.40	20.43
		HSPA+	1	20.94	20.97	20.58

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	0.31	13
	Middle	0.33	13
	High	0.25	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	2.88	13
	Middle	3.38	13
	High	3.24	13
HSDPA (16QAM)	Low	3.17	13
	Middle	3.67	13
	High	3.63	13
HSUPA (BPSK)	Low	3.25	13
	Middle	3.23	13
	High	4.07	13
HSPA+	Low	2.58	13
	Middle	2.91	13
	High	3.05	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	0.37	13
	Middle	0.22	13
	High	0.45	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	4.00	13
	Middle	3.22	13
	High	3.29	13
HSDPA (16QAM)	Low	3.72	13
	Middle	3.54	13
	High	3.69	13
HSUPA (BPSK)	Low	3.99	13
	Middle	2.93	13
	High	3.30	13
HSPA+	Low	3.11	13
	Middle	3.09	13
	High	3.24	13

**Radiated Power
GPRS Mode:**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	93.82	302	1.1	H	31.4	0.7	0.0	30.70	38.45	7.75
836.6	84.06	321	2.3	V	23.6	0.7	0.0	22.90	38.45	15.55
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	90.27	352	1.5	H	20.2	1.30	9.40	28.30	33	4.7
1880.00	87.64	190	2.4	V	17.4	1.30	9.40	25.50	33	7.5

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	86.74	184	2.0	H	24.3	0.7	0.0	23.60	38.45	14.85
836.6	79.03	239	1.1	V	18.6	0.7	0.0	17.90	38.45	20.55
EIRP, PCS Band (Part 24E), Middle Channel										
1880.00	86.52	224	1.7	H	16.5	1.30	9.40	24.60	33	8.4
1880.00	84.38	92	2.3	V	14.1	1.30	9.40	22.20	33	10.8

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H/24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	83.27	255	2.0	H	20.9	0.7	0.0	20.20	38.45	18.25
836.6	75.51	40	2.3	V	15.1	0.7	0.0	14.40	38.45	24.05
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	83.85	275	1.5	H	13.8	1.30	9.40	21.90	33	11.1
1880.00	83.12	269	2.4	V	12.9	1.30	9.40	21.00	33	12

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 2:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	21.53	21.73	22.21
		RB Size=1, RB Offset=2	22.21	22.27	22.11
		RB Size=1, RB Offset=5	22.16	21.86	22.01
		RB Size=3, RB Offset=0	22.37	21.45	22.10
		RB Size=3, RB Offset=1	21.88	21.79	22.45
		RB Size=3, RB Offset=2	21.80	21.71	21.65
		RB Size=6, RB Offset=0	20.88	20.23	20.87
	16QAM	RB Size=1, RB Offset=0	21.18	20.80	20.62
		RB Size=1, RB Offset=2	21.34	21.26	20.71
		RB Size=1, RB Offset=5	20.89	20.50	21.17
		RB Size=3, RB Offset=0	21.33	21.54	21.30
		RB Size=3, RB Offset=1	20.74	20.82	21.02
		RB Size=3, RB Offset=2	21.56	21.00	21.80
		RB Size=6, RB Offset=0	20.57	19.56	19.96
3.0	QPSK	RB Size=1, RB Offset=0	21.74	21.51	21.84
		RB Size=1, RB Offset=7	21.64	22.08	21.72
		RB Size=1, RB Offset=14	22.17	21.62	22.33
		RB Size=8, RB Offset=0	21.44	21.77	21.37
		RB Size=8, RB Offset=4	21.55	22.13	21.82
		RB Size=8, RB Offset=7	21.78	21.76	21.50
		RB Size=15, RB Offset=0	20.57	20.94	21.30
	16QAM	RB Size=1, RB Offset=0	20.79	20.71	21.31
		RB Size=1, RB Offset=7	20.79	20.73	21.58
		RB Size=1, RB Offset=14	21.24	21.10	20.99
		RB Size=8, RB Offset=0	20.68	21.33	81.00
		RB Size=8, RB Offset=4	20.93	20.58	20.93
		RB Size=8, RB Offset=7	20.57	20.80	21.40
		RB Size=15, RB Offset=0	19.87	19.85	19.28

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	21.57	21.91	21.60
		RB Size=1, RB Offset=12	21.61	21.15	21.55
		RB Size=1, RB Offset=24	21.72	21.86	21.33
		RB Size=12, RB Offset=0	20.63	20.58	20.73
		RB Size=12, RB Offset=6	20.74	20.54	20.91
		RB Size=12, RB Offset=11	21.29	20.95	21.40
		RB Size=25, RB Offset=0	20.48	20.47	20.75
	16QAM	RB Size=1, RB Offset=0	20.71	19.99	19.55
		RB Size=1, RB Offset=12	20.59	19.48	20.06
		RB Size=1, RB Offset=24	19.84	20.75	20.57
		RB Size=12, RB Offset=0	20.28	20.44	20.60
		RB Size=12, RB Offset=6	20.71	19.93	20.24
		RB Size=12, RB Offset=11	20.66	20.94	20.64
		RB Size=25, RB Offset=0	19.64	19.94	20.29
10.0	QPSK	RB Size=1, RB Offset=0	21.97	22.63	22.25
		RB Size=1, RB Offset=24	22.02	22.50	21.88
		RB Size=1, RB Offset=49	21.66	21.67	21.66
		RB Size=25, RB Offset=0	21.52	20.61	20.80
		RB Size=25, RB Offset=12	21.17	20.54	20.72
		RB Size=25, RB Offset=24	21.14	21.44	20.95
		RB Size=50, RB Offset=0	21.13	21.00	21.10
	16QAM	RB Size=1, RB Offset=0	22.41	20.30	21.47
		RB Size=1, RB Offset=24	20.59	20.59	20.77
		RB Size=1, RB Offset=49	20.31	21.40	20.95
		RB Size=25, RB Offset=0	21.18	20.29	20.92
		RB Size=25, RB Offset=12	20.56	20.98	20.88
		RB Size=25, RB Offset=24	20.41	21.06	20.77
		RB Size=50, RB Offset=0	20.28	19.93	20.31

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.60	21.72	21.99
		RB Size=1, RB Offset=37	22.18	21.78	22.18
		RB Size=1, RB Offset=74	22.50	21.81	22.34
		RB Size=36, RB Offset=0	21.22	21.37	21.63
		RB Size=36, RB Offset=18	21.26	21.66	21.02
		RB Size=36, RB Offset=37	21.11	20.68	21.34
		RB Size=75, RB Offset=0	20.78	21.12	21.57
	16QAM	RB Size=1, RB Offset=0	21.69	22.19	21.28
		RB Size=1, RB Offset=37	21.87	21.00	21.41
		RB Size=1, RB Offset=74	21.69	20.78	21.15
		RB Size=36, RB Offset=0	21.77	22.10	21.81
		RB Size=36, RB Offset=18	22.17	21.98	22.11
		RB Size=36, RB Offset=37	21.36	21.81	22.21
		RB Size=75, RB Offset=0	20.03	20.27	20.57
20.0	QPSK	RB Size=1, RB Offset=0	22.86	22.82	22.84
		RB Size=1, RB Offset=49	22.04	22.32	22.58
		RB Size=1, RB Offset=99	22.71	21.74	22.47
		RB Size=50, RB Offset=0	20.87	21.60	20.89
		RB Size=50, RB Offset=24	21.66	21.71	21.22
		RB Size=50, RB Offset=49	21.35	20.96	21.67
		RB Size=100, RB Offset=0	20.91	20.70	21.60
	16QAM	RB Size=1, RB Offset=0	22.01	21.79	21.21
		RB Size=1, RB Offset=49	20.84	21.01	21.30
		RB Size=1, RB Offset=99	21.05	20.92	20.38
		RB Size=50, RB Offset=0	21.58	21.63	21.73
		RB Size=50, RB Offset=24	21.77	20.97	21.35
		RB Size=50, RB Offset=49	21.47	21.09	21.01
		RB Size=100, RB Offset=0	19.89	19.85	20.42

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.51	13	Pass
QPSK (100RB Size)	6.02	13	Pass
16QAM (1RB Size)	6.53	13	Pass
16QAM (100RB Size)	5.79	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	80.43	83	2.1	H	10.4	1.30	9.40	18.50	33
1880.00	84.52	254	2.3	V	14.3	1.30	9.40	22.40	33
3 MHz Bandwidth									
1880.00	80.44	190	1.2	H	10.4	1.30	9.40	18.50	33
1880.00	84.68	257	1.6	V	14.4	1.30	9.40	22.50	33
5 MHz Bandwidth									
1880.00	80.76	333	1.2	H	10.7	1.30	9.40	18.80	33
1880.00	85.13	219	1.8	V	14.9	1.30	9.40	23.00	33
10 MHz Bandwidth									
1880.00	81.54	24	2.2	H	11.5	1.30	9.40	19.60	33
1880.00	85.35	74	2.3	V	15.1	1.30	9.40	23.20	33
15 MHz Bandwidth									
1880.00	82.06	141	1.8	H	12.0	1.30	9.40	20.10	33
1880.00	85.68	148	1.9	V	15.4	1.30	9.40	23.50	33
20 MHz Bandwidth									
1880.00	81.62	160	1.4	H	11.6	1.30	9.40	19.70	33
1880.00	85.52	170	2.2	V	15.3	1.30	9.40	23.40	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	81.23	82	1.4	H	11.2	1.30	9.40	19.30	33
1880.00	84.69	192	2.1	V	14.4	1.30	9.40	22.50	33
3 MHz Bandwidth									
1880.00	80.76	173	2.0	H	10.7	1.30	9.40	18.80	33
1880.00	84.65	254	2.2	V	14.4	1.30	9.40	22.50	33
5 MHz Bandwidth									
1880.00	81.38	95	2.4	H	11.3	1.30	9.40	19.40	33
1880.00	85.72	324	1.5	V	15.5	1.30	9.40	23.60	33
10 MHz Bandwidth									
1880.00	81.33	19	2.0	H	11.3	1.30	9.40	19.40	33
1880.00	85.20	307	1.8	V	14.9	1.30	9.40	23.00	33
15 MHz Bandwidth									
1880.00	81.65	56	1.3	H	11.6	1.30	9.40	19.70	33
1880.00	85.62	145	2.3	V	15.4	1.30	9.40	23.50	33
20 MHz Bandwidth									
1880.00	84.67	166	1.3	H	14.6	1.30	9.40	22.70	33
1880.00	85.21	46	1.2	V	14.9	1.30	9.40	23.00	33

LTE Band 4:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.42	22.74	22.47
		RB Size=1, RB Offset=2	22.37	23.03	22.98
		RB Size=1, RB Offset=5	23.20	22.13	22.52
		RB Size=3, RB Offset=0	22.73	22.46	22.04
		RB Size=3, RB Offset=1	22.35	23.04	22.42
		RB Size=3, RB Offset=2	22.38	22.17	22.15
		RB Size=6, RB Offset=0	21.70	21.59	22.18
	16QAM	RB Size=1, RB Offset=0	21.85	21.65	21.33
		RB Size=1, RB Offset=2	21.94	22.16	22.16
		RB Size=1, RB Offset=5	21.94	21.42	21.87
		RB Size=3, RB Offset=0	21.44	21.68	21.98
		RB Size=3, RB Offset=1	21.26	21.34	21.23
		RB Size=3, RB Offset=2	21.59	21.22	22.34
		RB Size=6, RB Offset=0	20.53	20.79	20.77
3.0	QPSK	RB Size=1, RB Offset=0	23.27	22.76	22.80
		RB Size=1, RB Offset=7	22.38	23.37	22.89
		RB Size=1, RB Offset=14	22.46	22.52	22.21
		RB Size=8, RB Offset=0	23.34	23.20	23.08
		RB Size=8, RB Offset=4	23.35	22.16	22.33
		RB Size=8, RB Offset=7	22.65	22.46	22.48
		RB Size=15, RB Offset=0	21.85	21.48	21.74
	16QAM	RB Size=1, RB Offset=0	22.42	21.55	22.20
		RB Size=1, RB Offset=7	22.26	21.65	21.89
		RB Size=1, RB Offset=14	21.67	22.13	22.25
		RB Size=8, RB Offset=0	21.56	21.80	21.54
		RB Size=8, RB Offset=4	22.13	21.90	21.95
		RB Size=8, RB Offset=7	21.33	22.07	21.90
		RB Size=15, RB Offset=0	20.79	20.85	20.93

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	23.20	23.10	22.41
		RB Size=1, RB Offset=12	22.51	22.99	22.82
		RB Size=1, RB Offset=24	22.48	23.18	22.94
		RB Size=12, RB Offset=0	22.44	22.72	22.08
		RB Size=12, RB Offset=6	22.21	21.96	23.00
		RB Size=12, RB Offset=11	22.70	22.34	22.18
		RB Size=25, RB Offset=0	21.66	22.00	21.94
	16QAM	RB Size=1, RB Offset=0	21.58	22.21	21.11
		RB Size=1, RB Offset=12	21.60	22.22	21.29
		RB Size=1, RB Offset=24	21.11	22.11	21.95
		RB Size=12, RB Offset=0	21.96	21.22	21.87
		RB Size=12, RB Offset=6	21.78	22.05	21.68
		RB Size=12, RB Offset=11	21.85	22.00	21.80
		RB Size=25, RB Offset=0	21.03	20.78	20.41
10.0	QPSK	RB Size=1, RB Offset=0	22.61	23.02	22.33
		RB Size=1, RB Offset=24	22.69	22.98	22.56
		RB Size=1, RB Offset=49	23.45	22.82	23.39
		RB Size=25, RB Offset=0	22.62	23.28	22.54
		RB Size=25, RB Offset=12	23.06	22.75	22.63
		RB Size=25, RB Offset=24	22.71	23.25	22.47
		RB Size=50, RB Offset=0	21.99	22.38	22.14
	16QAM	RB Size=1, RB Offset=0	22.45	22.11	22.06
		RB Size=1, RB Offset=24	21.94	21.25	21.66
		RB Size=1, RB Offset=49	22.04	21.96	21.72
		RB Size=25, RB Offset=0	22.11	21.24	21.67
		RB Size=25, RB Offset=12	21.72	21.34	21.70
		RB Size=25, RB Offset=24	21.51	22.38	22.10
		RB Size=50, RB Offset=0	20.92	21.02	20.42

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	23.08	23.20	23.07
		RB Size=1, RB Offset=37	22.81	22.68	22.96
		RB Size=1, RB Offset=74	22.71	22.56	23.17
		RB Size=36, RB Offset=0	22.69	22.68	22.48
		RB Size=36, RB Offset=18	22.75	22.42	22.48
		RB Size=36, RB Offset=37	22.56	22.29	23.35
		RB Size=75, RB Offset=0	22.40	21.70	21.82
	16QAM	RB Size=1, RB Offset=0	22.34	22.70	22.55
		RB Size=1, RB Offset=37	21.74	22.14	22.21
		RB Size=1, RB Offset=74	21.84	21.70	22.49
		RB Size=36, RB Offset=0	21.36	22.17	21.72
		RB Size=36, RB Offset=18	21.92	21.94	21.57
		RB Size=36, RB Offset=37	21.51	21.36	22.29
		RB Size=75, RB Offset=0	20.67	20.95	20.58
20.0	QPSK	RB Size=1, RB Offset=0	23.44	22.85	23.27
		RB Size=1, RB Offset=49	23.15	22.69	22.08
		RB Size=1, RB Offset=99	23.30	22.58	23.17
		RB Size=50, RB Offset=0	23.27	22.77	23.40
		RB Size=50, RB Offset=24	23.10	22.65	23.13
		RB Size=50, RB Offset=49	22.63	23.00	22.94
		RB Size=100, RB Offset=0	21.99	21.70	21.58
	16QAM	RB Size=1, RB Offset=0	22.23	23.02	22.73
		RB Size=1, RB Offset=49	22.42	22.09	22.09
		RB Size=1, RB Offset=99	22.56	22.35	22.74
		RB Size=50, RB Offset=0	22.41	22.59	21.88
		RB Size=50, RB Offset=24	22.28	22.04	22.02
		RB Size=50, RB Offset=49	22.02	21.85	22.48
		RB Size=100, RB Offset=0	21.51	20.86	21.36

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.85	13	Pass
QPSK (100RB Size)	5.52	13	Pass
16QAM (1RB Size)	5.81	13	Pass
16QAM (100RB Size)	5.60	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	86.10	74	2.0	H	12.9	1.30	8.90	20.50	30
1732.50	88.77	7	1.5	V	16.2	1.30	8.90	23.80	30
3 MHz Bandwidth									
1732.50	85.66	250	1.1	H	12.5	1.30	8.90	20.10	30
1732.50	87.88	148	1.2	V	15.3	1.30	8.90	22.90	30
5 MHz Bandwidth									
1732.50	85.82	255	1.8	H	12.7	1.30	8.90	20.30	30
1732.50	87.68	209	2.2	V	15.1	1.30	8.90	22.70	30
10 MHz Bandwidth									
1732.50	85.93	4	1.5	H	12.8	1.30	8.90	20.40	30
1732.50	88.14	47	1.3	V	15.6	1.30	8.90	23.20	30
15 MHz Bandwidth									
1732.50	85.36	235	1.7	H	12.2	1.30	8.90	19.80	30
1732.50	88.36	236	1.3	V	15.8	1.30	8.90	23.40	30
20 MHz Bandwidth									
1732.50	85.23	9	1.7	H	12.1	1.30	8.90	19.70	30
1732.50	87.60	286	2.3	V	15.0	1.30	8.90	22.60	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	83.54	122	1.6	H	10.4	1.30	8.90	18.00	30
1732.50	86.77	90	1.9	V	14.2	1.30	8.90	21.80	30
3 MHz Bandwidth									
1732.50	83.34	293	1.8	H	10.2	1.30	8.90	17.80	30
1732.50	86.08	252	1.1	V	13.5	1.30	8.90	21.10	30
5 MHz Bandwidth									
1732.50	84.11	106	2.1	H	10.9	1.30	8.90	18.50	30
1732.50	86.85	64	1.7	V	14.3	1.30	8.90	21.90	30
10 MHz Bandwidth									
1732.50	84.71	115	1.2	H	11.5	1.30	8.90	19.10	30
1732.50	87.16	198	1.1	V	14.6	1.30	8.90	22.20	30
15 MHz Bandwidth									
1732.50	84.35	216	2.0	H	11.2	1.30	8.90	18.80	30
1732.50	86.65	186	2.5	V	14.1	1.30	8.90	21.70	30
20 MHz Bandwidth									
1732.50	83.74	28	1.5	H	10.6	1.30	8.90	18.20	30
1732.50	86.29	146	1.5	V	13.7	1.30	8.90	21.30	30

LTE Band 7:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5	QPSK	RB Size=1, RB Offset=0	21.99	21.13	21.48
		RB Size=1, RB Offset=12	21.26	21.91	20.90
		RB Size=1, RB Offset=24	21.27	22.01	21.32
		RB Size=12, RB Offset=0	21.44	21.52	21.57
		RB Size=12, RB Offset=6	21.12	21.89	22.35
		RB Size=12, RB Offset=11	22.77	22.09	22.22
		RB Size=25, RB Offset=0	21.00	21.40	21.02
	16QAM	RB Size=1, RB Offset=0	20.25	20.85	20.44
		RB Size=1, RB Offset=12	20.70	19.99	20.76
		RB Size=1, RB Offset=24	20.37	20.66	20.03
		RB Size=12, RB Offset=0	20.64	20.17	20.93
		RB Size=12, RB Offset=6	20.31	20.07	20.63
		RB Size=12, RB Offset=11	20.58	19.97	20.77
		RB Size=25, RB Offset=0	19.33	19.47	19.38
10	QPSK	RB Size=1, RB Offset=0	21.91	21.63	21.40
		RB Size=1, RB Offset=24	21.68	21.91	21.77
		RB Size=1, RB Offset=49	21.33	21.86	21.50
		RB Size=25, RB Offset=0	22.07	21.17	21.73
		RB Size=25, RB Offset=12	21.34	21.93	21.84
		RB Size=25, RB Offset=24	21.27	21.92	21.16
		RB Size=50, RB Offset=0	20.50	20.67	20.48
	16QAM	RB Size=1, RB Offset=0	21.37	21.40	21.07
		RB Size=1, RB Offset=24	20.90	21.28	20.87
		RB Size=1, RB Offset=49	20.78	21.08	20.81
		RB Size=25, RB Offset=0	21.32	21.28	21.34
		RB Size=25, RB Offset=12	20.84	21.13	20.60
		RB Size=25, RB Offset=24	21.35	20.61	21.02
		RB Size=50, RB Offset=0	20.05	19.97	19.71

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15	QPSK	RB Size=1, RB Offset=0	22.09	21.64	21.60
		RB Size=1, RB Offset=37	21.61	21.92	21.83
		RB Size=1, RB Offset=74	21.99	21.34	21.23
		RB Size=36, RB Offset=0	21.58	21.59	22.18
		RB Size=36, RB Offset=18	21.82	21.50	21.24
		RB Size=36, RB Offset=37	21.40	21.78	21.58
		RB Size=75, RB Offset=0	20.96	21.01	21.34
	16QAM	RB Size=1, RB Offset=0	20.70	21.00	20.43
		RB Size=1, RB Offset=37	21.16	20.94	20.75
		RB Size=1, RB Offset=74	21.00	20.32	20.78
		RB Size=36, RB Offset=0	20.25	21.10	20.30
		RB Size=36, RB Offset=18	20.64	21.02	20.29
		RB Size=36, RB Offset=37	20.67	20.32	20.29
		RB Size=75, RB Offset=0	20.00	20.05	19.92
20	QPSK	RB Size=1, RB Offset=0	21.62	21.64	21.99
		RB Size=1, RB Offset=49	21.45	21.32	21.72
		RB Size=1, RB Offset=99	21.61	21.70	22.26
		RB Size=50, RB Offset=0	22.04	22.10	22.09
		RB Size=50, RB Offset=24	21.56	21.33	21.82
		RB Size=50, RB Offset=49	20.99	21.34	21.99
		RB Size=100, RB Offset=0	20.97	21.14	21.13
	16QAM	RB Size=1, RB Offset=0	21.26	21.08	21.10
		RB Size=1, RB Offset=49	20.99	21.13	21.06
		RB Size=1, RB Offset=99	21.32	20.86	20.71
		RB Size=50, RB Offset=0	21.01	21.36	20.78
		RB Size=50, RB Offset=24	20.95	20.96	20.62
		RB Size=50, RB Offset=49	20.40	21.22	21.38
		RB Size=100, RB Offset=0	20.16	20.02	19.96

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.18	13	Pass
QPSK (100RB Size)	5.42	13	Pass
16QAM (1RB Size)	6.22	13	Pass
16QAM (100RB Size)	5.33	13	Pass

EIRP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	85.86	309	1.7	H	16.4	2.60	10.20	24.00	33
2535.00	84.59	148	2.1	V	15.7	2.60	10.20	23.30	33
10 MHz Bandwidth									
2535.00	85.67	141	1.2	H	16.2	2.60	10.20	23.80	33
2535.00	84.09	14	1.8	V	15.2	2.60	10.20	22.80	33
15 MHz Bandwidth									
2535.00	84.61	133	2.5	H	15.1	2.60	10.20	22.70	33
2535.00	84.55	122	2.1	V	15.7	2.60	10.20	23.30	33
20 MHz Bandwidth									
2535.00	85.11	75	1.2	H	15.6	2.60	10.20	23.20	33
2535.00	84.27	151	1.5	V	15.4	2.60	10.20	23.00	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
5 MHz Bandwidth									
2535.00	84.85	217	1.7	H	15.4	2.60	10.20	23.00	33
2535.00	84.09	96	1.8	V	15.2	2.60	10.20	22.80	33
10 MHz Bandwidth									
2535.00	84.31	240	2.4	H	14.8	2.60	10.20	22.40	33
2535.00	85.69	189	2.3	V	16.8	2.60	10.20	24.40	33
15 MHz Bandwidth									
2535.00	84.72	85	2.1	H	15.2	2.60	10.20	22.80	33
2535.00	85.93	306	1.8	V	17.1	2.60	10.20	24.70	33
20 MHz Bandwidth									
2535.00	84.11	93	2.0	H	14.6	2.60	10.20	22.20	33
2535.00	84.69	126	1.7	V	15.8	2.60	10.20	23.40	33

LTE Band 12:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	21.51	21.79	22.12
		RB Size=1, RB Offset=2	22.12	22.07	22.01
		RB Size=1, RB Offset=5	21.88	22.08	22.01
		RB Size=3, RB Offset=0	21.77	22.35	21.82
		RB Size=3, RB Offset=1	21.75	22.20	22.15
		RB Size=3, RB Offset=2	21.60	22.28	21.86
		RB Size=6, RB Offset=0	20.85	20.44	21.44
	16QAM	RB Size=1, RB Offset=0	21.86	20.76	20.58
		RB Size=1, RB Offset=2	20.67	21.52	20.17
		RB Size=1, RB Offset=5	21.32	20.11	21.41
		RB Size=3, RB Offset=0	21.19	21.67	20.87
		RB Size=3, RB Offset=1	20.83	21.21	20.93
		RB Size=3, RB Offset=2	21.69	20.91	21.84
		RB Size=6, RB Offset=0	20.00	19.97	20.00
3.0	QPSK	RB Size=1, RB Offset=0	21.98	22.11	22.09
		RB Size=1, RB Offset=7	21.61	21.78	21.82
		RB Size=1, RB Offset=14	22.10	21.59	21.49
		RB Size=8, RB Offset=0	22.03	22.28	22.37
		RB Size=8, RB Offset=4	22.04	22.40	21.94
		RB Size=8, RB Offset=7	22.08	22.36	22.32
		RB Size=15, RB Offset=0	20.76	20.51	20.63
	16QAM	RB Size=1, RB Offset=0	20.77	21.12	21.78
		RB Size=1, RB Offset=7	20.59	20.28	21.33
		RB Size=1, RB Offset=14	21.00	21.42	20.36
		RB Size=8, RB Offset=0	21.15	20.71	80.92
		RB Size=8, RB Offset=4	21.19	20.65	20.68
		RB Size=8, RB Offset=7	20.88	21.36	20.47
		RB Size=15, RB Offset=0	20.33	19.73	20.29

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.29	21.27	21.47
		RB Size=1, RB Offset=12	22.18	21.97	21.79
		RB Size=1, RB Offset=24	22.20	21.71	21.59
		RB Size=12, RB Offset=0	20.49	20.70	20.80
		RB Size=12, RB Offset=6	21.15	20.62	21.13
		RB Size=12, RB Offset=11	20.84	20.49	21.16
		RB Size=25, RB Offset=0	20.84	21.24	20.43
	16QAM	RB Size=1, RB Offset=0	20.09	19.95	19.98
		RB Size=1, RB Offset=12	20.52	20.29	20.45
		RB Size=1, RB Offset=24	20.07	20.04	20.75
		RB Size=12, RB Offset=0	20.78	20.47	20.72
		RB Size=12, RB Offset=6	20.21	20.35	20.22
		RB Size=12, RB Offset=11	20.81	20.22	20.67
		RB Size=25, RB Offset=0	20.14	19.73	20.04
10.0	QPSK	RB Size=1, RB Offset=0	22.11	22.62	21.96
		RB Size=1, RB Offset=24	22.46	22.44	22.65
		RB Size=1, RB Offset=49	22.12	22.02	22.23
		RB Size=25, RB Offset=0	21.29	21.26	21.05
		RB Size=25, RB Offset=12	21.37	21.35	21.18
		RB Size=25, RB Offset=24	21.42	20.43	21.18
		RB Size=50, RB Offset=0	21.22	20.72	21.15
	16QAM	RB Size=1, RB Offset=0	22.28	20.40	21.37
		RB Size=1, RB Offset=24	20.65	21.06	21.47
		RB Size=1, RB Offset=49	20.77	21.02	21.68
		RB Size=25, RB Offset=0	21.06	20.71	20.58
		RB Size=25, RB Offset=12	20.57	20.74	20.61
		RB Size=25, RB Offset=24	20.80	20.61	21.28
		RB Size=50, RB Offset=0	20.14	19.61	19.68

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	5.95	13	Pass
QPSK (50RB Size)	5.33	13	Pass
16QAM (1RB Size)	6.17	13	Pass
16QAM (50RB Size)	5.67	13	Pass

ERP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
707.5	78.72	249	1.4	H	15.2	0.7	0.0	14.50	34.77
707.5	83.93	173	1.7	V	21.6	0.7	0.0	20.90	34.77
3 MHz Bandwidth									
707.5	78.96	360	1.6	H	15.5	0.7	0.0	14.80	34.77
707.5	83.98	96	1.6	V	21.7	0.7	0.0	21.00	34.77
5 MHz Bandwidth									
707.5	79.27	208	2.2	H	15.8	0.7	0.0	15.10	34.77
707.5	84.17	265	1.5	V	21.9	0.7	0.0	21.20	34.77
10 MHz Bandwidth									
707.5	79.86	267	1.8	H	16.4	0.7	0.0	15.70	34.77
707.5	84.59	141	1.9	V	22.3	0.7	0.0	21.60	34.77

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		
Middle Channel									
1.4 MHz Bandwidth									
707.5	79.06	306	1.5	H	15.6	0.7	0.0	14.90	34.77
707.5	83.23	115	1.8	V	20.9	0.7	0.0	20.20	34.77
3 MHz Bandwidth									
707.5	78.86	331	1.4	H	15.4	0.7	0.0	14.70	34.77
707.5	83.75	115	1.5	V	21.5	0.7	0.0	20.80	34.77
5 MHz Bandwidth									
707.5	78.95	207	2.1	H	15.5	0.7	0.0	14.80	34.77
707.5	84.39	303	1.9	V	22.1	0.7	0.0	21.40	34.77
10 MHz Bandwidth									
707.5	79.46	167	1.9	H	16.0	0.7	0.0	15.30	34.77
707.5	83.95	198	1.3	V	21.7	0.7	0.0	21.00	34.77

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	25~26 °C
Relative Humidity:	52~53 %
ATM Pressure:	101.0~101.5 kPa

The testing was performed by Tracy Hu on 2018-03-20 and 2018-03-21.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)


Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GPRS(GMSK)	836.6	246.8	317.3
EGPRS(8PSK)	836.6	250.0	323.7

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.13	4.78
HSUPA (BPSK)	836.6	4.15	4.76
HSDPA (16QAM)	836.6	4.15	4.73


PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GPRS(GMSK)	1880.0	245.2	322.1
EGPRS(8PSK)	1880.0	250.0	326.9

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.13	4.74
HSUPA (BPSK)	1880.0	4.13	4.74
HSDPA (16QAM)	1880.0	4.13	4.73


Cellular Band (Part 22H)**26 dB Emissions & 99% Occupied Bandwidth for GPRS (GMSK) Mode**

Date: 21.MAR.2018 21:08:35

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode


Date: 21.MAR.2018 21:21:54

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 21.MAR.2018 21:51:09


26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode




Date: 21.MAR.2018 21:59:06

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode


Date: 21.MAR.2018 22:09:17

PCS Band (Part 24E)**26 dB Emissions & 99% Occupied Bandwidth for GPRS (GMSK) Mode**


Date: 21.MAR.2018 21:13:21

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode


Date: 21.MAR.2018 21:18:14

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode

Date: 21.MAR.2018 21:49:38

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode

Date: 21.MAR.2018 22:01:22


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode

Date: 21.MAR.2018 22:03:42

LTE Band 2: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.104	1.337
	16QAM	1.108	1.324
3.0	QPSK	2.692	2.952
	16QAM	2.702	2.962
5.0	QPSK	4.519	5.032
	16QAM	4.519	5.048
10.0	QPSK	8.974	9.808
	16QAM	8.910	9.679
15.0	QPSK	13.462	14.952
	16QAM	13.509	14.808
20.0	QPSK	17.885	19.231
	16QAM	17.949	19.487

QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:08:25

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:07:11

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:09:28

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:10:05

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:15:35

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:14:33

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:17:22

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:18:19

QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:24:09

16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:23:20

QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:26:07

16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:27:03

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:04:52

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:06:36

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel





Date: 20.MAR.2018 20:11:34


16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 20.MAR.2018 20:10:46




QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:19:57

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:19:13

QPSK (15.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:21:10

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:22:26

QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 20.MAR.2018 20:28:36

16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:27:44

LTE Band 4: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.104	1.319
	16QAM	1.108	1.324
3.0	QPSK	2.692	2.942
	16QAM	2.702	2.981
5.0	QPSK	4.535	5.016
	16QAM	4.519	5.064
10.0	QPSK	8.942	9.839
	16QAM	8.942	9.615
15.0	QPSK	13.558	15.000
	16QAM	13.509	14.904
20.0	QPSK	17.949	19.551
	16QAM	18.013	19.551

QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:47:50

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:48:33

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:46:54

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:46:07

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:39:49

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:40:38

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:38:52

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:38:10

QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:34:16

16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:34:50

QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:33:29

16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:32:39

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:50:11

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:49:24

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:44:15

16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:45:09

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:42:58


16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 20.MAR.2018 20:41:36


QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel

Date: 20.MAR.2018 20:37:00

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel


Date: 20.MAR.2018 20:37:47

QPSK (15.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:36:09

16-QAM (15.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:35:34

QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 20.MAR.2018 20:30:54

16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:31:50

LTE Band 7: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.535	5.000
	16QAM	4.519	5.032
10.0	QPSK	8.942	9.712
	16QAM	8.942	9.679
15.0	QPSK	13.558	14.904
	16QAM	13.510	14.856
20.0	QPSK	17.885	19.359
	16QAM	17.949	19.487

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:56:00

16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:55:20

QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:57:22

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 20:58:28

QPSK (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:04:22

16-QAM (15.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:03:25

QPSK (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:05:41

16-QAM (20.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:06:42

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:53:49

16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:54:41

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel






Date: 20.MAR.2018 21:00:09

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 20:59:09



QPSK (20.0 MHz) - 99% Occupied Bandwidth, Middle channel

Date: 20.MAR.2018 21:08:55


16-QAM (20.0 MHz) - 99% Occupied Bandwidth, Middle channel

Date: 20.MAR.2018 21:08:07

LTE Band 12: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.104	1.315
	16QAM	1.104	1.319
3.0	QPSK	2.692	2.952
	16QAM	2.692	2.962
5.0	QPSK	4.535	5.048
	16QAM	4.519	5.048
10.0	QPSK	8.974	9.840
	16QAM	8.942	9.679

QPSK (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:21:37

16-QAM (1.4 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:20:41

QPSK (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:22:54

16-QAM (3.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:23:50

QPSK (5.0 MHz) - 26 dB Bandwidth, Middle channel




Date: 20.MAR.2018 21:29:40


16-QAM (5.0 MHz) - 26 dB Bandwidth, Middle channel



Date: 20.MAR.2018 21:28:32


QPSK (10.0 MHz) - 26 dB Bandwidth, Middle channel

Date: 20.MAR.2018 21:31:12

16-QAM (10.0 MHz) - 26 dB Bandwidth, Middle channel


Date: 20.MAR.2018 21:33:16

QPSK (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 21:19:01

16-QAM (1.4 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 21:19:54

QPSK (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 21:25:06

16-QAM (3.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 21:24:27

QPSK (5.0 MHz) - 99% Occupied Bandwidth, Middle channel




Date: 20.MAR.2018 21:26:38


16-QAM (5.0 MHz) - 99% Occupied Bandwidth, Middle channel



Date: 20.MAR.2018 21:27:22

QPSK (10.0 MHz) - 99% Occupied Bandwidth, Middle channel

Date: 20.MAR.2018 21:36:22

16-QAM (10.0 MHz) - 99% Occupied Bandwidth, Middle channel

Date: 20.MAR.2018 21:35:14

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	25~26 °C
Relative Humidity:	53~54 %
ATM Pressure:	101.0~101.5 kPa

The testing was performed by Tracy Hu from 2018-03-21 to 2018-04-19.


Test result: Compliance.

EUT operation mode: transmitting

Please refer to the following plots.

Cellular Band (Part 22H)


30 MHz – 1 GHz (GPRS Mode)



Fundamental test


Date: 21.MAR.2018 21:34:41

1 GHz – 10 GHz (GPRS Mode)



Date: 21.MAR.2018 21:35:46


30 MHz – 1 GHz (WCDMA Mode)



Fundamental test

Date: 21.MAR.2018 21:47:51


1 GHz – 10 GHz (WCDMA Mode)



Date: 21.MAR.2018 21:44:33


PCS Band (Part 24E)

30 MHz – 1 GHz (GPRS Mode)




Date: 21.MAR.2018 21:39:43


1 GHz – 2 GHz (GPRS Mode)



Date: 21.MAR.2018 21:39:00


2 GHz – 20 GHz (GPRS Mode)

Date: 21.MAR.2018 21:38:08

30 MHz – 1 GHz (WCDMA Mode)


Date: 21.MAR.2018 21:43:21

1 GHz – 2 GHz (WCDMA Mode)



Date: 21.MAR.2018 21:45:58


2 GHz – 20 GHz (WCDMA Mode)



Date: 21.MAR.2018 21:44:09


LTE Band 2:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)



Date: 21.MAR.2018 00:05:29


1 GHz - 2 GHz (1.4 MHz, Middle Channel)



Fundamental test


Date: 21.MAR.2018 00:18:04

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 21.MAR.2018 00:14:13

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:06:50

1 GHz – 2 GHz (3.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:20:58

2 GHz – 20 GHz (3.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:15:01

Ref 39 dBm * Att 20 dB * RBW 100 kHz * VBW 300 kHz * SWT 100 ms Marker 1 [T1] -36.60 dBm 367.323717949 MHz

Offset 14 dB


1 PK MAXH

D1 -13 dBm

1


Start 30 MHz 97 MHz/ Stop 1 GHz

1 GHz – 2 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:22:05

2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:15:15

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:08:30


1 GHz – 2 GHz (10.0 MHz, Middle Channel)



Fundamental test


Date: 21.MAR.2018 00:24:43

2 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:16:05

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:08:30

1 GHz - 2 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:25:22

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:16:19

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:08:46

1 GHz – 2 GHz (20.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:27:27


2 GHz –20 GHz (20.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:17:00


LTE Band 4:**30 MHz - 1 GHz (1.4 MHz, Middle Channel)**

Date: 21.MAR.2018 00:06:00

1 GHz - 2 GHz (1.4 MHz, Middle Channel)


Date: 21.MAR.2018 00:18:31

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 21.MAR.2018 00:14:32

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:06:28

1 GHz – 2 GHz (3.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:19:55

2 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:14:46

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:07:45

1 GHz - 2 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:22:38

2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:15:34

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:08:09

1 GHz – 2 GHz (10.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:26:01

2 GHz – 20 GHz (10.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:16:33

30 MHz - 1 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:09:05

1 GHz - 2 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:26:01

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:16:33

30 MHz - 1 GHz (20.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:09:22

1 GHz – 2 GHz (20.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:26:48


2 GHz – 20 GHz (20.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:16:46


LTE Band 7:

30 MHz – 1 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:11:06

1 GHz – 3.0 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:30:11

3.0 GHz – 26 GHz (5.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:29:32

30 MHz – 1.0 GHz (10.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:10:52

Ref 39 dBm * Att 20 dB * RBW 1 MHz VBW 3 MHz SWT 5 ms Marker 1 [T1] -36.13 dBm 1.971153846 GHz

Offset 14 dB

1 PK MAXH

D1 -25 dBm

1


Start 1 GHz 200 MHz/ Stop 3 GHz

Fundamental test

[illegible]


Page 112 of 183

30 MHz – 1 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:10:40

1 GHz – 3 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:32:23

3 GHz – 26 GHz (15.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:29:10

30 MHz – 1 GHz (20.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:10:26

1 GHz – 3 GHz (20.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:32:55


3 GHz – 26 GHz (20.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:28:51


LTE Band 12:

30 MHz - 1 GHz (1.4 MHz, Middle Channel)




Date: 21.MAR.2018 00:37:56

1 GHz – 10 GHz (1.4 MHz, Middle Channel)




Date: 19.APR.2018 00:15:50

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:38:55

1 GHz – 10 GHz (3.0 MHz, Middle Channel)




Date: 19.APR.2018 00:15:38

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 21.MAR.2018 00:39:24

1 GHz - 10 GHz (5.0 MHz, Middle Channel)




Date: 19.APR.2018 00:15:07

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 21.MAR.2018 00:40:04

1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 19.APR.2018 00:16:13

FCC § 2.1053; § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, § 22.917(a) and § 24.238(a) and § 27.53(h)(m)

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2018-03-23.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GPRS Mode, middle channel										
165.32	31.91	272	1.7	H	-65.10	0.28	0	-65.38	-13	52.38
165.32	30.32	168	1.8	V	-66.70	0.28	0	-66.98	-13	53.98
1673.20	42.62	345	2.0	H	-64.5	1.30	8.90	-56.90	-13	43.90
1673.20	42.82	323	1.9	V	-63.7	1.30	8.90	-56.10	-13	43.10
2509.80	67.94	312	2.1	H	-35.6	2.60	10.20	-28.00	-13	15.00
2509.80	70.34	322	1.3	V	-32.6	2.60	10.20	-25.00	-13	12.00
3346.40	43.01	301	1.3	H	-57.3	1.50	11.70	-47.10	-13	34.10
3346.40	42.26	167	1.4	V	-58.1	1.50	11.70	-47.90	-13	34.90
WCDMA Mode, Middle channel										
165.32	32.93	324	1.2	H	-64.10	0.28	0	-64.38	-13	51.38
165.32	31.77	113	1.9	V	-65.20	0.28	0	-65.48	-13	52.48
1673.20	53.28	89	2.1	H	-53.8	1.30	8.90	-46.20	-13	33.20
1673.20	55.25	94	1.4	V	-51.2	1.30	8.90	-43.60	-13	30.60
2509.80	47.66	79	1.6	H	-55.9	2.60	10.20	-48.30	-13	35.30
2509.80	47.61	143	2.1	V	-55.3	2.60	10.20	-47.70	-13	34.70
3346.40	54.71	298	1.8	H	-45.6	1.50	11.70	-35.40	-13	22.40
3346.40	50.76	185	1.9	V	-49.6	1.50	11.70	-39.40	-13	26.40

30 MHz ~ 20 GHz:**PCS Band (Part 24E)**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)		Limit (dBm)	Margin (dB)
GPRS Mode, middle channel										
165.32	31.99	226	2.2	H	-65.00	0.28	0	-65.28	-13	52.28
165.32	30.31	359	1.2	V	-66.70	0.28	0	-66.98	-13	53.98
3760.00	48.02	122	1.5	H	-53.2	1.50	11.80	-42.90	-13	29.90
3760.00	49.79	337	1.6	V	-51.0	1.50	11.80	-40.70	-13	27.70
5640.00	46.62	134	1.1	H	-51.0	1.70	12.40	-40.30	-13	27.30
5640.00	48.83	221	1.6	V	-48.4	1.70	12.40	-37.70	-13	24.70
WCDMA Mode Band II, Middle channel										
165.32	32.98	350	2.0	H	-64.00	0.28	0	-64.28	-13	51.28
165.32	31.32	343	1.1	V	-65.70	0.28	0	-65.98	-13	52.98
3760.00	50.35	239	2.0	H	-50.9	1.50	11.80	-40.60	-13	27.60
3760.00	44.75	262	1.3	V	-56.0	1.50	11.80	-45.70	-13	32.70

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dB)			
Band 2										
Test frequency range:30 MHz ~ 20 GHz										
165.32	32.99	247	1.6	H	-64.00	0.28	0	-64.28	-13	51.28
165.32	31.35	12	1.5	V	-65.60	0.28	0	-65.88	-13	52.88
3760.00	44.76	55	2.4	H	-56.5	1.50	11.80	-46.20	-13	33.20
3760.00	43.03	256	2.4	V	-57.7	1.50	11.80	-47.40	-13	34.40
5640.00	44.45	5	1.3	H	-53.1	1.70	12.40	-42.40	-13	29.40
5640.00	44.73	155	1.9	V	-52.5	1.70	12.40	-41.80	-13	28.80
7520.00	42.01	324	1.5	H	-51.9	1.90	10.70	-43.10	-13	30.10
7520.00	42.35	120	2.1	V	-51.2	1.90	10.70	-42.40	-13	29.40
Band 4										
Test frequency range:30 MHz ~ 18 GHz										
165.32	32.81	132	1.8	H	-64.20	0.28	0	-64.48	-13	51.48
165.32	31.30	251	1.7	V	-65.70	0.28	0	-65.98	-13	52.98
3465.00	50.48	94	1.3	H	-49.9	1.50	12.00	-39.40	-13	26.40
3465.00	48.21	329	1.4	V	-52.9	1.50	12.00	-42.40	-13	29.40
5197.50	43.35	165	1.3	H	-55.3	1.60	12.10	-44.80	-13	31.80
5197.50	43.51	160	1.9	V	-54.6	1.60	12.10	-44.10	-13	31.10
Band 7										
Test frequency range:30 MHz ~ 26 GHz										
165.32	31.84	125	1.7	H	-65.20	0.28	0	-65.48	-25	40.48
165.32	30.20	134	1.4	V	-66.80	0.28	0	-67.08	-25	42.08
5070.00	48.62	181	1.7	H	-49.2	1.60	12.10	-38.70	-25	13.70
5070.00	46.63	108	2.2	V	-51.2	1.60	12.10	-40.70	-25	15.70
7605.00	45.72	224	1.9	H	-49.5	2.10	10.50	-41.10	-25	16.10
7605.00	44.86	109	1.3	V	-50.1	2.10	10.50	-41.70	-25	16.70
Band 12										
Test frequency range: 30 MHz ~ 10GHz										
165.32	31.06	163	1.3	H	-65.90	0.28	0	-66.18	-13	53.18
165.32	30.15	338	1.9	V	-66.80	0.28	0	-67.08	-13	54.08
1415.00	53.18	113	1.8	H	-54.7	1.60	7.90	-48.40	-13	35.40
1415.00	48.39	93	2.4	V	-59.7	1.60	7.90	-53.40	-13	40.40
2122.50	41.56	191	2.2	H	-60.5	1.30	9.70	-52.10	-13	39.10
2122.50	41.97	190	1.2	V	-60.9	1.30	9.70	-52.50	-13	39.50
3537.50	54.92	124	1.3	H	-45.6	1.50	12.00	-35.10	-13	22.10
3537.50	53.57	5	1.4	V	-47.7	1.50	12.00	-37.20	-13	24.20

Note:

- 1) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 2) Margin = Limit- Absolute Level

FCC § 22.917 (a);§ 24.238 (a); §27.53 (h)(m) - BAND EDGES**Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to §24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC §27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


Temperature:	25~26 °C
Relative Humidity:	52~53 %
ATM Pressure:	101.0~101.5 kPa

The testing was performed by Tracy Hu on 2018-03-20 and 2018-03-21.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GPRS (GMSK) Mode




Date: 21.MAR.2018 21:32:52

Cellular Band, Right Band Edge for GPRS (GMSK) Mode




Date: 21.MAR.2018 21:33:25

Cellular Band, Left Band Edge for EDGE Mode




Date: 21.MAR.2018 21:23:05

Cellular Band, Right Band Edge for EDGE Mode




Date: 21.MAR.2018 21:23:41

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 21.MAR.2018 22:17:23

Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 21.MAR.2018 22:17:05

Cellular Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 21.MAR.2018 22:12:36

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 21.MAR.2018 22:12:00

Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 21.MAR.2018 22:15:03

Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 21.MAR.2018 22:15:25

PCS Band, Left Band Edge for GPRS (GMSK) Mode




Date: 21.MAR.2018 21:29:34

PCS Band, Right Band Edge for GPRS (GMSK) Mode




Date: 21.MAR.2018 21:28:46

PCS Band, Left Band Edge for EDGE Mode




Date: 21.MAR.2018 21:25:47

PCS Band, Right Band Edge for EDGE Mode




Date: 21.MAR.2018 21:26:22

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 21.MAR.2018 22:17:50

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 21.MAR.2018 22:18:07

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 21.MAR.2018 22:13:16

PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 21.MAR.2018 22:13:37

PCS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 21.MAR.2018 22:14:37


PCS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 21.MAR.2018 22:14:17


Band 2:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 21:45:29

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 21:50:54

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 21:46:53

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 21:50:12

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 21:56:56

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 21:52:05

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 21:55:26

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 21:53:34

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 21:59:05

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:01:30

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:00:10

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:01:04

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:06:00

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:03:31

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:05:03

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:04:20

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:09:33

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:11:23

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:10:13

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:10:55

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:14:22

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:12:17

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 20.MAR.2018 22:13:56


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 22:13:10


Band 4:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:42:13

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:39:04

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:41:28

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:40:19

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:34:08

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:35:48

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:34:32

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:35:22

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:33:23


QPSK (5.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 22:31:54


16-QAM (5.0 MHz, FULL RB) - Left Band Edge

Date: 20.MAR.2018 22:32:57

16-QAM (5.0 MHz, FULL RB) - Right Band Edge


Date: 20.MAR.2018 22:32:22

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:27:58


QPSK (10.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 22:30:15


16-QAM (10.0 MHz, FULL RB) - Left Band Edge

Date: 20.MAR.2018 22:28:32

16-QAM (10.0 MHz, FULL RB) - Right Band Edge


Date: 20.MAR.2018 22:29:40

QPSK (15.0 MHz, FULL RB) - Left Band Edge



Date: 20.MAR.2018 22:26:53

QPSK (15.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 22:23:58

Ref 39 dBm * Att 20 dB * RBW 300 kHz Marker 1 [T1] -22.52 dBm
 * VBW 1 MHz SWT 2.5 ms 1.709951923 GHz

Offset 14 dB


1 RM
MAXH

D1 -13 dBm

30dB


Center 1.71 GHz 3 MHz/ Span 30 MHz

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Page 156 of 183

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 22:18:57

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 22:21:08

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 20.MAR.2018 22:19:53


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 22:20:36


Band 7:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:07:43

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:09:50

16-QAM (5.0 MHz, FULL RB) - Left Band Edge



Date: 20.MAR.2018 23:08:26

16-QAM (5.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 23:09:30

Ref 39 dBm * Att 20 dB * RBW 100 kHz * VBW 300 kHz Marker 1 [T1] -25.91 dBm
 SWT 10 ms 2.499903846 GHz

Offset 14 dB


1 RM
 MAXH

D1 -13 dBm


3dB

Center 2.5 GHz 2 MHz/ Span 20 MHz


QPSK (10.0 MHz, FULL RB) - Right Band Edge



Page 161 of 183


16-QAM (10.0 MHz, FULL RB) - Left Band Edge

Date: 20.MAR.2018 23:22:23

16-QAM (10.0 MHz, FULL RB) - Right Band Edge


Date: 20.MAR.2018 23:21:39

QPSK (15 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:23:25

QPSK (15 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:24:37

16-QAM (15 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:23:42

16-QAM (15 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:24:09

QPSK (20 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:27:57

QPSK (20 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:26:37

16-QAM (20 MHz, FULL RB) - Left Band Edge



Date: 20.MAR.2018 23:27:37


16-QAM (20 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 23:26:59


Band 12:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:44:14

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:45:58

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:44:39

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:45:36

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:49:02

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:47:37

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:48:36

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:47:57

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:50:31

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:51:55

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:51:02

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:51:33

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 20.MAR.2018 23:53:37

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 20.MAR.2018 23:52:29

16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 20.MAR.2018 23:53:17

16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 20.MAR.2018 23:52:52

FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055, §22.355, §24.235 and §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2018-03-14.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GPRS Mode**

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	4	0.0048	2.5
-20		13	0.0155	2.5
-10		9	0.0108	2.5
0		6	0.0072	2.5
10		7	0.0084	2.5
20		18	0.0215	2.5
30		4	0.0048	2.5
40		15	0.0179	2.5
50		3	0.0036	2.5
25	V min.= 3.6	5	0.0060	2.5
	V max.= 4.35	3	0.0036	2.5

EDGE Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	6	0.0072	2.5
-20		9	0.0108	2.5
-10		-2	-0.0024	2.5
0		4	0.0048	2.5
10		-3	-0.0036	2.5
20		12	0.0143	2.5
30		-6	-0.0072	2.5
40		-4	-0.0048	2.5
50		6	0.0072	2.5
25	V min.= 3.6	2	0.0024	2.5
	V max.= 4.35	6	0.0072	2.5

WCDMA Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-2	-0.0024	2.5
-20		8	0.0096	2.5
-10		4	0.0048	2.5
0		3	0.0036	2.5
10		12	0.0143	2.5
20		-1	-0.0012	2.5
30		5	0.0060	2.5
40		1	0.0012	2.5
50		6	0.0072	2.5
25	V min.= 3.6	2	0.0024	2.5
	V max.= 4.35	5	0.0060	2.5

PCS Band (Part 24E)**GPRS Mode**

Middle Channel, $f_0=1880.0\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	12	0.0064	pass
-20		8	0.0043	pass
-10		11	0.0059	pass
0		10	0.0053	pass
10		8	0.0043	pass
20		7	0.0037	pass
30		5	0.0027	pass
40		8	0.0043	pass
50		3	0.0016	pass
25	V min.= 3.6	2	0.0011	pass
	V max.= 4.35	5	0.0027	pass

EDGE Mode

Middle Channel, $f_o=1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	6	0.0032	pass
-20		3	0.0016	pass
-10		-1	-0.0005	pass
0		6	0.0032	pass
10		2	0.0011	pass
20		2	0.0011	pass
30		-4	-0.0021	pass
40		6	0.0032	pass
50		2	0.0011	pass
25	V min.= 3.6	-2	-0.0011	pass
	V max.= 4.35	-1	-0.0005	pass

WCDMA Mode

Middle Channel, $f_o=1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	4	0.0021	pass
-20		1	0.0005	pass
-10		9	0.0048	pass
0		-3	-0.0016	pass
10		-5	-0.0027	pass
20		0	0.0000	pass
30		3	0.0016	pass
40		-6	-0.0032	pass
50		-7	-0.0037	pass
25	V min.= 3.6	2	0.0011	pass
	V max.= 4.35	1	0.0005	pass

LTE:
QPSK:

Band 2:

10.0 MHz Middle Channel, $f_0=1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	2	0.001064	pass
-20		3	0.001596	pass
-10		0	0.000000	pass
0		0	-0.000532	pass
10		4	0.002128	pass
20		2	0.001064	pass
30		5	0.001596	pass
40		2	0.000532	pass
50		2	0.000532	pass
20	V min.= 3.6	-1	-0.001064	pass
	V max.= 4.35	0	0.000000	pass

Band 4:

10.0 MHz Middle Channel, $f_0=1732.5\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	4	0.002309	pass
-20		2	0.000577	pass
-10		4	0.001732	pass
0		0	-0.000577	pass
10		6	0.002886	pass
20		1	0.000577	pass
30		4	0.001732	pass
40		2	0.001154	pass
50		1	0.000000	pass
20	V min.= 3.6	-1	-0.000577	pass
	V max.= 4.35	1	0.000000	pass

Band 7:

10.0 MHz Middle Channel, $f_o = 2535$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	4	0.000789	pass
-20		3	0.000394	pass
-10		5	0.001578	pass
0		6	0.001972	pass
10		2	0.000789	pass
20		-2	-0.001183	pass
30		1	0.000000	pass
40		2	0.000789	pass
50		4	0.001578	pass
20	V min.= 3.6	4	0.001578	pass
	V max.= 4.35	2	0.000394	pass

Band 12:

10.0 MHz Middle Channel, $f_o = 710$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	6	0.006394	pass
-20		2	0.002558	pass
-10		11	0.012788	pass
0		-1	-0.003836	pass
10		4	0.003836	pass
20		0	0.000000	pass
30		4	0.005115	pass
40		2	0.001279	pass
50		3	0.002558	pass
25	V min.= 3.6	-2	-0.003836	pass
	V max.= 4.35	0	0.000000	pass

16QAM:**Band 2:**

10.0 MHz Middle Channel, $f_0=1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	8	0.004255	pass
-20		6	0.003191	pass
-10		7	0.003723	pass
0		5	0.002660	pass
10		5	0.002660	pass
20		4	0.002128	pass
30		-7	-0.003723	pass
40		6	0.003191	pass
50		10	0.005319	pass
20	V min.= 3.6	1	0.000532	pass
	V max.= 4.2	6	0.003191	pass

Band 4:

10.0 MHz Middle Channel, $f_0=1732.5\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	5	0.00289	pass
-20		-2	-0.00115	pass
-10		-3	-0.00173	pass
0		6	0.00346	pass
10		5	0.00289	pass
20		9	0.00519	pass
30		-2	-0.00115	pass
40		11	0.00635	pass
50		-1	-0.00058	pass
20	V min.= 3.6	11	0.00635	pass
	V max.= 4.2	6	0.00346	pass

Band 7:

10.0 MHz Middle Channel, $f_o = 2535$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	6	0.00237	pass
-20		-9	-0.00355	pass
-10		12	0.00473	pass
0		-9	-0.00355	pass
10		9	0.00355	pass
20		-4	-0.00158	pass
30		5	0.00197	pass
40		-3	-0.00118	pass
50		12	0.00473	pass
20	V min.= 3.6	6	0.00237	pass
	V max.= 4.2	7	0.00276	pass

Band 12:

10.0 MHz Middle Channel, $f_o = 710$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	2	0.002817	pass
-20		-4	-0.005634	pass
-10		14	0.019718	pass
0		-3	-0.004225	pass
10		4	0.005634	pass
20		-5	-0.007042	pass
30		1	0.001408	pass
40		10	0.014085	pass
50		7	0.009859	pass
25	V min.= 3.6	11	0.015493	pass
25	V max.= 4.2	-6	-0.008451	pass

***** END OF REPORT *****