



TESTING LABORATORY
CERTIFICATE #4820.01



FCC PART 22H, PART 24E
FCC PART 27
MEASUREMENT AND TEST REPORT

For

MFOURTEL MEXICO S.A. DE C.V.

Av. Ejercito Nacional 436 Piso 3 Chapultepec, Morales Miguel Hidalgo D.F 11570, Mexico

FCC ID: CLNM4R2PLUS

Report Type: Original Report	Product Type: Mobile Phone
Report Number: RDG181029001-00D	
Report Date: 2018-12-12	
Reviewed By:	Jerry Zhang EMC Manager
Test Laboratory: Bay Area Compliance Laboratories Corp. (Dongguan) No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China Tel: +86-769-86858888 Fax: +86-769-86858891 www.baclcorp.com.cn	

Note: This test report is prepared for the customer shown above and for the device described herein. It may not be duplicated or used in part without prior written consent from Bay Area Compliance Laboratories Corp. (Dongguan). This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

TABLE OF CONTENTS

GENERAL INFORMATION.....	4
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	4
OBJECTIVE	4
RELATED SUBMITTAL(S)/GRANT(S).....	4
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	5
TEST FACILITY	5
SYSTEM TEST CONFIGURATION.....	6
JUSTIFICATION	6
EQUIPMENT MODIFICATIONS	6
SUPPORT EQUIPMENT LIST AND DETAILS	6
CONFIGURATION OF TEST SETUP	6
BLOCK DIAGRAM OF TEST SETUP	7
SUMMARY OF TEST RESULTS	8
FCC §1.1310 & §2.1093- RF EXPOSURE	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C) & § 27.50 - RF OUTPUT POWER.....	11
APPLICABLE STANDARD	11
TEST PROCEDURE	12
TEST EQUIPMENT LIST AND DETAILS.....	17
TEST DATA	17
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH.....	35
APPLICABLE STANDARD	35
TEST PROCEDURE	35
TEST EQUIPMENT LIST AND DETAILS.....	35
TEST DATA	35
FCC §2.1051, §22.917(A) & §24.238(A) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS ..	73
APPLICABLE STANDARD	73
TEST PROCEDURE	73
TEST EQUIPMENT LIST AND DETAILS.....	73
TEST DATA	73
FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS	108
APPLICABLE STANDARD	108
TEST PROCEDURE	108
TEST EQUIPMENT LIST AND DETAILS.....	109
TEST DATA	109
FCC §22.917(A) & §24.238(A) & §27.53 - BAND EDGES.....	114
APPLICABLE STANDARD	114
TEST PROCEDURE	114
TEST EQUIPMENT LIST AND DETAILS.....	114
TEST DATA	115

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY.....186

 APPLICABLE STANDARD186

 TEST PROCEDURE186

 TEST EQUIPMENT LIST AND DETAILS.....187

 TEST DATA187

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

EUT Name:		Mobile Phone
EUT Model:		M4 R2 Plus
FCC ID:		CLNM4R2PLUS
Rated Input Voltage:		DC3.8V from Battery or DC5V from adapter
Adapter Information	Model:	M4
	Input:	100-240V, 50/60Hz, 150mA
	Output:	DC5.0V, 1000mA
External Dimension:		160.5mm(L)*76.7mm(W)*9mm(H)
Serial Number:		181029001
EUT Received Date:		2018.10.29

Objective

This report is prepared on behalf of **MFOURTEL MEXICO S.A. DE C.V.** in accordance with: Part 2-Subpart J, Part 22-Subpart H, and Part 24-Subpart E Part 27 of the Federal Communication Commissions rules.

The objective is to determine compliance with FCC Rules for output power, modulation characteristic, occupied bandwidth, spurious emissions at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15B JBP submissions with FCC ID: CLNM4R2PLUS.
FCC Part 15C DTS submissions with FCC ID: CLNM4R2PLUS.
FCC Part 15C DSS submissions with FCC ID: CLNM4R2PLUS.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2, Sub-part J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
Part 24 Subpart E - Personal Communication Services
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D-2010.

All radiated and conducted emissions measurements were performed at Bay Area Compliance Laboratories Corp.(Dongguan).

Measurement Uncertainty

Parameter	Measurement Uncertainty
Occupied Channel Bandwidth	±5 %
RF output power, conducted	±0.61dB
Unwanted Emissions, radiated	30MHz ~ 1GHz: 5.85 dB 1G~26.5GHz: 5.23 dB
Unwanted Emissions, conducted	±1.5 dB
Temperature	±1 °C
Humidity	±5%
DC and low frequency voltages	±0.4%
Duty Cycle	1%

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Dongguan) to collect test data is located on the No.69 Pulongcun, Puxinhu Industry Area, Tangxia, Dongguan, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No. : 897218, the FCC Designation No. : CN1220.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062D.

SYSTEM TEST CONFIGURATION

Justification

The EUT was configured for testing according to TIA/EIA-603-D 2010.

The test items were performed with the EUT operating at testing mode. The device supports GSM/GPRS/EDGE 850/1900 band, WCDMA/HSUPA/HPDPA/HSPA+/DC-HSDPA Band 2 and band 5, LTE band 2, 4, 5, 7, 12 and 66.


Equipment Modifications

No modification was made to the EUT.


Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
R&S	Universal Radio Communication Tester	CMU200	106 891
R&S	Wideband Radio Communication Tester	CMW500	147473
N/A	ANTENNA	N/A	N/A

Configuration of Test Setup



Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§1.1310, §2.1093	RF Exposure	Compliance
§2.1046; § 22.913 (a); § 24.232 (c); §27.50	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905 § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051, § 22.917 (a); § 24.238 (a); §27.53	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053 § 22.917 (a); § 24.238 (a); §27.53	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53	Out of band emission, Band Edge	Compliance
§ 2.1055 § 22.355; § 24.235; §27.54	Frequency stability vs. temperature Frequency stability vs. voltage	Compliance

FCC §1.1310 & §2.1093- RF EXPOSURE

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliant, please refer to the SAR report: RDG181029001-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E, Part 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c) & § 27.50 - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

According to §24.232 (d) Power measurements for transmissions by stations authorized under this section may be made either in accordance with a Commission-approved average power technique or in compliance with paragraph (e) of this section. In both instances, equipment employed must be authorized in accordance with the provisions of §24.51. In measuring transmissions in this band using an average power technique, the peak-to-average ratio (PAR) of the transmission may not exceed 13 dB.

According to §27.50

(b)(10) Portable stations (hand-held devices) transmitting in the 746-757 MHz, 776-788 MHz, and 805-806 MHz bands are limited to 3 watts ERP.

(c) (10) Portable stations (hand-held devices) in the 600 MHz uplink band and the 698-746 MHz band, and fixed and mobile stations in the 600 MHz uplink band are limited to 3 watts ERP.

(d), (4) Fixed, mobile, and portable (hand-held) stations operating in the 1710-1755 MHz band and mobile and portable stations operating in the 1695-1710 MHz and 1755-1780 MHz bands are limited to 1 watt EIRP. Fixed stations operating in the 1710-1755 MHz band are limited to a maximum antenna height of 10 meters above ground. Mobile and portable stations operating in these bands must employ a means for limiting power to the minimum necessary for successful communications.

(h),(2) Mobile stations are limited to 2.0 watts EIRP. All user stations are limited to 2.0 watts transmitter output power.

Test Procedure

GSM/GPRS/EGPRS

Function: Menu select > GSM Mobile Station > GSM 850/1900

Press Connection control to choose the different menus

Press RESET > choose all the reset all settings

Connection Press Signal Off to turn off the signal and change settings

Network Support > GSM + GPRS or GSM + EGSM

Main Service > Packet Data

Service selection > Test Mode A – Auto Slot Config. off

MS Signal Press Slot Config Bottom on the right twice to select and change the number of time slots and power setting

> Slot configuration > Uplink/Gamma

> 33 dBm for GPRS 850

> 30 dBm for GPRS 1900

> 27 dBm for EGPRS 850

> 26 dBm for EGPRS 1900

BS Signal Enter the same channel number for TCH channel (test channel) and BCCH channel

Frequency Offset > + 0 Hz

Mode > BCCH and TCH

BCCH Level > -85 dBm (May need to adjust if link is not stable)

BCCH Channel > choose desire test channel [Enter the same channel number for TCH channel (test channel) and BCCH channel]

Channel Type > Off

P0 > 4 dB

Slot Config > Unchanged (if already set under MS signal)

TCH > choose desired test channel

Hopping > Off

Main Timeslot > 3

Network Coding Scheme > CS4 (GPRS) and MCS5 (EGPRS)

Bit Stream > 2E9-1 PSR Bit Stream

AF/Rf Enter appropriate offsets for Ext. Att. Output and Ext. Att. Input

Connection Press Signal on to turn on the signal and change settings

WCDMA-Release 99

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification. The EUT has a nominal maximum output power of 24dBm (+1.7/-3.7).

WCDMA General Settings	Loopback Mode	Test Mode 1
	Rel99 RMC	12.2kbps RMC
	Power Control Algorithm	Algorithm2
	β_c / β_d	8/15

WCDMA HSDPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSDPA	HSDPA	HSDPA	HSDPA
	Subset	1	2	3	4
WCDMA General Settings	Loopback Mode	Test Mode 1			
	Rel99 RMC	12.2kbps RMC			
	HSDPA FRC	H-Set1			
	Power Control Algorithm	Algorithm2			
	β_c	2/15	12/15	15/15	15/15
	β_d	15/15	15/15	8/15	4/15
	β_d (SF)	64			
	β_c / β_d	2/15	12/15	15/8	15/4
	β_{hs}	4/15	24/15	30/15	30/15
	MPR(dB)	0	0	0.5	0.5
HSDPA Specific Settings	DACK	8			
	DNAK	8			
	DCQI	8			
	Ack-Nack repetition factor	3			
	CQI Feedback	4ms			
	CQI Repetition Factor	2			
	$A_{hs} = \beta_{hs} / \beta_c$	30/15			

WCDMA HSUPA

The following tests were conducted according to the test requirements outlines in section 5.2 of the 3GPP TS34.121-1 specification.

	Mode	HSUPA	HSUPA	HSUPA	HSUPA	HSUPA
	Subset	1	2	3	4	5
WCDMA General Settings	Loopback Mode	Test Mode 1				
	Rel99 RMC	12.2kbps RMC				
	HSDPA FRC	H-Set1				
	HSUPA Test	HSUPA Loopback				
	Power Control Algorithm	Algorithm2				
	β_c	11/15	6/15	15/15	2/15	15/15
	β_d	15/15	15/15	9/15	15/15	0
	β_{ec}	209/225	12/15	30/15	2/15	5/15
	β_c/β_d	11/15	6/15	15/9	2/15	-
	β_{hs}	22/15	12/15	30/15	4/15	5/15
	CM(dB)	1.0	3.0	2.0	3.0	1.0
	MPR(dB)	0	2	1	2	0
HSDPA Specific Settings	DACK	8				
	DNAK	8				
	DCQI	8				
	Ack-Nack repetition factor	3				
	CQI Feedback	4ms				
	CQI Repetition Factor	2				
	$A_{hs}=\beta_{hs}/\beta_c$	30/15				
HSUPA Specific Settings	DE-DPCCH	6	8	8	5	7
	DHARQ	0	0	0	0	0
	AG Index	20	12	15	17	21
	ETFCI	75	67	92	71	81
	Associated Max UL Data Rate kbps	242.1	174.9	482.8	205.8	308.9
	Reference E_FCI	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E-TFCI PO4 E-TFCI 92 E-TFCI PO 18	E-TFCI 11 E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27	E-TFCI 11 E E-TFCI PO 4 E-TFCI 67 E-TFCI PO 18 E-TFCI 71 E-TFCI PO23 E-TFCI 75 E-TFCI PO26 E-TFCI 81 E-TFCI PO 27

HSPA+

The following tests were conducted according to the test requirements in Table C.11.1.4 of 3GPP TS 34.121-1

Sub-test	β_c (Note 3)	β_d	β_{HS} (Note 1)	β_{ec}	β_{ed} (2xSF2) (Note 4)	β_{ed} (2xSF4) (Note 4)	CM (dB) (Note 2)	MPR (dB) (Note 2)	AG Index (Note 4)	E-TFCI (Note 5)	E-TFCI (boost)
1	1	0	30/15	30/15	β_{ed1} : 30/15 β_{ed2} : 30/15	β_{ed3} : 24/15 β_{ed4} : 24/15	3.5	2.5	14	105	105

Note 1: Δ_{ACK} , Δ_{NACK} and $\Delta_{CQI} = 30/15$ with $\beta_{hs} = 30/15 * \beta_c$.

Note 2: CM = 3.5 and the MPR is based on the relative CM difference, MPR = MAX(CM-1,0).

Note 3: DPDCH is not configured, therefore the β_c is set to 1 and $\beta_d = 0$ by default.

Note 4: β_{ed} can not be set directly; it is set by Absolute Grant Value.

Note 5: All the sub-tests require the UE to transmit 2SF2+2SF4 16QAM EDCH and they apply for UE using E-DPDCH category 7. E-DCH TTI is set to 2ms TTI and E-DCH table index = 2. To support these E-DCH configurations DPDCH is not allocated. The UE is signalled to use the extrapolation algorithm.

DC-HSDPA

The following tests were conducted according to the test requirements in Table C.8.1.12 of 3GPP TS 34.121-1

Table C.8.1.12: Fixed Reference Channel H-Set 12

Parameter	Unit	Value
Nominal Avg. Inf. Bit Rate	kbps	60
Inter-TTI Distance	TTI's	1
Number of HARQ Processes	Processes	6
Information Bit Payload (N_{INF})	Bits	120
Number Code Blocks	Blocks	1
Binary Channel Bits Per TTI	Bits	960
Total Available SML's in UE	SML's	19200
Number of SML's per HARQ Proc.	SML's	3200
Coding Rate		0.15
Number of Physical Channel Codes	Codes	1
Modulation		QPSK
Note 1: The RMC is intended to be used for DC-HSDPA mode and both cells shall transmit with identical parameters as listed in the table.		
Note 2: Maximum number of transmission is limited to 1, i.e., retransmission is not allowed. The redundancy and constellation version 0 shall be used.		

LTE (FDD):

The following tests were conducted according to the test requirements in 3GPP TS36.101

The following tests were conducted according to the test requirements outlined in section 6.2 of the 3GPP TS36.101 specification.

UE Power Class: 3 (23 +/- 2dBm). The allowed Maximum Power Reduction (MPR) for the maximum output power due to higher order modulation and transmit bandwidth configuration (resource blocks) is specified in Table 6.2.3-1 of the 3GPP TS36.101.

Table 6.2.3-1: Maximum Power Reduction (MPR) for Power Class 3

Modulation	Channel bandwidth / Transmission bandwidth (RB)						MPR (dB)
	1.4 MHz	3.0 MHz	5 MHz	10 MHz	15 MHz	20 MHz	
QPSK	> 5	> 4	> 8	> 12	> 16	> 18	≤ 1
16 QAM	≤ 5	≤ 4	≤ 8	≤ 12	≤ 16	≤ 18	≤ 1
64 QAM	> 5	> 4	> 8	> 12	> 16	> 18	≤ 2

The allowed A-MPR values specified below in Table 6.2.4.-1 of 3GPP TS36.101 are in addition to the allowed MPR requirements. All the measurements below were performed with A-MPR disabled, by using Network Signaling Value of "NS_01".

Table 6.2.4-1: Additional Maximum Power Reduction (A-MPR)

Network Signalling value	Requirements (sub-clause)	E-UTRA Band	Channel bandwidth (MHz)	Resources Blocks (N_{RB})	A-MPR (dB)
NS_01	6.6.2.1.1	Table 5.5-1	1.4, 3, 5, 10, 15, 20	Table 5.6-1	NA
NS_03	6.6.2.2.1	2, 4, 10, 23, 25, 35, 36	3	>5	≤ 1
			5	>6	≤ 1
			10	>6	≤ 1
			15	>8	≤ 1
			20	>10	≤ 1
NS_04	6.6.2.2.2	41	5	>6	≤ 1
			10, 15, 20	See Table 6.2.4-4	
NS_05	6.6.3.3.1	1	10, 15, 20	≥ 50	≤ 1
NS_06	6.6.2.2.3	12, 13, 14, 17	1.4, 3, 5, 10	Table 5.6-1	n/a
NS_07	6.6.2.2.3	13	10	Table 6.2.4-2	Table 6.2.4-2
	6.6.3.3.2				
NS_08	6.6.3.3.3	19	10, 15	> 44	≤ 3
NS_09	6.6.3.3.4	21	10, 15	> 40	≤ 1
				> 55	≤ 2
NS_10		20	15, 20	Table 6.2.4-3	Table 6.2.4-3
NS_11	6.6.2.2.1	23 ¹	1.4, 3, 5, 10	Table 6.2.4-5	Table 6.2.4-5
..					
NS_32	-	-	-	-	-

Note 1: Applies to the lower block of Band 23, i.e. a carrier placed in the 2000-2010 MHz region.

Radiated method:

ANSI/TIA-603-D section 2.2.17

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100035	2018-08-03	2019-08-03
Sunol Sciences	Antenna	JB3	A060611-3	2017-07-21	2019-07-21
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-02	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0075-02	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-2200-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
Agilent	Spectrum Analyzer	E4440A	SG43360054	2018-01-04	2019-01-04
TDK RF	Horn Antenna	HRN-0118	130 084	2016-01-05	2019-01-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2016-01-05	2019-01-04
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
MICRO-COAX	Coaxial Cable	UFA147-1-2362-100100	64639 231029-001	2018-02-24	2019-02-28
Agilent	Signal Generator	E8247C	MY43321350	2017-12-11	2018-12-11
R&S	Universal Radio Communication Tester	CMU200	106 891	2017-12-14	2018-12-14
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	27.2°C
Relative Humidity:	49 %
ATM Pressure:	101.2 kPa

* The testing was performed by Sunny Cen, Vern Shen, Neil Liao and Vito Chen on 2018-11-08.

Conducted Output Power**Cellular Band & PCS Band**

Band	Channel No.	Conducted Peak Output Power (dBm)								
		GSM	GPRS 1 TX Slot	GPRS 2 TX Slot	GPRS 3 TX Slot	GPRS 4 TX Slot	EDGE 1 TX Slot	EDGE 2 TX Slot	EDGE 3 TX Slot	EDGE 4 TX Slot
Cellular	128	31.20	31.18	30.52	28.93	27.99	25.68	24.76	22.37	21.34
	190	31.20	31.15	30.52	28.98	27.95	25.62	24.69	22.29	21.33
	251	31.30	31.19	30.59	29.07	28.02	25.59	24.65	22.26	21.39
PCS	512	28.90	28.92	28.29	26.76	25.73	25.27	24.26	22.46	21.02
	661	29.00	28.98	28.34	26.83	25.84	25.28	24.25	22.27	20.97
	810	29.10	28.95	28.32	26.79	25.83	25.31	24.32	22.07	20.95

WCDMA Band II

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	22.56	2.92	22.55	3.04	22.51	2.60
HSDPA	1	22.01	3.76	21.99	3.56	21.97	3.16
	2	21.88	3.71	21.83	3.51	21.82	3.14
	3	21.76	3.69	21.71	3.49	21.74	3.22
	4	21.55	3.76	21.53	3.55	21.51	3.28
HSUPA	1	21.64	3.20	21.62	3.64	21.61	3.04
	2	21.53	3.18	21.57	3.71	21.48	3.07
	3	21.42	3.16	21.46	3.36	21.41	2.98
	4	21.36	3.22	21.39	3.22	21.33	2.89
	5	21.17	3.27	21.14	3.94	21.16	3.14

WCDMA Band V

Mode	3GPP Sub Test	Low Channel		Middle Channel		High Channel	
		Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)	Ave. Power (dBm)	PAR (dB)
Rel 99	1	22.11	2.88	22.24	3.04	22.12	2.92
HSDPA	1	21.64	4.00	21.67	3.72	21.59	3.96
	2	21.52	3.98	21.55	3.74	21.48	3.40
	3	21.38	4.02	21.41	3.77	21.39	2.85
	4	21.26	3.56	21.29	3.64	21.22	2.67
HSUPA	1	21.25	3.24	21.34	3.28	21.27	3.56
	2	21.13	3.77	21.18	2.95	21.12	3.45
	3	21.03	3.12	21.05	4.02	21.01	3.66
	4	19.95	2.98	19.98	3.14	19.95	3.27
	5	19.86	3.64	19.90	3.44	19.88	3.18

LTE Band 2

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	22.38	21.97	22.10
		1#3	22.62	22.10	22.29
		1#5	22.43	22.00	22.11
		3#0	22.52	22.09	22.15
		3#3	22.20	22.12	22.16
		6#0	21.09	21.10	21.20
	16QAM	1#0	21.03	21.02	21.15
		1#3	21.17	21.21	21.36
		1#5	21.09	21.00	21.16
		3#0	21.22	21.31	21.05
		3#3	21.22	21.32	21.14
		6#0	20.02	20.09	20.15
3MHz	QPSK	1#0	22.05	22.08	22.11
		1#8	22.06	22.04	22.12
		1#14	22.05	22.08	22.19
		10#0	21.01	21.04	21.07
		10#5	21.05	21.03	21.06
		15#0	21.06	21.06	21.10
	16QAM	1#0	21.57	21.20	21.11
		1#8	21.57	21.23	21.05
		1#14	21.56	21.21	21.04
		10#0	20.07	20.02	20.00
		10#5	20.05	20.05	19.99
		15#0	20.11	20.01	20.10
5MHz	QPSK	1#0	21.96	21.94	21.96
		1#13	22.11	22.08	22.10
		1#24	21.99	21.97	22.03
		10#0	21.08	21.06	21.12
		10#15	21.15	21.06	21.13
		25#0	21.10	21.07	21.09
	16QAM	1#0	20.84	21.26	20.97
		1#13	20.97	21.36	21.14
		1#24	20.85	21.28	21.00
		10#0	20.13	20.04	20.11
		10#15	20.15	19.99	20.10
		25#0	20.11	20.04	20.09

10MHz	QPSK	1#0	21.98	22.02	22.02
		1#25	22.27	22.23	22.28
		1#49	22.05	22.09	22.13
		25#0	21.09	21.21	21.16
		25#25	21.25	21.13	21.18
		50#0	21.19	21.17	21.16
	16QAM	1#0	21.58	21.20	20.97
		1#25	21.83	21.37	21.23
		1#49	21.56	21.19	21.04
		25#0	20.10	20.19	20.22
		25#25	20.30	20.14	20.23
		50#0	20.19	20.18	20.13
15MHz	QPSK	1#0	21.95	21.92	21.94
		1#38	22.08	22.10	22.09
		1#74	21.96	22.03	22.09
		36#0	21.04	21.18	21.12
		36#39	21.23	21.15	21.20
		75#0	21.19	21.21	21.17
	16QAM	1#0	21.50	21.06	21.29
		1#38	21.59	21.21	21.44
		1#74	21.48	21.12	21.33
		36#0	20.05	20.20	20.05
		36#39	20.23	20.10	20.15
		75#0	20.15	20.15	20.10
20MHz	QPSK	1#0	21.79	21.77	21.74
		1#50	22.22	22.24	22.18
		1#99	21.80	21.92	21.84
		50#0	20.92	21.21	21.04
		50#50	21.04	21.12	21.13
		100#0	21.04	21.14	21.07
	16QAM	1#0	21.07	20.96	21.30
		1#50	21.46	21.40	21.73
		1#99	21.04	21.08	21.32
		50#0	19.89	20.19	19.97
		50#50	20.01	20.10	20.07
		100#0	19.98	20.19	20.08

LTE Band 4

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.26	22.21	22.12
		RB1#3	22.47	22.37	22.35
		RB1#5	22.27	22.25	22.19
		RB3#0	22.34	22.33	22.19
		RB3#3	22.33	22.33	22.23
		RB6#0	21.41	21.35	21.29
	16QAM	RB1#0	21.27	21.43	21.15
		RB1#3	21.44	21.59	21.39
		RB1#5	21.29	21.44	21.22
		RB3#0	21.56	21.35	21.34
		RB3#3	21.55	21.41	21.29
		RB6#0	20.36	20.35	20.20
3MHz	QPSK	RB1#0	22.33	22.24	22.22
		RB1#8	22.28	22.28	22.24
		RB1#14	22.26	22.31	22.24
		RB6#0	21.35	21.28	21.19
		RB6#9	21.32	21.24	21.26
		RB15#0	21.33	21.34	21.24
	16QAM	RB1#0	21.86	21.44	21.24
		RB1#8	21.79	21.48	21.21
		RB1#14	21.76	21.46	21.22
		RB6#0	20.38	20.28	20.15
		RB6#9	20.33	20.29	20.14
		RB15#0	20.36	20.28	20.26
5MHz	QPSK	RB1#0	22.19	22.14	22.11
		RB1#13	22.31	22.28	22.20
		RB1#24	22.14	22.20	22.10
		RB15#0	21.32	21.39	21.25
		RB15#10	21.36	21.33	21.29
		RB25#0	21.30	21.36	21.25
	16QAM	RB1#0	21.09	21.58	21.20
		RB1#13	21.18	21.66	21.29
		RB1#24	21.07	21.53	21.17
		RB15#0	20.28	20.37	20.24
		RB15#10	20.36	20.32	20.32
		RB25#0	20.33	20.36	20.25

10MHz	QPSK	RB1#0	22.25	22.21	22.13
		RB1#25	22.45	22.43	22.34
		RB1#49	22.27	22.29	22.21
		RB25#0	21.30	21.45	21.24
		RB25#25	21.35	21.37	21.40
		RB50#0	21.38	21.43	21.31
	16QAM	RB1#0	21.80	21.43	21.25
		RB1#25	21.92	21.62	21.36
		RB1#49	21.78	21.47	21.22
		RB25#0	20.34	20.47	20.33
		RB25#25	20.36	20.39	20.45
		RB50#0	20.34	20.41	20.35
15MHz	QPSK	RB1#0	22.22	22.13	22.10
		RB1#38	22.30	22.31	22.27
		RB1#74	22.22	22.19	22.18
		RB36#0	21.42	21.45	21.31
		RB36#39	21.40	21.37	21.41
		RB75#0	21.46	21.45	21.38
	16QAM	RB1#0	21.71	21.37	21.60
		RB1#38	21.80	21.52	21.72
		RB1#74	21.76	21.40	21.53
		RB36#0	20.37	20.48	20.27
		RB36#39	20.36	20.39	20.36
		RB75#0	20.33	20.39	20.34
20MHz	QPSK	RB1#0	22.03	21.98	21.90
		RB1#50	22.45	22.46	22.36
		RB1#99	22.06	22.08	21.95
		RB50#0	21.32	21.49	21.30
		RB50#50	21.19	21.33	21.82
		RB100#0	21.30	21.41	21.72
	16QAM	RB1#0	21.32	21.26	21.97
		RB1#50	21.72	21.70	21.89
		RB1#99	21.41	21.32	21.49
		RB50#0	20.29	20.48	20.23
		RB50#50	20.18	20.31	20.36
		RB100#0	20.32	20.40	20.31

LTE Band 5

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.29	22.23	22.15
		RB1#3	22.40	22.35	22.40
		RB1#5	22.31	22.22	22.21
		RB3#0	22.32	22.28	22.20
		RB3#3	22.25	22.30	22.21
		RB6#0	21.33	21.32	21.27
	16QAM	RB1#0	21.20	21.30	21.10
		RB1#3	21.37	21.48	21.29
		RB1#5	21.29	21.33	21.10
		RB3#0	21.51	21.27	21.26
		RB3#3	21.50	21.29	21.20
3MHz	QPSK	RB1#0	22.32	22.26	22.27
		RB1#8	22.30	22.27	22.26
		RB1#14	22.31	22.27	22.28
		RB6#0	21.28	21.24	21.24
		RB6#9	21.33	21.25	21.25
		RB15#0	21.27	21.25	21.21
	16QAM	RB1#0	21.84	21.39	21.25
		RB1#8	21.81	21.38	21.17
		RB1#14	21.79	21.35	21.16
		RB6#0	20.39	20.31	20.21
		RB6#9	20.40	20.29	20.17
5MHz	QPSK	RB1#0	22.22	22.21	22.18
		RB1#13	22.36	22.30	22.28
		RB1#24	22.22	22.20	22.17
		RB15#0	21.25	21.31	21.27
		RB15#10	21.38	21.22	21.38
		RB25#0	21.31	21.22	21.28
	16QAM	RB1#0	21.08	21.42	21.21
		RB1#13	21.18	21.52	21.29
		RB1#24	21.09	21.45	21.17
		RB15#0	20.34	20.36	20.30
		RB15#10	20.45	20.28	20.41
10MHz	QPSK	RB1#0	22.25	22.23	22.25
		RB1#25	22.46	22.44	22.46
		RB1#49	22.27	22.30	22.28
		RB25#0	21.22	21.34	21.32
		RB25#25	21.35	21.24	21.42
		RB50#0	21.32	21.29	21.39
	16QAM	RB1#0	21.73	21.37	21.22
		RB1#25	21.92	21.54	21.42
		RB1#49	21.76	21.40	21.18
		RB25#0	20.30	20.44	20.46
		RB25#25	20.46	20.29	20.53
		RB50#0	20.37	20.31	20.45

LTE Band 7

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5MHz	QPSK	RB1#0	21.46	21.63	21.67
		RB1#13	21.67	21.77	21.87
		RB1#24	21.50	21.64	21.75
		RB15#0	20.61	20.69	20.83
		RB15#10	20.66	20.70	20.82
		RB25#0	20.62	20.64	20.79
	16QAM	RB1#0	20.38	20.76	20.65
		RB1#13	20.52	20.94	20.83
		RB1#24	20.36	20.82	20.71
		RB15#0	19.65	19.66	19.77
		RB15#10	19.65	19.65	19.79
		RB25#0	19.63	19.61	19.74
10MHz	QPSK	RB1#0	21.58	21.76	21.85
		RB1#25	21.81	21.92	22.01
		RB1#49	21.66	21.81	21.92
		RB25#0	20.63	20.74	20.79
		RB25#25	20.73	20.80	20.85
		RB50#0	20.69	20.75	20.77
	16QAM	RB1#0	21.08	20.74	20.71
		RB1#25	21.33	20.97	20.89
		RB1#49	21.13	20.89	20.80
		RB25#0	19.67	19.72	19.79
		RB25#25	19.78	19.76	19.84
		RB50#0	19.68	19.73	19.75
15MHz	QPSK	RB1#0	21.55	21.67	21.76
		RB1#38	21.72	21.78	21.88
		RB1#74	21.60	21.69	21.83
		RB36#0	20.70	20.83	20.91
		RB36#39	20.79	20.87	20.93
		RB75#0	20.79	20.91	20.90
	16QAM	RB1#0	21.03	20.67	20.97
		RB1#38	21.21	20.84	21.04
		RB1#74	21.07	20.77	21.04
		RB36#0	19.66	19.75	19.82
		RB36#39	19.77	19.83	19.83
		RB75#0	19.69	19.79	19.79
20MHz	QPSK	RB1#0	21.37	21.42	21.42
		RB1#50	21.88	21.94	21.94
		RB1#99	21.53	21.58	21.61
		RB50#0	20.57	20.68	20.77
		RB50#50	20.70	20.72	20.73
		RB100#0	20.63	20.69	20.76
	16QAM	RB1#0	20.66	20.48	20.97
		RB1#50	21.08	21.02	21.37
		RB1#99	20.70	20.66	21.02
		RB50#0	19.55	19.62	19.73
		RB50#50	19.68	19.70	19.67
		RB100#0	19.59	19.66	19.72

LTE Band 12

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	1#0	22.42	22.34	22.35
		1#3	22.56	22.48	22.49
		1#5	22.38	22.36	22.30
		3#0	22.44	22.40	22.40
		3#3	22.46	22.41	22.35
		6#0	21.57	21.53	21.49
	16QAM	1#0	21.51	21.49	21.34
		1#3	21.62	21.74	21.51
		1#5	21.41	21.50	21.34
		3#0	21.66	21.42	21.53
		3#3	21.70	21.47	21.46
		6#0	20.52	20.49	20.36
3MHz	QPSK	1#0	22.45	22.33	22.40
		1#8	22.39	22.37	22.36
		1#14	22.37	22.38	22.34
		10#0	21.47	21.42	21.37
		10#5	21.47	21.43	21.42
		15#0	21.48	21.47	21.38
	16QAM	1#0	22.02	21.53	21.43
		1#8	21.99	21.54	21.40
		1#14	21.93	21.56	21.30
		10#0	20.52	20.43	20.29
		10#5	20.47	20.41	20.31
		15#0	20.54	20.37	20.40
5MHz	QPSK	1#0	22.36	22.26	22.31
		1#13	22.42	22.40	22.39
		1#24	22.30	22.28	22.23
		10#0	21.44	21.54	21.43
		10#15	21.52	21.43	21.54
		25#0	21.40	21.46	21.43
	16QAM	1#0	21.29	21.61	21.42
		1#13	21.36	21.71	21.52
		1#24	21.22	21.62	21.35
		10#0	20.44	20.49	20.43
		10#15	20.49	20.36	20.51
		25#0	20.44	20.44	20.44
10MHz	QPSK	1#0	22.33	22.28	22.56
		1#25	22.50	22.49	22.56
		1#49	22.40	22.49	22.12
		25#0	21.42	21.53	21.39
		25#25	21.38	21.47	21.14
		50#0	21.40	21.53	21.51
	16QAM	1#0	21.96	21.50	21.87
		1#25	22.12	21.69	22.14
		1#49	21.98	21.64	21.77
		25#0	20.43	20.66	20.18
		25#25	20.39	20.51	20.52
		50#0	20.39	20.54	20.65

LTE Band 66

Channel Bandwidth	Modulation	Resource Block & RB offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4MHz	QPSK	RB1#0	22.53	22.08	22.09
		RB1#3	22.22	22.27	22.27
		RB1#5	22.10	22.12	22.14
		RB3#0	22.15	22.13	22.20
		RB3#3	22.11	22.18	22.18
		RB6#0	22.10	22.06	22.13
	16QAM	RB1#0	21.77	21.76	21.75
		RB1#3	21.88	21.92	21.92
		RB1#5	21.70	21.74	21.76
		RB3#0	21.50	21.54	21.54
		RB3#3	21.51	21.55	21.53
3MHz	QPSK	RB1#0	22.12	22.12	22.11
		RB1#8	22.23	22.32	22.28
		RB1#14	22.13	22.14	22.14
		RB6#0	22.13	22.13	22.13
		RB6#9	22.20	22.19	22.18
		RB15#0	21.24	21.21	21.22
	16QAM	RB1#0	21.78	21.77	21.76
		RB1#8	21.95	21.90	21.91
		RB1#14	21.72	21.74	21.72
		RB6#0	21.26	21.26	21.26
		RB6#9	21.28	21.27	21.28
5MHz	QPSK	RB1#0	22.12	22.08	22.11
		RB1#13	22.30	22.25	22.29
		RB1#24	22.13	22.12	22.14
		RB15#0	21.25	21.21	21.23
		RB15#10	21.32	21.29	21.33
		RB25#0	21.24	21.24	21.22
	16QAM	RB1#0	21.74	21.77	21.74
		RB1#13	21.92	21.88	21.89
		RB1#24	21.70	21.75	21.75
		RB15#0	20.27	20.30	20.26
		RB15#10	20.36	20.37	20.36
10MHz	QPSK	RB25#0	20.30	20.30	20.27
		RB1#0	22.09	22.10	22.09
		RB1#25	22.29	22.26	22.26
		RB1#49	22.11	22.14	22.13
		RB25#0	21.24	21.22	21.24
		RB25#25	21.34	21.36	21.34
	16QAM	RB50#0	21.30	21.31	21.30
		RB1#0	21.77	21.77	21.77
		RB1#25	21.95	21.91	21.92
		RB1#49	21.73	21.72	21.71
		RB25#0	20.28	20.29	20.29
		RB25#25	20.39	20.36	20.40
		RB50#0	20.30	20.32	20.32

15MHz	QPSK	RB1#0	22.11	22.09	22.10
		RB1#38	22.30	22.29	22.31
		RB1#74	22.15	22.14	22.14
		RB36#0	21.22	21.26	21.25
		RB36#39	21.32	21.36	21.37
		RB75#0	21.24	21.23	21.23
	16QAM	RB1#0	21.77	21.78	21.73
		RB1#38	21.94	21.89	21.89
		RB1#74	21.74	21.72	21.73
		RB36#0	20.26	20.26	20.27
		RB36#39	20.37	20.36	20.37
		RB75#0	20.29	20.29	20.28
20MHz	QPSK	RB1#0	22.12	22.10	22.11
		RB1#50	22.28	22.30	22.28
		RB1#99	22.14	22.15	22.12
		RB50#0	21.33	21.30	21.30
		RB50#50	21.32	21.33	21.32
		RB100#0	21.31	21.32	21.30
	16QAM	RB1#0	21.78	21.76	21.76
		RB1#50	21.90	21.92	21.91
		RB1#99	21.75	21.71	21.71
		RB50#0	20.31	20.29	20.31
		RB50#50	20.30	20.32	20.32
		RB100#0	20.31	20.33	20.32

PAR, Band 2

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.04	5.19	4.68	13
	100 RB		6.44	6.47	6.47	13
16QAM	1 RB	20 MHz	4.81	6.51	5.71	13
	100 RB		7.02	7.12	7.05	13

PAR, Band 4

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.04	4.42	4.65	13
	100 RB		6.41	6.38	6.44	13
16QAM	1 RB	20 MHz	5.03	5.42	5.61	13
	100 RB		7.08	7.12	7.15	13

PAR, Band 5

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	3.88	4.13	4.49	13
	50 RB		5.26	5.45	5.51	13
16QAM	1 RB	10 MHz	4.71	5.22	5.67	13
	50 RB		6.19	6.25	6.35	13

PAR, Band 7

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	4.17	3.72	3.27	13
	100 RB		6.44	6.41	6.44	13
16QAM	1 RB	20 MHz	5.22	4.52	4.26	13
	100 RB		7.02	7.15	7.08	13

PAR, Band 12

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	10 MHz	4.55	4.10	3.78	13
	50 RB		5.38	5.16	5.58	13
16QAM	1 RB	10 MHz	5.42	4.87	4.81	13
	50 RB		6.15	6.03	6.35	13

PAR, Band 66

Test Modulation		Channel Bandwidth	Low Channel PAR (dB)	Middle Channel PAR (dB)	High Channel PAR (dB)	Limit (dB)
QPSK	1 RB	20 MHz	3.69	4.74	3.21	13
	100 RB		6.41	6.31	6.35	13
16QAM	1 RB	20 MHz	4.81	5.58	4.29	13
	100 RB		7.15	7.18	6.99	13

Note: peak-to-average ratio (PAR) <13 dB.

ERP & EIRP**Part 22H**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM 850 Middle Channel								
836.60	H	92.70	24.82	0.00	0.50	24.32	38.45	14.13
836.60	V	96.48	31.57	0.00	0.50	31.07	38.45	7.38
EDGE 850 Middle Channel								
836.60	H	86.14	18.26	0.00	0.50	17.76	38.45	20.69
836.60	V	90.12	25.21	0.00	0.50	24.71	38.45	13.74
WCDMA Band V Middle Channel								
836.60	H	82.41	14.53	0.00	0.50	14.03	38.45	24.42
836.60	V	86.48	21.57	0.00	0.50	21.07	38.45	17.38

Part 24E

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
PCS 1900 Middle Channel								
1880.00	H	94.00	19.22	11.14	1.56	28.80	33.00	4.20
1880.00	V	89.70	14.73	11.14	1.56	24.31	33.00	8.69
EDGE 1900 Middle Channel								
1880.00	H	90.73	15.95	11.14	1.56	25.53	33.00	7.47
1880.00	V	87.65	12.68	11.14	1.56	22.26	33.00	10.74
WCDMA Band II Middle Channel								
1880.00	H	87.53	12.75	11.14	1.56	22.33	33.00	10.67
1880.00	V	83.96	8.99	11.14	1.56	18.57	33.00	14.43

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level

LTE Band 2

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)	
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)				
1880.00	1.40	QPSK	H	88.93	14.15	11.14	1.56	23.73	33.00	9.27	
1880.00			V	84.70	9.73	11.14	1.56	19.31	33.00	13.69	
1880.00	3.00		H	88.75	13.97	11.14	1.56	23.55	33.00	9.45	
1880.00			V	84.75	9.78	11.14	1.56	19.36	33.00	13.64	
1880.00	5.00		H	89.20	14.42	11.14	1.56	24.00	33.00	9.00	
1880.00			V	85.48	10.51	11.14	1.56	20.09	33.00	12.91	
1880.00	10.00		H	86.76	11.98	11.14	1.56	21.56	33.00	11.44	
1880.00			V	82.82	7.85	11.14	1.56	17.43	33.00	15.57	
1880.00	15.00		H	86.03	11.25	11.14	1.56	20.83	33.00	12.17	
1880.00			V	82.94	7.97	11.14	1.56	17.55	33.00	15.45	
1880.00	20.00		H	88.22	13.44	11.14	1.56	23.02	33.00	9.98	
1880.00			V	83.92	8.95	11.14	1.56	18.53	33.00	14.47	
1880.00	1.40		16QAM	H	88.54	13.76	11.14	1.56	23.34	33.00	9.66
1880.00				V	83.96	8.99	11.14	1.56	18.57	33.00	14.43
1880.00	3.00			H	88.54	13.76	11.14	1.56	23.34	33.00	9.66
1880.00				V	84.05	9.08	11.14	1.56	18.66	33.00	14.34
1880.00	5.00	H		88.14	13.36	11.14	1.56	22.94	33.00	10.06	
1880.00		V		83.61	8.64	11.14	1.56	18.22	33.00	14.78	
1880.00	10.00	H		86.31	11.53	11.14	1.56	21.11	33.00	11.89	
1880.00		V		82.34	7.37	11.14	1.56	16.95	33.00	16.05	
1880.00	15.00	H		87.22	12.44	11.14	1.56	22.02	33.00	10.98	
1880.00		V		83.03	8.06	11.14	1.56	17.64	33.00	15.36	
1880.00	20.00	H		88.00	13.22	11.14	1.56	22.80	33.00	10.20	
1880.00		V		84.32	9.35	11.14	1.56	18.93	33.00	14.07	

LTE Band 4

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1732.50	1.40	QPSK	H	91.01	15.80	10.70	1.52	24.98	30.00	5.02
1732.50			V	86.24	10.73	10.70	1.52	19.91	30.00	10.09
1732.50	3.00		H	89.93	14.72	10.70	1.52	23.90	30.00	6.10
1732.50			V	84.54	9.03	10.70	1.52	18.21	30.00	11.79
1732.50	5.00		H	89.40	14.19	10.70	1.52	23.37	30.00	6.63
1732.50			V	86.15	10.64	10.70	1.52	19.82	30.00	10.18
1732.50	10.00		H	89.62	14.41	10.70	1.52	23.59	30.00	6.41
1732.50			V	84.86	9.35	10.70	1.52	18.53	30.00	11.47
1732.50	15.00		H	89.53	14.32	10.70	1.52	23.50	30.00	6.50
1732.50			V	84.74	9.23	10.70	1.52	18.41	30.00	11.59
1732.50	20.00		H	89.08	13.87	10.70	1.52	23.05	30.00	6.95
1732.50			V	84.47	8.96	10.70	1.52	18.14	30.00	11.86
1732.50	1.40	16QAM	H	91.00	15.79	10.70	1.52	24.97	30.00	5.03
1732.50			V	86.18	10.67	10.70	1.52	19.85	30.00	10.15
1732.50	3.00		H	89.51	14.30	10.70	1.52	23.48	30.00	6.52
1732.50			V	86.11	10.60	10.70	1.52	19.78	30.00	10.22
1732.50	5.00		H	89.29	14.08	10.70	1.52	23.26	30.00	6.74
1732.50			V	85.86	10.35	10.70	1.52	19.53	30.00	10.47
1732.50	10.00		H	89.69	14.48	10.70	1.52	23.66	30.00	6.34
1732.50			V	84.88	9.37	10.70	1.52	18.55	30.00	11.45
1732.50	15.00		H	90.93	15.72	10.70	1.52	24.90	30.00	5.10
1732.50			V	86.65	11.14	10.70	1.52	20.32	30.00	9.68
1732.50	20.00		H	91.02	15.81	10.70	1.52	24.99	30.00	5.01
1732.50			V	87.13	11.62	10.70	1.52	20.80	30.00	9.20

LTE Band 5

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
836.50	1.40	QPSK	H	84.83	16.95	0.00	0.50	16.45	38.45	22.00
836.50			V	88.73	23.82	0.00	0.50	23.32	38.45	15.13
836.50	3.00		H	84.24	16.36	0.00	0.50	15.86	38.45	22.59
836.50			V	88.14	23.23	0.00	0.50	22.73	38.45	15.72
836.50	5.00		H	83.68	15.80	0.00	0.50	15.30	38.45	23.15
836.50			V	87.51	22.60	0.00	0.50	22.10	38.45	16.35
836.50	10.00		H	82.53	14.65	0.00	0.50	14.15	38.45	24.30
836.50			V	86.87	21.96	0.00	0.50	21.46	38.45	16.99
836.50	1.40	16QAM	H	84.61	16.73	0.00	0.50	16.23	38.45	22.22
836.50			V	88.28	23.37	0.00	0.50	22.87	38.45	15.58
836.50	3.00		H	83.83	15.95	0.00	0.50	15.45	38.45	23.00
836.50			V	87.62	22.71	0.00	0.50	22.21	38.45	16.24
836.50	5.00		H	83.21	15.33	0.00	0.50	14.83	38.45	23.62
836.50			V	86.94	22.03	0.00	0.50	21.53	38.45	16.92
836.50	10.00		H	82.24	14.36	0.00	0.50	13.86	38.45	24.59
836.50			V	86.23	21.32	0.00	0.50	20.82	38.45	17.63

LTE Band 7

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
2535.00	5.00	QPSK	H	86.87	13.78	12.21	1.79	24.20	33.00	8.80
2535.00			V	80.40	7.02	12.21	1.79	17.44	33.00	15.56
2535.00	10.00		H	86.11	13.02	12.21	1.79	23.44	33.00	9.56
2535.00			V	79.79	6.41	12.21	1.79	16.83	33.00	16.17
2535.00	15.00		H	87.14	14.05	12.21	1.79	24.47	33.00	8.53
2535.00			V	80.37	6.99	12.21	1.79	17.41	33.00	15.59
2535.00	20.00		H	88.14	15.05	12.21	1.79	25.47	33.00	7.53
2535.00			V	81.60	8.22	12.21	1.79	18.64	33.00	14.36
2535.00	5.00	16QAM	H	85.98	12.89	12.21	1.79	23.31	33.00	9.69
2535.00			V	80.74	7.36	12.21	1.79	17.78	33.00	15.22
2535.00	10.00		H	86.56	13.47	12.21	1.79	23.89	33.00	9.11
2535.00			V	79.91	6.53	12.21	1.79	16.95	33.00	16.05
2535.00	15.00		H	87.01	13.92	12.21	1.79	24.34	33.00	8.66
2535.00			V	80.39	7.01	12.21	1.79	17.43	33.00	15.57
2535.00	20.00		H	88.23	15.14	12.21	1.79	25.56	33.00	7.44
2535.00			V	82.01	8.63	12.21	1.79	19.05	33.00	13.95

LTE Band 12

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
707.50	1.40	QPSK	H	87.64	17.09	0.00	0.39	16.70	34.77	18.07
707.50			V	92.05	24.39	0.00	0.39	24.00	34.77	10.77
707.50	3.00		H	87.31	16.76	0.00	0.39	16.37	34.77	18.40
707.50			V	91.92	24.26	0.00	0.39	23.87	34.77	10.90
707.50	5.00		H	87.01	16.46	0.00	0.39	16.07	34.77	18.70
707.50			V	91.87	24.21	0.00	0.39	23.82	34.77	10.95
707.50	10.00		H	86.59	16.04	0.00	0.39	15.65	34.77	19.12
707.50			V	90.78	23.12	0.00	0.39	22.73	34.77	12.04
707.50	1.40	16QAM	H	87.08	16.53	0.00	0.39	16.14	34.77	18.63
707.50			V	91.56	23.90	0.00	0.39	23.51	34.77	11.26
707.50	3.00		H	86.63	16.08	0.00	0.39	15.69	34.77	19.08
707.50			V	91.18	23.52	0.00	0.39	23.13	34.77	11.64
707.50	5.00		H	86.22	15.67	0.00	0.39	15.28	34.77	19.49
707.50			V	90.73	23.07	0.00	0.39	22.68	34.77	12.09
707.50	10.00		H	85.89	15.34	0.00	0.39	14.95	34.77	19.82
707.50			V	90.45	22.79	0.00	0.39	22.40	34.77	12.37

LTE Band 66

Frequency (MHz)	BW (MHz)	Modulation	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
					Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
1745.00	1.40	QPSK	H	90.65	15.48	10.74	1.52	24.70	38.45	13.75
1745.00			V	86.59	11.13	10.74	1.52	20.35	38.45	18.10
1745.00	3.00		H	88.66	13.49	10.74	1.52	22.71	38.45	15.74
1745.00			V	86.26	10.80	10.74	1.52	20.02	38.45	18.43
1745.00	5.00		H	88.94	13.77	10.74	1.52	22.99	38.45	15.46
1745.00			V	85.54	10.08	10.74	1.52	19.30	38.45	19.15
1745.00	10.00		H	90.65	15.48	10.74	1.52	24.70	38.45	13.75
1745.00			V	84.46	9.00	10.74	1.52	18.22	38.45	20.23
1745.00	15.00		H	88.94	13.77	10.74	1.52	22.99	38.45	15.46
1745.00			V	84.82	9.36	10.74	1.52	18.58	38.45	19.87
1745.00	20.00		H	90.47	15.30	10.74	1.52	24.52	38.45	13.93
1745.00			V	86.26	10.80	10.74	1.52	20.02	38.45	18.43
1745.00	1.40	16QAM	H	90.47	15.30	10.74	1.52	24.52	38.45	13.93
1745.00			V	86.55	11.09	10.74	1.52	20.31	38.45	18.14
1745.00	3.00		H	88.94	13.77	10.74	1.52	22.99	38.45	15.46
1745.00			V	86.31	10.85	10.74	1.52	20.07	38.45	18.38
1745.00	5.00		H	88.75	13.58	10.74	1.52	22.80	38.45	15.65
1745.00			V	85.01	9.55	10.74	1.52	18.77	38.45	19.68
1745.00	10.00		H	90.47	15.30	10.74	1.52	24.52	38.45	13.93
1745.00			V	84.68	9.22	10.74	1.52	18.44	38.45	20.01
1745.00	15.00		H	90.47	15.30	10.74	1.52	24.52	38.45	13.93
1745.00			V	84.70	9.24	10.74	1.52	18.46	38.45	19.99
1745.00	20.00		H	90.40	15.23	10.74	1.52	24.45	38.45	14.00
1745.00			V	86.20	10.74	10.74	1.52	19.96	38.45	18.49

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit-Absolute Level


FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53- OCCUPIED BANDWIDTH**Applicable Standard**

FCC §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The 26 dB & 99% bandwidth was recorded.

**Test Equipment List and Details**

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
R&S	EMI Test Receiver	ESPI	100120	2017-12-11	2018-12-11
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41005012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	27.9~28.2°C
Relative Humidity:	41 ~ 49 %
ATM Pressure:	99.9~101.1 kPa

The testing was performed by Elena Lei from 2018-11-09 to 2018-11-12.

Test Mode: Transmitting


Test Result: Compliant. Please refer to the following table and plots.

Band	Test Channel	Mode	99% Occupied Bandwidth (MHz)	26 dB Occupied Bandwidth (MHz)
Cellular	M	GSM	0.248	0.320
		EDGE	0.256	0.330
PCS		PCS	0.248	0.318
		EDGE	0.244	0.320
WCDMA Band II		Rel 99	4.200	4.760
		HSDPA	4.220	4.820
		HSUPA	4.200	4.940
WCDMA Band V		Rel 99	4.180	4.740
		HSDPA	4.240	5.760
		HSUPA	4.200	5.500

Band	Bandwidth	Modulation	99% occupied bandwidth (MHz)	26 dB bandwidth (MHz)
LTE Band 2	1.4 MHz	QPSK	1.110	1.299
		16QAM	1.098	1.287
	3 MHz	QPSK	2.688	2.850
		16QAM	2.688	2.874
	5 MHz	QPSK	4.560	5.150
		16QAM	4.540	5.150
	10 MHz	QPSK	8.960	9.940
		16QAM	8.960	9.659
	15 MHz	QPSK	13.680	15.150
		16QAM	13.620	15.210
LTE Band 4	1.4 MHz	QPSK	1.098	1.293
		16QAM	1.104	1.311
	3 MHz	QPSK	2.688	2.850
		16QAM	2.688	2.862
	5 MHz	QPSK	4.560	5.210
		16QAM	4.540	5.150
	10 MHz	QPSK	9.000	9.860
		16QAM	8.960	9.739
	15 MHz	QPSK	13.620	15.090
		16QAM	13.620	15.030
LTE Band 5	1.4 MHz	QPSK	1.098	1.287
		16QAM	1.104	1.305
	3 MHz	QPSK	2.688	2.850
		16QAM	2.688	2.862
	5 MHz	QPSK	4.540	5.150
		16QAM	4.503	5.000
	10 MHz	QPSK	9.000	9.780
		16QAM	9.000	9.699


Band	Bandwidth	Modulation	99% occupied bandwidth (MHz)	26 dB bandwidth (MHz)
LTE Band 7	5 MHz	QPSK	4.540	5.251
		16QAM	4.540	5.130
	10 MHz	QPSK	8.960	9.900
		16QAM	8.960	9.699
	15 MHz	QPSK	13.620	15.090
		16QAM	13.620	15.090
	20 MHz	QPSK	18.000	19.479
		16QAM	18.000	19.559
LTE Band 12	1.4 MHz	QPSK	1.098	1.293
		16QAM	1.104	1.305
	3 MHz	QPSK	2.688	2.850
		16QAM	2.688	2.862
	5 MHz	QPSK	4.540	5.110
		16QAM	4.520	5.070
	10 MHz	QPSK	8.960	9.820
		16QAM	8.960	9.699
LTE Band 66	1.4 MHz	QPSK	1.098	1.316
		16QAM	1.110	1.326
	3 MHz	QPSK	2.688	2.894
		16QAM	2.688	2.900
	5 MHz	QPSK	4.500	5.118
		16QAM	4.500	5.081
	10 MHz	QPSK	9.000	10.032
		16QAM	8.960	9.916
	15 MHz	QPSK	13.620	15.344
		16QAM	13.620	15.364
	20 MHz	QPSK	18.000	19.898
		16QAM	18.000	19.882

GSM 850 Cellular Band




Date: 9.NOV.2018 20:14:36

GSM PCS1900 Cellular Band




Date: 9.NOV.2018 20:07:55

EDGE 850 Cellular Band




Date: 9.NOV.2018 20:18:49

EDGE PCS1900 Cellular Band




Date: 9.NOV.2018 20:29:39

WCDMA Band II, Rel 99




Date: 9.NOV.2018 20:57:56

WCDMA Band II, HSUPA




Date: 9.NOV.2018 20:55:28

WCDMA Band II, HSDPA




Date: 9.NOV.2018 20:52:36

WCDMA Band V, Rel 99




Date: 9.NOV.2018 21:30:34

WCDMA Band V, HSUPA



Date: 9.NOV.2018 21:20:21


WCDMA Band V, HSDPA



Date: 9.NOV.2018 21:25:11


LTE Band 2

QPSK_1.4 MHz




Date: 9.NOV.2018 14:55:26

QPSK_3 MHz




Date: 9.NOV.2018 14:56:34

QPSK_5 MHz




Date: 9.NOV.2018 14:57:57

QPSK_10 MHz




Date: 9.NOV.2018 14:59:29

QPSK_15 MHz



Date: 9.NOV.2018 15:01:02


QPSK_20 MHz



Date: 9.NOV.2018 15:02:19


* RBW 30 kHz
 * VBW 100 kHz
 SWT 15 ms
 Delta 1 [T1] 1.59 dB
 1.286573146 MHz
 Ref 30 dBm
 * Att 35 dB
 Offset 4.5 dB
 1 PK
 MAXH
 D1 13.84 dBm
 D2 -12.16 dBm
 OBW 1.098000000 MHz
 Marker 1 [T1]
 -12.52 dBm
 1.879353707 GHz
 Temp 1 [T1 OBW]
 -9.04 dBm
 1.879454000 GHz
 Temp 2 [T1 OBW]
 -3.86 dBm
 1.880552000 GHz
 30 dB
 Center 1.88 GHz
 300 kHz/
 Span 3 MHz

16QAM_3 MHz




Page 46 of 196

16QAM_5 MHz




Date: 9.NOV.2018 14:58:41

16QAM_10 MHz




Date: 9.NOV.2018 15:00:05

16QAM_15 MHz



Date: 9.NOV.2018 15:01:41


16QAM_20 MHz



Date: 9.NOV.2018 15:03:06


LTE Band 4

QPSK_1.4 MHz




Date: 9.NOV.2018 15:03:36

QPSK_3 MHz




Date: 9.NOV.2018 15:04:51

QPSK_5 MHz




Date: 9.NOV.2018 15:06:12

QPSK_10 MHz




Date: 9.NOV.2018 15:07:29

QPSK_15 MHz




Date: 9.NOV.2018 15:09:01

QPSK_20 MHz




Date: 9.NOV.2018 15:10:28

16QAM_1.4 MHz




Date: 9.NOV.2018 15:04:11

16QAM_3 MHz




Date: 9.NOV.2018 15:05:26

16QAM_5 MHz




Date: 9.NOV.2018 15:06:48

16QAM_10 MHz




Date: 9.NOV.2018 15:08:05

16QAM_15 MHz



Date: 9.NOV.2018 15:09:39


16QAM_20 MHz



Date: 9.NOV.2018 15:11:18


LTE Band 5:

QPSK_1.4 MHz




Date: 9.NOV.2018 15:12:25

QPSK_3 MHz




Date: 9.NOV.2018 15:13:48

QPSK_5 MHz




Date: 9.NOV.2018 15:15:15

QPSK_10 MHz




Date: 9.NOV.2018 15:16:58

16QAM_1.4 MHz




Date: 9.NOV.2018 15:13:04

16QAM_3 MHz




Date: 9.NOV.2018 15:14:26

16QAM_5 MHz




Date: 12.NOV.2018 16:45:08


16QAM_10 MHz



Date: 9.NOV.2018 15:17:37


LTE Band 7:**QPSK_5 MHz**

Date: 9.NOV.2018 15:18:23

QPSK_10 MHz


Date: 9.NOV.2018 15:19:49

QPSK_15 MHz




Date: 9.NOV.2018 15:20:58

QPSK_20 MHz




Date: 9.NOV.2018 15:22:23

16QAM_5 MHz




Date: 9.NOV.2018 15:19:11

16QAM_10 MHz




Date: 9.NOV.2018 15:20:24

16QAM_15 MHz




Date: 9.NOV.2018 15:21:41


16QAM_20 MHz



Date: 9.NOV.2018 15:23:01


LTE Band 12:**QPSK_1.4 MHz**

Date: 9.NOV.2018 15:23:36

QPSK_3 MHz


Date: 9.NOV.2018 15:25:03

QPSK_5 MHz




Date: 9.NOV.2018 15:26:12

QPSK_10 MHz




Date: 9.NOV.2018 15:27:44

16QAM_1.4 MHz




Date: 9.NOV.2018 15:24:29

16QAM_3 MHz




Date: 9.NOV.2018 15:25:38

16QAM_5 MHz




Date: 9.NOV.2018 15:27:03


16QAM_10 MHz



Date: 9.NOV.2018 15:28:35


LTE Band 66:**QPSK_1.4 MHz**

Date: 10.NOV.2018 15:39:36

QPSK_3 MHz


Date: 10.NOV.2018 15:00:05

QPSK_5 MHz




Date: 10.NOV.2018 15:03:32

QPSK_10 MHz




Date: 10.NOV.2018 15:31:09

QPSK_15 MHz




Date: 10.NOV.2018 15:34:36

QPSK_20 MHz




Date: 10.NOV.2018 15:36:57

16QAM_1.4 MHz




Date: 10.NOV.2018 15:40:31

16QAM_3 MHz




Date: 10.NOV.2018 15:00:57

16QAM_5 MHz




Date: 10.NOV.2018 15:10:41

16QAM_10 MHz




Date: 10.NOV.2018 15:32:43

16QAM_15 MHz



Date: 10.NOV.2018 15:35:54

16QAM_20 MHz



Date: 10.NOV.2018 15:37:59

FCC §2.1051, §22.917(a) & §24.238(a) & §27.53 - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) , §24.238(a) and §27.53.

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41005012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data


Environmental Conditions

Temperature:	27.9~28.3°C
Relative Humidity:	41 ~ 49 %
ATM Pressure:	99.9~101.1 kPa

The testing was performed by Elena Lei from 2018-11-09 to 2018-11-12.

Please refer to the following plots.

GSM850_Middle Channel




Fundamental




Date: 9.NOV.2018 22:28:31


PCS 1900_ Middle Channel




Fundamental





WCDMA Band II, Rel99



Fundamental




WCDMA Band V, Rel99




LTE Band 2 (Middle Channel)

QPSK_1.4 MHz




Date: 9.NOV.2018 15:38:08

Fundamental




Date: 9.NOV.2018 15:38:25

QPSK_3 MHz




Date: 12.NOV.2018 10:54:14




Date: 9.NOV.2018 15:39:01

QPSK_5 MHz




Date: 9.NOV.2018 15:39:34

Fundamental




Date: 9.NOV.2018 15:39:49

QPSK_10 MHz




Date: 9.NOV.2018 15:40:22

Fundamental




Date: 9.NOV.2018 15:40:34

QPSK_15 MHz




Date: 9.NOV.2018 15:41:08




Date: 9.NOV.2018 15:41:24

QPSK_20 MHz



Date: 9.NOV.2018 15:41:58


Fundamental



Date: 9.NOV.2018 15:42:10


LTE Band 4 (Middle Channel)

QPSK_1.4 MHz




Date: 9.NOV.2018 15:42:42

Fundamental




Date: 9.NOV.2018 15:42:54

QPSK_3 MHz




Date: 9.NOV.2018 15:43:23

Fundamental




Date: 9.NOV.2018 15:43:35

QPSK_5 MHz




Date: 9.NOV.2018 15:44:05

Fundamental




Date: 9.NOV.2018 15:44:17

QPSK_10 MHz




Date: 9.NOV.2018 15:45:28

Fundamental




Date: 9.NOV.2018 15:45:43

QPSK_15 MHz




Date: 9.NOV.2018 15:46:17

Fundamental




Date: 9.NOV.2018 15:46:29

QPSK_20 MHz



Date: 9.NOV.2018 15:47:01


Fundamental




Date: 9.NOV.2018 15:47:17

LTE Band 5 (Middle Channel)

QPSK_1.4 MHz




Date: 9.NOV.2018 15:47:58




Date: 9.NOV.2018 15:48:14

QPSK_3 MHz




Date: 9.NOV.2018 15:48:43




Date: 9.NOV.2018 15:48:53

QPSK_5 MHz




Date: 12.NOV.2018 10:52:35




Date: 9.NOV.2018 15:49:51

QPSK_10 MHz




Date: 12.NOV.2018 10:51:39




Date: 9.NOV.2018 15:51:15

LTE Band 7 (Middle Channel)

QPSK_5 MHz




Date: 10.NOV.2018 17:39:04




Date: 10.NOV.2018 17:36:07

QPSK_10 MHz




Date: 10.NOV.2018 17:38:50




Fundamental

Date: 10.NOV.2018 17:36:26

QPSK_15 MHz




Date: 10.NOV.2018 17:38:36




Date: 10.NOV.2018 17:36:50

QPSK_20 MHz



Date: 10.NOV.2018 17:38:22


Fundamental




Date: 10.NOV.2018 17:37:15

LTE Band 12 (Middle Channel)

QPSK_1.4 MHz




Date: 9.NOV.2018 15:54:43




Date: 9.NOV.2018 15:54:58

QPSK_3 MHz




Date: 9.NOV.2018 15:55:23




Date: 9.NOV.2018 15:55:33

QPSK_5 MHz




Date: 9.NOV.2018 15:56:03




Date: 9.NOV.2018 15:56:14

QPSK_10 MHz




Date: 9.NOV.2018 15:56:47




Date: 9.NOV.2018 15:56:57

LTE Band 66 (Middle Channel)

QPSK_1.4 MHz




Date: 10.NOV.2018 16:52:18




Date: 10.NOV.2018 17:33:43

QPSK_3 MHz




Date: 10.NOV.2018 16:53:10

Fundamental




Date: 10.NOV.2018 16:53:32

QPSK_5 MHz




Date: 10.NOV.2018 16:54:00

Fundamental




Date: 10.NOV.2018 16:54:12

QPSK_10 MHz




Date: 10.NOV.2018 16:54:40



Fundamental


Date: 10.NOV.2018 16:54:59

QPSK_15 MHz




Date: 10.NOV.2018 16:55:21

Fundamental




Date: 10.NOV.2018 16:55:32

QPSK_20 MHz



Date: 10.NOV.2018 16:56:01

Fundamental



Date: 10.NOV.2018 16:59:37

FCC §2.1053, §22.917 & §24.238 & §27.53 - SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Remove the EUT and replace it with substitution antenna. A signal generator was connected to the substitution antenna by a non-radiating cable. The absolute levels of the spurious emissions were measured by the substitution.

Spurious emissions in dB = $10 \lg (\text{TXpwr in Watts}/0.001)$ – the absolute level

Spurious attenuation limit in dB = $43 + 10 \text{Log}_{10} (\text{power out in Watts})$

Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	EMI Test Receiver	ESCI	100035	2018-08-03	2019-08-03
Sunol Sciences	Antenna	JB3	A060611-3	2017-07-21	2019-07-21
EMCO	Adjustable Dipole Antenna	3121C	9109-753	N/A	N/A
Unknown	Coaxial Cable	C-NJNJ-50	C-0400-02	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0075-02	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-2200-01	2018-09-05	2019-09-05
Unknown	Coaxial Cable	C-NJNJ-50	C-0200-02	2018-09-05	2019-09-05
HP	Amplifier	8447F	2443A01912	2018-09-05	2019-09-05
Agilent	Spectrum Analyzer	E4440A	SG43360054	2018-01-04	2019-01-04
ETS-Lindgren	Horn Antenna	3115	000 527 35	2016-01-05	2019-01-04
TDK RF	Horn Antenna	HRN-0118	130 084	2016-01-05	2019-01-04
MICRO-COAX	Coaxial Cable	UFA147-1-2362-100100	64639 231029-001	2018-02-24	2019-02-28
MITEQ	Amplifier	AFS42-00101800-25-S-42	2001271	2018-09-05	2019-09-05
Agilent	Signal Generator	E8247C	MY43321350	2017-12-11	2018-12-11
Quinstar	Amplifier	QLW-18405536-JO	15964001001	2018-06-27	2019-06-27
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-01 1304	2016-11-18	2019-11-18
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-02 1304	2016-11-18	2019-11-18
Sinoscite	Band-stop filter	BSF1920-1980MS-0397-003	0397003	2018-06-16	2019-06-16
Sinoscite	Band-stop filter	BSF1710-1785MN-0383-003	0383003	2018-06-16	2019-06-16
Sinoscite	Band-stop filter	BSF824-862MS-1438-001	1438001	2018-06-16	2019-06-16
Sinoscite	Band-stop filter	BSF2500-2750MS-1439-001	1437001	2018-06-16	2019-06-16

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	27.2 °C
Relative Humidity:	49 %
ATM Pressure:	101.2 kPa

* The testing was performed by Sunny Cen, Vern Shen, Neil Liao and Vito Chen on 2018-11-08.

EUT Operation Mode: Transmitting

Cellular Band (PART 22H)**30 MHz-10 GHz:**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM850, Frequency:836.600 MHz								
1673.200	H	62.36	-42.02	10.5	1.27	-32.8	-13.0	19.8
1673.200	V	61.95	-42.36	10.5	1.27	-33.1	-13.0	20.1
2509.800	H	48.81	-53.96	12.2	1.25	-43.0	-13.0	30.0
2509.800	V	46.96	-57.2	12.2	1.25	-46.3	-13.0	33.3
3346.400	H	42.51	-58.68	12.3	1.58	-48.0	-13.0	35.0
3346.400	V	43.21	-56.91	12.3	1.58	-46.2	-13.0	33.2
325.000	H	43.53	-61.69	0.0	0.33	-62.0	-13.0	49.0
325.000	V	44.87	-58.44	0.0	0.33	-58.8	-13.0	45.8
WCDMA Band V R99,Frequency:836.600 MHz								
1673.200	H	49.51	-54.87	10.5	1.27	-45.6	-13.0	32.6
1673.200	V	48.11	-56.2	10.5	1.27	-47.0	-13.0	34.0
2509.800	H	56.18	-46.59	12.2	1.25	-35.6	-13.0	22.6
2509.800	V	51.21	-52.95	12.2	1.25	-42.0	-13.0	29.0
3346.400	H	44.23	-56.96	12.3	1.58	-46.3	-13.0	33.3
3346.400	V	43.16	-56.96	12.3	1.58	-46.3	-13.0	33.3
314.000	H	45.53	-59.94	0.0	0.32	-60.3	-13.0	47.3
314.000	V	46.82	-56.85	0.0	0.32	-57.2	-13.0	44.2

PCS Band (PART 24E)**30 MHz-20 GHz:**

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
GSM1900, Frequency:1880.000 MHz								
3760.000	H	43.43	-56.78	12.3	1.53	-46.1	-13.0	33.1
3760.000	V	42.56	-57.35	12.3	1.53	-46.6	-13.0	33.6
5640.000	H	39.44	-55.86	13.0	1.28	-44.1	-13.0	31.1
5640.000	V	38.51	-57.1	13.0	1.28	-45.4	-13.0	32.4
544.000	H	42.55	-57.61	0.0	0.35	-58.0	-13.0	45.0
544.000	V	45.68	-51.91	0.0	0.35	-52.3	-13.0	39.3
WCDMA Band II R99,Frequency: 1880.000 MHz								
3760.000	H	45.46	-54.75	12.3	1.53	-44.0	-13.0	31.0
3760.000	V	45.11	-54.8	12.3	1.53	-44.1	-13.0	31.1
5640.000	H	44.62	-50.68	13.0	1.28	-39.0	-13.0	26.0
5640.000	V	44.01	-51.6	13.0	1.28	-39.9	-13.0	26.9
458.000	H	43.62	-58.87	0.0	0.36	-59.2	-13.0	46.2
458.000	V	45.87	-53.94	0.0	0.36	-54.3	-13.0	41.3

LTE Band 2 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK,Frequency:1880.000 MHz								
3760.00	H	42.21	-58.00	12.25	1.53	-47.28	-13.00	34.28
3760.00	V	41.81	-58.10	12.25	1.53	-47.38	-13.00	34.38
5640.00	H	56.32	-38.98	13.00	1.28	-27.26	-13.00	14.26
5640.00	V	51.26	-44.35	13.00	1.28	-32.63	-13.00	19.63
243.00	H	45.31	-63.85	0.00	0.50	-64.35	-13.00	51.35
243.00	V	47.69	-64.67	0.00	0.50	-65.17	-13.00	52.17

LTE Band 4 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK,Frequency:1732.500 MHz								
3465.00	H	43.88	-57.09	12.21	1.60	-46.48	-13.00	33.48
3465.00	V	43.20	-56.36	12.21	1.60	-45.75	-13.00	32.75
5197.50	H	48.56	-47.52	12.92	1.36	-35.96	-13.00	22.96
5197.50	V	46.48	-49.57	12.92	1.36	-38.01	-13.00	25.01
411.00	H	43.54	-61.21	0.00	0.62	-61.83	-13.00	48.83
411.00	V	46.57	-61.50	0.00	0.62	-62.12	-13.00	49.12

LTE Band 5 (30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 836.500 MHz								
1673.00	H	43.88	-60.50	10.52	1.27	-51.25	-13.00	38.25
1673.00	V	41.10	-63.21	10.52	1.27	-53.96	-13.00	40.96
2509.50	H	58.37	-44.40	12.20	1.24	-33.44	-13.00	20.44
2509.50	V	55.34	-48.82	12.20	1.24	-37.86	-13.00	24.86
3346.00	H	40.31	-60.88	12.26	1.58	-50.20	-13.00	37.20
3346.00	V	40.53	-59.59	12.26	1.58	-48.91	-13.00	35.91
434.00	H	44.65	-59.96	0.00	0.64	-60.60	-13.00	47.60
434.00	V	48.70	-59.16	0.00	0.64	-59.80	-13.00	46.80

LTE Band 7 (30MHz-26.5GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 2535.000 MHz								
5070.00	H	38.56	-57.75	12.97	1.41	-46.19	-25.00	21.19
5070.00	V	38.13	-57.95	12.97	1.41	-46.39	-25.00	21.39
7605.00	H	37.45	-53.93	12.84	1.40	-42.49	-25.00	17.49
7605.00	V	37.94	-54.11	12.84	1.40	-42.67	-25.00	17.67
346.00	H	45.58	-61.30	0.00	0.56	-61.86	-25.00	36.86
346.00	V	47.83	-61.32	0.00	0.56	-61.88	-25.00	36.88

LTE Band 12 (30MHz-10GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 707.500 MHz								
1415.00	H	48.80	-55.09	9.64	1.25	-46.70	-13.00	33.70
1415.00	V	47.13	-56.82	9.64	1.25	-48.43	-13.00	35.43
2122.50	H	41.37	-62.36	11.67	1.16	-51.85	-13.00	38.85
2122.50	V	39.54	-64.50	11.67	1.16	-53.99	-13.00	40.99
2830.00	H	39.22	-62.94	12.33	1.41	-52.02	-13.00	39.02
2830.00	V	37.93	-64.64	12.33	1.41	-53.72	-13.00	40.72
286.00	H	44.56	-64.25	0.00	0.52	-64.77	-13.00	51.77
286.00	V	46.88	-63.85	0.00	0.52	-64.37	-13.00	51.37

LTE Band 66 (30MHz-20GHz):

Frequency (MHz)	Polar (H/V)	Receiver Reading (dBμV)	Substituted Method			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Substituted Level (dBm)	Antenna Gain (dBd/dBi)	Cable Loss (dB)			
QPSK, Frequency: 1745.000 MHz								
3490.00	H	43.39	-57.53	12.20	1.61	-46.94	-13.00	33.94
3490.00	V	42.30	-57.15	12.20	1.61	-46.56	-13.00	33.56
5235.00	H	48.11	-47.91	12.91	1.35	-36.35	-13.00	23.35
5235.00	V	45.98	-50.07	12.91	1.35	-38.51	-13.00	25.51
6980.00	H	39.56	-52.27	13.43	1.82	-40.66	-13.00	27.66
6980.00	V	39.43	-52.59	13.43	1.82	-40.98	-13.00	27.98
483.00	H	45.22	-59.11	0.00	0.69	-59.80	-13.00	46.80
483.00	V	47.85	-59.56	0.00	0.69	-60.25	-13.00	47.25

Note:

- 1) The unit of Antenna Gain is dBd for frequency below 1GHz, and the unit of Antenna Gain is dBi for frequency above 1GHz.
- 2) Absolute Level = Substituted Level - Cable loss + Antenna Gain
- 3) Margin = Limit - Absolute Level

FCC §22.917(a) & §24.238(a) & §27.53 - BAND EDGES


Applicable Standard

FCC § 2.1053, §22.917, § 24.238 and § 27.53.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
yzjingcheng	Coaxial Cable	KTRFBU-141-50	41005012	Each time	N/A
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
E-Microwave	Two-way Splitter	ODP-1-6-2S	OE0120142	Each time	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**


Temperature:	27.9~28.3°C
Relative Humidity:	41 ~ 49 %
ATM Pressure:	99.9~101.1 kPa

The testing was performed by Elena Lei from 2018-11-09 to 2018-12-12.

Test Mode: Transmitting


Test Result: Compliant. Please refer to the following plots.

GSM 850, Left Band Edge




Date: 9.NOV.2018 19:54:19

GSM 850, Right Band Edge




Date: 9.NOV.2018 19:55:17

GSM 1900, Left Band Edge




Date: 9.NOV.2018 20:09:43

GSM 1900, Right Band Edge




Date: 9.NOV.2018 20:10:36


EDGE 850, Left Band Edge



EDGE 850, Right Band Edge




EDGE 1900, Left Band Edge




Date: 9.NOV.2018 20:32:52

EDGE 1900, Right Band Edge




Date: 9.NOV.2018 20:33:50

WCDMA Band II Rel 99, Left Band Edge




Date: 9.NOV.2018 20:40:13

WCDMA Band II Rel 99, Right Band Edge




Date: 9.NOV.2018 20:41:30

WCDMA Band II HSDPA, Left Band Edge



Date: 9.NOV.2018 22:09:22

WCDMA Band II HSDPA, Right Band Edge



Date: 9.NOV.2018 22:08:54

MARKER 1
1.85 GHz

Ref 34 dBm Att 40 dB

RBW 100 kHz
VBW 300 kHz
SWT 2.5 ms

Marker 1 [T1]
-18.46 dBm
1.850000000 GHz


Offset 4 dB

1.85 GHz

D1 -13 dBm


Center 1.85 GHz 1 MHz/ Span 10 MHz

WCDMA Band II HSUPA, Right Band Edge




Page 122 of 196

WCDMA Band V Rel 99, Left Band Edge




Date: 9.NOV.2018 21:01:44

WCDMA Band V Rel 99, Right Band Edge




Date: 9.NOV.2018 21:02:19

WCDMA Band V HSDPA, Left Band Edge




Date: 9.NOV.2018 21:03:26

WCDMA Band V HSDPA, Right Band Edge




Date: 9.NOV.2018 21:03:47

WCDMA Band V HSUPA, Left Band Edge



Date: 9.NOV.2018 21:12:38


WCDMA Band V HSUPA, Right Band Edge



Date: 9.NOV.2018 21:14:31


LTE Band 2

QPSK_1.4MHz_6 RB_ Left




Date: 10.NOV.2018 09:18:21

QPSK_1.4MHz_6 RB_ Right




Date: 10.NOV.2018 09:19:44

QPSK_3MHz_15 RB_ Left




Date: 10.NOV.2018 09:21:04

QPSK_3MHz_15 RB_ Right




Date: 10.NOV.2018 09:22:03

QPSK_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:00:22

QPSK_5MHz_25 RB_ Right




Date: 12.NOV.2018 10:59:10

QPSK_10MHz_50 RB_ Left




Date: 10.NOV.2018 09:28:37

QPSK_10MHz_50 RB_ Right




Date: 10.NOV.2018 09:29:38

QPSK_15MHz_ 75 RB_ Left




Date: 12.NOV.2018 11:03:17

QPSK_15MHz_ 75 RB_ Right




Date: 10.NOV.2018 09:32:48

QPSK_20MHz_ FULL RB_ Left




Date: 10.NOV.2018 09:34:22


QPSK_20MHz_ FULL RB_ Right



Date: 10.NOV.2018 09:35:37




Date: 10.NOV.2018 09:19:06




Date: 10.NOV.2018 09:20:24

16QAM_3MHz_15 RB_ Left




Date: 10.NOV.2018 09:21:29


16QAM_3MHz_15 RB_ Right




Date: 10.NOV.2018 09:22:36




Date: 12.NOV.2018 11:00:00




Date: 12.NOV.2018 10:59:30




Date: 10.NOV.2018 09:29:07



Date: 10.NOV.2018 09:30:16




Date: 10.NOV.2018 09:32:10




Date: 10.NOV.2018 09:33:33

16QAM_20MHz_FULL RB_Left



Date: 10.NOV.2018 09:35:06


16QAM_20MHz_FULL RB_Right



Date: 10.NOV.2018 09:36:18


LTE Band 4

QPSK_1.4MHz_6 RB_ Left




Date: 12.NOV.2018 11:32:13

QPSK_1.4MHz_6 RB_ Right




Date: 12.DEC.2018 16:18:27

QPSK_3MHz_15 RB_ Left




Date: 10.NOV.2018 09:40:34

QPSK_3MHz_15 RB_ Right




Date: 10.NOV.2018 09:41:41

QPSK_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:08:00

QPSK_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:09:20

QPSK_10MHz_50 RB_ Left




Date: 10.NOV.2018 09:45:48

QPSK_10MHz_50 RB_ Right




Date: 10.NOV.2018 10:07:05

QPSK_15MHz_75 RB_ Left




Date: 12.NOV.2018 11:14:47

QPSK_15MHz_75 RB_ Right




Date: 12.NOV.2018 11:12:34

QPSK_20MHz_FULL RB_Left




Date: 10.NOV.2018 10:11:20


QPSK_20MHz_FULL RB_Right




Date: 10.NOV.2018 10:14:16




Date: 10.NOV.2018 09:38:48




Date: 10.NOV.2018 09:39:59




Date: 10.NOV.2018 09:41:11




Date: 10.NOV.2018 09:42:10




Date: 12.NOV.2018 11:08:21




Date: 12.NOV.2018 11:09:01




Date: 10.NOV.2018 10:06:09



Date: 10.NOV.2018 10:07:31




Date: 12.NOV.2018 11:14:23




Date: 12.NOV.2018 11:12:54

16QAM_20MHz_FULL RB_Left



Date: 10.NOV.2018 10:13:29


16QAM_20MHz_FULL RB_Right



Date: 10.NOV.2018 10:15:04


LTE Band 5

QPSK_1.4MHz_6 RB_ Left




Date: 12.NOV.2018 11:16:29

QPSK_1.4MHz_6 RB_ Right




Date: 10.NOV.2018 10:16:55

QPSK_3MHz_15 RB_Left




Date: 10.NOV.2018 10:18:04

QPSK_3MHz_15 RB_Right




Date: 10.NOV.2018 10:19:03

QPSK_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:19:29

QPSK_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:20:57

QPSK_10MHz_50 RB_ Left




Date: 10.NOV.2018 10:22:56

QPSK_10MHz_50 RB_ Right




Date: 10.NOV.2018 10:24:12

16QAM_1.4MHz_6 RB_ Left




Date: 10.NOV.2018 10:16:21

16QAM_1.4MHz_6 RB_ Right




Date: 10.NOV.2018 10:17:25

16QAM_3MHz_15 RB_ Left




Date: 10.NOV.2018 10:18:33

16QAM_3MHz_15 RB_ Right




Date: 10.NOV.2018 10:19:36

16QAM_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:19:45


16QAM_5MHz_25 RB_ Right



Date: 12.NOV.2018 11:20:30




Date: 10.NOV.2018 10:23:37



Date: 10.NOV.2018 10:24:45


LTE Band 7

QPSK_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:22:09

QPSK_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:23:14

QPSK_10MHz_50 RB_ Left




Date: 10.NOV.2018 10:27:57

QPSK_10MHz_50 RB_ Right




Date: 10.NOV.2018 10:29:06

QPSK_15MHz_ 75 RB_ Left




Date: 12.NOV.2018 11:26:20

QPSK_15MHz_ 75 RB_ Right




Date: 12.NOV.2018 11:25:45

QPSK_20MHz_FULL RB_Left




Date: 10.NOV.2018 10:33:02

QPSK_20MHz_FULL RB_Right




Date: 10.NOV.2018 10:34:36

16QAM_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:22:28


16QAM_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:22:56




Date: 10.NOV.2018 10:28:31



Date: 10.NOV.2018 10:29:40




Date: 10.NOV.2018 10:31:09




Date: 12.NOV.2018 11:25:11

16QAM_20MHz_FULL RB_Left



Date: 10.NOV.2018 10:33:50


16QAM_20MHz_FULL RB_Right



Date: 10.NOV.2018 10:35:20


LTE Band 12

QPSK_1.4MHz_6 RB_ Left




Date: 10.NOV.2018 10:35:50

QPSK_1.4MHz_6 RB_ Right




Date: 10.NOV.2018 10:36:58

QPSK_3MHz_15 RB_Left




Date: 10.NOV.2018 10:38:14

QPSK_3MHz_15 RB_Right




Date: 10.NOV.2018 10:39:16

QPSK_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:27:43

QPSK_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:28:57

QPSK_10MHz_50 RB_ Left




Date: 10.NOV.2018 10:43:05


QPSK_10MHz_50 RB_ Right




Date: 10.NOV.2018 10:44:17




Date: 10.NOV.2018 10:36:24



Date: 10.NOV.2018 10:37:38




Date: 10.NOV.2018 10:38:46




Date: 10.NOV.2018 10:39:45

16QAM_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:28:00


16QAM_5MHz_25 RB_ Right



Date: 12.NOV.2018 11:28:39




Date: 10.NOV.2018 10:43:46



Date: 10.NOV.2018 10:44:47


LTE Band 66

QPSK_1.4MHz_6 RB_ Left




Date: 10.NOV.2018 11:41:20

QPSK_1.4MHz_6 RB_ Right




Date: 12.NOV.2018 11:51:03

QPSK_3MHz_15 RB_ Left




Date: 10.NOV.2018 11:44:04

QPSK_3MHz_15 RB_ Right




Date: 12.NOV.2018 11:39:24

QPSK_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:47:59

QPSK_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:48:36

QPSK_10MHz_50 RB_ Left




Date: 10.NOV.2018 11:49:47

QPSK_10MHz_50 RB_ Right




Date: 12.NOV.2018 11:40:36

QPSK_15MHz_75 RB_ Left




Date: 12.NOV.2018 11:45:54

QPSK_15MHz_75 RB_ Right




Date: 12.NOV.2018 11:43:56

QPSK_20MHz_FULL RB_Left




Date: 10.NOV.2018 11:55:21


QPSK_20MHz_FULL RB_Right



Date: 12.NOV.2018 11:42:08




Date: 10.NOV.2018 11:42:01




Date: 12.NOV.2018 11:38:25

16QAM_3MHz_15 RB_ Left




Date: 10.NOV.2018 11:44:34

16QAM_3MHz_15 RB_ Right




Date: 12.NOV.2018 11:39:04

16QAM_5MHz_25 RB_ Left




Date: 12.NOV.2018 11:47:34


16QAM_5MHz_25 RB_ Right




Date: 12.NOV.2018 11:48:55




Date: 10.NOV.2018 11:50:17



Date: 12.NOV.2018 11:40:20




Date: 12.NOV.2018 11:45:20




Date: 12.NOV.2018 11:44:26

16QAM_20MHz_FULL RB_Left



Date: 10.NOV.2018 11:56:07

16QAM_20MHz_FULL RB_Right



Date: 12.NOV.2018 11:41:50

FCC §2.1055, §22.355 & §24.235 & §27.54 - FREQUENCY STABILITY**Applicable Standard**

FCC § 2.1055 (a), § 2.1055 (d), §22.355, §24.235, §27.54

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile > 3 watts (ppm)	Mobile ≤ 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external AC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The AC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: An external variable AC power supply was connected to the battery terminals of the equipment under test. The voltage was set from 85% to 115% of the nominal value and was then decreased until the transmitter light no longer illuminated; i.e., the battery end point. The output frequency was recorded for each battery voltage.



Test Equipment List and Details

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Unknown	Coaxial Cable	C-SJ00-0010	C0010/01	Each time	N/A
R&S	Wideband Radio Communication Tester	CMW500	147473	2018-08-03	2019-08-03
R&S	Universal Radio Communication Tester	CMU200	109 038	2018-07-18	2019-07-18
BACL	Humidity tester	BTH-800	30018	2018-01-05	2019-01-05
UNI-T	Multimeter	UT39A	M130199938	2018-07-24	2019-07-24
R&S	Spectrum Analyzer	FSU 26	200256	2018-01-04	2019-01-04
R&S	EMI Test Receiver	ESPI	100120	2017-12-11	2018-12-11
Pro instrument	DC Power Supply	pps3300	3300012	N/A	N/A

* **Statement of Traceability:** Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data**Environmental Conditions**

Temperature:	28.2 °C
Relative Humidity:	49 %
ATM Pressure:	99.9 kPa

The testing was performed by Elena Lei on 2018-11-12.

Cellular Band (Part 22H)

GMSK, Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.8	12	0.01434	2.5
-20		11	0.01315	
-10		10	0.01195	
0		9	0.01076	
10		8	0.00956	
20		12	0.01434	
30		13	0.01554	
40		7	0.00837	
50		8	0.00956	
20	3.45	10	0.01195	
20	4.35	13	0.01554	

8PSK, Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.80	10	0.01195	2.5
-20		12	0.01434	
-10		11	0.01315	
0		9	0.01076	
10		14	0.01673	
20		14	0.01673	
30		12	0.01434	
40		13	0.01554	
50		14	0.01673	
20	3.45	16	0.01913	
20	4.35	17	0.02032	

PCS Band (Part 24E)

GMSK, Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V_{DC}	Hz	ppm	
-30	3.80	22	0.01170	Pass
-20		29	0.01543	
-10		30	0.01596	
0		25	0.01330	
10		28	0.01489	
20		26	0.01383	
30		29	0.01543	
40		23	0.01223	
50		26	0.01383	
20	3.45	25	0.01330	
20	4.35	27	0.01436	

8PSK, Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V_{DC}	Hz	ppm	
-30	3.80	29	0.01543	Pass
-20		27	0.01436	
-10		26	0.01383	
0		23	0.01223	
10		25	0.01330	
20		26	0.01383	
30		24	0.01277	
40		27	0.01436	
50		30	0.01596	
20	3.45	26	0.01383	
20	4.35	31	0.01649	

WCDMA Band II: R99

Middle Channel, $f_c = 1880.0$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Results
°C	V _{DC}	Hz	ppm	
-30	3.80	-8	-0.00426	Pass
-20		-9	-0.00479	
-10		-12	-0.00638	
0		-13	-0.00691	
10		-7	-0.00372	
20		-11	-0.00585	
30		-8	-0.00426	
40		-9	-0.00479	
50		-16	-0.00851	
20	3.45	-7	-0.00372	
20	4.35	-14	-0.00745	

WCDMA Band V: R99

Middle Channel, $f_c = 836.6$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.80	-8	-0.00956	2.5
-20		-7	-0.00837	
-10		-13	-0.01554	
0		-6	-0.00717	
10		-7	-0.00837	
20		-6	-0.00717	
30		-5	-0.00598	
40		-10	-0.01195	
50		-9	-0.01076	
20	3.45	-9	-0.01076	
20	4.35	-4	-0.00478	

LTE Band 2:

QPSK, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V_{DC}	Hz	ppm	
-30	3.80	-0.80	-0.0004	Pass
-20		-0.73	-0.0004	
-10		-0.78	-0.0004	
0		-0.77	-0.0004	
10		-0.65	-0.0003	
20		-0.69	-0.0004	
30		-0.59	-0.0003	
40		-0.64	-0.0003	
50		-0.70	-0.0004	
20	3.45	-0.70	-0.0004	
20	4.35	-0.79	-0.0004	

16QAM, Channel Bandwidth:10MHz Middle Channel, $f_c = 1880$ MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Result
°C	V_{DC}	Hz	ppm	
-30	3.80	-0.74	-0.0004	Pass
-20		-0.62	-0.0003	
-10		-0.65	-0.0003	
0		-0.77	-0.0004	
10		-0.75	-0.0004	
20		-0.55	-0.0003	
30		-0.65	-0.0003	
40		-0.58	-0.0003	
50		-0.62	-0.0003	
20	3.45	-0.64	-0.0003	
20	4.35	-0.69	-0.0004	

LTE Band 4:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V_{DC}	F_L	F_H	F_L	F_H
-30	3.80	1710.30	1754.66	1710	1755
-20		1710.44	1754.79	1710	1755
-10		1710.32	1754.43	1710	1755
0		1710.75	1754.76	1710	1755
10		1710.38	1754.63	1710	1755
20		1710.52	1754.52	1710	1755
30		1710.80	1754.68	1710	1755
40		1710.37	1754.40	1710	1755
50		1710.49	1754.44	1710	1755
20	3.45	1710.62	1754.57	1710	1755
20	4.35	1710.28	1754.52	1710	1755

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V_{DC}	F_L	F_H	F_L	F_H
-30	3.80	1710.53	1754.57	1710	1755
-20		1710.23	1754.42	1710	1755
-10		1710.72	1754.43	1710	1755
0		1710.49	1754.26	1710	1755
10		1710.39	1754.38	1710	1755
20		1710.52	1754.52	1710	1755
30		1710.23	1754.75	1710	1755
40		1710.50	1754.77	1710	1755
50		1710.27	1754.67	1710	1755
20	3.45	1710.55	1754.64	1710	1755
20	4.35	1710.22	1754.31	1710	1755

LTE Band 5:

Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth:10MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.80	-0.69	-0.0008	2.5
-20		-0.73	-0.0009	
-10		-0.81	-0.0010	
0		-0.76	-0.0009	
10		-0.71	-0.0008	
20		-0.66	-0.0008	
30		-0.61	-0.0007	
40		-0.71	-0.0008	
50		-0.68	-0.0008	
20	3.45	-0.66	-0.0008	
20	4.35	-0.73	-0.0009	

Middle Channel, $f_c = 836.5$ MHz, Channel Bandwidth:10MHz				
Temperature	Voltage	Frequency Error	Frequency Error	Limit
°C	V _{DC}	Hz	ppm	ppm
-30	3.80	-0.69	-0.0008	2.5
-20		-0.67	-0.0008	
-10		-0.72	-0.0009	
0		-0.73	-0.0009	
10		-0.68	-0.0008	
20		-0.62	-0.0007	
30		-0.59	-0.0007	
40		-0.62	-0.0007	
50		-0.69	-0.0008	
20	3.45	-0.66	-0.0008	
20	4.35	-0.72	-0.0009	

LTE Band 7:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V_{DC}	F_L	F_H	F_L	F_H
-30	3.80	2500.57	2569.25	2500	2570
-20		2500.57	2569.59	2500	2570
-10		2500.59	2569.34	2500	2570
0		2500.22	2569.71	2500	2570
10		2500.28	2569.41	2500	2570
20		2500.52	2569.48	2500	2570
30		2500.57	2569.33	2500	2570
40		2500.63	2569.56	2500	2570
50		2500.42	2569.36	2500	2570
20	3.45	2500.31	2569.30	2500	2570
20	4.35	2500.41	2569.48	2500	2570

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
°C	V_{DC}	F_L	F_H	F_L	F_H
-30	3.80	2500.26	2569.72	2500	2570
-20		2500.69	2569.58	2500	2570
-10		2500.77	2569.64	2500	2570
0		2500.36	2569.21	2500	2570
10		2500.53	2569.52	2500	2570
20		2500.52	2569.48	2500	2570
30		2500.73	2569.49	2500	2570
40		2500.41	2569.63	2500	2570
50		2500.82	2569.29	2500	2570
20	3.45	2500.37	2569.72	2500	2570
20	4.35	2500.46	2569.21	2500	2570

LTE Band 12:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V_{DC}	F_L	F_H	F_L	F_H
-30	3.80	699.86	715.70	699	716
-20		699.81	715.60	699	716
-10		699.75	715.65	699	716
0		699.64	715.65	699	716
10		699.41	715.53	699	716
20		699.56	715.52	699	716
30		699.32	715.51	699	716
40		699.26	715.70	699	716
50		699.69	715.79	699	716
20	3.45	699.57	715.75	699	716
20	4.35	699.75	715.51	699	716

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V_{DC}	F_L	F_H	F_L	F_H
-30	3.80	699.58	715.77	699	716
-20		699.72	715.71	699	716
-10		699.70	715.41	699	716
0		699.63	715.61	699	716
10		699.72	715.79	699	716
20		699.56	715.52	699	716
30		699.29	715.62	699	716
40		699.38	715.48	699	716
50		699.83	715.58	699	716
20	3.45	699.44	715.64	699	716
20	4.35	699.38	715.31	699	716

LTE Band 66:

QPSK, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.80	1710.81	1779.26	1710	1780
-20		1710.74	1779.40	1710	1780
-10		1710.34	1779.28	1710	1780
0		1710.80	1779.69	1710	1780
10		1710.45	1779.20	1710	1780
20		1710.52	1779.48	1710	1780
30		1710.57	1779.19	1710	1780
40		1710.27	1779.18	1710	1780
50		1710.76	1779.48	1710	1780
20	3.45	1710.41	1779.51	1710	1780
20	4.35	1710.74	1779.69	1710	1780

16QAM, Channel Bandwidth:10MHz					
Temperature	Voltage	Test Result (MHz)		Limit (MHz)	
℃	V _{DC}	F _L	F _H	F _L	F _H
-30	3.80	1710.70	1779.74	1710	1780
-20		1710.37	1779.71	1710	1780
-10		1710.34	1779.19	1710	1780
0		1710.77	1779.26	1710	1780
10		1710.54	1779.50	1710	1780
20		1710.52	1779.48	1710	1780
30		1710.67	1779.75	1710	1780
40		1710.67	1779.19	1710	1780
50		1710.33	1779.73	1710	1780
20	3.45	1710.76	1779.64	1710	1780
20	4.35	1710.37	1779.58	1710	1780

Note: The fundamental emissions stay within the authorized bands of operation based on the frequency deviation measured is small, the extreme voltage was declared by applicant.

******* END OF REPORT *******