



11AX20MIMO_5580_26Tone_RU4




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19320.000000	41.02	74.00	32.98	100.0	H	231.0	-2.2	---
25992.187500	39.92	74.00	34.08	100.0	H	167.0	1.2	---
32217.500000	44.53	74.00	29.47	100.0	H	280.0	3.0	---




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19143.312500	42.59	74.00	31.41	100.0	V	307.0	-1.9	---
26540.812500	43.09	74.00	30.91	100.0	V	251.0	2.6	---
33331.250000	46.43	74.00	27.57	100.0	V	335.0	3.3	---

11AX20MIMO_5700_26Tone_RU8




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19137.125000	40.77	74.00	33.23	100.0	H	166.0	-1.9	---
26507.125000	42.25	74.00	31.75	100.0	H	73.0	2.6	---
33058.312500	44.52	74.00	29.48	100.0	H	198.0	3.3	---




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19112.375000	43.67	74.00	30.33	100.0	V	137.0	-1.9	---
26267.187500	42.12	74.00	31.88	100.0	V	0.0	1.8	---
34247.000000	45.80	74.00	28.20	100.0	V	180.0	3.6	---

11AX20MIMO_5720_26Tone_RU8




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
22420.625000	44.15	74.00	29.85	150.0	H	0.0	1.68	---
33789.125000	47.10	74.00	26.90	150.0	H	4.0	4.24	---
36462.812500	47.17	74.00	26.83	150.0	H	216.0	5.56	---




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19862.437500	42.46	74.00	31.54	150.0	V	326.0	-0.61	---
24122.187500	43.86	74.00	30.14	150.0	V	0.0	2.07	---
34880.187500	47.59	74.00	26.41	150.0	V	0.0	4.81	---

11AX20MIMO_5745_26Tone_RU0




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19744.875000	40.79	74.00	33.21	100.0	H	231.0	-2.3	---
26011.437500	43.12	74.00	30.88	100.0	H	147.0	1.2	---
32655.437500	46.18	74.00	27.82	100.0	H	214.0	3.1	---




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19151.562500	41.82	74.00	32.18	100.0	V	0.0	-2.0	---
26726.437500	43.42	74.00	30.58	100.0	V	80.0	2.3	---
32508.312500	45.92	74.00	28.08	100.0	V	80.0	3.0	---

11AX20MIMO_5785_26Tone_RU4




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
20339.562500	42.52	74.00	31.48	100.0	H	0.0	-1.5	---
25121.125000	43.72	74.00	30.28	100.0	H	353.0	0.9	---
31516.937500	46.33	74.00	27.67	100.0	H	195.0	2.7	---




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19881.000000	41.26	74.00	32.75	100.0	V	0.0	-2.0	---
27998.312500	43.35	74.00	30.65	100.0	V	323.0	2.0	---
34750.250000	46.31	74.00	27.69	100.0	V	90.0	4.0	---

11AX20MIMO_5825_26Tone_RU8




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19435.500000	41.05	74.00	32.95	100.0	H	192.0	-1.9	---
25478.625000	42.07	74.00	31.93	100.0	H	243.0	1.1	---
31354.687500	45.44	74.00	28.56	100.0	H	258.0	2.7	---




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)	Corr. (dB)
19749.687500	42.37	74.00	31.63	100.0	V	6.0	-2.3	---
24377.937500	42.91	74.00	31.09	100.0	V	224.0	1.1	---
33553.312500	45.78	74.00	28.22	100.0	V	224.0	3.3	---

Band Edge (Radiated Mode):
Ant1_11a_5180MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4817.600000	46.56	74.00	27.44	150.0	H	346.0	3.13
5019.000000	47.50	74.00	26.50	150.0	H	215.0	3.41
5150.000000	44.10	74.00	29.90	150.0	H	318.0	4.23




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5013.000000	46.84	74.00	27.16	150.0	V	3.0	3.39
5141.933333	48.92	74.00	25.08	150.0	V	82.0	4.15
5150.066667	46.91	---	---	150.0	V	82.0	4.23

Ant1_11a_5320MHz:




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.133333	47.17	74.00	26.83	150.0	H	83.0	4.43
5359.733333	48.13	74.00	25.87	150.0	H	22.0	4.44
5364.800000	47.05	74.00	26.95	150.0	H	98.0	4.45




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.466667	47.23	74.00	26.77	150.0	V	51.0	4.43
5356.066667	48.07	74.00	25.93	150.0	V	51.0	4.44
5373.666667	47.22	74.00	26.78	150.0	V	212.0	4.47


Ant1_11a_5500MHz:




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5398.400000	48.35	74.00	25.65	150.0	H	15.0	4.67
5444.400000	48.32	74.00	25.68	150.0	H	81.0	4.82
5459.533333	48.78	74.00	25.22	150.0	H	102.0	4.84



Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5440.500000	47.68	74.00	26.32	150.0	V	40.0	4.81
5459.533333	50.34	74.00	23.66	150.0	V	119.0	4.84
5469.133333	60.32	68.20	7.88	150.0	V	77.0	4.85


Ant1_11a_5700MHz:

Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5456.000000	45.68	74.00	28.32	150.0	H	341.0	4.83
5732.766667	48.87	68.20	19.33	150.0	H	86.0	5.00
5740.500000	50.94	68.20	17.26	150.0	H	257.0	5.04




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5457.600000	46.55	74.00	27.45	150.0	V	298.0	4.84
5729.133333	54.66	68.20	13.54	150.0	V	313.0	4.98
5746.633333	49.52	68.20	18.68	150.0	V	65.0	5.06

Ant1_11a_5745MHz:





Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5607.916667	48.29	68.20	19.91	150.0	H	194.0	4.95
5671.500000	47.61	84.11	36.50	150.0	H	91.0	4.81
5698.666667	45.94	104.21	58.28	150.0	H	69.0	4.86




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5607.250000	48.04	68.20	20.16	150.0	V	221.0	4.96
5648.125000	47.17	68.20	21.03	150.0	V	243.0	4.78
5680.541667	47.48	90.80	43.32	150.0	V	313.0	4.83
5744.333333	93.03	---	---	150.0	V	89.0	5.05

Ant1_11a_5825MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5673.916667	48.54	85.90	37.36	150.0	V	282.0	4.82
5916.208333	48.02	74.71	26.69	150.0	V	25.0	5.76
5985.291667	48.62	68.20	19.58	150.0	V	260.0	6.02

Ant2_11a_5180MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4840.000000	48.11	74.00	25.89	150.0	H	51.0	3.27
5018.466667	47.10	74.00	26.90	150.0	H	51.0	3.41
5150.000000	45.80	74.00	28.20	150.0	H	110.0	4.23




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4856.200000	46.82	74.00	27.18	150.0	V	218.0	3.36
5030.066667	47.81	74.00	26.19	150.0	V	115.0	3.44
5149.866667	46.53	74.00	27.47	150.0	V	357.0	4.23

Ant2_11a_5320MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.666667	47.04	74.00	26.96	150.0	H	95.0	4.43
5369.266667	47.92	74.00	26.08	150.0	H	330.0	4.46
5387.266667	47.36	74.00	26.64	150.0	H	131.0	4.58




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5366.333333	47.92	74.00	26.08	150.0	V	132.0	4.46
5380.066667	46.57	74.00	27.43	150.0	V	95.0	4.52
5393.666667	49.32	74.00	24.68	150.0	V	322.0	4.63

Ant2_11a_5500MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5440.633333	52.15	74.00	21.85	150.0	H	76.0	4.81
5459.733333	49.67	74.00	24.33	150.0	H	122.0	4.84
5468.833333	56.72	68.20	11.48	150.0	H	48.0	4.85
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5440.633333	39.40	54.00	14.60	150.0	H	76.0	4.81




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5413.066667	47.28	74.00	26.72	150.0	V	189.0	4.73
5458.833333	49.22	74.00	24.78	150.0	V	176.0	4.84
5468.300000	54.29	68.20	13.91	150.0	V	110.0	4.85

Ant2_11a_5700MHz:





Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5458.733333	47.22	74.00	26.78	150.0	H	305.0	4.84
5728.500000	52.78	68.20	15.42	150.0	H	121.0	4.98
5741.433333	47.02	68.20	21.18	150.0	H	327.0	5.04




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.266667	46.81	74.00	27.19	150.0	V	18.0	4.84
5729.133333	46.59	68.20	21.61	150.0	V	170.0	4.98
5739.833333	47.73	68.20	20.47	150.0	V	261.0	5.03

Ant2_11a_5745MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5629.125000	46.38	68.20	21.82	150.0	V	274.0	4.86
5677.083333	47.71	88.24	40.53	150.0	V	179.0	4.82
5931.875000	48.46	68.20	19.74	150.0	V	186.0	5.76


Ant2_11a_5825MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5707.208333	45.70	107.22	61.52	150.0	H	318.0	4.89
5826.000000	80.62	---	---	150.0	H	296.0	5.39
5955.250000	48.41	68.20	19.79	150.0	H	3.0	5.84
5988.041667	47.73	68.20	20.47	150.0	H	230.0	6.04




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5577.291667	49.07	68.20	19.13	150.0	V	349.0	4.95
5692.833333	47.00	99.90	52.89	150.0	V	344.0	4.85
5930.833333	47.99	68.20	20.21	150.0	V	0.0	5.76

MiMo_11n20_5180MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4829.333333	47.83	74.00	26.17	150.0	H	272.0	3.20
5133.800000	48.43	74.00	25.57	150.0	H	78.0	4.06
5150.000000	44.62	74.00	29.38	150.0	H	64.0	4.23



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5122.800000	47.44	74.00	26.56	150.0	V	124.0	3.95
5137.333333	47.37	74.00	26.63	150.0	V	66.0	4.10
5149.933333	44.12	74.00	29.88	150.0	V	102.0	4.23


MiMo_11n20_5320MHz:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5356.933333	48.33	74.00	25.67	150.0	H	95.0	4.44
5372.066667	46.43	74.00	27.57	150.0	H	29.0	4.47
5386.400000	47.33	74.00	26.67	150.0	H	249.0	4.57




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.000000	44.75	74.00	29.25	150.0	V	93.0	4.43
5372.066667	46.99	74.00	27.01	150.0	V	115.0	4.47
5387.466667	47.41	74.00	26.59	150.0	V	71.0	4.58


MiMo_11n20_5500MHz:




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5372.566667	48.12	74.00	25.88	150.0	H	222.0	4.47
5443.266667	49.50	74.00	24.50	150.0	H	62.0	4.82
5456.966667	46.79	74.00	27.21	150.0	H	62.0	4.83




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5404.000000	47.02	74.00	26.98	150.0	V	320.0	4.70
5455.166667	46.59	74.00	27.41	150.0	V	29.0	4.83
5743.766667	48.63	68.20	19.57	150.0	V	327.0	5.05

MiMo_11n20_5700MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5452.533333	46.55	74.00	27.45	150.0	H	54.0	4.83
5739.566667	47.93	68.20	20.27	150.0	H	87.0	5.03
5748.633333	48.49	68.20	19.71	150.0	H	276.0	5.07




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5442.800000	47.02	74.00	26.98	150.0	V	171.0	4.81
5725.466667	48.48	68.20	19.72	150.0	V	357.0	4.97
5736.700000	47.55	68.20	20.65	150.0	V	163.0	5.02

MiMo_11n20_5745MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5586.958333	49.11	68.20	19.09	150.0	H	346.0	5.00
5630.791667	46.27	68.20	21.93	150.0	H	162.0	4.85
5686.458333	46.53	95.18	48.65	150.0	H	81.0	4.84
5744.208333	90.37	---	---	150.0	H	210.0	5.05




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5581.291667	48.31	68.20	19.89	150.0	V	86.0	4.97
5671.833333	48.74	84.36	35.62	150.0	V	144.0	4.81
5713.708333	45.26	109.04	63.78	150.0	V	277.0	4.92

MiMo_11n20_5825MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5695.583333	46.98	101.93	54.95	150.0	H	127.0	4.85
5825.583333	86.00	---	---	150.0	H	7.0	5.39
5931.375000	48.91	68.20	19.29	150.0	H	282.0	5.76
5968.875000	46.62	68.20	21.58	150.0	H	4.0	5.92




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5584.916667	48.40	68.20	19.80	150.0	V	287.0	4.99
5660.666667	46.35	76.09	29.74	150.0	V	221.0	4.80
5911.333333	49.70	78.31	28.62	150.0	V	4.0	5.76

MiMo_11n40_5190MHz:


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4731.200000	46.34	74.00	27.66	150.0	H	177.0	2.85
4881.466667	47.02	74.00	26.98	150.0	H	214.0	3.40
5150.000000	49.74	74.00	24.26	150.0	H	27.0	4.23




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4762.733333	46.95	74.00	27.05	150.0	V	141.0	2.98
4883.400000	46.96	74.00	27.04	150.0	V	23.0	3.40
5149.266667	49.58	74.00	24.42	150.0	V	74.0	4.22

MiMo_11n40_5310MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.066667	50.33	74.00	23.67	150.0	H	58.0	4.43
5374.933333	47.55	74.00	26.45	150.0	H	110.0	4.48
5388.333333	47.34	74.00	26.66	150.0	H	139.0	4.59




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5355.733333	50.67	74.00	23.33	150.0	V	51.0	4.44
5381.200000	47.37	74.00	26.63	150.0	V	36.0	4.53
5391.400000	50.36	74.00	23.64	150.0	V	51.0	4.61

MiMo_11n40_5510MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5445.833333	52.77	74.00	21.23	150.0	H	84.0	4.82
5458.000000	54.48	74.00	19.52	150.0	H	99.0	4.84
5466.633333	61.18	68.20	7.02	150.0	H	99.0	4.85
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5445.833333	45.10	54.00	8.90	150.0	H	84.0	4.82
5458.000000	45.40	54.00	8.60	150.0	H	99.0	4.84




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5436.433333	48.56	74.00	25.44	150.0	V	351.0	4.81
5460.000000	46.95	68.20	21.25	150.0	V	291.0	4.84
5467.866667	58.16	68.20	10.04	150.0	V	69.0	4.85

MiMo_11n40_5670MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5439.100000	48.35	74.00	25.65	150.0	H	159.0	4.81
5453.366667	47.88	74.00	26.12	150.0	H	36.0	4.83
5738.633333	49.01	68.20	19.19	150.0	H	95.0	5.03




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5383.500000	47.04	74.00	26.96	150.0	V	283.0	4.55
5447.366667	47.44	74.00	26.56	150.0	V	10.0	4.82
5744.933333	49.48	68.20	18.72	150.0	V	58.0	5.06

MiMo_11n40_5755MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5627.083333	45.32	68.20	22.88	150.0	H	84.0	4.87
5670.500000	46.60	83.37	36.77	150.0	H	8.0	4.81
5973.291667	48.63	68.20	19.57	150.0	H	4.0	5.95



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5611.458333	46.88	68.20	21.32	150.0	V	19.0	4.94
5647.250000	44.50	68.20	23.70	150.0	V	19.0	4.78
5925.125000	46.95	68.20	21.25	150.0	V	269.0	5.76


MiMo_11n40_5795MHz:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5654.958333	44.99	71.87	26.88	150.0	H	39.0	4.79
5703.541667	46.07	106.19	60.12	150.0	H	76.0	4.87
5793.208333	79.88	---	---	150.0	H	61.0	5.23
5935.125000	48.73	68.20	19.47	150.0	H	4.0	5.76




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.125000	46.69	68.20	21.51	150.0	V	196.0	4.78
5725.541667	47.15	---	---	150.0	V	255.0	4.97
5912.250000	47.89	77.64	29.74	150.0	V	100.0	5.76
5990.583333	49.20	68.20	19.00	150.0	V	188.0	6.06


MiMo_11ac20_5180MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4639.200000	46.75	74.00	27.25	150.0	H	186.0	2.97
4865.933333	47.17	74.00	26.83	150.0	H	54.0	3.40
5128.533333	48.19	74.00	25.81	150.0	H	223.0	4.01




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4720.133333	47.89	74.00	26.11	150.0	V	93.0	2.81
4849.200000	47.10	74.00	26.90	150.0	V	354.0	3.33
5145.333333	48.99	74.00	25.01	150.0	V	86.0	4.18

MiMo_11ac20_5320MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.333333	47.65	74.00	26.35	150.0	H	289.0	4.43
5366.733333	49.40	74.00	24.60	150.0	H	304.0	4.46
5380.866667	46.79	74.00	27.21	150.0	H	83.0	4.53




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5362.266667	46.57	74.00	27.43	150.0	V	80.0	4.45
5376.666667	46.51	74.00	27.49	150.0	V	58.0	4.49
5397.266667	47.32	74.00	26.68	150.0	V	73.0	4.66

MiMo_11ac20_5500MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5394.233333	47.97	74.00	26.03	150.0	H	121.0	4.63
5457.200000	49.00	74.00	25.00	150.0	H	135.0	4.83
5732.366667	49.03	68.20	19.17	150.0	H	135.0	5.00



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5407.266667	47.02	74.00	26.98	150.0	V	166.0	4.71
5456.000000	48.55	74.00	25.45	150.0	V	347.0	4.83
5463.066667	47.21	68.20	20.99	150.0	V	159.0	4.84



MiMo_11ac20_5700MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5430.533333	49.67	74.00	24.33	150.0	H	84.0	4.80
5452.533333	47.30	74.00	26.70	150.0	H	4.0	4.83
5737.533333	47.88	68.20	20.32	150.0	H	0.0	5.02




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5415.433333	47.03	74.00	26.97	150.0	V	173.0	4.74
5450.433333	46.51	74.00	27.49	150.0	V	138.0	4.83
5729.900000	46.77	68.20	21.43	150.0	V	73.0	4.99

MiMo_11ca20_5745MHz:




MiMo_11ac20_5825MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.250000	45.27	68.20	22.93	150.0	H	14.0	4.78
5939.041667	48.14	68.20	20.06	150.0	H	72.0	5.77
5984.333333	45.47	68.20	22.73	150.0	H	224.0	6.02




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5677.250000	46.61	88.37	41.75	150.0	V	188.0	4.82
5825.041667	92.26	---	---	150.0	V	108.0	5.39
5937.333333	46.64	68.20	21.56	150.0	V	240.0	5.76
5989.583333	48.18	68.20	20.02	150.0	V	335.0	6.05

MiMo_11ac40_5190MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4992.133333	47.57	74.00	26.43	150.0	H	311.0	3.38
5124.533333	47.41	74.00	26.59	150.0	H	201.0	3.97
5148.133333	49.57	74.00	24.43	150.0	H	54.0	4.21




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4796.933333	46.60	74.00	27.40	150.0	V	284.0	3.08
4869.866667	46.19	74.00	27.81	150.0	V	4.0	3.40
5150.000000	50.53	74.00	23.47	150.0	V	321.0	4.23

MiMo_11ac40_5310MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.733333	56.04	74.00	17.96	150.0	H	67.0	4.43
5355.333333	51.55	74.00	22.45	150.0	H	111.0	4.44
5381.066667	47.47	74.00	26.53	150.0	H	126.0	4.53
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.733333	47.60	54.00	6.40	150.0	H	67.0	4.43
5355.333333	47.30	54.00	6.70	150.0	H	111.0	4.44




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.000000	52.32	74.00	21.68	150.0	V	56.0	4.43
5360.066667	52.41	74.00	21.59	150.0	V	56.0	4.44
5377.400000	48.06	74.00	25.94	150.0	V	56.0	4.50
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.000000	48.10	54.00	5.90	150.0	V	56.0	4.43
5360.066667	47.40	54.00	6.60	150.0	V	56.0	4.44

MiMo_11ac40_5510MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5449.333333	54.73	74.00	19.27	150.0	H	76.0	4.82
5455.133333	55.09	74.00	18.91	150.0	H	68.0	4.83
5459.633333	56.79	74.00	17.21	150.0	H	98.0	4.84
5466.933333	63.37	68.20	4.83	150.0	H	68.0	4.85
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5449.333333	47.60	54.00	6.40	150.0	H	76.0	4.82
5455.133333	48.10	54.00	5.90	150.0	H	68.0	4.83
5459.633333	48.50	54.00	5.50	150.0	H	98.0	4.84




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5433.300000	48.35	74.00	25.65	150.0	V	344.0	4.80
5459.600000	49.72	74.00	24.28	150.0	V	105.0	4.84
5468.366667	56.13	68.20	12.07	150.0	V	63.0	4.85

MiMo_11ac40_5670MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5469.966667	48.22	68.20	19.98	150.0	H	346.0	4.85
5732.100000	47.63	68.20	20.57	150.0	H	311.0	5.00
5741.766667	47.01	68.20	21.19	150.0	H	140.0	5.04




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5453.200000	47.21	74.00	26.79	150.0	V	257.0	4.83
5736.200000	49.03	68.20	19.17	150.0	V	65.0	5.02
5742.366667	48.12	68.20	20.08	150.0	V	95.0	5.04

MiMo_11ac40_5755MHz:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5643.250000	45.83	68.20	22.37	150.0	H	130.0	4.80
5935.916667	47.70	68.20	20.50	150.0	H	122.0	5.76
5979.291667	47.23	68.20	20.97	150.0	H	130.0	5.99



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5630.250000	47.50	68.20	20.70	150.0	V	0.0	4.86
5650.791667	45.85	68.79	22.94	150.0	V	0.0	4.78
5758.625000	85.25	---	---	150.0	V	95.0	5.12
5969.458333	48.59	68.20	19.61	150.0	V	252.0	5.93


MiMo_11ac40_5795MHz:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5634.541667	47.19	68.20	21.01	150.0	H	269.0	4.84
5799.791667	79.31	---	---	150.0	H	6.0	5.24
5960.166667	47.40	68.20	20.80	150.0	H	320.0	5.87
5986.083333	49.23	68.20	18.97	150.0	H	116.0	6.03




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5580.833333	49.06	68.20	19.14	150.0	V	93.0	4.97
5953.625000	47.96	68.20	20.24	150.0	V	203.0	5.83
5988.625000	47.41	68.20	20.79	150.0	V	264.0	6.04


MiMo_11ac80_5210MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5120.933333	50.58	74.00	23.42	150.0	H	65.0	3.93
5130.066667	52.39	74.00	21.61	150.0	H	65.0	4.03
5147.666667	48.58	74.00	25.42	150.0	H	51.0	4.20
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5120.933333	42.30	54.00	11.70	150.0	H	65.0	3.93
5130.066667	42.90	54.00	11.10	150.0	H	65.0	4.03
Frequency	MaxPeak	Limit	Margin	Height	Pol	Azimuth	Corr.
5010.666667	47.35	74.00	26.65	150.0	V	274.0	3.39
5132.466667	52.39	74.00	21.61	150.0	V	47.0	4.05
5147.933333	54.34	74.00	19.66	150.0	V	105.0	4.21



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5010.666667	47.35	74.00	26.65	150.0	V	274.0	3.39
5132.466667	52.39	74.00	21.61	150.0	V	47.0	4.05
5147.933333	54.34	74.00	19.66	150.0	V	105.0	4.21
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5132.466667	45.32	54.00	8.68	150.0	V	47.0	4.05
5147.933333	47.80	54.00	6.20	150.0	V	105.0	4.21


MiMo_11ac80_5290MHz:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5351.733333	49.77	74.00	24.23	150.0	H	105.0	4.43
5357.866667	51.00	74.00	23.00	150.0	H	90.0	4.44
5369.266667	51.11	74.00	22.89	150.0	H	105.0	4.46
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5357.866667	48.10	54.00	5.90	150.0	H	90.0	4.44
5369.266667	47.60	54.00	6.40	150.0	H	105.0	4.46




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.800000	50.91	74.00	23.09	150.0	V	67.0	4.43
5363.200000	50.00	74.00	24.00	150.0	V	23.0	4.45
5376.933333	50.38	74.00	23.62	150.0	V	324.0	4.49


MiMo_11ac80_5530MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5443.866667	55.54	74.00	18.46	150.0	H	69.0	4.82
5454.666667	57.55	74.00	16.45	150.0	H	91.0	4.83
5459.633333	54.80	74.00	19.20	150.0	H	62.0	4.84
5466.200000	58.81	68.20	9.39	150.0	H	114.0	4.85
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5443.866667	49.50	54.00	4.50	150.0	H	69.0	4.82
5454.666667	50.20	54.00	3.80	150.0	H	91.0	4.83
5459.633333	50.10	54.00	3.90	150.0	H	62.0	4.84



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5434.666667	50.86	74.00	23.14	150.0	V	338.0	4.80
5450.133333	51.94	74.00	22.06	150.0	V	20.0	4.83
5458.900000	54.82	74.00	19.18	150.0	V	20.0	4.84
5466.566667	53.42	68.20	14.78	150.0	V	100.0	4.85
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5450.133333	47.50	54.00	6.50	150.0	V	20.0	4.83
5458.900000	47.80	54.00	6.20	150.0	V	20.0	4.84


MiMo_11ac80_5610MHz:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5443.666667	47.72	74.00	26.28	150.0	H	90.0	4.82
5456.933333	47.46	74.00	26.54	150.0	H	76.0	4.83
5727.266667	49.08	68.20	19.12	150.0	H	41.0	4.98




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5455.133333	46.72	74.00	27.28	150.0	V	143.0	4.83
5728.033333	47.84	68.20	20.36	150.0	V	27.0	4.98
5738.766667	47.23	68.20	20.97	150.0	V	258.0	5.03

MiMo_11ac80_5775MHz:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5575.125000	48.59	68.20	19.61	150.0	H	342.0	4.94
5630.916667	46.97	68.20	21.23	150.0	H	291.0	4.85
5940.583333	48.14	68.20	20.06	150.0	H	86.0	5.77




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.791667	45.38	68.20	22.82	150.0	V	261.0	4.89
5952.750000	47.17	68.20	21.03	150.0	V	202.0	5.83
5989.375000	48.27	68.20	19.93	150.0	V	356.0	6.05

MiMo_11ax20_5180MHz_26Tone_RU0:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4841.000000	47.19	74.00	26.81	150.0	H	227.0	3.27
5034.466667	46.21	74.00	27.79	150.0	H	256.0	3.45
5126.266667	46.50	74.00	27.50	150.0	H	9.0	3.99




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4835.733333	48.75	74.00	25.25	150.0	V	201.0	3.24
4940.866667	46.86	74.00	27.14	150.0	V	0.0	3.42
5129.600000	48.00	74.00	26.00	150.0	V	201.0	4.02


MiMo_11ax20_5320MHz_26Tone_RU8:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.333333	46.20	74.00	27.80	150.0	H	3.0	4.43
5380.200000	48.60	74.00	25.40	150.0	H	164.0	4.52
5394.733333	46.46	74.00	27.54	150.0	H	311.0	4.64



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5355.600000	46.01	74.00	27.99	150.0	V	255.0	4.44
5369.333333	49.15	74.00	24.85	150.0	V	277.0	4.46
5396.266667	47.55	74.00	26.45	150.0	V	93.0	4.65


MiMo_11ax20_5500MHz_26Tone_RU0:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5385.533333	49.04	74.00	24.96	150.0	H	305.0	4.56
5440.666667	46.53	74.00	27.47	150.0	H	58.0	4.81
5457.266667	47.44	74.00	26.56	150.0	H	0.0	4.83




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5405.300000	48.56	74.00	25.44	150.0	V	343.0	4.70
5421.033333	47.44	74.00	26.56	150.0	V	251.0	4.77
5458.766667	47.93	74.00	26.07	150.0	V	244.0	4.84


MiMo_11ax20_5700MHz_26Tone_RU8:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5457.966667	48.10	74.00	25.90	150.0	H	269.0	4.84
5739.000000	51.86	68.20	16.34	150.0	H	298.0	5.03
5744.833333	47.58	68.20	20.62	150.0	H	298.0	5.05




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5456.400000	46.11	74.00	27.89	150.0	V	42.0	4.83
5737.400000	48.42	68.20	19.78	150.0	V	260.0	5.02
5745.566667	46.84	68.20	21.36	150.0	V	93.0	5.06

MiMo_11ax20_5745MHz_26Tone_RU0:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5645.416667	47.37	68.20	20.83	150.0	H	183.0	4.79
5662.583333	47.14	77.51	30.37	150.0	H	117.0	4.80
5710.625000	46.17	108.18	62.00	150.0	H	234.0	4.90



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5603.375000	48.65	68.20	19.55	150.0	V	191.0	4.97
5623.125000	46.90	68.20	21.30	150.0	V	82.0	4.89
5642.291667	46.89	68.20	21.31	150.0	V	27.0	4.80


MiMo_11ax20_5825MHz_26Tone_RU8:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5651.958333	47.43	69.65	22.21	150.0	H	196.0	4.78
5964.625000	47.86	68.20	20.34	150.0	H	130.0	5.90
5991.083333	47.57	68.20	20.63	150.0	H	325.0	6.06




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5621.166667	46.29	68.20	21.91	150.0	V	267.0	4.90
5826.041667	87.46	---	---	150.0	V	98.0	5.39
5941.916667	46.20	68.20	22.00	150.0	V	260.0	5.78
5970.541667	47.59	68.20	20.61	150.0	V	172.0	5.93


MiMo_11ax20_5180MHz_242Tone_RU61




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4738.133333	46.15	74.00	27.85	150.0	H	271.0	2.87
4902.866667	47.32	74.00	26.68	150.0	H	308.0	3.41
5146.800000	48.11	74.00	25.89	150.0	H	29.0	4.20




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4832.266667	46.76	74.00	27.24	150.0	V	158.0	3.22
4861.800000	46.73	74.00	27.27	150.0	V	297.0	3.38
5142.466667	48.54	74.00	25.46	150.0	V	0.0	4.15

MiMo_11ax20_5320MHz_242Tone_RU61:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5350.733333	47.11	74.00	26.89	150.0	H	345.0	4.43
5363.200000	47.08	74.00	26.92	150.0	H	74.0	4.45
5381.200000	47.66	74.00	26.34	150.0	H	228.0	4.53



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5358.666667	49.41	74.00	24.59	150.0	V	38.0	4.44
5366.133333	47.66	74.00	26.34	150.0	V	331.0	4.46
5379.733333	47.00	74.00	27.00	150.0	V	52.0	4.52


MiMo_11ax20_5500MHz_242Tone_RU61:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5455.833333	52.68	74.00	21.32	150.0	H	40.0	4.83
5459.433333	55.14	74.00	18.86	150.0	H	40.0	4.84
5469.933333	59.44	68.20	8.76	150.0	H	284.0	4.85
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5455.833333	47.30	54.00	6.70	150.0	H	40.0	4.83
5459.433333	47.80	54.00	6.20	150.0	H	40.0	4.84




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5417.700000	47.90	74.00	26.10	150.0	V	159.0	4.75
5449.433333	47.27	74.00	26.73	150.0	V	49.0	4.82
5469.900000	53.54	68.20	14.66	150.0	V	174.0	4.85


MiMo_11ax20_5700MHz_242Tone_RU61:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5459.066667	47.25	74.00	26.75	150.0	H	117.0	4.84
5725.366667	50.24	68.20	17.96	150.0	H	65.0	4.97
5740.333333	48.41	68.20	19.79	150.0	H	250.0	5.03




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5451.200000	48.38	74.00	25.62	150.0	V	342.0	4.83
5738.000000	49.53	68.20	18.67	150.0	V	37.0	5.02
5742.966667	48.43	68.20	19.77	150.0	V	51.0	5.05

MiMo_11ax20_5745MHz_242Tone_RU61:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5578.916667	45.95	68.20	22.25	150.0	H	71.0	4.96
5595.375000	46.16	68.20	22.04	150.0	H	269.0	5.01
5626.458333	46.87	68.20	21.33	150.0	H	42.0	4.87



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5589.916667	47.46	68.20	20.74	150.0	V	47.0	5.01
5607.375000	47.50	68.20	20.70	150.0	V	260.0	4.96
5641.041667	45.04	68.20	23.16	150.0	V	267.0	4.81


MiMo_11ax20_5825MHz_242Tone_RU61:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5939.791667	47.71	68.20	20.49	150.0	H	356.0	5.77
5953.708333	47.10	68.20	21.10	150.0	H	136.0	5.83
5971.000000	47.47	68.20	20.74	150.0	H	2.0	5.94




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5939.833333	47.46	68.20	20.74	150.0	V	122.0	5.77
5959.041667	46.64	68.20	21.56	150.0	V	284.0	5.87
5984.583333	47.13	68.20	21.07	150.0	V	56.0	6.02


MiMo_11ax40_5190MHz_26Tone_RU0:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4822.266667	48.39	74.00	25.61	150.0	H	73.0	3.16
5025.066667	47.35	74.00	26.65	150.0	H	87.0	3.43
5144.733333	46.41	74.00	27.59	150.0	H	357.0	4.17



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4810.000000	48.05	74.00	25.95	150.0	V	120.0	3.11
4904.533333	46.89	74.00	27.11	150.0	V	274.0	3.42
5145.066667	46.35	74.00	27.65	150.0	V	0.0	4.18


MiMo_11ax40_5310MHz_26Tone_RU17:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5354.333333	46.60	74.00	27.40	150.0	H	309.0	4.43
5362.133333	47.12	74.00	26.88	150.0	H	350.0	4.45
5395.666667	47.87	74.00	26.13	150.0	H	0.0	4.65




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.000000	45.54	74.00	28.46	150.0	V	157.0	4.43
5359.933333	47.10	74.00	26.90	150.0	V	12.0	4.44
5387.466667	46.37	74.00	27.63	150.0	V	69.0	4.58

MiMo_11ax40_5510MHz_26Tone_RU0:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5425.066667	46.60	74.00	27.40	150.0	H	198.0	4.78
5444.633333	47.47	74.00	26.53	150.0	H	320.0	4.82
5469.166667	47.61	68.20	20.59	150.0	H	106.0	4.85




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5398.533333	46.54	74.00	27.46	150.0	V	304.0	4.67
5434.533333	47.45	74.00	26.55	150.0	V	235.0	4.80
5454.566667	47.24	74.00	26.76	150.0	V	340.0	4.83


MiMo_11ax40_5670MHz_26Tone_R17:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5451.166667	47.90	74.00	26.10	150.0	H	269.0	4.83
5727.100000	47.25	68.20	20.95	150.0	H	90.0	4.98
5735.066667	46.13	68.20	22.07	150.0	H	90.0	5.01




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5442.033333	47.00	74.00	27.00	150.0	V	110.0	4.81
5458.500000	47.20	74.00	26.80	150.0	V	4.0	4.84
5727.266667	48.09	68.20	20.11	150.0	V	333.0	4.98

MiMo_11ax40_5755MHz_26Tone_RU0:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5586.875000	46.69	68.20	21.51	150.0	H	114.0	5.00
5643.875000	46.16	68.20	22.04	150.0	H	202.0	4.80
5977.291667	48.88	68.20	19.32	150.0	H	35.0	5.98




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5603.625000	46.40	68.20	21.80	150.0	V	84.0	4.97
5641.041667	47.57	68.20	20.63	150.0	V	8.0	4.81
5937.208333	48.58	68.20	19.62	150.0	V	158.0	5.76

MiMo_11ax40_5795MHz_26Tone_RU17:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5632.875000	45.25	68.20	22.95	150.0	H	64.0	4.84
5950.875000	46.65	68.20	21.55	150.0	H	56.0	5.82
5974.791667	48.09	68.20	20.11	150.0	H	211.0	5.96




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.708333	48.14	68.20	20.06	150.0	V	326.0	4.89
5927.583333	47.39	68.20	20.81	150.0	V	0.0	5.76
5970.000000	47.57	68.20	20.63	150.0	V	11.0	5.93

MiMo_11ax40_5190MHz_484Tone_R65:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4826.266667	47.66	74.00	26.34	150.0	H	186.0	3.18
4917.733333	48.02	74.00	25.98	150.0	H	346.0	3.44
5149.400000	48.87	74.00	25.13	150.0	H	91.0	4.22




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4762.066667	47.70	74.00	26.30	150.0	V	82.0	2.98
4931.600000	46.73	74.00	27.27	150.0	V	280.0	3.43
5149.133333	52.25	74.00	21.75	150.0	V	60.0	4.22
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5149.133333	47.60	54.00	6.40	150.0	V	60.0	4.22

MiMo_11ax40_5310MHz_484Tone_R65:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5356.533333	50.98	74.00	23.02	150.0	H	91.0	4.44
5381.200000	47.74	74.00	26.26	150.0	H	98.0	4.53
5389.466667	47.18	74.00	26.82	150.0	H	351.0	4.60




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.400000	53.30	74.00	20.70	150.0	V	64.0	4.43
5361.733333	48.24	74.00	25.76	150.0	V	42.0	4.45
5383.933333	47.66	74.00	26.34	150.0	V	348.0	4.55
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5352.400000	46.40	54.00	7.60	150.0	V	64.0	4.43

MiMo_11ax40_5510MHz_484Tone_R65:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5445.266667	49.22	74.00	24.78	150.0	H	42.0	4.82
5459.333333	49.73	74.00	24.27	150.0	H	61.0	4.84
5469.966667	60.98	68.20	7.22	150.0	H	96.0	4.85



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5433.300000	48.35	74.00	25.65	150.0	V	344.0	4.80
5459.600000	49.72	74.00	24.28	150.0	V	105.0	4.84
5468.366667	56.13	68.20	12.07	150.0	V	63.0	4.85


MiMo_11ax40_5670MHz_484Tone_R65:


Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5451.400000	47.08	74.00	26.92	150.0	H	47.0	4.83
5741.633333	50.37	68.20	17.83	150.0	H	77.0	5.04
5749.400000	51.67	68.20	16.53	150.0	H	77.0	5.08




Frequency (MHz)	MaxPeak (dBµV/m)	Limit (dBµV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5457.966667	47.50	74.00	26.50	150.0	V	318.0	4.84
5725.566667	50.20	68.20	18.00	150.0	V	78.0	4.97
5744.833333	47.68	68.20	20.52	150.0	V	214.0	5.05


MiMo_11ax40_5755MHz_484Tone_R65:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5599.958333	47.51	68.20	20.69	150.0	H	216.0	4.99
5650.000000	46.95	68.20	21.25	150.0	H	158.0	4.78
5964.458333	48.41	68.20	19.79	150.0	H	238.0	5.90



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5600.208333	46.85	68.20	21.35	150.0	V	333.0	4.99
5626.583333	48.55	68.20	19.65	150.0	V	351.0	4.87
5940.958333	47.13	68.20	21.07	150.0	V	0.0	5.77


MiMo_11ax40_5795MHz_484Tone_R65:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5617.791667	47.83	68.20	20.37	150.0	H	91.0	4.91
5956.125000	48.41	68.20	19.79	150.0	H	9.0	5.85
5982.375000	47.74	68.20	20.46	150.0	H	0.0	6.01




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5666.625000	47.72	80.50	32.78	150.0	V	225.0	4.81
5795.875000	83.87	---	---	150.0	V	64.0	5.23
5939.500000	47.09	68.20	21.11	150.0	V	86.0	5.77
5983.375000	46.03	68.20	22.17	150.0	V	188.0	6.01

MiMo_11ax80_5210MHz_26Tone_RU0:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4935.066667	46.14	74.00	27.86	150.0	H	249.0	3.42
5019.733333	46.86	74.00	27.14	150.0	H	227.0	3.41
5145.400000	48.42	74.00	25.58	150.0	H	326.0	4.18




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4965.400000	47.18	74.00	26.82	150.0	V	4.0	3.40
5061.800000	46.96	74.00	27.04	150.0	V	157.0	3.51
5148.133333	45.56	74.00	28.44	150.0	V	351.0	4.21


MiMo_11ac80_5290MHz_26Tone_R36:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5353.533333	47.69	74.00	26.31	150.0	H	2.0	4.43
5366.066667	46.65	74.00	27.35	150.0	H	356.0	4.46
5389.800000	46.57	74.00	27.43	150.0	H	4.0	4.60



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5356.866667	46.77	74.00	27.23	150.0	V	354.0	4.44
5375.466667	46.69	74.00	27.31	150.0	V	76.0	4.48
5393.533333	47.84	74.00	26.16	150.0	V	354.0	4.63


MiMo_11ac80_5530MHz_26Tone_RU0:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5375.366667	47.68	74.00	26.32	150.0	H	196.0	4.48
5415.600000	47.68	74.00	26.32	150.0	H	229.0	4.74
5458.766667	47.69	74.00	26.31	150.0	H	264.0	4.84




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5430.933333	47.21	74.00	26.79	150.0	V	40.0	4.80
5454.400000	46.41	74.00	27.59	150.0	V	0.0	4.83
5546.566667	93.92	---	---	150.0	V	285.0	4.79


MiMo_11ac80_5690MHz_26Tone_R36:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5648.633333	93.63	---	---	150.0	H	232.0	4.78
5729.000000	48.23	68.20	19.97	150.0	H	210.0	4.98
5744.933333	47.99	68.20	20.21	150.0	H	10.0	5.06




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.100000	93.81	---	---	150.0	V	126.0	4.78
5720.266667	45.91	---	---	150.0	V	207.0	4.95
5735.333333	46.34	68.20	21.86	150.0	V	316.0	5.01

MiMo_11ac80_5775MHz_26Tone_R36:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5642.250000	47.18	68.20	21.02	150.0	H	100.0	4.80
5736.708333	94.19	---	---	150.0	H	9.0	5.02
5957.666667	47.68	68.20	20.52	150.0	H	0.0	5.86
5980.875000	48.29	68.20	19.91	150.0	H	358.0	6.00




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5618.541667	48.76	68.20	19.44	150.0	V	222.0	4.91
5653.958333	46.32	71.13	24.81	150.0	V	121.0	4.79
5737.750000	100.60	---	---	150.0	V	91.0	5.02
6000.000000	49.61	68.20	18.59	150.0	V	99.0	6.11

MiMo_11ax80_5210MHz_996Tone_R67:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
4931.933333	46.93	74.00	27.07	150.0	H	181.0	3.42
5064.000000	48.00	74.00	26.00	150.0	H	71.0	3.51
5146.400000	50.28	74.00	23.72	150.0	H	56.0	4.19



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5122.333333	50.85	74.00	23.15	150.0	V	95.0	3.95
5143.800000	50.92	74.00	23.08	150.0	V	346.0	4.17
5149.733333	46.97	74.00	27.03	150.0	V	110.0	4.22


MiMo_11ac80_5290MHz_996Tone_R67:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5356.866667	47.39	74.00	26.61	150.0	H	252.0	4.44
5378.000000	45.93	74.00	28.07	150.0	H	267.0	4.50
5390.933333	45.94	74.00	28.06	150.0	H	281.0	4.61




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5357.666667	46.85	74.00	27.15	150.0	V	311.0	4.44
5370.800000	47.36	74.00	26.64	150.0	V	356.0	4.47
5381.933333	46.83	74.00	27.17	150.0	V	326.0	4.53


MiMo_11ac80_5530MHz_996Tone_R67:




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5432.166667	54.10	74.00	19.90	150.0	H	308.0	4.80
5454.900000	55.38	74.00	18.62	150.0	H	102.0	4.83
5459.100000	57.13	74.00	16.87	150.0	H	300.0	4.84
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5432.166667	49.30	54.00	4.70	150.0	H	308.0	4.80
5454.900000	50.99	54.00	3.01	150.0	H	102.0	4.83
5459.100000	50.76	54.00	3.24	150.0	H	300.0	4.84




Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5382.466667	52.64	74.00	21.36	150.0	V	125.0	4.54
5438.733333	51.00	74.00	23.00	150.0	V	355.0	4.81
5453.600000	51.45	74.00	22.55	150.0	V	110.0	4.83
Frequency (MHz)	Average (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5382.466667	48.00	54.00	6.00	150.0	V	125.0	4.54

MiMo_11ac80_5610MHz_996Tone_R67:



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5622.333333	87.16	---	---	150.0	H	77.0	4.89
5730.933333	47.92	68.20	20.28	150.0	H	140.0	4.99
5745.333333	50.15	68.20	18.05	150.0	H	315.0	5.06



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5621.200000	91.86	---	---	150.0	V	130.0	4.90
5730.900000	47.88	68.20	20.32	150.0	V	176.0	4.99

MiMo_11ac80_5775MHz_996Tone_R67:


Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5637.916667	44.97	68.20	23.23	150.0	H	65.0	4.82
5777.625000	77.99	---	---	150.0	H	349.0	5.18
5937.916667	47.95	68.20	20.25	150.0	H	353.0	5.76
5966.708333	48.92	68.20	19.28	150.0	H	102.0	5.91



Frequency (MHz)	MaxPeak (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Height (cm)	Pol	Azimuth (deg)	Corr. (dB/m)
5647.125000	45.25	68.20	22.95	150.0	V	254.0	4.78
5932.791667	46.92	68.20	21.28	150.0	V	136.0	5.76
5952.791667	48.11	68.20	20.09	150.0	V	0.0	5.83

Remark:

- (1) Data of measurement within frequency range 9kHz-30MHz are the noise floor or attenuated more than 20dB below the permissible limits or the field strength is too small to be measured, so test data does not present in this report.
- (2) Level= Reading Level + Correction Factor
- (3) Above 1GHz: Corrector factor = Antenna Factor + Cable Loss- Amplifier Gain
Below 1GHz: Corrector factor = Antenna Factor + Cable Loss
(The Reading Level is recorded by software which is not shown in the sheet)
- (4) According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

8.7 Frequencies Stability

Test Method

1. The EUT was placed on 0.8m height table, the RF output of EUT was connected to the test receiver by RF cable. The path loss was compensated to the results for each measurement.
2. Set Centre Frequency of the channel under test.
3. Set Detector PEAK
4. Set RBW: 10kHz, VBW: 3RBW
5. Set Span: Encompass the entire emissions bandwidth (EBW) of the signal.
6. Allow the trace to stabilize, find the peak value of the power envelope and record the frequency, then calculated the frequency drift.

The test extreme voltage is to change the primary supply voltage from 85 to 115 percent of the nominal value.

User manual temperature is -10°C to +35°C, normal Temperature is +25°C.

Manufacturers of UNII devices are responsible for ensuring frequency stability such that an emission is maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

Test Results (All conditions and all modes were performed, only list Worst-Case in the report)

Remark: NV is normal Voltage: 3.89Vdc, HV is High Voltage: 4.48Vdc, LV is Low Voltage: 3.30Vdc, NT is normal Temperature: +25°C.

Limit: It is required that that the emissions are maintained within the band of operation under all conditions of normal operation as specified in the user's manual.

Mode	TX Type	Frequency (MHz)	Temperature (°C)	Ant1			Verdict
				Voltage (VDC)	Measured Frequency (MHz)	Limit (MHz)	
802.11ac (VHT20)	SISO	5180	25	3.30	5179.980	5150 to 5250	Pass
				3.89	5179.980	5150 to 5250	Pass
				4.48	5179.980	5150 to 5250	Pass
			0	3.89	5179.980	5150 to 5250	Pass
				3.89	5179.980	5150 to 5250	Pass
				3.89	5179.980	5150 to 5250	Pass
				3.89	5179.980	5150 to 5250	Pass
		5200	25	3.30	5199.980	5150 to 5250	Pass
				3.89	5199.980	5150 to 5250	Pass
				4.48	5199.980	5150 to 5250	Pass
			-10	3.89	5199.980	5150 to 5250	Pass
				3.89	5199.980	5150 to 5250	Pass
				3.89	5199.980	5150 to 5250	Pass
				3.89	5199.980	5150 to 5250	Pass
		5240	25	3.30	5239.980	5150 to 5250	Pass
				3.89	5239.980	5150 to 5250	Pass
				4.48	5239.980	5150 to 5250	Pass
			-10	3.89	5239.980	5150 to 5250	Pass
				3.89	5239.980	5150 to 5250	Pass
				3.89	5239.980	5150 to 5250	Pass
				3.89	5239.980	5150 to 5250	Pass
		5260	25	3.30	5259.980	5250 to 5350	Pass
				3.89	5259.980	5250 to 5350	Pass
				4.48	5259.980	5250 to 5350	Pass
			0	3.89	5259.980	5250 to 5350	Pass
				3.89	5259.980	5250 to 5350	Pass
				3.89	5259.980	5250 to 5350	Pass
				3.89	5259.980	5250 to 5350	Pass
		5300	25	3.30	5299.980	5250 to 5350	Pass
				3.89	5299.980	5250 to 5350	Pass
				4.48	5299.980	5250 to 5350	Pass
			-10	3.89	5299.980	5250 to 5350	Pass
				3.89	5299.980	5250 to 5350	Pass
				3.89	5299.980	5250 to 5350	Pass
				3.89	5299.980	5250 to 5350	Pass
		5320	25	3.30	5319.980	5250 to 5350	Pass
				3.89	5319.980	5250 to 5350	Pass
				4.48	5319.980	5250 to 5350	Pass
			-10	3.89	5319.980	5250 to 5350	Pass
				3.89	5319.980	5250 to 5350	Pass
				3.89	5319.980	5250 to 5350	Pass
				3.89	5319.980	5250 to 5350	Pass
		5500	25	3.30	5499.980	5470 to 5725	Pass
				3.89	5499.980	5470 to 5725	Pass
				4.48	5499.980	5470 to 5725	Pass
			-10	3.89	5499.980	5470 to 5725	Pass
				3.89	5499.980	5470 to 5725	Pass
				3.89	5499.980	5470 to 5725	Pass
				3.89	5499.980	5470 to 5725	Pass
		5580	25	3.30	5579.980	5470 to 5725	Pass
				3.89	5579.980	5470 to 5725	Pass
				4.48	5579.980	5470 to 5725	Pass
			-10	3.89	5579.980	5470 to 5725	Pass
				3.89	5579.980	5470 to 5725	Pass
				3.89	5579.980	5470 to 5725	Pass
				3.89	5579.980	5470 to 5725	Pass
		5700	25	3.30	5699.980	5470 to 5725	Pass
				3.89	5699.980	5470 to 5725	Pass
				4.48	5699.980	5470 to 5725	Pass
			-10	3.89	5699.980	5470 to 5725	Pass
				3.89	5699.980	5470 to 5725	Pass

802.11ac (VHT40)	SISO		10	3.89	5699.980	5470 to 5725	Pass
			35	3.89	5699.980	5470 to 5725	Pass
		5745	25	3.30	5744.980	5725 to 5850	Pass
				3.89	5744.980	5725 to 5850	Pass
				4.48	5744.980	5725 to 5850	Pass
			-10	3.89	5744.980	5725 to 5850	Pass
			0	3.89	5744.980	5725 to 5850	Pass
			10	3.89	5744.980	5725 to 5850	Pass
			35	3.89	5744.980	5725 to 5850	Pass
		5785	25	3.30	5784.980	5725 to 5850	Pass
				3.89	5784.980	5725 to 5850	Pass
				4.48	5784.980	5725 to 5850	Pass
			0	3.89	5784.980	5725 to 5850	Pass
			-10	3.89	5784.980	5725 to 5850	Pass
			0	3.89	5784.980	5725 to 5850	Pass
			10	3.89	5784.980	5725 to 5850	Pass
		5825	25	3.30	5824.980	5725 to 5850	Pass
				3.89	5824.980	5725 to 5850	Pass
				4.48	5824.980	5725 to 5850	Pass
			0	3.89	5824.980	5725 to 5850	Pass
			-10	3.89	5824.980	5725 to 5850	Pass
			0	3.89	5824.980	5725 to 5850	Pass
			10	3.89	5824.980	5725 to 5850	Pass
		5190	25	3.30	5190.040	5150 to 5250	Pass
				3.89	5190.040	5150 to 5250	Pass
				4.48	5190.040	5150 to 5250	Pass
			-10	3.89	5190.040	5150 to 5250	Pass
			0	3.89	5190.040	5150 to 5250	Pass
			10	3.89	5190.040	5150 to 5250	Pass
			35	3.89	5190.040	5150 to 5250	Pass
		5230	25	3.30	5230.040	5150 to 5250	Pass
				3.89	5230.040	5150 to 5250	Pass
				4.48	5230.040	5150 to 5250	Pass
			-10	3.89	5230.040	5150 to 5250	Pass
			0	3.89	5230.040	5150 to 5250	Pass
			10	3.89	5230.040	5150 to 5250	Pass
			35	3.89	5230.040	5150 to 5250	Pass
		5270	25	3.30	5270.040	5250 to 5350	Pass
				3.89	5270.040	5250 to 5350	Pass
				4.48	5270.040	5250 to 5350	Pass
			-10	3.89	5270.040	5250 to 5350	Pass
			0	3.89	5270.040	5250 to 5350	Pass
			10	3.89	5270.040	5250 to 5350	Pass
			35	3.89	5270.040	5250 to 5350	Pass
		5310	25	3.30	5310.040	5250 to 5350	Pass
				3.89	5310.040	5250 to 5350	Pass
				4.48	5310.040	5250 to 5350	Pass
			-10	3.89	5310.040	5250 to 5350	Pass
			0	3.89	5310.040	5250 to 5350	Pass
			10	3.89	5310.040	5250 to 5350	Pass
			35	3.89	5310.040	5250 to 5350	Pass
		5510	25	3.30	5510.040	5470 to 5725	Pass
				3.89	5510.040	5470 to 5725	Pass
				4.48	5510.040	5470 to 5725	Pass
			-10	3.89	5510.040	5470 to 5725	Pass
			0	3.89	5510.040	5470 to 5725	Pass
			10	3.89	5510.040	5470 to 5725	Pass
			35	3.89	5510.040	5470 to 5725	Pass
		5550	25	3.30	5550.040	5470 to 5725	Pass
				3.89	5550.040	5470 to 5725	Pass
				4.48	5550.040	5470 to 5725	Pass
			-10	3.89	5550.040	5470 to 5725	Pass
			0	3.89	5550.040	5470 to 5725	Pass
			10	3.89	5550.040	5470 to 5725	Pass
			35	3.89	5550.040	5470 to 5725	Pass

802.11ac (VHT80)	SISO	5670	35	3.89	5550.040	5470 to 5725	Pass
			25	3.30	5670.040	5470 to 5725	Pass
				3.89	5670.040	5470 to 5725	Pass
				4.48	5670.040	5470 to 5725	Pass
				3.89	5670.040	5470 to 5725	Pass
			-10	3.89	5670.040	5470 to 5725	Pass
			0	3.89	5670.040	5470 to 5725	Pass
			10	3.89	5670.040	5470 to 5725	Pass
		5755	35	3.89	5670.040	5470 to 5725	Pass
			25	3.30	5755.040	5725 to 5850	Pass
				3.89	5755.040	5725 to 5850	Pass
				4.48	5755.040	5725 to 5850	Pass
				3.89	5755.040	5725 to 5850	Pass
			-10	3.89	5755.040	5725 to 5850	Pass
			0	3.89	5755.040	5725 to 5850	Pass
			10	3.89	5755.040	5725 to 5850	Pass
		5795	35	3.89	5755.040	5725 to 5850	Pass
			25	3.30	5795.040	5725 to 5850	Pass
				3.89	5795.040	5725 to 5850	Pass
				4.48	5795.040	5725 to 5850	Pass
				3.89	5795.040	5725 to 5850	Pass
			-10	3.89	5795.040	5725 to 5850	Pass
			0	3.89	5795.040	5725 to 5850	Pass
			10	3.89	5795.040	5725 to 5850	Pass
		5210	35	3.89	5795.040	5725 to 5850	Pass
			25	3.30	5210.000	5150 to 5250	Pass
				3.89	5210.000	5150 to 5250	Pass
				4.48	5210.000	5150 to 5250	Pass
				3.89	5210.000	5150 to 5250	Pass
			-10	3.89	5210.000	5150 to 5250	Pass
			0	3.89	5210.000	5150 to 5250	Pass
			10	3.89	5210.000	5150 to 5250	Pass
		5290	35	3.89	5210.000	5150 to 5250	Pass
			25	3.30	5290.000	5250 to 5350	Pass
				3.89	5290.000	5250 to 5350	Pass
				4.48	5290.000	5250 to 5350	Pass
				3.89	5290.000	5250 to 5350	Pass
			-10	3.89	5290.000	5250 to 5350	Pass
			0	3.89	5290.000	5250 to 5350	Pass
			10	3.89	5290.000	5250 to 5350	Pass
		5530	35	3.89	5290.000	5250 to 5350	Pass
			25	3.30	5530.000	5470 to 5725	Pass
				3.89	5530.000	5470 to 5725	Pass
				4.48	5530.000	5470 to 5725	Pass
				3.89	5530.000	5470 to 5725	Pass
			-10	3.89	5530.000	5470 to 5725	Pass
			0	3.89	5530.000	5470 to 5725	Pass
			10	3.89	5530.000	5470 to 5725	Pass
		5610	35	3.89	5530.000	5470 to 5725	Pass
			25	3.30	5610.000	5470 to 5725	Pass
				3.89	5610.000	5470 to 5725	Pass
				4.48	5610.000	5470 to 5725	Pass
				3.89	5610.000	5470 to 5725	Pass
			-10	3.89	5610.000	5470 to 5725	Pass
			0	3.89	5610.000	5470 to 5725	Pass
			10	3.89	5610.000	5470 to 5725	Pass
		5775	35	3.89	5610.000	5470 to 5725	Pass
			25	3.30	5775.000	5725 to 5850	Pass
				3.89	5775.000	5725 to 5850	Pass
				4.48	5775.000	5725 to 5850	Pass
				3.89	5775.000	5725 to 5850	Pass
			-10	3.89	5775.000	5725 to 5850	Pass
			0	3.89	5775.000	5725 to 5850	Pass
			10	3.89	5775.000	5725 to 5850	Pass
			35	3.89	5775.000	5725 to 5850	Pass

Mode	TX Type	Frequency (MHz)	Temperature (°C)	Ant2		Limit (MHz)	Verdict
				Voltage (VAC)	Measured Frequency (MHz)		
802.11ac (VHT20)	SISO	5180	25	3.30	5179.980	5150 to 5250	Pass
				3.89	5179.980	5150 to 5250	Pass
				4.48	5179.980	5150 to 5250	Pass
			-10	3.89	5179.980	5150 to 5250	Pass
				0	5179.980	5150 to 5250	Pass
				10	5179.980	5150 to 5250	Pass
				35	5179.980	5150 to 5250	Pass
		5200	25	3.30	5199.980	5150 to 5250	Pass
				3.89	5200.000	5150 to 5250	Pass
				4.48	5199.980	5150 to 5250	Pass
			0	3.89	5199.980	5150 to 5250	Pass
				10	5199.980	5150 to 5250	Pass
				20	5199.980	5150 to 5250	Pass
				35	5199.980	5150 to 5250	Pass
		5240	25	3.30	5239.980	5150 to 5250	Pass
				3.89	5239.980	5150 to 5250	Pass
				4.48	5239.980	5150 to 5250	Pass
			-10	3.89	5239.980	5150 to 5250	Pass
				0	5240.000	5150 to 5250	Pass
				10	5239.980	5150 to 5250	Pass
				35	5239.980	5150 to 5250	Pass
		5260	25	3.30	5259.980	5250 to 5350	Pass
				3.89	5260.000	5250 to 5350	Pass
				4.48	5260.000	5250 to 5350	Pass
			-10	3.89	5259.980	5250 to 5350	Pass
				0	5259.980	5250 to 5350	Pass
				10	5259.980	5250 to 5350	Pass
				35	5259.980	5250 to 5350	Pass
		5300	25	3.30	5299.980	5250 to 5350	Pass
				3.89	5299.980	5250 to 5350	Pass
				4.48	5299.980	5250 to 5350	Pass
			-10	3.89	5299.980	5250 to 5350	Pass
				0	5299.980	5250 to 5350	Pass
				10	5299.980	5250 to 5350	Pass
				35	5299.980	5250 to 5350	Pass
		5320	25	3.30	5319.980	5250 to 5350	Pass
				3.89	5319.980	5250 to 5350	Pass
				4.48	5319.980	5250 to 5350	Pass
			-10	3.89	5319.980	5250 to 5350	Pass
				0	5319.980	5250 to 5350	Pass
				10	5319.980	5250 to 5350	Pass
				35	5319.980	5250 to 5350	Pass
		5500	25	3.30	5499.980	5470 to 5725	Pass
				3.89	5500.000	5470 to 5725	Pass
				4.48	5499.980	5470 to 5725	Pass
			-10	3.89	5499.980	5470 to 5725	Pass
				0	5499.980	5470 to 5725	Pass
				10	5499.980	5470 to 5725	Pass
				35	5499.980	5470 to 5725	Pass
		5580	25	3.30	5579.980	5470 to 5725	Pass
				3.89	5580.000	5470 to 5725	Pass
				4.48	5579.980	5470 to 5725	Pass
			-10	3.89	5579.980	5470 to 5725	Pass
				0	5579.980	5470 to 5725	Pass
				10	5579.980	5470 to 5725	Pass
				35	5579.980	5470 to 5725	Pass
		5700	25	3.30	5699.980	5470 to 5725	Pass
				3.89	5699.980	5470 to 5725	Pass
				4.48	5699.980	5470 to 5725	Pass
		5700	-10	3.89	5699.980	5470 to 5725	Pass

802.11ac (VHT40)	SISO	5745	0	3.89	5699.980	5470 to 5725	Pass
			10	3.89	5700.000	5470 to 5725	Pass
			35	3.89	5699.980	5470 to 5725	Pass
		5745	25	3.30	5744.980	5725 to 5850	Pass
				3.89	5744.980	5725 to 5850	Pass
				4.48	5744.980	5725 to 5850	Pass
			-10	3.89	5744.980	5725 to 5850	Pass
			0	3.89	5744.980	5725 to 5850	Pass
			10	3.89	5744.980	5725 to 5850	Pass
			35	3.89	5744.980	5725 to 5850	Pass
		5785	25	3.30	5784.980	5725 to 5850	Pass
				3.89	5784.980	5725 to 5850	Pass
				4.48	5785.000	5725 to 5850	Pass
			-10	3.89	5784.980	5725 to 5850	Pass
			0	3.89	5784.980	5725 to 5850	Pass
			10	3.89	5784.980	5725 to 5850	Pass
			35	3.89	5784.980	5725 to 5850	Pass
		5825	25	3.30	5824.980	5725 to 5850	Pass
				3.89	5824.980	5725 to 5850	Pass
				4.48	5824.980	5725 to 5850	Pass
			-10	3.89	5824.980	5725 to 5850	Pass
			0	3.89	5824.980	5725 to 5850	Pass
			10	3.89	5824.980	5725 to 5850	Pass
			35	3.89	5824.980	5725 to 5850	Pass
802.11ac (VHT40)	SISO	5190	25	3.30	5190.040	5150 to 5250	Pass
				3.89	5190.040	5150 to 5250	Pass
				4.48	5190.040	5150 to 5250	Pass
			-10	3.89	5190.040	5150 to 5250	Pass
			0	3.89	5190.040	5150 to 5250	Pass
			10	3.89	5190.040	5150 to 5250	Pass
			35	3.89	5190.040	5150 to 5250	Pass
		5230	25	3.30	5230.040	5150 to 5250	Pass
				3.89	5230.040	5150 to 5250	Pass
				4.48	5230.040	5150 to 5250	Pass
			-10	3.89	5230.040	5150 to 5250	Pass
			0	3.89	5230.040	5150 to 5250	Pass
			10	3.89	5230.040	5150 to 5250	Pass
			35	3.89	5230.040	5150 to 5250	Pass
		5270	25	3.30	5270.040	5250 to 5350	Pass
				3.89	5270.040	5250 to 5350	Pass
				4.48	5270.040	5250 to 5350	Pass
			-10	3.89	5270.040	5250 to 5350	Pass
			0	3.89	5270.040	5250 to 5350	Pass
			10	3.89	5270.040	5250 to 5350	Pass
			35	3.89	5270.040	5250 to 5350	Pass
		5310	25	3.30	5310.040	5250 to 5350	Pass
				3.89	5310.040	5250 to 5350	Pass
				4.48	5310.040	5250 to 5350	Pass
			-10	3.89	5310.040	5250 to 5350	Pass
			0	3.89	5310.040	5250 to 5350	Pass
			10	3.89	5310.040	5250 to 5350	Pass
			35	3.89	5310.040	5250 to 5350	Pass
		5510	25	3.30	5510.040	5470 to 5725	Pass
				3.89	5510.040	5470 to 5725	Pass
				4.48	5510.040	5470 to 5725	Pass
			-10	3.89	5510.040	5470 to 5725	Pass
			0	3.89	5510.040	5470 to 5725	Pass
			10	3.89	5510.040	5470 to 5725	Pass
			35	3.89	5510.040	5470 to 5725	Pass
		5550	25	3.30	5550.040	5470 to 5725	Pass
				3.89	5550.040	5470 to 5725	Pass
				4.48	5550.040	5470 to 5725	Pass
			-10	3.89	5550.040	5470 to 5725	Pass
			0	3.89	5550.040	5470 to 5725	Pass

			10	3.89	5550.040	5470 to 5725	Pass
			35	3.89	5550.040	5470 to 5725	Pass
		5670	25	3.30	5670.040	5470 to 5725	Pass
				3.89	5670.040	5470 to 5725	Pass
				4.48	5670.040	5470 to 5725	Pass
			-10	3.89	5670.040	5470 to 5725	Pass
			0	3.89	5670.040	5470 to 5725	Pass
			10	3.89	5670.040	5470 to 5725	Pass
			35	3.89	5670.040	5470 to 5725	Pass
		5755	25	3.30	5755.040	5725 to 5850	Pass
				3.89	5755.040	5725 to 5850	Pass
				4.48	5755.040	5725 to 5850	Pass
			-10	3.89	5755.040	5725 to 5850	Pass
			0	3.89	5755.040	5725 to 5850	Pass
			10	3.89	5755.040	5725 to 5850	Pass
			35	3.89	5755.040	5725 to 5850	Pass
		5795	25	3.30	5795.040	5725 to 5850	Pass
				3.89	5795.040	5725 to 5850	Pass
				4.48	5795.040	5725 to 5850	Pass
			-10	3.89	5795.040	5725 to 5850	Pass
			0	3.89	5795.040	5725 to 5850	Pass
			10	3.89	5795.040	5725 to 5850	Pass
			35	3.89	5795.040	5725 to 5850	Pass
802.11ac (VHT80)	SISO	5210	25	3.30	5210.000	5150 to 5250	Pass
				3.89	5210.000	5150 to 5250	Pass
				4.48	5210.000	5150 to 5250	Pass
			-10	3.89	5210.000	5150 to 5250	Pass
			0	3.89	5210.000	5150 to 5250	Pass
			10	3.89	5210.000	5150 to 5250	Pass
			35	3.89	5210.000	5150 to 5250	Pass
		5290	25	3.30	5290.000	5250 to 5350	Pass
				3.89	5290.000	5250 to 5350	Pass
				4.48	5290.000	5250 to 5350	Pass
			-10	3.89	5290.000	5250 to 5350	Pass
			0	3.89	5290.000	5250 to 5350	Pass
			10	3.89	5290.000	5250 to 5350	Pass
			35	3.89	5290.000	5250 to 5350	Pass
		5530	25	3.30	5530.000	5470 to 5725	Pass
				3.89	5530.000	5470 to 5725	Pass
				4.48	5530.000	5470 to 5725	Pass
			-10	3.89	5530.000	5470 to 5725	Pass
			0	3.89	5530.000	5470 to 5725	Pass
			10	3.89	5530.000	5470 to 5725	Pass
			35	3.89	5530.000	5470 to 5725	Pass
		5610	25	3.30	5610.000	5470 to 5725	Pass
				3.89	5610.000	5470 to 5725	Pass
				4.48	5610.000	5470 to 5725	Pass
			-10	3.89	5610.000	5470 to 5725	Pass
			0	3.89	5610.000	5470 to 5725	Pass
			10	3.89	5610.000	5470 to 5725	Pass
			35	3.89	5610.000	5470 to 5725	Pass
		5775	25	3.30	5775.000	5725 to 5850	Pass
				3.89	5775.000	5725 to 5850	Pass
				4.48	5775.000	5725 to 5850	Pass
			-10	3.89	5775.000	5725 to 5850	Pass
			0	3.89	5775.000	5725 to 5850	Pass
			10	3.89	5775.000	5725 to 5850	Pass
			35	3.89	5775.000	5725 to 5850	Pass

8.8 Dynamic Frequency Selection (DFS)

Mode of Operation:

Parameters of EUT	
Frequency	5250-5350MHz 5470-5600MHz 5650-5725MHz
Operational Mode	☐ Master ☒ Client without Radar Detection ☐ Client with Radar Detection
Modulation	OFDM
Channel Bandwidth	20MHz, 40MHz, 80MHz

Working Modes and required Test Items

The manufacturer shall whether the EUT is capable of operating as a master and a client. If the EUT is capable of operating in more than one operating mode then each operating mode shall be tested separately.

Table 1: Applicability of DFS Requirements Prior to Use of a Channel

Requirement	Operational Mode		
	Master	Client Without Radar Detection	Client With Radar Detection
<i>Non-Occupancy Period</i>	Yes	Not required	Yes
<i>DFS Detection Threshold</i>	Yes	Not required	Yes
<i>Channel Availability Check Time</i>	Yes	Not required	Not required
<i>U-NII Detection Bandwidth</i>	Yes	Not required	Yes

Table 2: Applicability of DFS requirements during normal operation

Requirement	Operational Mode	
	Master Device or Client with Radar Detection	Client Without Radar Detection
<i>DFS Detection Threshold</i>	Yes	Not required
<i>Channel Closing Transmission Time</i>	Yes	Yes
<i>Channel Move Time</i>	Yes	Yes
<i>U-NII Detection Bandwidth</i>	Yes	Not required

Additional requirements for devices with multiple bandwidth modes	Master Device or Client with Radar Detection	Client Without Radar Detection
<i>U-NII Detection Bandwidth and Statistical Performance Check</i>	All BW modes must be tested	Not required
<i>Channel Move Time and Channel Closing Transmission Time</i>	Test using widest BW mode available	Test using the widest BW mode available for the link
<i>All other tests</i>	Any single BW mode	Not required
Note: Frequencies selected for statistical performance check (Section 7.8.4) should include several frequencies within the radar detection bandwidth and frequencies near the edge of the radar detection bandwidth. For 802.11 devices it is suggested to select frequencies in each of the bonded 20 MHz channels and the channel center frequency.		

Requirement:

Per KDB 905462 D02 v02 the following are the requirements for client Devices:

- a) A Client Device will not transmit before having received appropriate control signals from a Master Device.
- b) A Client Device will stop all its transmissions whenever instructed by a Master Device to which it is associated and will meet the Channel Move Time and Channel Closing Transmission Time requirements. The Client Device will not resume any transmissions until it has again received control signals from a Master Device.
- c) If a Client Device is performing In-Service Monitoring and detects a Radar Waveform above the DFS Detection Threshold, it will inform the Master Device. This is equivalent to the Master Device detecting the Radar Waveform and d) through f) of section 5.1.1 apply.
- d) Irrespective of Client Device or Master Device detection the Channel Move Time and Channel Closing Transmission Time requirements remain the same.
- e) The client test frequency must be monitored to ensure no transmission of any type has occurred for 30 minutes. Note: If the client moves with the master, the device is considered compliant if nothing appears in the client non-occupancy period test. For devices that shut down (rather than moving channels), no beacons should appear.

Table 3: DFS Response Requirement Values

Parameter	Value
<i>Non-occupancy period</i>	Minimum 30 minutes
<i>Channel Availability Check Time</i>	60 seconds
<i>Channel Move Time</i>	10 seconds See Note 1.
<i>Channel Closing Transmission Time</i>	200 milliseconds + an aggregate of 60 milliseconds over remaining 10 second period. See Notes 1 and 2.
<i>U-NII Detection Bandwidth</i>	Minimum 100% of the U-NII 99% transmission power bandwidth. See Note 3.
Note 1: <i>Channel Move Time</i> and the <i>Channel Closing Transmission Time</i> should be performed with Radar Type 0. The measurement timing begins at the end of the Radar Type 0 burst. Note 2: The <i>Channel Closing Transmission Time</i> is comprised of 200 milliseconds starting at the beginning of the <i>Channel Move Time</i> plus any additional intermittent control signals required to facilitate a <i>Channel</i> move (an aggregate of 60 milliseconds) during the remainder of the 10 second period. The aggregate duration of control signals will not count quiet periods in between transmissions. Note 3: During the <i>U-NII Detection Bandwidth</i> detection test, radar type 0 should be used. For each frequency step the minimum percentage of detection is 90 percent. Measurements are performed with no data traffic.	

DFS Detection Thresholds Values

Table 4 below provides the DFS Detection Thresholds for Master Devices as well as Client Devices incorporating In-Service Monitoring.

Table 4: DFS Detection Thresholds for Master Devices and Client Devices with Radar Detection


Maximum Transmit Power	Value (See Notes 1, 2, and 3)
EIRP $\geq$ 200 milliwatt	-64 dBm
EIRP < 200 milliwatt and power spectral density < 10 dBm/MHz	-62 dBm
EIRP < 200 milliwatt that do not meet the power spectral density requirement	-64 dBm
Note 1: This is the level at the input of the receiver assuming a 0 dBi receive antenna. Note 2: Throughout these test procedures an additional 1 dB has been added to the amplitude of the test transmission waveforms to account for variations in measurement equipment. This will ensure that the test signal is at or above the detection threshold level to trigger a DFS response. Note 3: EIRP is based on the highest antenna gain. For MIMO devices refer to KDB Publication 662911 D01.	

Test Procedure

The FCC KDB 905462 D02 v02 describes a radiated test setup and a conducted test setup. A conducted test setup was used for this testing. Figure 1 shows the typical test setup. One channel selected between 5260 and 5350 MHz is chosen for the testing.

Figure 1. Test Setup for DFS

Setup for client with injection at the master.



Channel Closing Transmission Time, Channel Move Time and Non-Occupancy Period.

Block Diagram of test setup test procedure.

- (1) The Radar Pulse generator is setup to provide a pulse at frequency that the master and client are operating, A type 0 radar pulse is used for the testing.
- (2) The vector signal generator is adjusted to provide the radar burst (18 pulses) at the level of approximately -62dBm at the antenna of the master device.
- (3) A trigger is provided from the pulse generator to the DFS monitoring system in order to capture the traffic and the occurrence of the radar pulse.
- (4) The Client Device (EUT) is set up per the diagram in Figure 1 and communications between the Master device and the Client is established.
- (5) Iperf software is used to properly load the test channel.
- (6) The real time spectrum analyzer is set to record a 16sec window to any transmissions occurring up to and after 10sec.


- (7) The system is again setup and the monitoring time is shortened in order to capture the Channel Closing Transmission Time. This time is measured to ensure that the Client ceases transmission within 200ms and the aggregate of emissions occurring after 200ms up to 10 sec do not exceed 60ms.
(Note: the channel may be different since the Master and Client have changed channels due to the detection of e initial radar pulse.)
- (8) After the initial radar burst the channel is monitored for 30 minutes to ensure no transmissions or beacons occur. A second monitoring setup is used to verify that the Master and Client have both moved to different channels.

Test Result


Clause	Test Parameter	Remarks	Pass/Fail
15.407	DFS Detection Threshold	Not Applicable	N/A
15.407	Channel Availability Check time	Not Applicable	N/A
15.407	Channel Move time	Applicable	Pass
15.407	Channel Closing Transmission time	Applicable	Pass
15.407	Non-occupancy Period	Not Applicable	N/A
15.407	Uniform Spreading	Not Applicable	N/A
15.407	UNII Detection Bandwidth	Not Applicable	N/A

TestMode	Channel [MHz]	CCT [ms]	Limit [ms]	CMT [ms]	Limit [ms]	Verdict
11A	5280	206.02	260	514.71	10000	PASS
	5500	206.02	260	478.16	10000	PASS
11N40SISO	5270	203.87	260	463.11	10000	PASS
	5510	208.6	260	506.54	10000	PASS
11AC80SISO	5290	204.73	260	418.82	10000	PASS
	5530	207.31	260	448.06	10000	PASS


Test Graphs:




11N40SISO_5510_Type0





11AC80SISO_5290_Type0




11AC80SISO_5530_Type0








11AC80SISO 5290



11AC80SISO 5530



9. Test Equipment List

Conducted Emission 2# Test

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 3	68-4-74-19-002	102590	1	2024-5-19
LISN	Rohde & Schwarz	ENV216	68-4-87-19-001	102472	1	2024-5-20
Attenuator	Shanghai Huaxiang	TS2-26-3	68-4-81-16-003	080928189	1	2024-5-19
Test software	Rohde & Schwarz	EMC32	68-4-90-19-005-A01	Version10.35.02	N/A	N/A
Shielding Room	TDK	CSR #2	68-4-90-19-005	----	3	2025-10-15

Radiated Emission 1# Test

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 7	68-4-74-19-001	102176	1	2024-5-20
Loop Antenna	Rohde & Schwarz	HFH2-Z2	68-4-80-14-006	100398	1	2024-8-17
3m Semi-anechoic chamber	TDK	SAC-3 #1	68-4-90-14-001	----	3	2024-5-28
Test software	Rohde & Schwarz	EMC32	68-4-90-14-001-A10	Version10.35.02	N/A	N/A

Radiated Emission 2# Test

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
EMI Test Receiver	Rohde & Schwarz	ESR 26	68-4-74-14-002	101269	1	2024-5-20
Signal Analyzer	Rohde & Schwarz	FSV40	68-4-74-14-003	101031	1	2024-5-19
Trilog Super Broadband Test Antenna	Schwarzbeck	VULB 9162	68-4-80-19-003	284	1	2025-2-22
Wave Guide Antenna	ETS	3117	68-4-80-19-001	00218954	1	2024-4-26
Pre-amplifier	Rohde & Schwarz	SCU 18F	68-4-29-19-001	100745	1	2024-5-19
Pre-amplifier	Rohde & Schwarz	SCU 18F	68-4-29-19-002	100746	1	2024-5-19
Sideband Horn Antenna	Q-PAR	QWH-SL-18-40-K-SG	68-4-80-14-008	12827	1	2024-7-11
Pre-amplifier	Rohde & Schwarz	SCU 40A	68-4-29-14-002	100432	1	2024-8-1
Attenuator	Mini-circuits	UNAT-6+	68-4-81-21-002	15542	1	2024-5-19
3m Semi-anechoic chamber	TDK	SAC-3 #2	68-4-90-19-006	----	2	2024-5-28
Test software	Rohde & Schwarz	EMC32	68-4-90-19-006-A01	Version10.35.02	N/A	N/A

RF conducted test

DESCRIPTION	MANUFACTURER	MODEL NO.	EQUIPMENT ID	SERIAL NO.	CAL INTERVAL (YEAR)	CAL. DUE DATE
Signal Analyzer	Rohde & Schwarz	FSV40	68-4-74-14-004	101030	1	2024-5-19
RF Switch Module	Rohde & Schwarz	OSP120/OSP-B157W	68-4-93-14-003	101226/100929	1	2024-5-20
Test software	Tonscend	System for BT/Wi-Fi	68-4-74-14-006-A13	Version 2.6.77.0518	N/A	N/A
Shielding Room	TDK	TS8997	68-4-90-19-003	----	3	2025-10-15

10. System Measurement Uncertainty

For a 95% confidence level, the measurement expanded uncertainties for defined systems, in accordance with the recommendations of ISO 17025 were:

System Measurement Uncertainty	
Test Items	Extended Uncertainty
Uncertainty for Conducted Emission in new shielding room (68-4-90-19-005) 150kHz-30MHz (for test using AMN ENV216)	3.15dB
Uncertainty for Radiated Emission in 3m chamber (68-4-90-14-001) 9kHz-30MHz	4.70dB
Uncertainty for Radiated Emission in 3m chamber (68-4-90-14-001) 30MHz-1000MHz	Horizontal: 4.63dB; Vertical: 4.78dB;
Uncertainty for Radiated Emission in new 3m chamber (68-4-90-19-006) 1000MHz-18000MHz	Horizontal: 5.38dB; Vertical: 5.38dB;
Uncertainty for Radiated Emission in new 3m chamber (68-4-90-19-006) 18GHz-40GHz	Horizontal: 5.29dB; Vertical: 5.29dB;
Uncertainty for Conducted RF test with TS 8997	RF Power Conducted: 1.31dB Frequency test involved: 0.6×10 ⁻⁸ or 1%

Measurement Uncertainty Decision Rule:

Determination of conformity with the specification limits is based on the decision rule according to IEC Guide 115: 2021, clause 4.4.3 and 4.5.1.

---THE END OF REPORT---