



■ ■ ■ ■

9088

■ ■ ■ ■


■ ■ ■ ■

User Manual

■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■



■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■

■ ■ ■ ■

Compuprint Information

Thanks for choosing this printer.

Your printer is a reliable working equipment that will be very useful in your daily job.

Our printer have been designed to be compact and respectful of the work environment. They offer a wide range of features and multiple functions that confirm the high technological level reached by the Compuprint S.p.A .

To maintain these printing performances unchanged in the long run, Compuprint has developed specific consumable accessories for each printer type (for example: ribbon cartridges for dot matrix printers, toner and OPC cartridges for laser printers, bubble ink jet cartridges for inkjet printers) that assure an excellent operation with high printing quality level reliability.

*Compuprint recommends to use only its **original consumables with original packaging (identified by its holographic label)**. In this way, a proper use of the printer at quality level unreliability stated in the product characteristics can be assured. All typical usage problems related to not certificated consumables may be avoided, such as an overall quality print level degradation and ,often, the reduction of the product life due to the fact that the proper print heads working conditions, OPC cartridge and other printer parts are not assured.*

Moreover, Compuprint does not only certify its consumables in terms of working conditions but also carefully controls their compliance with the international standard rules concerning:

- *no cancerous materials;*
- *no inflammability of the plastic materials;*
- *other standards*

Compuprint advices the customers not to use products for which the compliance to this safety rules are not warranted.

Finally seek your dealer or contact a Compuprint office and be sure that are provided you the original Compuprint consumables.

FCC Notes

This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the equipment and the receiver.
- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

A shielded Centronics IEEE1284 compliant bi-directional parallel cable, maximum length 3 meters (10 feet), and a shielded RS-232 serial cable, maximum length 15 meters (50 feet), are necessary for this device to meet the requirements of a Class B digital device pursuant to Part 15 of the FCC rules.

The above specified cables are readily available as Personal Computer or Peripheral accessories from multiple retail outlets. Please consult your dealer for details concerning such cables and also for information about FCC rules for digital devices.

Changes or modifications to the device covered by this manual, which are not expressly approved by the party responsible for compliance, could void the user's authority under the FCC rules to operate the equipment.

Canadian D.O.C. Radio Interference Regulation

This digital apparatus complies with Canadian ICES-003 Class B limits of radio frequency emissions.

Cet appareil numérique est conforme aux limites de Class B de la norme NMB-003 du Canada.

EEC Regulations

This equipment conforms to the EEC Directive 89/392 (the sound pressure, measured according to ISO 7779, does not exceed 70 dBA).

Safety Information



A. Never remove any printer cover unless it is necessary for the installation of a printer accessory and expressly described in this manual.

B. Please retain the printer covers in a safe place because they should be reinstalled if you decide to remove any printer accessory.

Table of Contents

Getting to Know Your Printer	1
Printer Features.....	1
Unpacking Your Printer	1
Printer Parts	2
Front View	2
Rear View	3
Setting Up Your Printer	4
Choosing a Suitable Location.....	4
Printer Assembly	5
Removal of the Shipment Locks.....	5
Ribbon Cartridge Installation	5
Upper Push Tractor Installation (9068D Model only)	9
Host Computer Connection	10
Software Driver Selection	11
Power Connection	11
Selecting the Display Language.....	13
Configuring the Printer.....	14
Operator Panel Presentation	14
Display Messages	14
Indicators.....	15
Function Keys.....	16
Printer Setups.....	19
Entering the Printer Setups.....	19
Moving within the Printer Setups	19
Leaving the Printer Setups	19
Power-On Configuration.....	20
Entering the Power-On Configuration	20
Program Setup	33
Entering the Program Setup	33
How to Select the Paper Path	44

Table of Contents

How to Use the Tear-Off Function.....	44
Selection of the Paper Size	44
Adjusting the Tear-Off Position	45
Selection of the Tear-Off Mode.....	46
Paper Handling.....	47
Paper Paths	47
Paper Specifications.....	47
Fanfold Paper (9068 and 9068D Models).....	48
Envelopes (9068 Model only)	48
Cut Sheets (9068 Model only).....	48
Cut Sheets	49
Cut Sheet Loading Modes.....	49
Loading Cut Sheets.....	49
Fanfold Paper.....	51
Loading Paper Using the Lower Tractor	51
Loading Paper Using the Upper Tractor	56
Loading Paper Using the Lower Push Tractor and the Rear Pull Tractor (option)	59
Printer Maintenance and Troubleshooting.....	61
Cleaning the Printer.....	61
Replacing the Ribbon Cartridge.....	61
Printing the Self Test	62
Error Handling.....	62
Options.....	65
The Rear Pull Tractor.....	65
Installing the Rear Pull Tractor	65
Removing the Rear Pull Tractor	66
Automatic Sheet Feeder (ASF)	67
Color Kit	68
Pedestals.....	68
Printer Specifications	69