












ROTHENBUHLER
ENGINEERING




REMOTE Firing DEVICE TEST BOX

FREQUENCY: 45.352 MHz

FCC ID: C112167-A IC: 2324A-0000

524 RHODES ROAD, P.O. BOX 700, SEQUIM WASH 98281







PIHONG M.P
SWITCHING POWER ADAPTER 电源适配器
MODEL (型号): PSC30R-120
INPUT (输入): 100-240V ~ 50-60Hz
0.8A MAX
OUTPUT (输出): +12V = 2.5A
EFFICIENCY (效率): > 85%
CNS 136
UL 60950
V06792
MADE IN CHINA 中国制造



REMOTE TRIGGER DEVICE
SERVO W/ON BOARD USA 98284
CONTINENTAL




**ROTHENBUHLER
ENGINEERING**



REMOTE FIRING DEVICE TEST BOX
1678-4-S00001
SYSTEM: 0000000001
FREQUENCY: 151.505 MHz
FCC ID: CW21678-4 IC: 2758A-167804

524 RHODES ROAD, P.O. BOX 708 SEDRO WOOLLEY, WA USA 98284







ROTHENBUHLER
ENGINEERING

REMOTE FIRING DEVICE TEST BOX


1678-4-S00001

SYSTEM: 0000000001

FREQUENCY: 151.505 MHz

FCC ID: CW21678-4 IC: 2758A-167804

524 RHODES ROAD, P.O. BOX 708 SEDRO WOOLLEY, WA USA 98281





ROTHENBUHLER
ENGINEERING



REMOTE FIRING DEVICE TEST BOX

1678-4-S00001

SYSTEM: 0000000001

167804

824 KNISSEL ROAD, BOX 708 SEDRO WOOLLEY, WA 98284



CH CULY...
CP-4MM STYLE 2464/257