




Band77-Part27_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334




Band77-Part27_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000




Band77-Part27_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH635000




Band77-Part27_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH663666



Band77-Part27_50MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH648334



Band77-Part27_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH632000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334




Band77-Part27_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000




Band77-Part27_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH634666




Band77-Part27_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH663332



Band77-Part27_60MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH648668



Band77-Part27_70MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH632334




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_70MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633332




Band77-Part27_70MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000




Band77-Part27_70MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH634332




Band77-Part27_70MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH663000



Band77-Part27_70MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH649000



Band77-Part27_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH632668




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334




Band77-Part27_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000




Band77-Part27_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH634000




Band77-Part27_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH662666



Band77-Part27_80MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH649334



Band77-Part27_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633000




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334




Band77-Part27_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000




Band77-Part27_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633666




Band77-Part27_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH662332



Band77-Part27_90MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH649668



Band77-Part27_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH633334




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band77-Part27_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH650000



Band77-Part27_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH656000



Band77-Part27_100MHz_DFT_s_OFDM_SCS30kHz_BPSK_RB1_1_CH662000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5 FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

Report Number :TERF2405001540E2

Test Site :SAC C

Operation Mode :NR n2

Test Date :2024-06-21

Test Mode :Tx

Temp./Humi. :23.5°C/52%

EUT Pol :E2 Plane


Antenna Pol. :Vertical

Test Frequency :1855 MHz

Engineer :Howard Huang

Note :SIM 1

Ant :1TX



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
52.310	-58.30	-46.37	-11.01	-0.92	-13.00	-45.30
65.890	-52.31	-43.99	-7.29	-1.03	-13.00	-39.31
84.320	-52.17	-49.32	-1.70	-1.15	-13.00	-39.17
141.550	-58.21	-54.85	-1.86	-1.50	-13.00	-45.21
196.840	-61.47	-63.55	3.85	-1.77	-13.00	-48.47
948.590	-60.61	-60.13	3.35	-3.83	-13.00	-47.61
3710.000	-58.14	-63.08	12.58	-7.64	-13.00	-45.14
5565.000	-54.04	-57.78	13.26	-9.52	-13.00	-41.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1855 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-52.50	-45.38	-6.05	-1.07	-13.00	-39.50
89.170	-54.47	-52.53	-0.75	-1.19	-13.00	-41.47
144.460	-49.44	-45.98	-1.93	-1.53	-13.00	-36.44
218.180	-55.65	-58.68	4.92	-1.89	-13.00	-42.65
264.740	-61.25	-63.33	4.14	-2.06	-13.00	-48.25
995.150	-62.53	-62.53	3.94	-3.94	-13.00	-49.53
3710.000	-57.60	-62.54	12.58	-7.64	-13.00	-44.60
5565.000	-54.46	-58.20	13.26	-9.52	-13.00	-41.46

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1880 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.21	-46.28	-11.01	-0.92	-13.00	-45.21
66.860	-53.35	-45.20	-7.12	-1.03	-13.00	-40.35
84.320	-51.60	-48.75	-1.70	-1.15	-13.00	-38.60
148.340	-56.41	-53.09	-1.79	-1.53	-13.00	-43.41
197.810	-59.40	-61.52	3.90	-1.78	-13.00	-46.40
950.530	-60.55	-60.05	3.34	-3.84	-13.00	-47.55
3760.000	-57.60	-62.34	12.46	-7.72	-13.00	-44.60
5640.000	-54.73	-58.68	13.48	-9.53	-13.00	-41.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1880 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.18	-45.83	-6.29	-1.06	-13.00	-40.18
82.380	-54.84	-51.51	-2.19	-1.14	-13.00	-41.84
139.610	-52.20	-48.95	-1.76	-1.49	-13.00	-39.20
196.840	-54.71	-56.79	3.85	-1.77	-13.00	-41.71
262.800	-61.29	-63.40	4.16	-2.05	-13.00	-48.29
942.770	-62.20	-61.79	3.41	-3.82	-13.00	-49.20
3760.000	-56.84	-61.58	12.46	-7.72	-13.00	-43.84
5640.000	-54.07	-58.02	13.48	-9.53	-13.00	-41.07

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Test Site :SAC C

Operation Mode :NR n2

Test Date :2024-06-21

Test Mode :Tx

Temp./Humi. :23.5°C/52%

EUT Pol :E2 Plane


Antenna Pol. :Vertical

Test Frequency :1905 MHz

Engineer :Howard Huang

Note :SIM 1

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
55.220	-55.39	-44.02	-10.42	-0.95	-13.00	-42.39
67.830	-53.44	-45.41	-6.99	-1.04	-13.00	-40.44
83.350	-53.63	-50.62	-1.87	-1.14	-13.00	-40.63
135.730	-60.00	-56.89	-1.64	-1.47	-13.00	-47.00
199.750	-61.11	-63.33	4.01	-1.79	-13.00	-48.11
947.620	-59.79	-59.32	3.36	-3.83	-13.00	-46.79
3810.000	-56.38	-60.89	12.30	-7.79	-13.00	-43.38
5715.000	-54.23	-57.95	13.27	-9.55	-13.00	-41.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n2

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1905 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
71.710	-52.90	-45.99	-5.83	-1.08	-13.00	-39.90
85.290	-54.28	-51.65	-1.48	-1.15	-13.00	-41.28
143.490	-50.53	-47.03	-1.98	-1.52	-13.00	-37.53
204.600	-54.43	-56.83	4.20	-1.80	-13.00	-41.43
264.740	-60.71	-62.79	4.14	-2.06	-13.00	-47.71
951.500	-62.47	-61.98	3.35	-3.84	-13.00	-49.47
3810.000	-57.27	-61.78	12.30	-7.79	-13.00	-44.27
5715.000	-53.21	-56.93	13.27	-9.55	-13.00	-40.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :826.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-58.43	-46.52	-10.98	-0.93	-13.00	-45.43
65.890	-52.75	-44.43	-7.29	-1.03	-13.00	-39.75
83.350	-53.43	-50.42	-1.87	-1.14	-13.00	-40.43
128.940	-58.91	-56.24	-1.22	-1.45	-13.00	-45.91
195.870	-60.69	-62.63	3.71	-1.77	-13.00	-47.69
948.590	-59.96	-59.48	3.35	-3.83	-13.00	-46.96
1653.000	-60.33	-64.81	9.53	-5.05	-13.00	-47.33
2479.500	-59.20	-63.46	10.50	-6.24	-13.00	-46.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :826.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.34	-45.99	-6.29	-1.06	-13.00	-40.34
86.260	-54.39	-52.13	-1.10	-1.16	-13.00	-41.39
138.640	-52.08	-48.79	-1.81	-1.48	-13.00	-39.08
191.990	-56.59	-58.01	3.15	-1.73	-13.00	-43.59
259.890	-60.34	-62.49	4.18	-2.03	-13.00	-47.34
980.600	-62.41	-62.25	3.72	-3.88	-13.00	-49.41
1653.000	-60.75	-65.23	9.53	-5.05	-13.00	-47.75
2479.500	-59.08	-63.34	10.50	-6.24	-13.00	-46.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :836.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
46.490	-56.75	-43.83	-12.07	-0.85	-13.00	-43.75
66.860	-52.45	-44.30	-7.12	-1.03	-13.00	-39.45
84.320	-51.89	-49.04	-1.70	-1.15	-13.00	-38.89
131.850	-59.15	-56.36	-1.33	-1.46	-13.00	-46.15
200.720	-61.18	-63.42	4.03	-1.79	-13.00	-48.18
954.410	-61.49	-61.02	3.37	-3.84	-13.00	-48.49
1673.000	-60.67	-65.43	9.83	-5.07	-13.00	-47.67
2509.500	-59.61	-63.93	10.61	-6.28	-13.00	-46.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :836.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-52.42	-44.74	-6.63	-1.05	-13.00	-39.42
84.320	-54.60	-51.75	-1.70	-1.15	-13.00	-41.60
137.670	-51.49	-48.37	-1.64	-1.48	-13.00	-38.49
216.240	-55.15	-58.08	4.81	-1.88	-13.00	-42.15
263.770	-61.37	-63.47	4.15	-2.05	-13.00	-48.37
940.830	-62.14	-61.75	3.43	-3.82	-13.00	-49.14
1673.000	-60.82	-65.58	9.83	-5.07	-13.00	-47.82
2509.500	-59.71	-64.03	10.61	-6.28	-13.00	-46.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :846.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
47.460	-39.29	-26.55	-11.88	-0.86	-13.00	-26.29
65.890	-52.99	-44.67	-7.29	-1.03	-13.00	-39.99
85.290	-53.14	-50.51	-1.48	-1.15	-13.00	-40.14
135.730	-59.45	-56.34	-1.64	-1.47	-13.00	-46.45
196.840	-60.39	-62.47	3.85	-1.77	-13.00	-47.39
991.270	-60.81	-60.79	3.90	-3.92	-13.00	-47.81
1693.000	-60.39	-65.23	9.93	-5.09	-13.00	-47.39
2539.500	-59.09	-63.35	10.60	-6.34	-13.00	-46.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n5

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :846.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.48	-45.13	-6.29	-1.06	-13.00	-39.48
87.230	-54.79	-52.59	-1.03	-1.17	-13.00	-41.79
139.610	-51.45	-48.20	-1.76	-1.49	-13.00	-38.45
212.360	-56.66	-59.44	4.62	-1.84	-13.00	-43.66
264.740	-60.65	-62.73	4.14	-2.06	-13.00	-47.65
926.280	-62.40	-62.19	3.59	-3.80	-13.00	-49.40
1693.000	-60.42	-65.26	9.93	-5.09	-13.00	-47.42
2539.500	-59.04	-63.30	10.60	-6.34	-13.00	-46.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2511 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-54.88	-42.35	-500.00	-0.88	-25.00	-29.88
65.890	-53.98	-45.66	-500.00	-1.03	-25.00	-28.98
84.320	-52.34	-49.49	-500.00	-1.15	-25.00	-27.34
151.250	-56.91	-53.62	-500.00	-1.54	-25.00	-31.91
193.930	-60.36	-62.14	-500.00	-1.75	-25.00	-35.36
947.620	-60.45	-59.98	-500.00	-3.83	-25.00	-35.45
5022.000	-55.02	-58.60	12.51	-8.93	-25.00	-30.02
7533.000	-51.97	-52.02	11.17	-11.12	-25.00	-26.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2511 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-53.27	-45.59	-6.63	-1.05	-25.00	-28.27
86.260	-53.63	-51.37	-1.10	-1.16	-25.00	-28.63
145.430	-48.46	-45.08	-1.85	-1.53	-25.00	-23.46
216.240	-55.91	-58.84	4.81	-1.88	-25.00	-30.91
263.770	-60.54	-62.64	4.15	-2.05	-25.00	-35.54
929.190	-62.77	-62.51	3.56	-3.82	-25.00	-37.77
5022.000	-54.24	-57.82	12.51	-8.93	-25.00	-29.24
7533.000	-52.37	-52.42	11.17	-11.12	-25.00	-27.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2592.99 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
56.190	-51.81	-40.49	-10.37	-0.95	-25.00	-26.81
66.860	-53.79	-45.64	-7.12	-1.03	-25.00	-28.79
89.170	-45.30	-43.36	-0.75	-1.19	-25.00	-20.30
145.430	-55.51	-52.13	-1.85	-1.53	-25.00	-30.51
196.840	-60.11	-62.19	3.85	-1.77	-25.00	-35.11
948.590	-60.69	-60.21	3.35	-3.83	-25.00	-35.69
5185.980	-56.16	-59.58	12.62	-9.20	-25.00	-31.16
7778.970	-51.06	-51.41	11.64	-11.29	-25.00	-26.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2592.99 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-52.99	-45.87	-6.05	-1.07	-25.00	-27.99
83.350	-54.17	-51.16	-1.87	-1.14	-25.00	-29.17
136.700	-50.63	-47.61	-1.54	-1.48	-25.00	-25.63
217.210	-54.52	-57.50	4.86	-1.88	-25.00	-29.52
263.770	-61.84	-63.94	4.15	-2.05	-25.00	-36.84
926.280	-62.40	-62.19	3.59	-3.80	-25.00	-37.40
5185.980	-56.48	-59.90	12.62	-9.20	-25.00	-31.48
7778.970	-51.39	-51.74	11.64	-11.29	-25.00	-26.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2674.98 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-57.90	-45.99	-10.98	-0.93	-25.00	-32.90
64.920	-52.85	-44.04	-7.79	-1.02	-25.00	-27.85
83.350	-54.05	-51.04	-1.87	-1.14	-25.00	-29.05
143.490	-57.95	-54.45	-1.98	-1.52	-25.00	-32.95
200.720	-57.70	-59.94	4.03	-1.79	-25.00	-32.70
949.560	-60.25	-59.75	3.34	-3.84	-25.00	-35.25
5349.960	-57.65	-61.56	13.20	-9.29	-25.00	-32.65
8024.940	-51.65	-51.34	11.10	-11.41	-25.00	-26.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2674.98 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-52.22	-44.54	-6.63	-1.05	-25.00	-27.22
89.170	-54.33	-52.39	-0.75	-1.19	-25.00	-29.33
142.520	-50.74	-47.34	-1.89	-1.51	-25.00	-25.74
208.480	-55.16	-57.78	4.43	-1.81	-25.00	-30.16
262.800	-60.94	-63.05	4.16	-2.05	-25.00	-35.94
932.100	-62.66	-62.37	3.53	-3.82	-25.00	-37.66
5349.960	-57.26	-61.17	13.20	-9.29	-25.00	-32.26
8024.940	-51.43	-51.12	11.10	-11.41	-25.00	-26.43

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2515.02 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.08	-46.15	-11.01	-0.92	-25.00	-33.08
66.860	-53.03	-44.88	-7.12	-1.03	-25.00	-28.03
86.260	-52.77	-50.51	-1.10	-1.16	-25.00	-27.77
135.730	-57.91	-54.80	-1.64	-1.47	-25.00	-32.91
195.870	-61.07	-63.01	3.71	-1.77	-25.00	-36.07
936.950	-60.91	-60.58	3.48	-3.81	-25.00	-35.91
5030.040	-54.25	-57.79	12.48	-8.94	-25.00	-29.25
7545.060	-52.71	-52.76	11.19	-11.14	-25.00	-27.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2515.02 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.14	-45.79	-6.29	-1.06	-25.00	-28.14
86.260	-55.55	-53.29	-1.10	-1.16	-25.00	-30.55
145.430	-48.67	-45.29	-1.85	-1.53	-25.00	-23.67
212.360	-56.55	-59.33	4.62	-1.84	-25.00	-31.55
264.740	-61.11	-63.19	4.14	-2.06	-25.00	-36.11
998.060	-62.80	-62.82	3.96	-3.94	-25.00	-37.80
5030.040	-53.87	-57.41	12.48	-8.94	-25.00	-28.87
7545.060	-52.49	-52.54	11.19	-11.14	-25.00	-27.49

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2592.99 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.28	-46.35	-11.01	-0.92	-25.00	-33.28
64.920	-53.03	-44.22	-7.79	-1.02	-25.00	-28.03
83.350	-52.00	-48.99	-1.87	-1.14	-25.00	-27.00
147.370	-44.77	-41.27	-1.97	-1.53	-25.00	-19.77
199.750	-61.36	-63.58	4.01	-1.79	-25.00	-36.36
998.060	-60.47	-60.49	3.96	-3.94	-25.00	-35.47
5185.980	-54.76	-58.18	12.62	-9.20	-25.00	-29.76
7778.970	-52.16	-52.51	11.64	-11.29	-25.00	-27.16

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2592.99 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
72.680	-46.38	-40.01	-5.28	-1.09	-25.00	-21.38
86.260	-53.62	-51.36	-1.10	-1.16	-25.00	-28.62
142.520	-50.10	-46.70	-1.89	-1.51	-25.00	-25.10
203.630	-54.45	-56.81	4.16	-1.80	-25.00	-29.45
262.800	-61.70	-63.81	4.16	-2.05	-25.00	-36.70
976.720	-62.48	-62.26	3.67	-3.89	-25.00	-37.48
5185.980	-54.62	-58.04	12.62	-9.20	-25.00	-29.62
7778.970	-51.15	-51.50	11.64	-11.29	-25.00	-26.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2674.98 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.04	-46.11	-11.01	-0.92	-25.00	-33.04
66.860	-52.74	-44.59	-7.12	-1.03	-25.00	-27.74
84.320	-51.72	-48.87	-1.70	-1.15	-25.00	-26.72
139.610	-55.47	-52.22	-1.76	-1.49	-25.00	-30.47
196.840	-60.78	-62.86	3.85	-1.77	-25.00	-35.78
970.900	-61.05	-60.73	3.55	-3.87	-25.00	-36.05
5349.960	-55.93	-59.84	13.20	-9.29	-25.00	-30.93
8024.940	-51.70	-51.39	11.10	-11.41	-25.00	-26.70

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n41

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :2674.98 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
68.800	-52.72	-45.04	-6.63	-1.05	-25.00	-27.72
89.170	-54.14	-52.20	-0.75	-1.19	-25.00	-29.14
142.520	-51.04	-47.64	-1.89	-1.51	-25.00	-26.04
213.330	-57.68	-60.49	4.66	-1.85	-25.00	-32.68
259.890	-60.96	-63.11	4.18	-2.03	-25.00	-35.96
992.240	-62.65	-62.64	3.91	-3.92	-25.00	-37.65
5349.960	-55.33	-59.24	13.20	-9.29	-25.00	-30.33
8024.940	-51.17	-50.86	11.10	-11.41	-25.00	-26.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n66

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1717.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.91	-45.98	-11.01	-0.92	-13.00	-44.91
65.890	-53.99	-45.67	-7.29	-1.03	-13.00	-40.99
85.290	-53.13	-50.50	-1.48	-1.15	-13.00	-40.13
136.700	-59.66	-56.64	-1.54	-1.48	-13.00	-46.66
215.270	-60.34	-63.22	4.75	-1.87	-13.00	-47.34
932.100	-60.97	-60.68	3.53	-3.82	-13.00	-47.97
3435.000	-58.09	-63.23	12.53	-7.39	-13.00	-45.09
5152.500	-55.17	-58.45	12.42	-9.14	-13.00	-42.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n66

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1717.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
70.740	-53.78	-46.66	-6.05	-1.07	-13.00	-40.78
85.290	-53.62	-50.99	-1.48	-1.15	-13.00	-40.62
136.700	-52.46	-49.44	-1.54	-1.48	-13.00	-39.46
197.810	-54.71	-56.83	3.90	-1.78	-13.00	-41.71
258.920	-62.32	-64.48	4.19	-2.03	-13.00	-49.32
985.450	-62.31	-62.27	3.85	-3.89	-13.00	-49.31
3435.000	-57.84	-62.98	12.53	-7.39	-13.00	-44.84
5152.500	-53.48	-56.76	12.42	-9.14	-13.00	-40.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n66

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1745 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.82	-45.89	-11.01	-0.92	-13.00	-44.82
65.890	-54.30	-45.98	-7.29	-1.03	-13.00	-41.30
85.290	-53.54	-50.91	-1.48	-1.15	-13.00	-40.54
145.430	-57.19	-53.81	-1.85	-1.53	-13.00	-44.19
198.780	-60.63	-62.88	4.03	-1.78	-13.00	-47.63
948.590	-61.39	-60.91	3.35	-3.83	-13.00	-48.39
3490.000	-57.82	-62.67	12.34	-7.49	-13.00	-44.82
5235.000	-55.97	-59.71	12.98	-9.24	-13.00	-42.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n66

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1745 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.50	-46.15	-6.29	-1.06	-13.00	-40.50
83.350	-56.07	-53.06	-1.87	-1.14	-13.00	-43.07
147.370	-51.05	-47.55	-1.97	-1.53	-13.00	-38.05
204.600	-54.75	-57.15	4.20	-1.80	-13.00	-41.75
256.980	-61.76	-63.94	4.20	-2.02	-13.00	-48.76
993.210	-62.87	-62.86	3.92	-3.93	-13.00	-49.87
3490.000	-56.76	-61.61	12.34	-7.49	-13.00	-43.76
5235.000	-54.85	-58.59	12.98	-9.24	-13.00	-41.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n66

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1772.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-57.97	-46.04	-11.01	-0.92	-13.00	-44.97
64.920	-53.70	-44.89	-7.79	-1.02	-13.00	-40.70
85.290	-54.78	-52.15	-1.48	-1.15	-13.00	-41.78
139.610	-60.18	-56.93	-1.76	-1.49	-13.00	-47.18
200.720	-59.11	-61.35	4.03	-1.79	-13.00	-46.11
946.650	-60.94	-60.48	3.37	-3.83	-13.00	-47.94
3545.000	-58.16	-62.95	12.30	-7.51	-13.00	-45.16
5317.500	-55.18	-59.14	13.20	-9.24	-13.00	-42.18

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n66

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :1772.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-53.46	-46.11	-6.29	-1.06	-13.00	-40.46
83.350	-53.83	-50.82	-1.87	-1.14	-13.00	-40.83
138.640	-49.64	-46.35	-1.81	-1.48	-13.00	-36.64
197.810	-52.48	-54.60	3.90	-1.78	-13.00	-39.48
262.800	-60.76	-62.87	4.16	-2.05	-13.00	-47.76
988.360	-61.94	-61.92	3.88	-3.90	-13.00	-48.94
3545.000	-58.20	-62.99	12.30	-7.51	-13.00	-45.20
5317.500	-55.37	-59.33	13.20	-9.24	-13.00	-42.37

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n71

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :673 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-58.39	-46.46	-11.01	-0.92	-13.00	-45.39
66.860	-53.57	-45.42	-7.12	-1.03	-13.00	-40.57
83.350	-53.67	-50.66	-1.87	-1.14	-13.00	-40.67
141.550	-59.66	-56.30	-1.86	-1.50	-13.00	-46.66
196.840	-59.31	-61.39	3.85	-1.77	-13.00	-46.31
993.210	-60.86	-60.85	3.92	-3.93	-13.00	-47.86
1346.000	-61.38	-64.38	7.56	-4.56	-13.00	-48.38
2019.000	-60.29	-64.93	10.22	-5.58	-13.00	-47.29

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n71

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :673 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
69.770	-52.72	-45.37	-6.29	-1.06	-13.00	-39.72
84.320	-55.69	-52.84	-1.70	-1.15	-13.00	-42.69
149.310	-51.43	-48.13	-1.77	-1.53	-13.00	-38.43
195.870	-55.23	-57.17	3.71	-1.77	-13.00	-42.23
263.770	-61.46	-63.56	4.15	-2.05	-13.00	-48.46
980.600	-62.73	-62.57	3.72	-3.88	-13.00	-49.73
1346.000	-60.75	-63.75	7.56	-4.56	-13.00	-47.75
2019.000	-59.85	-64.49	10.22	-5.58	-13.00	-46.85

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n71

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :680.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
53.280	-49.39	-37.48	-10.98	-0.93	-13.00	-36.39
67.830	-56.88	-48.85	-6.99	-1.04	-13.00	-43.88
87.230	-54.64	-52.44	-1.03	-1.17	-13.00	-41.64
139.610	-46.60	-43.35	-1.76	-1.49	-13.00	-33.60
191.990	-56.60	-58.02	3.15	-1.73	-13.00	-43.60
937.920	-60.30	-59.94	3.46	-3.82	-13.00	-47.30
1361.000	-60.82	-63.94	7.71	-4.59	-13.00	-47.82
2041.500	-60.06	-64.73	10.30	-5.63	-13.00	-47.06

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n71

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :680.5 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-52.48	-44.33	-7.12	-1.03	-13.00	-39.48
79.470	-53.47	-49.32	-3.02	-1.13	-13.00	-40.47
146.400	-45.66	-42.14	-1.99	-1.53	-13.00	-32.66
197.810	-52.26	-54.38	3.90	-1.78	-13.00	-39.26
302.570	-63.10	-65.05	4.15	-2.20	-13.00	-50.10
999.030	-62.16	-62.19	3.97	-3.94	-13.00	-49.16
1361.000	-60.09	-63.21	7.71	-4.59	-13.00	-47.09
2041.500	-60.34	-65.01	10.30	-5.63	-13.00	-47.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n71

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :688 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-50.19	-37.91	-11.37	-0.91	-13.00	-37.19
68.800	-58.23	-50.55	-6.63	-1.05	-13.00	-45.23
84.320	-53.64	-50.79	-1.70	-1.15	-13.00	-40.64
133.790	-47.64	-44.60	-1.57	-1.47	-13.00	-34.64
199.750	-59.18	-61.40	4.01	-1.79	-13.00	-46.18
945.680	-60.04	-59.60	3.38	-3.82	-13.00	-47.04
1376.000	-59.79	-62.97	7.80	-4.62	-13.00	-46.79
2064.000	-59.28	-63.77	10.16	-5.67	-13.00	-46.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n71

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :688 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.33	-45.01	-7.29	-1.03	-13.00	-40.33
82.380	-53.01	-49.68	-2.19	-1.14	-13.00	-40.01
141.550	-51.07	-47.71	-1.86	-1.50	-13.00	-38.07
204.600	-56.03	-58.43	4.20	-1.80	-13.00	-43.03
294.810	-61.95	-63.87	4.08	-2.16	-13.00	-48.95
984.480	-62.42	-62.36	3.83	-3.89	-13.00	-49.42
1376.000	-60.20	-63.38	7.80	-4.62	-13.00	-47.20
2064.000	-57.71	-62.20	10.16	-5.67	-13.00	-44.71

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3460.02 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-50.02	-37.74	-11.37	-0.91	-13.00	-37.02
62.010	-58.00	-48.45	-8.57	-0.98	-13.00	-45.00
83.350	-53.42	-50.41	-1.87	-1.14	-13.00	-40.42
142.520	-48.28	-44.88	-1.89	-1.51	-13.00	-35.28
198.780	-61.24	-63.49	4.03	-1.78	-13.00	-48.24
992.240	-61.22	-61.21	3.91	-3.92	-13.00	-48.22
6920.040	-53.35	-54.67	11.96	-10.64	-13.00	-40.35
10380.060	-47.51	-45.93	11.44	-13.02	-13.00	-34.51

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3460.02 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.50	-45.18	-7.29	-1.03	-13.00	-40.50
87.230	-52.33	-50.13	-1.03	-1.17	-13.00	-39.33
140.580	-51.13	-47.86	-1.78	-1.49	-13.00	-38.13
211.390	-56.08	-58.83	4.58	-1.83	-13.00	-43.08
300.630	-62.15	-64.09	4.13	-2.19	-13.00	-49.15
958.290	-62.32	-61.82	3.35	-3.85	-13.00	-49.32
6920.040	-52.03	-53.35	11.96	-10.64	-13.00	-39.03
10380.060	-48.12	-46.54	11.44	-13.02	-13.00	-35.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3500.01 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-48.96	-36.52	-11.55	-0.89	-13.00	-35.96
68.800	-58.73	-51.05	-6.63	-1.05	-13.00	-45.73
79.470	-53.80	-49.65	-3.02	-1.13	-13.00	-40.80
137.670	-49.42	-46.30	-1.64	-1.48	-13.00	-36.42
197.810	-58.88	-61.00	3.90	-1.78	-13.00	-45.88
997.090	-60.99	-61.01	3.96	-3.94	-13.00	-47.99
7000.020	-51.94	-52.99	11.70	-10.65	-13.00	-38.94
10500.030	-48.60	-46.89	11.40	-13.11	-13.00	-35.60

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3500.01 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-52.78	-44.46	-7.29	-1.03	-13.00	-39.78
89.170	-52.97	-51.03	-0.75	-1.19	-13.00	-39.97
136.700	-51.70	-48.68	-1.54	-1.48	-13.00	-38.70
194.900	-54.30	-56.12	3.58	-1.76	-13.00	-41.30
261.830	-62.56	-64.69	4.17	-2.04	-13.00	-49.56
926.280	-63.03	-62.82	3.59	-3.80	-13.00	-50.03
7000.020	-52.97	-54.02	11.70	-10.65	-13.00	-39.97
10500.030	-47.12	-45.41	11.40	-13.11	-13.00	-34.12

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3540 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-49.39	-36.86	-11.65	-0.88	-13.00	-36.39
67.830	-58.60	-50.57	-6.99	-1.04	-13.00	-45.60
79.470	-53.01	-48.86	-3.02	-1.13	-13.00	-40.01
140.580	-47.80	-44.53	-1.78	-1.49	-13.00	-34.80
181.320	-60.12	-59.88	1.48	-1.72	-13.00	-47.12
999.030	-61.07	-61.10	3.97	-3.94	-13.00	-48.07
7080.000	-51.65	-52.12	11.18	-10.71	-13.00	-38.65
10620.000	-48.09	-46.37	11.46	-13.18	-13.00	-35.09

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3540 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-54.04	-45.72	-7.29	-1.03	-13.00	-41.04
86.260	-53.63	-51.37	-1.10	-1.16	-13.00	-40.63
144.460	-47.47	-44.01	-1.93	-1.53	-13.00	-34.47
209.450	-57.13	-59.80	4.49	-1.82	-13.00	-44.13
298.690	-62.02	-63.95	4.11	-2.18	-13.00	-49.02
998.060	-62.93	-62.95	3.96	-3.94	-13.00	-49.93
7080.000	-51.87	-52.34	11.18	-10.71	-13.00	-38.87
10620.000	-47.97	-46.25	11.46	-13.18	-13.00	-34.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3715.02 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-50.37	-37.84	-11.65	-0.88	-13.00	-37.37
68.800	-58.68	-51.00	-6.63	-1.05	-13.00	-45.68
84.320	-53.44	-50.59	-1.70	-1.15	-13.00	-40.44
136.700	-49.34	-46.32	-1.54	-1.48	-13.00	-36.34
195.870	-58.27	-60.21	3.71	-1.77	-13.00	-45.27
947.620	-60.92	-60.45	3.36	-3.83	-13.00	-47.92
7430.040	-52.01	-52.06	11.04	-10.99	-13.00	-39.01
11145.060	-46.94	-45.17	11.69	-13.46	-13.00	-33.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3715.02 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-52.81	-44.66	-7.12	-1.03	-13.00	-39.81
84.320	-52.44	-49.59	-1.70	-1.15	-13.00	-39.44
141.550	-50.35	-46.99	-1.86	-1.50	-13.00	-37.35
197.810	-55.01	-57.13	3.90	-1.78	-13.00	-42.01
298.690	-62.57	-64.50	4.11	-2.18	-13.00	-49.57
988.360	-62.50	-62.48	3.88	-3.90	-13.00	-49.50
7430.040	-52.20	-52.25	11.04	-10.99	-13.00	-39.20
11145.060	-47.48	-45.71	11.69	-13.46	-13.00	-34.48

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3840 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-49.70	-37.77	-11.01	-0.92	-13.00	-36.70
67.830	-58.44	-50.41	-6.99	-1.04	-13.00	-45.44
81.410	-54.43	-50.94	-2.35	-1.14	-13.00	-41.43
137.670	-49.90	-46.78	-1.64	-1.48	-13.00	-36.90
197.810	-57.79	-59.91	3.90	-1.78	-13.00	-44.79
967.990	-61.67	-61.30	3.50	-3.87	-13.00	-48.67
7680.000	-51.39	-51.79	11.56	-11.16	-13.00	-38.39
11520.000	-48.25	-45.92	11.50	-13.83	-13.00	-35.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3840 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.77	-45.62	-7.12	-1.03	-13.00	-40.77
85.290	-53.09	-50.46	-1.48	-1.15	-13.00	-40.09
143.490	-53.12	-49.62	-1.98	-1.52	-13.00	-40.12
197.810	-54.54	-56.66	3.90	-1.78	-13.00	-41.54
295.780	-62.12	-64.05	4.09	-2.16	-13.00	-49.12
956.350	-61.77	-61.30	3.37	-3.84	-13.00	-48.77
7680.000	-51.52	-51.92	11.56	-11.16	-13.00	-38.52
11520.000	-49.21	-46.88	11.50	-13.83	-13.00	-36.21

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3964.98 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Vertical

Engineer :Howard Huang

Ant :1TX



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-50.23	-37.79	-11.55	-0.89	-13.00	-37.23
68.800	-57.83	-50.15	-6.63	-1.05	-13.00	-44.83
79.470	-53.98	-49.83	-3.02	-1.13	-13.00	-40.98
145.430	-48.10	-44.72	-1.85	-1.53	-13.00	-35.10
199.750	-58.82	-61.04	4.01	-1.79	-13.00	-45.82
999.030	-60.82	-60.85	3.97	-3.94	-13.00	-47.82
7929.960	-50.89	-50.77	11.28	-11.40	-13.00	-37.89
11894.940	-48.27	-47.09	12.88	-14.06	-13.00	-35.27

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Operation Mode :NR n77

Test Mode :Tx

EUT Pol :E2 Plane

Test Frequency :3964.98 MHz

Note :SIM 1

Test Site :SAC C


Test Date :2024-06-21

Temp./Humi. :23.5°C/52%

Antenna Pol. :Horizontal

Engineer :Howard Huang

Ant :1TX




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.16	-44.84	-7.29	-1.03	-13.00	-40.16
87.230	-52.55	-50.35	-1.03	-1.17	-13.00	-39.55
140.580	-49.10	-45.83	-1.78	-1.49	-13.00	-36.10
197.810	-55.31	-57.43	3.90	-1.78	-13.00	-42.31
301.600	-63.45	-65.39	4.14	-2.20	-13.00	-50.45
995.150	-62.91	-62.91	3.94	-3.94	-13.00	-49.91
7929.960	-52.01	-51.89	11.28	-11.40	-13.00	-39.01
11894.940	-48.34	-47.16	12.88	-14.06	-13.00	-35.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1775 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.74	-37.30	-11.55	-0.89	-13.00	-36.74
67.830	-58.22	-50.19	-6.99	-1.04	-13.00	-45.22
80.440	-53.90	-50.14	-2.63	-1.13	-13.00	-40.90
146.400	-50.38	-46.86	-1.99	-1.53	-13.00	-37.38
194.900	-58.56	-60.38	3.58	-1.76	-13.00	-45.56
942.770	-61.30	-60.89	3.41	-3.82	-13.00	-48.30
3550.000	-58.78	-63.57	12.30	-7.51	-13.00	-45.78
5325.000	-58.14	-62.09	13.20	-9.25	-13.00	-45.14
7000.020	-50.61	-51.66	11.70	-10.65	-13.00	-37.61
10500.030	-46.09	-44.38	11.40	-13.11	-13.00	-33.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1775 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.35	-45.03	-7.29	-1.03	-13.00	-40.35
83.350	-52.15	-49.14	-1.87	-1.14	-13.00	-39.15
141.550	-51.83	-48.47	-1.86	-1.50	-13.00	-38.83
217.210	-56.20	-59.18	4.86	-1.88	-13.00	-43.20
293.840	-63.02	-64.93	4.07	-2.16	-13.00	-50.02
969.930	-62.71	-62.36	3.52	-3.87	-13.00	-49.71
3550.000	-58.08	-62.87	12.30	-7.51	-13.00	-45.08
5325.000	-58.15	-62.10	13.20	-9.25	-13.00	-45.15
7000.020	-52.21	-53.26	11.70	-10.65	-13.00	-39.21
10500.030	-48.11	-46.40	11.40	-13.11	-13.00	-35.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 13A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.97	-37.53	-11.55	-0.89	-13.00	-36.97
63.950	-58.87	-49.75	-8.11	-1.01	-13.00	-45.87
79.470	-54.48	-50.33	-3.02	-1.13	-13.00	-41.48
137.670	-49.65	-46.53	-1.64	-1.48	-13.00	-36.65
189.080	-57.76	-58.86	2.82	-1.72	-13.00	-44.76
948.590	-59.08	-58.60	3.35	-3.83	-13.00	-46.08
1564.000	-63.28	-67.43	9.10	-4.95	-40.00	-23.28
2346.000	-61.43	-65.23	9.80	-6.00	-13.00	-48.43
7000.020	-52.38	-53.43	11.70	-10.65	-13.00	-39.38
10500.030	-48.36	-46.65	11.40	-13.11	-13.00	-35.36

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 13A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.39	-45.07	-7.29	-1.03	-13.00	-40.39
86.260	-52.70	-50.44	-1.10	-1.16	-13.00	-39.70
145.430	-49.51	-46.13	-1.85	-1.53	-13.00	-36.51
197.810	-58.45	-60.57	3.90	-1.78	-13.00	-45.45
294.810	-62.98	-64.90	4.08	-2.16	-13.00	-49.98
941.800	-62.63	-62.23	3.42	-3.82	-13.00	-49.63
1564.000	-62.66	-66.81	9.10	-4.95	-40.00	-22.66
2346.000	-61.24	-65.04	9.80	-6.00	-13.00	-48.24
7000.020	-52.51	-53.56	11.70	-10.65	-13.00	-39.51
10500.030	-48.28	-46.57	11.40	-13.11	-13.00	-35.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 12A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :701.5 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.94	-37.50	-11.55	-0.89	-13.00	-36.94
68.800	-58.15	-50.47	-6.63	-1.05	-13.00	-45.15
79.470	-53.24	-49.09	-3.02	-1.13	-13.00	-40.24
141.550	-48.58	-45.22	-1.86	-1.50	-13.00	-35.58
207.510	-57.40	-59.96	4.37	-1.81	-13.00	-44.40
945.680	-61.38	-60.94	3.38	-3.82	-13.00	-48.38
1403.000	-60.43	-63.46	7.70	-4.67	-13.00	-47.43
2104.500	-57.95	-62.14	9.91	-5.72	-13.00	-44.95
7000.020	-52.18	-53.23	11.70	-10.65	-13.00	-39.18
10500.030	-47.67	-45.96	11.40	-13.11	-13.00	-34.67

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 12A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :701.5 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.43	-45.11	-7.29	-1.03	-13.00	-40.43
85.290	-53.19	-50.56	-1.48	-1.15	-13.00	-40.19
140.580	-52.12	-48.85	-1.78	-1.49	-13.00	-39.12
213.330	-57.03	-59.84	4.66	-1.85	-13.00	-44.03
298.690	-61.68	-63.61	4.11	-2.18	-13.00	-48.68
949.560	-62.51	-62.01	3.34	-3.84	-13.00	-49.51
1403.000	-60.93	-63.96	7.70	-4.67	-13.00	-47.93
2104.500	-57.25	-61.44	9.91	-5.72	-13.00	-44.25
7000.020	-53.05	-54.10	11.70	-10.65	-13.00	-40.05
10500.030	-47.35	-45.64	11.40	-13.11	-13.00	-34.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.98	-37.54	-11.55	-0.89	-13.00	-36.98
68.800	-58.49	-50.81	-6.63	-1.05	-13.00	-45.49
81.410	-53.48	-49.99	-2.35	-1.14	-13.00	-40.48
135.730	-50.18	-47.07	-1.64	-1.47	-13.00	-37.18
195.870	-57.53	-59.47	3.71	-1.77	-13.00	-44.53
998.060	-61.29	-61.31	3.96	-3.94	-13.00	-48.29
1649.400	-59.74	-64.19	9.50	-5.05	-13.00	-46.74
2474.100	-59.15	-63.41	10.50	-6.24	-13.00	-46.15
7000.020	-52.25	-53.30	11.70	-10.65	-13.00	-39.25
10500.030	-48.39	-46.68	11.40	-13.11	-13.00	-35.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.46	-45.14	-7.29	-1.03	-13.00	-40.46
84.320	-52.80	-49.95	-1.70	-1.15	-13.00	-39.80
140.580	-51.35	-48.08	-1.78	-1.49	-13.00	-38.35
219.150	-55.06	-58.15	4.98	-1.89	-13.00	-42.06
292.870	-62.20	-64.10	4.06	-2.16	-13.00	-49.20
999.030	-62.68	-62.71	3.97	-3.94	-13.00	-49.68
1649.400	-59.76	-64.21	9.50	-5.05	-13.00	-46.76
2474.100	-59.69	-63.95	10.50	-6.24	-13.00	-46.69
7000.020	-52.63	-53.68	11.70	-10.65	-13.00	-39.63
10500.030	-47.60	-45.89	11.40	-13.11	-13.00	-34.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-49.91	-37.63	-11.37	-0.91	-13.00	-36.91
68.800	-58.67	-50.99	-6.63	-1.05	-13.00	-45.67
79.470	-53.19	-49.04	-3.02	-1.13	-13.00	-40.19
137.670	-50.30	-47.18	-1.64	-1.48	-13.00	-37.30
197.810	-58.97	-61.09	3.90	-1.78	-13.00	-45.97
930.160	-61.47	-61.20	3.55	-3.82	-13.00	-48.47
3720.000	-57.67	-62.57	12.56	-7.66	-13.00	-44.67
5580.000	-55.01	-58.76	13.32	-9.57	-13.00	-42.01
7000.020	-51.64	-52.69	11.70	-10.65	-13.00	-38.64
10500.030	-48.65	-46.94	11.40	-13.11	-13.00	-35.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n77A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+3500.01 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-52.70	-44.55	-7.12	-1.03	-13.00	-39.70
86.260	-54.17	-51.91	-1.10	-1.16	-13.00	-41.17
138.640	-51.16	-47.87	-1.81	-1.48	-13.00	-38.16
214.300	-55.24	-58.08	4.70	-1.86	-13.00	-42.24
300.630	-63.66	-65.60	4.13	-2.19	-13.00	-50.66
952.470	-61.91	-61.42	3.35	-3.84	-13.00	-48.91
3720.000	-56.63	-61.53	12.56	-7.66	-13.00	-43.63
5580.000	-54.87	-58.62	13.32	-9.57	-13.00	-41.87
7000.020	-52.62	-53.67	11.70	-10.65	-13.00	-39.62
10500.030	-47.72	-46.01	11.40	-13.11	-13.00	-34.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n71A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1745 MHz+673 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-50.55	-38.02	-11.65	-0.88	-13.00	-37.55
68.800	-57.92	-50.24	-6.63	-1.05	-13.00	-44.92
79.470	-52.43	-48.28	-3.02	-1.13	-13.00	-39.43
139.610	-48.89	-45.64	-1.76	-1.49	-13.00	-35.89
183.260	-60.61	-60.65	1.77	-1.73	-13.00	-47.61
985.450	-60.32	-60.28	3.85	-3.89	-13.00	-47.32
1346.000	-61.36	-64.36	7.56	-4.56	-13.00	-48.36
2019.000	-59.28	-63.92	10.22	-5.58	-13.00	-46.28
3490.000	-58.46	-63.31	12.34	-7.49	-13.00	-45.46
5235.000	-55.58	-59.32	12.98	-9.24	-13.00	-42.58

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
 Operation Mode :ENDC 66A+n71A
 Test Mode :Tx
 EUT Pol :E2 Plane
 Test Frequency :1745 MHz+673 MHz
 Note :SIM 1

Test Site :SAC C
 Test Date :2024-06-25
 Temp./Humi. :23.0°C/56%
 Antenna Pol. :Horizontal
 Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-52.86	-44.71	-7.12	-1.03	-13.00	-39.86
86.260	-52.50	-50.24	-1.10	-1.16	-13.00	-39.50
146.400	-46.55	-43.03	-1.99	-1.53	-13.00	-33.55
195.870	-56.16	-58.10	3.71	-1.77	-13.00	-43.16
294.810	-60.62	-62.54	4.08	-2.16	-13.00	-47.62
997.090	-62.23	-62.25	3.96	-3.94	-13.00	-49.23
1346.000	-60.55	-63.55	7.56	-4.56	-13.00	-47.55
2019.000	-59.21	-63.85	10.22	-5.58	-13.00	-46.21
3490.000	-57.50	-62.35	12.34	-7.49	-13.00	-44.50
5235.000	-56.68	-60.42	12.98	-9.24	-13.00	-43.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n71A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+673 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.78	-37.34	-11.55	-0.89	-13.00	-36.78
69.770	-59.06	-51.71	-6.29	-1.06	-13.00	-46.06
79.470	-54.47	-50.32	-3.02	-1.13	-13.00	-41.47
145.430	-49.34	-45.96	-1.85	-1.53	-13.00	-36.34
196.840	-57.92	-60.00	3.85	-1.77	-13.00	-44.92
992.240	-61.66	-61.65	3.91	-3.92	-13.00	-48.66
1346.000	-61.85	-64.85	7.56	-4.56	-13.00	-48.85
2019.000	-59.14	-63.78	10.22	-5.58	-13.00	-46.14
3720.000	-56.33	-61.23	12.56	-7.66	-13.00	-43.33
5580.000	-54.75	-58.50	13.32	-9.57	-13.00	-41.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n71A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+673 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.29	-44.97	-7.29	-1.03	-13.00	-40.29
82.380	-52.51	-49.18	-2.19	-1.14	-13.00	-39.51
150.280	-49.82	-46.51	-1.78	-1.53	-13.00	-36.82
201.690	-58.69	-60.97	4.07	-1.79	-13.00	-45.69
294.810	-61.54	-63.46	4.08	-2.16	-13.00	-48.54
999.030	-61.85	-61.88	3.97	-3.94	-13.00	-48.85
1346.000	-61.07	-64.07	7.56	-4.56	-13.00	-48.07
2019.000	-58.86	-63.50	10.22	-5.58	-13.00	-45.86
3720.000	-56.07	-60.97	12.56	-7.66	-13.00	-43.07
5580.000	-54.03	-57.78	13.32	-9.57	-13.00	-41.03


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 71A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :673 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-50.09	-37.65	-11.55	-0.89	-13.00	-37.09
67.830	-58.28	-50.25	-6.99	-1.04	-13.00	-45.28
80.440	-53.89	-50.13	-2.63	-1.13	-13.00	-40.89
136.700	-49.40	-46.38	-1.54	-1.48	-13.00	-36.40
200.720	-56.77	-59.01	4.03	-1.79	-13.00	-43.77
975.750	-61.12	-60.90	3.67	-3.89	-13.00	-48.12
1346.000	-60.61	-63.61	7.56	-4.56	-13.00	-47.61
2019.000	-59.40	-64.04	10.22	-5.58	-13.00	-46.40
3435.000	-58.25	-63.39	12.53	-7.39	-13.00	-45.25
5152.500	-56.30	-59.58	12.42	-9.14	-13.00	-43.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 71A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :673 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.86	-45.71	-7.12	-1.03	-13.00	-40.86
84.320	-52.28	-49.43	-1.70	-1.15	-13.00	-39.28
144.460	-50.00	-46.54	-1.93	-1.53	-13.00	-37.00
202.660	-50.52	-52.84	4.12	-1.80	-13.00	-37.52
295.780	-64.01	-65.94	4.09	-2.16	-13.00	-51.01
995.150	-62.87	-62.87	3.94	-3.94	-13.00	-49.87
1346.000	-60.75	-63.75	7.56	-4.56	-13.00	-47.75
2019.000	-58.71	-63.35	10.22	-5.58	-13.00	-45.71
3435.000	-58.28	-63.42	12.53	-7.39	-13.00	-45.28
5152.500	-56.05	-59.33	12.42	-9.14	-13.00	-43.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 13A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-50.62	-38.09	-11.65	-0.88	-13.00	-37.62
68.800	-58.28	-50.60	-6.63	-1.05	-13.00	-45.28
79.470	-54.56	-50.41	-3.02	-1.13	-13.00	-41.56
139.610	-50.14	-46.89	-1.76	-1.49	-13.00	-37.14
195.870	-62.19	-64.13	3.71	-1.77	-13.00	-49.19
956.350	-61.03	-60.56	3.37	-3.84	-13.00	-48.03
1564.000	-59.40	-63.55	9.10	-4.95	-40.00	-19.40
2346.000	-56.93	-60.73	9.80	-6.00	-13.00	-43.93
3435.000	-57.81	-62.95	12.53	-7.39	-13.00	-44.81
5152.500	-56.05	-59.33	12.42	-9.14	-13.00	-43.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 13A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.24	-45.09	-7.12	-1.03	-13.00	-40.24
82.380	-52.04	-48.71	-2.19	-1.14	-13.00	-39.04
141.550	-52.73	-49.37	-1.86	-1.50	-13.00	-39.73
204.600	-54.27	-56.67	4.20	-1.80	-13.00	-41.27
297.720	-63.65	-65.57	4.10	-2.18	-13.00	-50.65
995.150	-63.05	-63.05	3.94	-3.94	-13.00	-50.05
1564.000	-58.28	-62.43	9.10	-4.95	-40.00	-18.28
2346.000	-54.71	-58.51	9.80	-6.00	-13.00	-41.71
3435.000	-58.80	-63.94	12.53	-7.39	-13.00	-45.80
5152.500	-55.65	-58.93	12.42	-9.14	-13.00	-42.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 12A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :701.5 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-50.28	-37.75	-11.65	-0.88	-13.00	-37.28
68.800	-58.96	-51.28	-6.63	-1.05	-13.00	-45.96
79.470	-54.04	-49.89	-3.02	-1.13	-13.00	-41.04
144.460	-50.79	-47.33	-1.93	-1.53	-13.00	-37.79
181.320	-59.70	-59.46	1.48	-1.72	-13.00	-46.70
984.480	-60.59	-60.53	3.83	-3.89	-13.00	-47.59
1403.000	-62.21	-65.24	7.70	-4.67	-13.00	-49.21
2104.500	-59.62	-63.81	9.91	-5.72	-13.00	-46.62
3435.000	-58.73	-63.87	12.53	-7.39	-13.00	-45.73
5152.500	-56.27	-59.55	12.42	-9.14	-13.00	-43.27


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 12A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :701.5 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.53	-45.38	-7.12	-1.03	-13.00	-40.53
85.290	-53.24	-50.61	-1.48	-1.15	-13.00	-40.24
138.640	-52.19	-48.90	-1.81	-1.48	-13.00	-39.19
201.690	-55.18	-57.46	4.07	-1.79	-13.00	-42.18
293.840	-62.28	-64.19	4.07	-2.16	-13.00	-49.28
982.540	-62.81	-62.70	3.78	-3.89	-13.00	-49.81
1403.000	-61.91	-64.94	7.70	-4.67	-13.00	-48.91
2104.500	-60.34	-64.53	9.91	-5.72	-13.00	-47.34
3435.000	-58.47	-63.61	12.53	-7.39	-13.00	-45.47
5152.500	-55.68	-58.96	12.42	-9.14	-13.00	-42.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-49.99	-37.71	-11.37	-0.91	-13.00	-36.99
68.800	-58.45	-50.77	-6.63	-1.05	-13.00	-45.45
79.470	-54.42	-50.27	-3.02	-1.13	-13.00	-41.42
133.790	-50.42	-47.38	-1.57	-1.47	-13.00	-37.42
199.750	-60.62	-62.84	4.01	-1.79	-13.00	-47.62
943.740	-61.37	-60.95	3.40	-3.82	-13.00	-48.37
1649.400	-59.98	-64.43	9.50	-5.05	-13.00	-46.98
2474.100	-61.06	-65.32	10.50	-6.24	-13.00	-48.06
3435.000	-57.74	-62.88	12.53	-7.39	-13.00	-44.74
5152.500	-54.94	-58.22	12.42	-9.14	-13.00	-41.94

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
64.920	-53.73	-44.92	-7.79	-1.02	-13.00	-40.73
83.350	-51.54	-48.53	-1.87	-1.14	-13.00	-38.54
147.370	-48.27	-44.77	-1.97	-1.53	-13.00	-35.27
205.570	-56.20	-58.65	4.25	-1.80	-13.00	-43.20
291.900	-64.10	-65.99	4.05	-2.16	-13.00	-51.10
996.120	-62.77	-62.78	3.95	-3.94	-13.00	-49.77
1649.400	-59.27	-63.72	9.50	-5.05	-13.00	-46.27
2474.100	-61.90	-66.16	10.50	-6.24	-13.00	-48.90
3435.000	-56.96	-62.10	12.53	-7.39	-13.00	-43.96
5152.500	-54.75	-58.03	12.42	-9.14	-13.00	-41.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-49.70	-37.42	-11.37	-0.91	-13.00	-36.70
68.800	-59.06	-51.38	-6.63	-1.05	-13.00	-46.06
79.470	-54.74	-50.59	-3.02	-1.13	-13.00	-41.74
140.580	-50.52	-47.25	-1.78	-1.49	-13.00	-37.52
199.750	-58.72	-60.94	4.01	-1.79	-13.00	-45.72
948.590	-60.50	-60.02	3.35	-3.83	-13.00	-47.50
3435.000	-57.82	-62.96	12.53	-7.39	-13.00	-44.82
3720.000	-57.00	-61.90	12.56	-7.66	-13.00	-44.00
5152.500	-55.16	-58.44	12.42	-9.14	-13.00	-42.16
5580.000	-55.23	-58.98	13.32	-9.57	-13.00	-42.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n66A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+1717.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.45	-45.30	-7.12	-1.03	-13.00	-40.45
85.290	-53.95	-51.32	-1.48	-1.15	-13.00	-40.95
139.610	-49.16	-45.91	-1.76	-1.49	-13.00	-36.16
209.450	-55.87	-58.54	4.49	-1.82	-13.00	-42.87
295.780	-61.64	-63.57	4.09	-2.16	-13.00	-48.64
936.950	-62.52	-62.19	3.48	-3.81	-13.00	-49.52
3435.000	-58.21	-63.35	12.53	-7.39	-13.00	-45.21
3720.000	-56.76	-61.66	12.56	-7.66	-13.00	-43.76
5152.500	-55.97	-59.25	12.42	-9.14	-13.00	-42.97
5580.000	-54.37	-58.12	13.32	-9.57	-13.00	-41.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 71A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :673 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-50.29	-37.76	-11.65	-0.88	-25.00	-25.29
68.800	-59.13	-51.45	-6.63	-1.05	-25.00	-34.13
80.440	-54.09	-50.33	-2.63	-1.13	-25.00	-29.09
139.610	-50.70	-47.45	-1.76	-1.49	-25.00	-25.70
192.960	-60.26	-61.90	3.38	-1.74	-25.00	-35.26
944.710	-61.48	-61.05	3.39	-3.82	-25.00	-36.48
1346.000	-61.42	-64.42	7.56	-4.56	-25.00	-36.42
2019.000	-59.24	-63.88	10.22	-5.58	-25.00	-34.24
5022.000	-54.56	-58.14	12.51	-8.93	-25.00	-29.56
7533.000	-52.28	-52.33	11.17	-11.12	-25.00	-27.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 71A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :673 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.92	-45.60	-7.29	-1.03	-25.00	-28.92
84.320	-53.98	-51.13	-1.70	-1.15	-25.00	-28.98
143.490	-46.21	-42.71	-1.98	-1.52	-25.00	-21.21
196.840	-54.59	-56.67	3.85	-1.77	-25.00	-29.59
288.020	-61.46	-63.32	4.01	-2.15	-25.00	-36.46
981.570	-63.12	-62.99	3.75	-3.88	-25.00	-38.12
1346.000	-60.78	-63.78	7.56	-4.56	-25.00	-35.78
2019.000	-58.27	-62.91	10.22	-5.58	-25.00	-33.27
5022.000	-55.76	-59.34	12.51	-8.93	-25.00	-30.76
7533.000	-52.91	-52.95	11.17	-11.12	-25.00	-27.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1745 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.77	-37.33	-11.55	-0.89	-25.00	-24.77
68.800	-58.65	-50.97	-6.63	-1.05	-25.00	-33.65
79.470	-53.68	-49.53	-3.02	-1.13	-25.00	-28.68
135.730	-50.52	-47.41	-1.64	-1.47	-25.00	-25.52
203.630	-59.43	-61.79	4.16	-1.80	-25.00	-34.43
948.590	-61.50	-61.02	3.35	-3.83	-25.00	-36.50
3490.000	-57.66	-62.51	12.34	-7.49	-25.00	-32.66
5022.000	-55.26	-58.84	12.51	-8.93	-25.00	-30.26
5235.000	-56.42	-60.16	12.98	-9.24	-25.00	-31.42
7533.000	-52.60	-52.65	11.17	-11.12	-25.00	-27.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1745 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-52.70	-44.55	-7.12	-1.03	-25.00	-27.70
84.320	-53.46	-50.61	-1.70	-1.15	-25.00	-28.46
138.640	-52.51	-49.22	-1.81	-1.48	-25.00	-27.51
195.870	-54.95	-56.89	3.71	-1.77	-25.00	-29.95
294.810	-62.94	-64.86	4.08	-2.16	-25.00	-37.94
992.240	-62.75	-62.74	3.91	-3.92	-25.00	-37.75
3490.000	-57.31	-62.16	12.34	-7.49	-25.00	-32.31
5022.000	-54.93	-58.51	12.51	-8.93	-25.00	-29.93
5235.000	-56.26	-60.00	12.98	-9.24	-25.00	-31.26
7533.000	-53.24	-53.29	11.17	-11.12	-25.00	-28.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-49.44	-36.91	-11.65	-0.88	-25.00	-24.44
67.830	-58.16	-50.13	-6.99	-1.04	-25.00	-33.16
79.470	-54.45	-50.30	-3.02	-1.13	-25.00	-29.45
138.640	-49.64	-46.35	-1.81	-1.48	-25.00	-24.64
201.690	-56.97	-59.25	4.07	-1.79	-25.00	-31.97
949.560	-61.03	-60.53	3.34	-3.84	-25.00	-36.03
1649.400	-59.88	-64.33	9.50	-5.05	-25.00	-34.88
2474.100	-61.26	-65.52	10.50	-6.24	-25.00	-36.26
5022.000	-55.10	-58.68	12.51	-8.93	-25.00	-30.10
7533.000	-52.61	-52.66	11.17	-11.12	-25.00	-27.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-51.60	-43.28	-7.29	-1.03	-25.00	-26.60
87.230	-53.06	-50.86	-1.03	-1.17	-25.00	-28.06
140.580	-51.30	-48.03	-1.78	-1.49	-25.00	-26.30
203.630	-55.88	-58.24	4.16	-1.80	-25.00	-30.88
257.950	-63.43	-65.59	4.19	-2.03	-25.00	-38.43
997.090	-62.58	-62.60	3.96	-3.94	-25.00	-37.58
1649.400	-59.80	-64.25	9.50	-5.05	-25.00	-34.80
2474.100	-62.07	-66.33	10.50	-6.24	-25.00	-37.07
5022.000	-55.65	-59.23	12.51	-8.93	-25.00	-30.65
7533.000	-52.93	-52.98	11.17	-11.12	-25.00	-27.93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-49.93	-37.40	-11.65	-0.88	-25.00	-24.93
66.860	-52.72	-44.57	-7.12	-1.03	-25.00	-27.72
79.470	-53.90	-49.75	-3.02	-1.13	-25.00	-28.90
139.610	-49.47	-46.22	-1.76	-1.49	-25.00	-24.47
191.990	-61.20	-62.62	3.15	-1.73	-25.00	-36.20
983.510	-60.98	-60.90	3.81	-3.89	-25.00	-35.98
3720.000	-57.06	-61.96	12.56	-7.66	-25.00	-32.06
5022.000	-55.74	-59.32	12.51	-8.93	-25.00	-30.74
5580.000	-54.65	-58.40	13.32	-9.57	-25.00	-29.65
7533.000	-52.15	-52.20	11.17	-11.12	-25.00	-27.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n41A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+2511 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-50.93	-42.78	-7.12	-1.03	-25.00	-25.93
87.230	-52.53	-50.33	-1.03	-1.17	-25.00	-27.53
147.370	-49.64	-46.14	-1.97	-1.53	-25.00	-24.64
215.270	-55.56	-58.44	4.75	-1.87	-25.00	-30.56
295.780	-63.91	-65.84	4.09	-2.16	-25.00	-38.91
950.530	-62.55	-62.05	3.34	-3.84	-25.00	-37.55
3720.000	-56.35	-61.25	12.56	-7.66	-25.00	-31.35
5022.000	-54.92	-58.50	12.51	-8.93	-25.00	-29.92
5580.000	-55.17	-58.92	13.32	-9.57	-25.00	-30.17
7533.000	-52.50	-52.55	11.17	-11.12	-25.00	-27.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n5A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1745 MHz+846.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-50.30	-37.77	-11.65	-0.88	-13.00	-37.30
68.800	-58.07	-50.39	-6.63	-1.05	-13.00	-45.07
80.440	-54.15	-50.39	-2.63	-1.13	-13.00	-41.15
133.790	-50.53	-47.49	-1.57	-1.47	-13.00	-37.53
198.780	-59.78	-62.03	4.03	-1.78	-13.00	-46.78
934.040	-61.01	-60.71	3.51	-3.81	-13.00	-48.01
1693.000	-60.51	-65.35	9.93	-5.09	-13.00	-47.51
2539.500	-60.35	-64.61	10.60	-6.34	-13.00	-47.35
3490.000	-57.20	-62.05	12.34	-7.49	-13.00	-44.20
5235.000	-55.15	-58.89	12.98	-9.24	-13.00	-42.15


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n5A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1745 MHz+846.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.63	-45.31	-7.29	-1.03	-13.00	-40.63
79.470	-53.51	-49.36	-3.02	-1.13	-13.00	-40.51
142.520	-46.62	-43.22	-1.89	-1.51	-13.00	-33.62
198.780	-54.17	-56.42	4.03	-1.78	-13.00	-41.17
295.780	-61.83	-63.76	4.09	-2.16	-13.00	-48.83
926.280	-62.65	-62.44	3.59	-3.80	-13.00	-49.65
1693.000	-60.54	-65.38	9.93	-5.09	-13.00	-47.54
2539.500	-61.46	-65.72	10.60	-6.34	-13.00	-48.46
3490.000	-57.29	-62.14	12.34	-7.49	-13.00	-44.29
5235.000	-55.20	-58.94	12.98	-9.24	-13.00	-42.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n5A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+846.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.59	-37.15	-11.55	-0.89	-13.00	-36.59
68.800	-59.33	-51.65	-6.63	-1.05	-13.00	-46.33
79.470	-53.98	-49.83	-3.02	-1.13	-13.00	-40.98
134.760	-50.56	-47.49	-1.60	-1.47	-13.00	-37.56
193.930	-60.59	-62.37	3.53	-1.75	-13.00	-47.59
996.120	-60.79	-60.80	3.95	-3.94	-13.00	-47.79
1693.000	-59.73	-64.57	9.93	-5.09	-13.00	-46.73
2539.500	-60.76	-65.02	10.60	-6.34	-13.00	-47.76
3720.000	-56.78	-61.68	12.56	-7.66	-13.00	-43.78
5580.000	-54.89	-58.64	13.32	-9.57	-13.00	-41.89

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 2A+n5A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1860 MHz+846.5 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-54.22	-45.90	-7.29	-1.03	-13.00	-41.22
86.260	-52.51	-50.25	-1.10	-1.16	-13.00	-39.51
140.580	-50.32	-47.05	-1.78	-1.49	-13.00	-37.32
197.810	-54.05	-56.17	3.90	-1.78	-13.00	-41.05
297.720	-61.46	-63.38	4.10	-2.18	-13.00	-48.46
991.270	-62.51	-62.49	3.90	-3.92	-13.00	-49.51
1693.000	-60.20	-65.04	9.93	-5.09	-13.00	-47.20
2539.500	-60.08	-64.34	10.60	-6.34	-13.00	-47.08
3720.000	-56.55	-61.45	12.56	-7.66	-13.00	-43.55
5580.000	-55.29	-59.04	13.32	-9.57	-13.00	-42.29


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 71A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :673 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-49.27	-36.83	-11.55	-0.89	-13.00	-36.27
67.830	-47.79	-39.76	-6.99	-1.04	-13.00	-34.79
79.470	-52.72	-48.57	-3.02	-1.13	-13.00	-39.72
132.820	-49.63	-46.66	-1.50	-1.47	-13.00	-36.63
198.780	-59.31	-61.56	4.03	-1.78	-13.00	-46.31
948.590	-60.00	-59.52	3.35	-3.83	-13.00	-47.00
1346.000	-61.18	-64.18	7.56	-4.56	-13.00	-48.18
2019.000	-58.84	-63.48	10.22	-5.58	-13.00	-45.84
3760.000	-55.46	-60.20	12.46	-7.72	-13.00	-42.46
5640.000	-55.94	-59.89	13.48	-9.53	-13.00	-42.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 71A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :673 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.24	-44.92	-7.29	-1.03	-13.00	-40.24
85.290	-52.56	-49.93	-1.48	-1.15	-13.00	-39.56
146.400	-50.10	-46.58	-1.99	-1.53	-13.00	-37.10
201.690	-57.23	-59.51	4.07	-1.79	-13.00	-44.23
305.480	-60.99	-62.94	4.16	-2.21	-13.00	-47.99
952.470	-62.96	-62.47	3.35	-3.84	-13.00	-49.96
1346.000	-60.39	-63.39	7.56	-4.56	-13.00	-47.39
2019.000	-58.51	-63.15	10.22	-5.58	-13.00	-45.51
3760.000	-55.77	-60.51	12.46	-7.72	-13.00	-42.77
5640.000	-55.01	-58.96	13.48	-9.53	-13.00	-42.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2

Test Site :SAC C

Operation Mode :ENDC 66A+n2A

Test Date :2024-06-25

Test Mode :Tx

Temp./Humi. :23.0°C/56%


EUT Pol :E2 Plane

Antenna Pol. :Vertical

Test Frequency :1745 MHz+1880 MHz

Engineer :Howard Huang

Note :SIM 1




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
50.370	-50.05	-37.61	-11.55	-0.89	-13.00	-37.05
66.860	-58.76	-50.61	-7.12	-1.03	-13.00	-45.76
83.350	-54.27	-51.26	-1.87	-1.14	-13.00	-41.27
139.610	-49.13	-45.88	-1.76	-1.49	-13.00	-36.13
200.720	-58.90	-61.14	4.03	-1.79	-13.00	-45.90
946.650	-60.41	-59.95	3.37	-3.83	-13.00	-47.41
3490.000	-57.53	-62.38	12.34	-7.49	-13.00	-44.53
3760.000	-56.27	-61.01	12.46	-7.72	-13.00	-43.27
5235.000	-55.79	-59.53	12.98	-9.24	-13.00	-42.79
5640.000	-54.42	-58.37	13.48	-9.53	-13.00	-41.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 66A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :1745 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.38	-45.06	-7.29	-1.03	-13.00	-40.38
82.380	-51.74	-48.41	-2.19	-1.14	-13.00	-38.74
130.880	-51.47	-48.53	-1.48	-1.46	-13.00	-38.47
198.780	-52.85	-55.10	4.03	-1.78	-13.00	-39.85
257.950	-63.17	-65.33	4.19	-2.03	-13.00	-50.17
952.470	-63.11	-62.62	3.35	-3.84	-13.00	-50.11
3490.000	-57.30	-62.15	12.34	-7.49	-13.00	-44.30
3760.000	-57.21	-61.95	12.46	-7.72	-13.00	-44.21
5235.000	-55.44	-59.18	12.98	-9.24	-13.00	-42.44
5640.000	-55.01	-58.96	13.48	-9.53	-13.00	-42.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 13A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
49.400	-49.84	-37.31	-11.65	-0.88	-13.00	-36.84
68.800	-59.36	-51.68	-6.63	-1.05	-13.00	-46.36
80.440	-54.79	-51.03	-2.63	-1.13	-13.00	-41.79
138.640	-48.97	-45.68	-1.81	-1.48	-13.00	-35.97
202.660	-58.64	-60.96	4.12	-1.80	-13.00	-45.64
981.570	-61.13	-61.00	3.75	-3.88	-13.00	-48.13
1564.000	-58.44	-62.59	9.10	-4.95	-40.00	-18.44
2346.000	-56.51	-60.31	9.80	-6.00	-13.00	-43.51
3760.000	-56.46	-61.20	12.46	-7.72	-13.00	-43.46
5640.000	-55.14	-59.09	13.48	-9.53	-13.00	-42.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 13A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :782 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.99	-45.84	-7.12	-1.03	-13.00	-40.99
82.380	-53.61	-50.28	-2.19	-1.14	-13.00	-40.61
142.520	-51.20	-47.80	-1.89	-1.51	-13.00	-38.20
198.780	-52.05	-54.30	4.03	-1.78	-13.00	-39.05
294.810	-59.15	-61.07	4.08	-2.16	-13.00	-46.15
989.330	-63.04	-63.01	3.88	-3.91	-13.00	-50.04
1564.000	-59.36	-63.51	9.10	-4.95	-40.00	-19.36
2346.000	-56.62	-60.42	9.80	-6.00	-13.00	-43.62
3760.000	-55.50	-60.24	12.46	-7.72	-13.00	-42.50
5640.000	-54.94	-58.89	13.48	-9.53	-13.00	-41.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 12A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :701.5 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
52.310	-50.58	-38.65	-11.01	-0.92	-13.00	-37.58
68.800	-58.31	-50.63	-6.63	-1.05	-13.00	-45.31
80.440	-53.25	-49.49	-2.63	-1.13	-13.00	-40.25
139.610	-50.19	-46.94	-1.76	-1.49	-13.00	-37.19
202.660	-60.64	-62.96	4.12	-1.80	-13.00	-47.64
988.360	-60.78	-60.76	3.88	-3.90	-13.00	-47.78
1403.000	-62.98	-66.01	7.70	-4.67	-13.00	-49.98
2104.500	-59.61	-63.80	9.91	-5.72	-13.00	-46.61
3760.000	-56.33	-61.07	12.46	-7.72	-13.00	-43.33
5640.000	-55.28	-59.23	13.48	-9.53	-13.00	-42.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 12A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :701.5 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
65.890	-53.09	-44.77	-7.29	-1.03	-13.00	-40.09
85.290	-52.19	-49.56	-1.48	-1.15	-13.00	-39.19
141.550	-52.52	-49.16	-1.86	-1.50	-13.00	-39.52
196.840	-57.83	-59.91	3.85	-1.77	-13.00	-44.83
256.980	-64.25	-66.43	4.20	-2.02	-13.00	-51.25
981.570	-62.64	-62.51	3.75	-3.88	-13.00	-49.64
1403.000	-62.74	-65.77	7.70	-4.67	-13.00	-49.74
2104.500	-60.38	-64.57	9.91	-5.72	-13.00	-47.38
3760.000	-56.21	-60.95	12.46	-7.72	-13.00	-43.21
5640.000	-54.95	-58.90	13.48	-9.53	-13.00	-41.95

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Vertical
Engineer :Howard Huang




Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
51.340	-50.13	-37.85	-11.37	-0.91	-13.00	-37.13
78.500	-52.17	-47.77	-3.27	-1.13	-13.00	-39.17
138.640	-49.39	-46.10	-1.81	-1.48	-13.00	-36.39
182.290	-58.69	-58.59	1.62	-1.72	-13.00	-45.69
201.690	-58.74	-61.02	4.07	-1.79	-13.00	-45.74
948.590	-59.99	-59.51	3.35	-3.83	-13.00	-46.99
1649.400	-59.23	-63.68	9.50	-5.05	-13.00	-46.23
2474.100	-61.98	-66.24	10.50	-6.24	-13.00	-48.98
3760.000	-57.02	-61.76	12.46	-7.72	-13.00	-44.02
5640.000	-54.39	-58.34	13.48	-9.53	-13.00	-41.39

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2405001540E2
Operation Mode :ENDC 5A+n2A
Test Mode :Tx
EUT Pol :E2 Plane
Test Frequency :824.7 MHz+1880 MHz
Note :SIM 1

Test Site :SAC C
Test Date :2024-06-25
Temp./Humi. :23.0°C/56%
Antenna Pol. :Horizontal
Engineer :Howard Huang



Freq. MHz	EIRP/ERP dBm	SG Output Level dBm	Antenna Gain dBi/dBd	Cable Loss dB	Limit dBm	Margin dB
66.860	-53.35	-45.20	-7.12	-1.03	-13.00	-40.35
84.320	-53.83	-50.98	-1.70	-1.15	-13.00	-40.83
143.490	-48.39	-44.89	-1.98	-1.52	-13.00	-35.39
198.780	-53.92	-56.17	4.03	-1.78	-13.00	-40.92
218.180	-58.88	-61.91	4.92	-1.89	-13.00	-45.88
925.310	-62.27	-62.08	3.60	-3.79	-13.00	-49.27
1649.400	-59.29	-63.74	9.50	-5.05	-13.00	-46.29
2474.100	-61.64	-65.90	10.50	-6.24	-13.00	-48.64
3760.000	-56.23	-60.97	12.46	-7.72	-13.00	-43.23
5640.000	-54.64	-58.59	13.48	-9.53	-13.00	-41.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

6 FREQUENCY STABILITY MEASUREMENT

Note: The DC Power is rated 3.7V dc.

5G NR BAND n2				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	20MHz
CH	376000		Frequency(MHz):	1880.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
4.255	20	1879.999997	-3	4700
3.7	20	1880.000009	9	4700
3.145	20	1880.000010	10	4700
2.2 (End Point)	20	1879.999989	-11	4700
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
3.7	-30	1880.000009	9	4700
3.7	-20	1879.999999	-1	4700
3.7	-10	1880.000016	16	4700
3.7	0	1879.999991	-9	4700
3.7	10	1879.999990	-10	4700
3.7	20	1879.999986	-14	4700
3.7	30	1879.999990	-10	4700
3.7	40	1879.999991	-9	4700
3.7	50	1880.000004	4	4700

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n5				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	20MHz
CH	167300		Frequency(MHz):	836.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
4.255	20	836.500002	2	2091
3.7	20	836.500005	5	2091
3.145	20	836.499998	-3	2091
2.2 (End Point)	20	836.499996	-4	2091
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
3.7	-30	836.499993	-8	2091
3.7	-20	836.499980	-20	2091
3.7	-10	836.499993	-7	2091
3.7	0	836.499993	-7	2091
3.7	10	836.500003	3	2091
3.7	20	836.500000	-1	2091
3.7	30	836.500018	18	2091
3.7	40	836.499989	-12	2091
3.7	50	836.500019	19	2091

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n41				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	100MHz
CH	518598		Frequency(MHz):	2592.99
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
4.255	20	2592.989985	-15	6482
3.7	20	2592.990014	14	6482
3.145	20	2592.990011	11	6482
2.2 (End Point)	20	2592.989981	-19	6482
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
3.7	-30	2592.990003	3	6482
3.7	-20	2592.990009	9	6482
3.7	-10	2592.989988	-12	6482
3.7	0	2592.989987	-13	6482
3.7	10	2592.990018	18	6482
3.7	20	2592.990000	0	6482
3.7	30	2592.990016	16	6482
3.7	40	2592.989988	-12	6482
3.7	50	2592.990001	1	6482

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n66				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15	kHz	Bandwidth:	40MHz
CH	349000		Frequency(MHz):	1745.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
4.255	20	1744.999983	-17	4363
3.7	20	1744.999992	-8	4363
3.145	20	1744.999989	-11	4363
2.2 (End Point)	20	1744.999995	-5	4363
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
3.7	-30	1745.000002	2	4363
3.7	-20	1745.000010	10	4363
3.7	-10	1745.000018	18	4363
3.7	0	1744.999981	-19	4363
3.7	10	1744.999990	-10	4363
3.7	20	1744.999986	-14	4363
3.7	30	1745.000008	8	4363
3.7	40	1745.000014	14	4363
3.7	50	1744.999996	-4	4363

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n71				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	15 kHz		Bandwidth:	20MHz
CH	136100		Frequency(MHz):	680.50
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
4.255	20	680.499987	-13	1701
3.7	20	680.500016	16	1701
3.145	20	680.500015	15	1701
2.2 (End Point)	20	680.499988	-12	1701
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
3.7	-30	680.500012	12	1701
3.7	-20	680.500002	2	1701
3.7	-10	680.499983	-17	1701
3.7	0	680.500016	16	1701
3.7	10	680.499999	-2	1701
3.7	20	680.500002	2	1701
3.7	30	680.499988	-12	1701
3.7	40	680.500017	17	1701
3.7	50	680.499985	-16	1701

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

5G NR BAND n77 Part27				
Reference Freq.:			Modulation.:	CP-OFDM QPSK
SCS.:	30	kHz	Bandwidth:	100MHz
CH	656000		Frequency(MHz):	3840.00
Freq. ERROR vs. VOLTAGE				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
4.255	20	3839.999990	-10	9600
3.7	20	3840.000008	8	9600
3.145	20	3840.000014	14	9600
2.2 (End Point)	20	3840.000020	20	9600
Freq. ERROR vs. Temp.				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
3.7	-30	3839.999984	-16	9600
3.7	-20	3839.999992	-8	9600
3.7	-10	3839.999996	-4	9600
3.7	0	3839.999999	-2	9600
3.7	10	3840.000001	1	9600
3.7	20	3840.000000	0	9600
3.7	30	3839.999998	-2	9600
3.7	40	3839.999985	-15	9600
3.7	50	3839.999987	-13	9600

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

7 PEAK TO AVERAGE RATION

5G NR BAND n2							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1852.50	370500	8.62	13	1855.00	371000	10.01	13
1880.00	376000	8.11	13	1880.00	376000	9.23	13
1907.50	381500	8.10	13	1905.00	381000	9.58	13
5G NR BAND n2							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1857.50	371500	10.85	13	1860.00	372000	9.95	13
1880.00	376000	9.77	13	1880.00	376000	9.64	13
1902.50	380500	9.45	13	1900.00	380000	10.78	13
5G NR BAND n5							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
826.50	165300	6.22	13	829.00	165800	10.24	13
836.50	167300	7.72	13	836.50	167300	9.81	13
846.50	169300	8.33	13	844.00	168800	8.87	13
5G NR BAND n5							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
831.50	166300	9.74	13	834.00	166800	10.64	13
836.50	167300	9.54	13	836.50	167300	10.62	13
841.50	168300	10.23	13	839.00	167800	9.89	13
5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 20MHz				Channel bandwidth: 30MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2506.02	501204	10.44	13	2511.00	502200	11.91	13
2510.01	502002	9.71	13	2515.02	503004	11.45	13
2592.99	518598	10.02	13	2592.99	518598	10.27	13
2679.99	535998	9.77	13	2674.98	534996	10.25	13
5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 40MHz				Channel bandwidth: 50MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2516.01	503202	11.57	13	2521.02	504204	10.81	13
2520.00	504000	10.79	13	2525.01	505002	11.39	13
2592.99	518598	10.86	13	2592.99	518598	11.35	13
2670.00	534000	11.11	13	2664.99	532998	12.09	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 60MHz				Channel bandwidth: 70MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2526.00	505200	11.70	13	2531.01	506202	-	13
2530.02	506004	11.27	13	2535.00	507000	-	13
2592.99	518598	10.85	13	2592.99	518598	-	13
2659.98	531996	10.76	13	2655.00	531000	-	13
5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 80MHz				Channel bandwidth: 90MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2536.02	507204	11.16	13	2541.00	508200	11.56	13
2540.01	508002	11.32	13	2545.02	509004	12.54	13
2592.99	518598	11.55	13	2592.99	518598	11.98	13
2649.99	529998	11.71	13	2644.98	528996	11.27	13
5G NR BAND n41							
DFT-S-OFDM_SCS 30 kHz							
Channel bandwidth: 100MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
2546.01	509202	11.74	13				
2550.00	510000	11.14	13				
2592.99	518598	11.44	13				
2640.00	528000	11.33	13				
5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1712.50	342500	8.22	13	1715.00	343000	10.01	13
1745.00	349000	7.87	13	1745.00	349000	9.96	13
1777.50	355500	8.24	13	1775.00	355000	8.53	13
5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1717.50	343500	9.49	13	1720.00	344000	9.90	13
1745.00	349000	11.37	13	1745.00	349000	10.27	13
1772.50	354500	10.01	13	1770.00	354000	10.68	13
5G NR BAND n66							
DFT-S-OFDM_SCS 15 kHz							
Channel bandwidth: 40MHz							
Freq. (MHz)	CH	PAPR (dB)				PAPR (dB)	
		256QAM	Limit			256QAM	Limit
1730.00	346000	11.31	13				
1745.00	349000	11.33	13				
1760.00	352000	11.99	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

5G NR BAND n71							
DFT-S-OFDM SCS 15 kHz							
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
665.50	133100	7.73	13	668.00	133600	9.66	13
680.50	136100	7.78	13	680.50	136100	9.79	13
695.50	139100	7.38	13	693.00	138600	9.98	13
5G NR BAND n71							
DFT-S-OFDM SCS 15 kHz							
Channel bandwidth: 15MHz				Channel bandwidth: 20MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
670.50	134100	9.62	13	673.00	134600	10.63	13
680.50	136100	11.39	13	680.50	136100	10.76	13
690.50	138100	9.51	13	688.00	137600	10.51	13
5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 20MHz				Channel bandwidth: 25MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3460.02	630668	9.75	13	3462.51	630834	-	13
3500.01	633334	9.75	13	3500.01	633334	-	13
3540.00	636000	10.00	13	3537.51	635834	-	13
5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 30MHz				Channel bandwidth: 40MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3465.00	631000	11.48	13	3470.01	631334	10.78	13
3500.01	633334	10.50	13	3500.01	633334	10.72	13
3534.99	635666	10.38	13	3529.98	635332	11.41	13
5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 50MHz				Channel bandwidth: 60MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3475.02	631668	11.47	13	3480.00	632000	11.59	13
3500.01	633334	10.65	13	3500.01	633334	11.47	13
3525.00	635000	11.16	13	3519.99	634666	11.31	13
5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 70MHz				Channel bandwidth: 80MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3485.01	632334	10.99	13	3490.02	632668	11.59	13
3500.01	633334	10.91	13	3500.01	633334	12.33	13
3514.98	634332	11.02	13	3510.00	634000	11.31	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group


5G NR BAND n77 Part27(3450 to 3550 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 90MHz				Channel bandwidth: 100MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3495.00	633000	10.73	13				
3500.01	633334	11.48	13	3500.01	633334	11.41	13
3504.99	633666	12.29	13				
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 20MHz				Channel bandwidth: 25MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3710.01	647334	9.86	13	3712.50	647500	-	13
3840.00	656000	10.26	13	3840.00	656000	-	13
3969.99	664666	9.59	13	3967.50	664500	-	13
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 30MHz				Channel bandwidth: 40MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3715.02	647668	11.20	13	3720.00	648000	10.86	13
3840.00	656000	10.77	13	3840.00	656000	10.33	13
3964.98	664332	11.48	13	3960.00	664000	10.24	13
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 50MHz				Channel bandwidth: 60MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3725.01	648334	11.42	13	3730.02	648668	11.77	13
3840.00	656000	10.87	13	3840.00	656000	11.49	13
3954.99	663666	11.58	13	3949.98	663332	12.09	13
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 70MHz				Channel bandwidth: 80MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3735.00	649000	11.37	13	3740.01	649334	12.34	13
3840.00	656000	11.52	13	3840.00	656000	11.48	13
3945.00	663000	11.99	13	3939.99	662666	11.38	13
5G NR BAND n77 Part27(3700 to 3980 MHz)							
DFT-S-OFDM SCS 30 kHz							
Channel bandwidth: 90MHz				Channel bandwidth: 100MHz			
Freq. (MHz)	CH	PAPR (dB)		Freq. (MHz)	CH	PAPR (dB)	
		256QAM	Limit			256QAM	Limit
3745.02	649668	10.91	13	3750.00	650000	11.63	13
3840.00	656000	11.26	13	3840.00	656000	11.37	13
3934.98	662332	12.20	13	3930.00	662000	12.84	13

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


Band2 5MHz DFT s OFDM_SCS15kHz 256QAM RB25 0 CH370500




Band2 10MHz DFT s OFDM_SCS15kHz 256QAM RB50 0 CH371000




Band2 5MHz DFT s OFDM_SCS15kHz 256QAM RB25 0 CH376000




Band2 10MHz DFT s OFDM_SCS15kHz 256QAM RB50 0 CH376000



Band2 5MHz DFT s OFDM_SCS15kHz 256QAM RB25 0 CH381500



Band2 10MHz DFT s OFDM_SCS15kHz 256QAM RB50 0 CH381000



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.