

Report No.:

0606945

Model No.:

USB Earbud Macpack

Audio Playing Mode

PC Mains "L"

Tested By:Hong, Report No.:0606945

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV


Meas Time: 1 s

Subranges: 16

Acc Margin: 20dB

Transducer No.	Start	Stop	Name
----------------	-------	------	------

2	1	9k	30M	EW0699
	12	9k	30M	EW0192





Report No.: 0606945
Model No.: USB Earbud Macpack
Audio Playing Mode
PC Mains "L"

Tested By: Hong, Report No.: 0606945

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.20000	46.5	63.6
0.74000	36.4	56.0
1.06000	36.4	56.0
1.48500	36.1	56.0
1.85500	36.8	56.0
3.88500	34.4	56.0
15.74000	33.8	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

0.20000	46.4	53.6
0.30000	36.7	50.2
0.55500	31.4	46.0
0.74000	35.5	46.0
1.06000	34.4	46.0
1.48000	36.0	46.0
1.59000	35.9	46.0
2.47000	32.2	46.0
3.79500	33.1	46.0
4.68000	30.7	46.0
15.92500	29.5	50.0

* limit



Report No.: 0606945
Model No.: V852
Audio Playing Mode
PC Mains "L"


Tested By: Hong, Report No.: 0606945

Scan Settings (1 Range)

Frequencies				Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV
Meas Time: 1 s
Subranges: 16
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0699
12	9k	30M	EW0192



Report No.:

0606945

Model No.:

V852

Audio Playing Mode

PC Mains "L"

Tested By:Hong, Report No.:0606945

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

0.20000	46.5	63.6
0.74000	35.8	56.0
1.06000	37.4	56.0
1.48000	38.1	56.0
1.85500	38.9	56.0
2.22000	33.8	56.0
3.80000	34.5	56.0
15.92500	34.4	60.0

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

0.20000	46.4	53.6
0.30000	36.5	50.2
0.55500	30.8	46.0
0.74000	34.9	46.0
1.06000	35.6	46.0
1.48000	37.4	46.0
1.59000	37.0	46.0
2.91500	32.5	46.0
3.80000	32.5	46.0
4.24000	29.6	46.0

* limit