




CONSTRUCTION PHOTOS OF EUT













BUREAU
VERITAS
















59.6Wh

**Standard
Rechargeable
Li-ion Battery**

Type GHJC5
11.55V

! Disconnect the battery before accessing
Note: Longer POST time may occur if b

DELL
Battery Questions?
Go to www.dell.com/regulatory_compliance

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions :
(1) This device may not cause harmful interference, and
(2) this device must accept any interference received, including interference that may cause undesired operation.

CAN ICES-3(B)/NMB-3(B)

Cells made in China/
电芯制造地：中国
Assembled in China/
电池组组装地：中国
Rechargeable Li-ion Battery/
锂离子电池组/二次锂电池组
Model/型号/型号：GHJC5
Rated Capacity/
额定容量/额定容量：4900mAh
Limited Charging Voltage/
充电限制电压/充电限制电压：13.35V

7G04
I.T.E. ACCESSORY
E184259
SCQ

Type Approved
Safety
Regular Production
Surveillance
www.tuv.com
ID 0235004617

Simple
(Chon
A/S 연

For EU only
Raheen Business Park
Limerick Ireland

Before accessing any parts or devices.
May occur if battery cable was disconnected for service/repair.

CAUTION Do not expose the battery to temperatures above 65 °C (149°F). See the manual for safety instructions.

PRÉCAUTION Ne pas soumettre la batterie à des températures supérieures à 65 °C (149 °F). Voir le manuel pour des instructions de sécurité.

tion is subject to **VORSICHT** Der Akku darf niemals Temperaturen über 65 °C ausgesetzt werden. Sicherheitsanweisungen finden Sie im Handbuch.

uding 注意：電池警告事項・請參閱說明書
禁止拆解、撞击、挤压或投入火中。若出现严重鼓胀，请勿继续使用。请勿置于高温环境中。电池浸水后禁止使用！



PROPERTY OF DELL, NOT FOR RESALE

