




MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 450.4875 MHz, Power Output: 1.0 W, Channel Spacing: 25 kHz  
Mod.: 16 QAM modulation with random data @ 64 kbps (with audio filter)  
EMISSION MASK


Date: June 04 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 455.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: 16 QAM modulation with random data @ 128 kbps (with audio filter)  
EMISSION MASK


Date: June 5, 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 450.4875 MHz, Power Output: 1 W, Channel Spacing: 25 kHz  
Mod.: 32 QAM modulation with random data @ 64 kbps (with audio filter)  
EMISSION MASK


Date: June 02 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 455.4875 MHz, Power Output: 28.73 dBm, Channel Spacing: 25 kHz  
Mod.: 32 QAM modulation with random data @ 64 kbps (with audio filter)  
EMISSION MASK


Date: June 04, 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 450.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: QPSK modulation with random data @ 64 kbps (with audio filter)  
EMISSION MASK

Date: June 5 2001  
Tested by: Hung Trinh








MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 455.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: QPSK modulation with random data @ 64 kbps (with audio filter)  
EMISSION MASK


Date: June 5, 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 450.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: 16 QAM modulation with random data @ 128 kbps (with audio filter)  
EMISSION MASK


Date: June 5, 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 455.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: 16 QAM modulation with random data @ 128 kbps (with audio filter)  
EMISSION MASK

Date: June 5 2001  
Tested by: Hung Trinh








MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 450.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: 32 QAM modulation with random data @ 128 kbps (with audio filter)  
EMISSION MASK

Date: June \_\_\_\_ 2001  
Tested by: Hung Trinh





MICROWAVE DATA SYSTEMS INC.  
LEDR DIGITAL MICROWAVE RADIO, MODEL LEDR 400S  
Frequency: 455.4875 MHz, Power Output: 1 W, Channel Spacing: 50 kHz  
Mod.: 32 QAM modulation with random data @ 128 kbps (with audio filter)  
EMISSION MASK

Date: June 5, 2001  
Tested by: Hung Trinh

