




Registration number: W6M22505-24445-C-247

FCC ID: EF400264


10 MHz

QPSK

1RB



Date: 9.JUN.2025 09:11:01




Date: 9.JUN.2025 09:10:05




Registration number: W6M22505-24445-C-247

FCC ID: EF400264

FRB



Date: 9.JUN.2025 09:11:58



Date: 6.JUN.2025 21:57:45




Worldwide Testing Services(Taiwan) Co., Ltd.

Registration number: W6M22505-24445-C-247

FCC ID: EF400264

16QAM

1RB



Date: 6.JUN.2025 21:55:24

Registration number: W6M22505-24445-C-247


FCC ID: EF400264

9 Frequency Stability

The frequency stability shall be measured by variation of ambient temperature and variation of primary supply voltage to ensure that the fundamental emission stays within the authorized frequency block. The frequency stability of the transmitter shall be maintain within $\pm 0.00025\%$ (± 2.5 ppm) of the center frequency.

9.1 Test procedure

- ☒ The equipment under test was supplied with rated power supply and the RF output was connected to a frequency counter via feed through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable, exited the chamber through an opening made for that purpose.
After the temperature stabilized the frequency output was recorded from the counter.
- ☐ An external variable power supply was used to supply nominal voltage and 85% to 115% of nominal voltage to the EUT under room temperature. Record the frequencies measured from the counter.
- ☒ End point voltage: For hand carried, battery powered equipment, reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer. Then record the frequencies measured from the counter.





Registration number: W6M22505-24445-C-247

FCC ID: EF400264

9.2 Test Results

Test date: June 06, 2025

Temperature: 27.8 °C

Humidity: 42.0 %

Tester: Ken

9.2.1 Frequency Stability vs. Temperature

Part 2/22/24/27

LTE BAND2 QPSK 10MHz FRB				
CH18900	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-7.21	-0.004	±2.5
	-20	-3.22	-0.002	
	-10	4.55	0.002	
	0	3.21	0.002	
	10	-2.18	-0.001	
	20	-4.15	-0.002	
	30	-2.53	-0.001	
	40	-3.99	-0.002	
	50	2.46	0.001	
138Vac	25	-4.53	-0.002	±2.5
102Vac	25	-3.82	-0.002	

LTE BAND4 QPSK 10MHz FRB				
CH20175	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-4.71	-0.003	±2.5
	-20	-3.56	-0.002	
	-10	2.89	0.002	
	0	2.55	0.001	
	10	-2.64	-0.002	
	20	-5.35	-0.003	
	30	3.61	0.002	
	40	-6.88	-0.004	
	50	-5.13	-0.003	
138Vac	25	-1.21	-0.001	±2.5
102Vac	25	-4.83	-0.003	



Registration number: W6M22505-24445-C-247

FCC ID: EF400264

LTE BAND5 QPSK 10MHz FRB				
CH20525	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	1.99	0.002	±2.5
	-20	3.51	0.004	
	-10	3.38	0.004	
	0	-2.94	-0.004	
	10	3.15	0.004	
	20	3.84	0.005	
	30	-1.22	-0.001	
	40	1.46	0.002	
	50	2.97	0.004	
138Vac	25	2.46	0.003	±2.5
102Vac	25	-2.66	-0.003	

LTE BAND12 QPSK 10MHz FRB				
CH23095	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-3.16	-0.004	±2.5
	-20	-5.15	-0.007	
	-10	2.46	0.003	
	0	1.32	0.002	
	10	-2.49	-0.004	
	20	2.54	0.004	
	30	-2.30	-0.003	
	40	-2.55	-0.004	
	50	3.49	0.005	
138Vac	25	1.82	0.003	±2.5
102Vac	25	-2.92	-0.004	

LTE BAND13 QPSK 10MHz FRB				
CH23230	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-3.55	-0.005	±2.5
	-20	-2.46	-0.003	
	-10	-2.53	-0.003	
	0	-1.77	-0.002	
	10	2.57	0.003	
	20	-3.80	-0.005	
	30	2.44	0.003	
	40	-3.56	-0.005	
	50	-2.89	-0.004	
138Vac	25	2.43	0.003	±2.5
102Vac	25	-3.88	-0.005	



Registration number: W6M22505-24445-C-247

FCC ID: EF400264

LTE BAND25 QPSK 10MHz FRB				
CH26365	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-8.53	-0.005	±2.5
	-20	-6.42	-0.004	
	-10	-5.33	-0.003	
	0	-5.42	-0.003	
	10	-3.99	-0.002	
	20	-6.18	-0.004	
	30	-4.11	-0.002	
	40	3.25	0.002	
	50	-0.48	0.000	
138Vac	25	-3.16	-0.002	±2.5
102Vac	25	-3.55	-0.002	

LTE BAND26 QPSK 10MHz FRB				
CH26915	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Vac	-30	-4.21	-0.006	±2.5
	-20	-2.15	-0.003	
	-10	-3.82	-0.006	
	0	-2.14	-0.003	
	10	2.93	0.004	
	20	-3.44	-0.005	
	30	-4.16	-0.006	
	40	-1.11	-0.002	
	50	-2.99	-0.004	
138Vac	25	-3.49	-0.005	±2.5
102Vac	25	-2.54	-0.004	

LTE BAND26 QPSK 10MHz FRB				
CH132322	Temp	Frequency drift(Hz)	Frequency drift(ppm)	Limit (ppm)
120Va.c.	-30	-5.41	-0.007	±2.5
	-20	-6.28	-0.008	
	-10	4.32	0.005	
	0	5.59	0.007	
	10	-3.91	-0.005	
	20	3.48	0.004	
	30	-4.99	-0.006	
	40	-3.78	-0.005	
	50	7.23	0.009	
138Va.c.	25	4.32	0.005	±2.5
102Va.c.	25	-4.55	-0.006	



Registration number: W6M22505-24445-C-247

FCC ID: EF400264

Appendix

Measurement diagrams

Filed Strength of Spurious Emission



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:44:04

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.9238	-91.95	peak	25.07	-66.88	-13.00	150	25	-53.88	
	61.3427	-93.08	peak	24.68	-68.40	-13.00	150	50	-55.40	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 06:08:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	41.2425	-89.96	peak	23.37	-66.59	-13.00	150	255	-53.59	
*	106.3126	-90.42	peak	24.03	-66.39	-13.00	150	330	-53.39	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:23:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	498.1964	-56.81	peak	-5.81	-62.62	-13.00	150	335	-49.62	
*	737.0741	-56.60	peak	-2.49	-59.09	-13.00	150	210	-46.09	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:34:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	767.5351	-59.06	peak	-1.93	-60.99	-13.00	150	230	-47.99	
	996.7936	-65.60	peak	0.70	-64.90	-13.00	150	345	-51.90	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

Time: 上午 11:10:56

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-43.68	peak	7.21	-36.47	-13.00	150	130	-23.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:12:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3759.519	-46.94	peak	10.13	-36.81	-13.00	150	275	-23.81	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:11:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-58.35	peak	10.40	-47.95	-13.00	150	250	-34.95	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #7


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:13:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5635.270	-58.28	peak	12.18	-46.10	-13.00	150	250	-33.10	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:12:35

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #8


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:13:49

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#4


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:12:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3
Data :#9
Date: 2025/6/2
Time: 下午 01:14:01
Operator: Ken
Temperature:23.1 °C
Humidity:51.5 %



Site : 966A Chamber
Condition : FCC_part 22/24/27
EUT : W6M22505-24445
M/N:
Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active
Note :

Polarization: Vertical
Power : 120 V.a.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:12:59

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#10

Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 01:14:13

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-1.4M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:46:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.5832	-91.11	peak	25.11	-66.00	-13.00	150	100	-53.00	
	65.4310	-92.38	peak	24.44	-67.94	-13.00	150	120	-54.94	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 06:09:55

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	41.5832	-89.98	peak	23.35	-66.63	-13.00	150	240	-53.63	
*	85.1904	-88.89	peak	22.94	-65.95	-13.00	150	290	-52.95	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:24:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.29	peak	-5.81	-62.10	-13.00	150	120	-49.10	
	730.6613	-62.52	peak	-2.17	-64.69	-13.00	150	225	-51.69	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:35:37

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	722.6453	-61.93	peak	-1.95	-63.88	-13.00	150	50	-50.88	
*	767.5351	-60.66	peak	-1.93	-62.59	-13.00	150	40	-49.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:42:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-42.93	peak	7.16	-35.77	-13.00	150	270	-22.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:22:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-45.58	peak	10.14	-35.44	-13.00	150	205	-22.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:43:04

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-57.73	peak	10.28	-47.45	-13.00	150	125	-34.45	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #7


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:23:37

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5611.222	-57.13	peak	12.12	-45.01	-13.00	150	315	-32.01	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:44:03

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#8


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:24:33

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:44:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #9


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:24:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:44:27

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#10

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:24:57

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND2-QPSK-20M-1RB-CH18900 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:48:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	42.6051	-92.76	peak	25.00	-67.76	-13.00	150	310	-54.76	
	77.3547	-92.73	peak	23.67	-69.06	-13.00	150	350	-56.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:11:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.9238	-89.18	peak	23.33	-65.85	-13.00	150	315	-52.85	
	80.0802	-89.58	peak	23.17	-66.41	-13.00	150	240	-53.41	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:26:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.61	peak	-5.81	-62.42	-13.00	150	180	-49.42	
	775.5511	-65.85	peak	-2.25	-68.10	-13.00	150	205	-55.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:36:46

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	762.7255	-61.20	peak	-2.00	-63.20	-13.00	150	310	-50.20	
	932.6653	-65.16	peak	-0.75	-65.91	-13.00	150	175	-52.91	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:51:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-40.20	peak	6.14	-34.06	-13.00	150	295	-21.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:27:29

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3464.930	-42.97	peak	10.38	-32.59	-13.00	150	195	-19.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:52:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-58.92	peak	7.81	-51.11	-13.00	150	65	-38.11	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #7


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:28:17

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5194.389	-53.35	peak	8.64	-44.71	-13.00	150	280	-31.71	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

Time: 上午 11:53:38

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#8


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:29:31

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 上午 11:53:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #9

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:29:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 上午 11:54:02

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #10

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:29:55

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-1.4M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:49:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	42.9460	-91.76	peak	24.97	-66.79	-13.00	150	250	-53.79	
	62.0240	-93.29	peak	24.64	-68.65	-13.00	150	270	-55.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:12:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.1984	-90.32	peak	23.44	-66.88	-13.00	150	115	-53.88	
*	85.8717	-89.44	peak	22.91	-66.53	-13.00	150	155	-53.53	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:27:34

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.52	peak	-5.81	-62.33	-13.00	150	70	-49.33	
	775.5511	-65.29	peak	-2.25	-67.54	-13.00	150	355	-54.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:38:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	767.5351	-60.44	peak	-1.93	-62.37	-13.00	150	190	-49.37	
	932.6653	-65.01	peak	-0.75	-65.76	-13.00	150	220	-52.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:36:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3446.894	-40.45	peak	6.11	-34.34	-13.00	150	210	-21.34	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:41:31

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3446.894	-45.23	peak	10.35	-34.88	-13.00	150	115	-21.88	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:37:35

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-53.89	peak	7.66	-46.23	-13.00	150	140	-33.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #7


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:42:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5170.341	-53.28	peak	8.39	-44.89	-13.00	150	240	-31.89	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 01:38:23

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #8


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 01:43:10

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin

Radiated Emission Measurement

Operator: Ken

File :3

Data :#4

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:38:35

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	--------------------	------------------	----------	----------------------	-----------------	----------------	-----------------	-------------------	----------------	---------



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#9


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:43:22

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:38:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#10

Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 01:43:34

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND4-QPSK-20M-1RB-CH20175 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:50:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.9238	-91.74	peak	22.92	-68.82	-13.00	150	110	-55.82	
	87.9158	-91.48	peak	21.75	-69.73	-13.00	150	130	-56.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 06:13:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	38.8577	-90.03	peak	21.29	-68.74	-13.00	150	170	-55.74	
*	107.3347	-90.47	peak	21.80	-68.67	-13.00	150	215	-55.67	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:38:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-57.24	peak	-7.96	-65.20	-13.00	150	335	-52.20	
	780.3607	-67.48	peak	-4.24	-71.72	-13.00	150	285	-58.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:44:33

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	729.0581	-49.33	peak	-4.15	-53.48	-13.00	150	65	-40.48	
*	741.8837	-47.77	peak	-4.26	-52.03	-13.00	150	45	-39.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:47:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-50.18	peak	3.64	-46.54	-13.00	150	155	-33.54	
	2509.018	-54.84	peak	1.00	-53.84	-13.00	150	270	-40.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:51:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.02	peak	5.16	-45.86	-13.00	150	220	-32.86	
	2509.018	-57.73	peak	6.18	-51.55	-13.00	150	320	-38.55	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:48:35

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:52:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #3

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 01:49:29

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:53:38

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-1.4M-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:51:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	43.6273	-91.88	peak	22.75	-69.13	-13.00	150	20	-56.13	
	64.4087	-92.12	peak	22.35	-69.77	-13.00	150	40	-56.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:14:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	31.7034	-89.84	peak	21.29	-68.55	-13.00	150	50	-55.55	
	100.5210	-91.16	peak	22.31	-68.85	-13.00	150	80	-55.85	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:40:44

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-57.01	peak	-7.96	-64.97	-13.00	150	130	-51.97	
	775.5511	-67.22	peak	-4.40	-71.62	-13.00	150	20	-58.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:42:40

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-63.89	peak	-4.30	-68.19	-13.00	150	110	-55.19	
*	762.7255	-62.13	peak	-4.15	-66.28	-13.00	150	85	-53.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:57:51

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.322	-51.68	peak	3.64	-48.04	-13.00	150	70	-35.04	
	2496.994	-55.09	peak	0.98	-54.11	-13.00	150	145	-41.11	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:02:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1661.322	-53.05	peak	5.05	-48.00	-13.00	150	280	-35.00	
	2496.994	-59.83	peak	6.17	-53.66	-13.00	150	350	-40.66	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 01:58:41

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #5


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 02:03:36

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #3


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 01:59:35

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 02:04:25

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND5-QPSK-10M-1RB-CH20525 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:53:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	42.2645	-92.24	peak	22.89	-69.35	-13.00	150	290	-56.35	
	62.3647	-92.23	peak	22.47	-69.76	-13.00	150	315	-56.76	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:15:52

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	38.8577	-89.90	peak	21.29	-68.61	-13.00	150	130	-55.61	
	100.8617	-90.99	peak	22.29	-68.70	-13.00	150	220	-55.70	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:48:37

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-58.00	peak	-7.96	-65.96	-13.00	150	110	-52.96	
	801.2024	-66.65	peak	-3.50	-70.15	-13.00	150	335	-57.15	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:57:50

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	764.3287	-61.49	peak	-4.13	-65.62	-13.00	150	105	-52.62	
	996.7936	-66.01	peak	-1.45	-67.46	-13.00	150	320	-54.46	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:08:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-39.07	peak	3.57	-35.50	-13.00	150	175	-22.50	
	2118.236	-43.76	peak	3.14	-40.62	-13.00	150	260	-27.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:12:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1414.830	-39.56	peak	3.49	-36.07	-13.00	150	85	-23.07	
	2118.236	-44.06	peak	7.79	-36.27	-13.00	150	250	-23.27	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 02:09:10

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:13:34

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:09:59

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#6


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:14:40

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-1.4M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:54:18

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.2425	-91.97	peak	22.99	-68.98	-13.00	150	150	-55.98	
	59.9800	-91.71	peak	22.61	-69.10	-13.00	150	165	-56.10	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:17:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	40.9018	-89.95	peak	21.24	-68.71	-13.00	150	310	-55.71	
*	86.2124	-88.83	peak	20.75	-68.08	-13.00	150	360	-55.08	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:51:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-57.64	peak	-7.96	-65.60	-13.00	150	45	-52.60	
	767.5351	-65.88	peak	-4.68	-70.56	-13.00	150	360	-57.56	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:54:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	400.4008	-57.17	peak	-12.24	-69.41	-13.00	150	190	-56.41	
*	762.7255	-59.92	peak	-4.15	-64.07	-13.00	150	250	-51.07	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:24:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.805	-39.02	peak	3.57	-35.45	-13.00	150	235	-22.45	
	2106.212	-44.12	peak	3.21	-40.91	-13.00	150	325	-27.91	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:50:39

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1402.805	-38.00	peak	3.49	-34.51	-13.00	150	215	-21.51	
	2106.212	-46.15	peak	7.84	-38.31	-13.00	150	270	-25.31	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:25:16

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5


Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 02:51:28

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #3

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:26:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#6


Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 02:52:17

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND12-QPSK-10M-1RB-CH23095 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:55:32

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	42.9460	-92.37	peak	22.82	-69.55	-13.00	150	150	-56.55	
*	91.3226	-91.16	peak	21.69	-69.47	-13.00	150	275	-56.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 06:18:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	40.2204	-89.72	peak	21.28	-68.44	-13.00	150	270	-55.44	
	101.5431	-90.69	peak	22.24	-68.45	-13.00	150	305	-55.45	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:02:20

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	499.7996	-56.00	peak	-7.93	-63.93	-13.00	150	150	-50.93	
	900.6012	-69.70	peak	-1.38	-71.08	-13.00	150	0	-58.08	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:08:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	498.1964	-64.57	peak	-7.27	-71.84	-13.00	150	70	-58.84	
*	932.6653	-63.69	peak	-2.90	-66.59	-13.00	150	165	-53.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:28:58

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1559.118	-38.22	peak	3.58	-34.64	-13.00	150	225	-21.64	
	2340.681	-46.35	peak	1.87	-44.48	-13.00	150	305	-31.48	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:55:08

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1559.118	-39.60	peak	4.07	-35.53	-13.00	150	210	-22.53	
	2340.681	-43.35	peak	6.84	-36.51	-13.00	150	135	-23.51	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:29:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:55:57

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:30:37

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#6


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:56:47

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-5M-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:56:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	43.6273	-92.39	peak	22.75	-69.64	-13.00	150	30	-56.64	
	61.6834	-93.23	peak	22.51	-70.72	-13.00	150	85	-57.72	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 06:19:12

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	39.1984	-90.06	peak	21.29	-68.77	-13.00	150	35	-55.77	
*	99.1583	-90.05	peak	22.20	-67.85	-13.00	150	100	-54.85	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:04:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	400.4008	-60.19	peak	-9.65	-69.84	-13.00	150	330	-56.84	
*	498.1964	-59.42	peak	-7.96	-67.38	-13.00	150	270	-54.38	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:07:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	498.1964	-64.67	peak	-7.27	-71.94	-13.00	150	120	-58.94	
*	945.4910	-64.69	peak	-3.20	-67.89	-13.00	150	40	-54.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:33:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1553.106	-34.36	peak	3.58	-30.78	-13.00	150	330	-17.78	
	2334.669	-46.77	peak	1.91	-44.86	-13.00	150	295	-31.86	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:59:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1553.106	-38.59	peak	4.01	-34.58	-13.00	150	335	-21.58	
	2334.669	-43.31	peak	6.86	-36.45	-13.00	150	150	-23.45	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:33:53

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #5


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:00:34

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m


Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

File :3 Radiated Emission Measurement Operator: Ken
Data :#3 Date: 2025/6/2 Temperature:23.1 °C
Time: 下午 02:34:42 Humidity:51.5 %



Site : 966A Chamber
Condition : FCC_part 22/24/27
EUT : W6M22505-24445
M/N:
Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active
Note :
Polarization: Horizontal
Power : 120 Va.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:01:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND13-QPSK-10M-1RB-CH23230 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:57:48

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.6493	-91.81	peak	24.79	-67.02	-13.00	150	100	-54.02	
	63.3868	-92.03	peak	24.56	-67.47	-13.00	150	210	-54.47	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:22:30

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	85.8717	-89.44	peak	22.91	-66.53	-13.00	150	170	-53.53	
*	173.7675	-91.25	peak	24.92	-66.33	-13.00	150	45	-53.33	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:29:19

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.29	peak	-5.81	-62.10	-13.00	150	150	-49.10	
	801.2024	-64.87	peak	-1.35	-66.22	-13.00	150	15	-53.22	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:33:21

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	299.3987	-56.88	peak	-6.95	-63.83	-13.00	150	100	-50.83	
*	767.5351	-59.30	peak	-1.93	-61.23	-13.00	150	305	-48.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:39:27

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-48.51	peak	7.23	-41.28	-13.00	150	100	-28.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 03:04:27

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3765.531	-47.75	peak	10.12	-37.63	-13.00	150	120	-24.63	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 02:42:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-58.62	peak	10.44	-48.18	-13.00	150	140	-35.18	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #7


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:05:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5643.287	-59.09	peak	12.20	-46.89	-13.00	150	355	-33.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #3


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 02:42:48

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#8


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:06:04

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#4


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 02:43:00

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#9


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:06:16

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5

Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 02:43:12

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #10

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:06:28

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-1.4M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:58:52

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	43.6273	-92.18	peak	24.90	-67.28	-13.00	150	280	-54.28	
	63.3868	-92.62	peak	24.56	-68.06	-13.00	150	250	-55.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:24:05

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	38.5170	-89.38	peak	23.44	-65.94	-13.00	150	110	-52.94	
	99.4990	-90.85	peak	24.41	-66.44	-13.00	150	135	-53.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:30:36

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.53	peak	-5.81	-62.34	-13.00	150	210	-49.34	
	741.8837	-59.65	peak	-2.73	-62.38	-13.00	150	135	-49.38	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 05:32:09

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	700.2004	-54.18	peak	-1.76	-55.94	-13.00	150	220	-42.94	
	767.5351	-60.81	peak	-1.93	-62.74	-13.00	150	255	-49.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 03:10:18

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-44.43	peak	7.16	-37.27	-13.00	150	300	-24.27	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 03:15:09

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	3747.495	-48.34	peak	10.14	-38.20	-13.00	150	145	-25.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:11:06

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5619.239	-56.06	peak	10.32	-45.74	-13.00	150	275	-32.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #7


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:15:57

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	5619.239	-59.00	peak	12.14	-46.86	-13.00	150	330	-33.86	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:11:58

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#8


Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 03:16:46

Humidity:51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:12:11

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #9


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:16:59

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #5

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:12:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#10

Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:17:13

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND25-QPSK-20M-1RB-CH26365 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:00:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.2425	-92.44	peak	22.99	-69.45	-13.00	150	130	-56.45	
	69.1784	-91.58	peak	22.07	-69.51	-13.00	150	255	-56.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1


Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:20:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	42.2645	-89.99	peak	21.16	-68.83	-13.00	150	310	-55.83	
*	102.2244	-90.70	peak	22.18	-68.52	-13.00	150	240	-55.52	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:33:01

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-62.40	peak	-5.12	-67.52	-13.00	150	220	-54.52	
*	498.1964	-56.53	peak	-7.96	-64.49	-13.00	150	345	-51.49	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:34:56

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	746.6934	-64.27	peak	-4.30	-68.57	-13.00	150	235	-55.57	
*	764.3287	-60.04	peak	-4.13	-64.17	-13.00	150	210	-51.17	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:21:55

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-50.05	peak	3.64	-46.41	-13.00	150	240	-33.41	
	2509.018	-55.84	peak	1.00	-54.84	-13.00	150	340	-41.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:57:46

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1673.347	-51.96	peak	5.16	-46.80	-13.00	150	60	-33.80	
	2509.018	-56.04	peak	6.18	-49.86	-13.00	150	210	-36.86	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:22:44

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:58:35

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:23:32

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:59:45

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26915 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 06:01:44

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	44.3086	-91.76	peak	22.68	-69.08	-13.00	150	170	-56.08	
	65.0902	-92.82	peak	22.31	-70.51	-13.00	150	190	-57.51	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:21:15

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	100.5210	-91.25	peak	22.31	-68.94	-13.00	150	205	-55.94	
*	144.8096	-89.15	peak	20.92	-68.23	-13.00	150	190	-55.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:26:14

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.82	peak	-7.96	-64.78	-13.00	150	170	-51.78	
	741.8837	-59.95	peak	-4.88	-64.83	-13.00	150	200	-51.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:30:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	741.8837	-56.09	peak	-4.26	-60.35	-13.00	150	255	-47.35	
	762.7255	-60.88	peak	-4.15	-65.03	-13.00	150	330	-52.03	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:30:13

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1655.311	-51.68	peak	3.63	-48.05	-13.00	150	130	-35.05	
	2490.982	-55.78	peak	1.01	-54.77	-13.00	150	50	-41.77	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:02:33

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1655.311	-53.74	peak	4.99	-48.75	-13.00	150	125	-35.75	
*	2478.958	-45.65	peak	6.25	-39.40	-13.00	150	255	-26.40	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

0.0 dBm

Time: 下午 03:31:03

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: Horizontal

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #5


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 04:03:22

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #3


Date: 2025/6/2

Temperature: 23.1 °C

0.0 dBm

Time: 下午 03:31:51

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 04:04:11

Humidity: 51.5 %

0.0 dBm



Site : 966A Chamber

Condition : FCC_part 22/24/27

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-15M-1RB-CH26915 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:03:39

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	39.8798	-92.59	peak	23.11	-69.48	-20.00	150	55	-49.48	
	64.4087	-92.13	peak	22.35	-69.78	-20.00	150	70	-49.78	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:07:34

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.9238	-89.50	peak	21.18	-68.32	-20.00	150	140	-48.32	
	81.4430	-89.28	peak	20.96	-68.32	-20.00	150	115	-48.32	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1

Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 05:13:42

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	499.7996	-55.06	peak	-7.93	-62.99	-20.00	150	255	-42.99	
*	863.7275	-59.54	peak	-1.05	-60.59	-20.00	150	285	-40.59	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Ken

File :2

Data :#2

Date: 2025/6/2

Temperature:23.1 °C

-10.0 dBm

Time: 下午 05:19:35

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	767.5351	-61.34	peak	-4.08	-65.42	-20.00	150	75	-45.42	
	932.6653	-64.89	peak	-2.90	-67.79	-20.00	150	110	-47.79	



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 03:35:16

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1637.274	-51.44	peak	3.62	-47.82	-20.00	150	300	-27.82	
	2454.910	-56.09	peak	1.22	-54.87	-20.00	150	215	-34.87	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 03:51:23

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	1637.274	-50.66	peak	4.82	-45.84	-20.00	150	160	-25.84	
	2472.946	-57.63	peak	6.28	-51.35	-20.00	150	350	-31.35	

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#2


Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 03:36:04

Humidity:51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #5


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 03:52:18

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3

Date: 2025/6/2

Temperature:23.1 °C

-10.0 dBm

Time: 下午 03:36:55

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6

Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 03:53:07

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-1.4M-1RB-CH26740 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:04:42

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	41.2425	-92.55	peak	22.99	-69.56	-20.00	150	60	-49.56	
	57.5952	-92.92	peak	22.48	-70.44	-20.00	150	85	-50.44	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 1

Data : #2

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 06:06:19

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	41.2425	-90.07	peak	21.22	-68.85	-20.00	150	145	-48.85	
*	105.9720	-90.26	peak	21.91	-68.35	-20.00	150	150	-48.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 05:15:35

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	498.1964	-56.59	peak	-7.96	-64.55	-20.00	150	155	-44.55	
	775.5511	-66.33	peak	-4.40	-70.73	-20.00	150	30	-50.73	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 2

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 05:17:32

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	767.5351	-61.33	peak	-4.08	-65.41	-20.00	150	235	-45.41	
	996.7936	-66.61	peak	-1.45	-68.06	-20.00	150	280	-48.06	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #1


Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 03:40:00

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1625.251	-55.25	peak	3.62	-51.63	-20.00	150	260	-31.63	
*	2442.886	-52.88	peak	1.29	-51.59	-20.00	150	325	-31.59	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #4


Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 03:44:43

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Vertical**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1625.251	-56.40	peak	4.70	-51.70	-20.00	150	55	-31.70	
*	2460.922	-56.22	peak	6.33	-49.89	-20.00	150	70	-29.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #2


Date: 2025/6/2

Temperature: 23.1 °C

-10.0 dBm

Time: 下午 03:41:02

Humidity: 51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#5


Date: 2025/6/2

Temperature:23.1 °C

-10.0 dBm

Time: 下午 03:45:37

Humidity:51.5 %



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File :3

Data :#3

Date: 2025/6/2

Temperature:23.1 °C

Time: 下午 03:41:52

Humidity:51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Ken

File : 3

Data : #6

Date: 2025/6/2

Temperature: 23.1 °C

Time: 下午 03:46:28

Humidity: 51.5 %

-10.0 dBm



Site : 966A Chamber

Condition : FCC_part 90 RE

EUT : W6M22505-24445

M/N:

Test Mode : LTE BAND26-QPSK-10M-1RB-CH26740 Active

Note :

Polarization: **Vertical**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBm)	Detector	Corr. factor (dB)	Result (dBm)	Limit (dBm)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	---------------	----------	-------------------	--------------	-------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:30:32

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	154.1600	38.00	QP	-12.39	25.61	43.50	100	176	-17.89	
	249.2200	37.42	QP	-13.68	23.74	46.00	100	282	-22.26	
	482.0200	34.34	QP	-7.79	26.55	46.00	100	160	-19.45	
	651.7700	33.53	QP	-4.07	29.46	46.00	100	22	-16.54	
*	825.4000	34.05	QP	-1.66	32.39	46.00	100	287	-13.61	
	990.3000	34.56	QP	-0.27	34.29	54.00	100	3	-19.71	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:31:15

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	48.87	QP	-13.33	35.54	40.00	100	286	-4.46	
	353.9800	33.92	QP	-11.00	22.92	46.00	100	348	-23.08	
	497.5400	36.15	QP	-7.53	28.62	46.00	100	193	-17.38	
	658.5600	33.55	QP	-3.96	29.59	46.00	100	336	-16.41	
	792.4200	34.22	QP	-1.97	32.25	46.00	100	153	-13.75	
	976.7200	35.01	QP	-0.24	34.77	54.00	100	209	-19.23	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:48:41

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	39.58	peak	-8.06	31.52	74.00	100	212	-42.48	
	1245.000	31.52	AVG	-8.06	23.46	54.00	100	212	-30.54	
	3121.000	38.34	peak	-2.02	36.32	74.00	100	167	-37.68	
	3121.000	30.26	AVG	-2.02	28.24	54.00	100	167	-25.76	
	7874.000	33.40	peak	12.41	45.81	74.00	100	358	-28.19	
*	7874.000	25.34	AVG	12.41	37.75	54.00	100	358	-16.25	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:51:12

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	39.56	peak	-8.11	31.45	74.00	100	196	-42.55	
	1497.000	31.51	AVG	-8.11	23.40	54.00	100	196	-30.60	
	3562.000	37.04	peak	-0.35	36.69	74.00	100	208	-37.31	
	3562.000	29.02	AVG	-0.35	28.67	54.00	100	208	-25.33	
	7748.000	34.45	peak	12.27	46.72	74.00	100	0	-27.28	
*	7748.000	26.42	AVG	12.27	38.69	54.00	100	0	-15.31	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:49:28

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:51:53

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:50:19

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:52:43

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:50:28

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:52:53

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 2 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:36:16

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	131.8500	38.72	QP	-13.70	25.02	43.50	100	1	-18.48	
	350.1000	35.04	QP	-11.09	23.95	46.00	100	202	-22.05	
	508.2100	34.13	QP	-7.13	27.00	46.00	100	263	-19.00	
	677.9600	33.66	QP	-3.64	30.02	46.00	100	356	-15.98	
*	785.6300	34.35	QP	-2.01	32.34	46.00	100	56	-13.66	
	998.0600	34.94	QP	-0.29	34.65	54.00	100	347	-19.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:37:00

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.9800	47.67	QP	-13.55	34.12	40.00	100	342	-5.88	
	335.5500	34.94	QP	-11.36	23.58	46.00	100	146	-22.42	
	497.5400	35.22	QP	-7.53	27.69	46.00	100	62	-18.31	
	668.2600	33.68	QP	-3.80	29.88	46.00	100	112	-16.12	
	838.0100	34.08	QP	-1.53	32.55	46.00	100	112	-13.45	
	974.7800	34.04	QP	-0.24	33.80	54.00	100	337	-20.20	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:56:23

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2197.000	35.82	peak	-4.31	31.51	74.00	100	93	-42.49	
	2197.000	27.76	AVG	-4.31	23.45	54.00	100	93	-30.55	
	2911.000	41.65	peak	-2.21	39.44	74.00	100	166	-34.56	
	2911.000	33.60	AVG	-2.21	31.39	54.00	100	166	-22.61	
	7951.000	33.69	peak	12.74	46.43	74.00	100	318	-27.57	
*	7951.000	25.64	AVG	12.74	38.38	54.00	100	318	-15.62	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:58:54

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	40.19	peak	-8.11	32.08	74.00	100	205	-41.92	
	1497.000	32.16	AVG	-8.11	24.05	54.00	100	205	-29.95	
	3562.000	38.14	peak	-0.35	37.79	74.00	100	193	-36.21	
	3562.000	30.09	AVG	-0.35	29.74	54.00	100	193	-24.26	
	7265.000	34.38	peak	11.76	46.14	74.00	100	59	-27.86	
*	7265.000	26.35	AVG	11.76	38.11	54.00	100	59	-15.89	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:57:10

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:59:35

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:58:01

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:00:25

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 01:58:10

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:00:35

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 4 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:40:36

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	151.2500	36.99	QP	-12.51	24.48	43.50	100	156	-19.02	
	323.9100	34.50	QP	-11.49	23.01	46.00	100	28	-22.99	
	499.4800	34.46	QP	-7.50	26.96	46.00	100	211	-19.04	
	640.1300	33.85	QP	-4.34	29.51	46.00	100	95	-16.49	
*	818.6100	34.14	QP	-1.73	32.41	46.00	100	239	-13.59	
	967.9900	34.41	QP	-0.23	34.18	54.00	100	184	-19.82	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:41:20

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	46.98	QP	-13.33	33.65	40.00	100	226	-6.35	
	315.1800	35.38	QP	-11.67	23.71	46.00	100	348	-22.29	
	497.5400	35.58	QP	-7.53	28.05	46.00	100	25	-17.95	
	645.9500	34.43	QP	-4.20	30.23	46.00	100	356	-15.77	
	798.2400	33.99	QP	-1.93	32.06	46.00	100	204	-13.94	
	959.2600	35.08	QP	-0.21	34.87	46.00	100	125	-11.13	



Radiated Emission Measurement

Operator: Echo

File :3

Data :#1


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:03:48

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	38.89	peak	-8.06	30.83	74.00	100	203	-43.17	
	1245.000	30.82	AVG	-8.06	22.76	54.00	100	203	-31.24	
	3240.000	41.32	peak	-1.70	39.62	74.00	100	169	-34.38	
	3240.000	33.26	AVG	-1.70	31.56	54.00	100	169	-22.44	
	7951.000	33.78	peak	12.74	46.52	74.00	100	107	-27.48	
*	7951.000	25.76	AVG	12.74	38.50	54.00	100	107	-15.50	



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#5

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:06:19

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	39.81	peak	-8.11	31.70	74.00	100	183	-42.30	
	1497.000	31.75	AVG	-8.11	23.64	54.00	100	183	-30.36	
	3562.000	42.64	peak	-0.35	42.29	74.00	100	210	-31.71	
	3562.000	34.56	AVG	-0.35	34.21	54.00	100	210	-19.79	
	7930.000	33.88	peak	12.62	46.50	74.00	100	115	-27.50	
*	7930.000	25.84	AVG	12.62	38.46	54.00	100	115	-15.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:04:36

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:07:01

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:05:26

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:07:50

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:05:36

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:08:00

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 5 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:43:22

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	130.8800	39.17	QP	-13.79	25.38	43.50	100	207	-18.12	
	249.2200	37.29	QP	-13.68	23.61	46.00	100	278	-22.39	
	503.3600	34.11	QP	-7.34	26.77	46.00	100	1	-19.23	
	642.0700	34.68	QP	-4.29	30.39	46.00	100	40	-15.61	
*	804.0600	34.22	QP	-1.88	32.34	46.00	100	163	-13.66	
	978.6600	34.43	QP	-0.25	34.18	54.00	100	157	-19.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:44:06

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	46.63	QP	-13.33	33.30	40.00	100	253	-6.70	
	318.0900	34.26	QP	-11.59	22.67	46.00	100	359	-23.33	
	497.5400	35.67	QP	-7.53	28.14	46.00	100	59	-17.86	
	674.0800	33.20	QP	-3.70	29.50	46.00	100	49	-16.50	
	803.0900	33.74	QP	-1.89	31.85	46.00	100	49	-14.15	
	972.8400	34.63	QP	-0.24	34.39	54.00	100	342	-19.61	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:12:15

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2267.000	34.63	peak	-4.09	30.54	74.00	100	1	-43.46	
	2267.000	26.59	AVG	-4.09	22.50	54.00	100	1	-31.50	
	3240.000	39.82	peak	-1.70	38.12	74.00	100	175	-35.88	
	3240.000	31.75	AVG	-1.70	30.05	54.00	100	175	-23.95	
	7937.000	33.71	peak	12.66	46.37	74.00	100	17	-27.63	
*	7937.000	25.69	AVG	12.66	38.35	54.00	100	17	-15.65	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:14:46

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	40.14	peak	-8.11	32.03	74.00	100	185	-41.97	
	1497.000	32.06	AVG	-8.11	23.95	54.00	100	185	-30.05	
	2589.000	40.67	peak	-3.68	36.99	74.00	100	35	-37.01	
*	2589.000	48.70	AVG	-3.68	45.02	54.00	100	35	-8.98	
	7972.000	33.38	peak	12.85	46.23	74.00	100	67	-27.77	
	7972.000	25.31	AVG	12.85	38.16	54.00	100	67	-15.84	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:13:03

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:15:28

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#3


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:13:53

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: *Horizontal*

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:16:17

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:14:03

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:16:27

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 12 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:46:59

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	128.9400	37.42	QP	-13.97	23.45	43.50	100	169	-20.05	
	249.2200	37.98	QP	-13.68	24.30	46.00	100	278	-21.70	
	497.5400	34.50	QP	-7.53	26.97	46.00	100	153	-19.03	
	667.2900	33.79	QP	-3.82	29.97	46.00	100	60	-16.03	
*	827.3400	34.11	QP	-1.64	32.47	46.00	100	71	-13.53	
	995.1500	35.00	QP	-0.28	34.72	54.00	100	54	-19.28	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:47:42

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.9800	46.97	QP	-13.55	33.42	40.00	100	172	-6.58	
	350.1000	34.23	QP	-11.09	23.14	46.00	100	359	-22.86	
	497.5400	36.78	QP	-7.53	29.25	46.00	100	189	-16.75	
	669.2300	33.38	QP	-3.78	29.60	46.00	100	2	-16.40	
	824.4300	33.54	QP	-1.67	31.87	46.00	100	282	-14.13	
	977.6900	34.26	QP	-0.25	34.01	54.00	100	359	-19.99	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:26:21

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	39.97	peak	-8.06	31.91	74.00	100	192	-42.09	
	1245.000	31.85	AVG	-8.06	23.79	54.00	100	192	-30.21	
	3240.000	39.63	peak	-1.70	37.93	74.00	100	158	-36.07	
	3240.000	31.58	AVG	-1.70	29.88	54.00	100	158	-24.12	
	7713.000	34.25	peak	12.27	46.52	74.00	100	34	-27.48	
*	7713.000	26.19	AVG	12.27	38.46	54.00	100	34	-15.54	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:28:53

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	40.12	peak	-8.11	32.01	74.00	100	184	-41.99	
	1497.000	32.09	AVG	-8.11	23.98	54.00	100	184	-30.02	
	3562.000	38.33	peak	-0.35	37.98	74.00	100	189	-36.02	
	3562.000	30.21	AVG	-0.35	29.86	54.00	100	189	-24.14	
	7272.000	34.44	peak	11.79	46.23	74.00	100	280	-27.77	
*	7272.000	26.35	AVG	11.79	38.14	54.00	100	280	-15.86	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:27:09

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:29:34

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:27:59

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:30:24

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:28:09

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:30:33

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 13 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:50:12

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	130.8800	38.11	QP	-13.79	24.32	43.50	100	169	-19.18	
	249.2200	38.41	QP	-13.68	24.73	46.00	100	277	-21.27	
	510.1500	33.55	QP	-7.04	26.51	46.00	100	294	-19.49	
	641.1000	33.95	QP	-4.32	29.63	46.00	100	333	-16.37	
*	795.3300	34.08	QP	-1.95	32.13	46.00	100	114	-13.87	
	967.9900	34.62	QP	-0.23	34.39	54.00	100	158	-19.61	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:50:55

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	47.42	QP	-13.33	34.09	40.00	100	248	-5.91	
	357.8600	34.93	QP	-10.92	24.01	46.00	100	31	-21.99	
	497.5400	36.25	QP	-7.53	28.72	46.00	100	181	-17.28	
	658.5600	33.77	QP	-3.96	29.81	46.00	100	203	-16.19	
	818.6100	33.67	QP	-1.73	31.94	46.00	100	75	-14.06	
	983.5100	34.52	QP	-0.26	34.26	54.00	100	248	-19.74	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:33:28

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	2267.000	36.75	peak	-4.09	32.66	74.00	100	256	-41.34	
	2267.000	28.72	AVG	-4.09	24.63	54.00	100	256	-29.37	
	3240.000	37.33	peak	-1.70	35.63	74.00	100	183	-38.37	
	3240.000	29.27	AVG	-1.70	27.57	54.00	100	183	-26.43	
	7727.000	34.39	peak	12.27	46.66	74.00	100	189	-27.34	
*	7727.000	26.31	AVG	12.27	38.58	54.00	100	189	-15.42	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:36:00

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1490.000	40.03	peak	-8.08	31.95	74.00	100	213	-42.05	
	1490.000	31.97	AVG	-8.08	23.89	54.00	100	213	-30.11	
	3562.000	40.13	peak	-0.35	39.78	74.00	100	202	-34.22	
	3562.000	32.08	AVG	-0.35	31.73	54.00	100	202	-22.27	
	7797.000	34.94	peak	12.28	47.22	74.00	100	1	-26.78	
*	7797.000	26.89	AVG	12.28	39.17	54.00	100	1	-14.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:34:16

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

Polarization: Horizontal

EUT : W6M22505-24445

Power : 120 Va.c.

M/N:

Distance: 3m

Test Mode : LTE Band 25 Idle

Note :

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:36:41

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:35:07

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#7


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:37:31

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #4


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:35:16

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:37:41

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 25 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:52:17

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	132.8200	38.01	QP	-13.61	24.40	43.50	100	191	-19.10	
	248.2500	37.69	QP	-13.71	23.98	46.00	100	269	-22.02	
	497.5400	34.14	QP	-7.53	26.61	46.00	100	1	-19.39	
	652.7400	33.39	QP	-4.05	29.34	46.00	100	175	-16.66	
	746.8300	35.64	QP	-2.30	33.34	46.00	100	1	-12.66	
*	928.2200	35.19	QP	-0.56	34.63	46.00	100	18	-11.37	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:53:00

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	46.17	QP	-13.33	32.84	40.00	100	131	-7.16	
	343.3100	34.26	QP	-11.24	23.02	46.00	100	192	-22.98	
	497.5400	35.49	QP	-7.53	27.96	46.00	100	8	-18.04	
	678.9300	33.17	QP	-3.63	29.54	46.00	100	359	-16.46	
	820.5500	33.90	QP	-1.71	32.19	46.00	100	109	-13.81	
	928.2200	34.73	QP	-0.56	34.17	46.00	100	220	-11.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:40:39

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	40.30	peak	-8.06	32.24	74.00	100	162	-41.76	
	1245.000	32.28	AVG	-8.06	24.22	54.00	100	162	-29.78	
	3240.000	41.17	peak	-1.70	39.47	74.00	100	157	-34.53	
	3240.000	33.13	AVG	-1.70	31.43	54.00	100	157	-22.57	
	7258.000	34.49	peak	11.73	46.22	74.00	100	359	-27.78	
*	7258.000	26.45	AVG	11.73	38.18	54.00	100	359	-15.82	

*:Maximum data x:Over limit !:over margin



Radiated Emission Measurement

Operator: Echo

File :3

Data :#5


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:43:11

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	39.52	peak	-8.11	31.41	74.00	100	183	-42.59	
	1497.000	31.48	AVG	-8.11	23.37	54.00	100	183	-30.63	
	3562.000	38.20	peak	-0.35	37.85	74.00	100	127	-36.15	
	3562.000	30.16	AVG	-0.35	29.81	54.00	100	127	-24.19	
	7251.000	35.02	peak	11.70	46.72	74.00	100	359	-27.28	
*	7251.000	26.95	AVG	11.70	38.65	54.00	100	359	-15.35	



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#2


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:41:27

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: *Horizontal*

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#6


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:43:52

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:42:18

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:44:42

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#4


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:42:27

Humidity:41.2 %



Site : 966A Chamber
Condition : FCC_part 15 RE-Class B_Above 1GHz_PK
EUT : W6M22505-24445
M/N:
Test Mode : LTE Band 26 Idle
Note :

Polarization: **Horizontal**
Power : 120 Va.c.
Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:44:52

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 1

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:52:17

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Horizontal

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	132.8200	38.01	QP	-13.61	24.40	43.50	100	191	-19.10	
	248.2500	37.69	QP	-13.71	23.98	46.00	100	269	-22.02	
	497.5400	34.14	QP	-7.53	26.61	46.00	100	1	-19.39	
	652.7400	33.39	QP	-4.05	29.34	46.00	100	175	-16.66	
	746.8300	35.64	QP	-2.30	33.34	46.00	100	1	-12.66	
*	928.2200	35.19	QP	-0.56	34.63	46.00	100	18	-11.37	

*:Maximum data x:Over limit !:over margin



Address: No.99, Sec.1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :1

Data :#2


Date: 2025/6/5

Temperature: 27.4 °C

80.0 dBuV/m

Time: 上午 03:53:00

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_30-1000MHz

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
*	62.0100	46.17	QP	-13.33	32.84	40.00	100	131	-7.16	
	343.3100	34.26	QP	-11.24	23.02	46.00	100	192	-22.98	
	497.5400	35.49	QP	-7.53	27.96	46.00	100	8	-18.04	
	678.9300	33.17	QP	-3.63	29.54	46.00	100	359	-16.46	
	820.5500	33.90	QP	-1.71	32.19	46.00	100	109	-13.81	
	928.2200	34.73	QP	-0.56	34.17	46.00	100	220	-11.83	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #1


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:40:39

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1245.000	40.30	peak	-8.06	32.24	74.00	100	162	-41.76	
	1245.000	32.28	AVG	-8.06	24.22	54.00	100	162	-29.78	
	3240.000	41.17	peak	-1.70	39.47	74.00	100	157	-34.53	
	3240.000	33.13	AVG	-1.70	31.43	54.00	100	157	-22.57	
	7258.000	34.49	peak	11.73	46.22	74.00	100	359	-27.78	
*	7258.000	26.45	AVG	11.73	38.18	54.00	100	359	-15.82	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #5


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:43:11

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
	1497.000	39.52	peak	-8.11	31.41	74.00	100	183	-42.59	
	1497.000	31.48	AVG	-8.11	23.37	54.00	100	183	-30.63	
	3562.000	38.20	peak	-0.35	37.85	74.00	100	127	-36.15	
	3562.000	30.16	AVG	-0.35	29.81	54.00	100	127	-24.19	
	7251.000	35.02	peak	11.70	46.72	74.00	100	359	-27.28	
*	7251.000	26.95	AVG	11.70	38.65	54.00	100	359	-15.35	

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #2

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:41:27

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #6

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:43:52

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #3


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:42:18

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 V.a.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #7


Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:44:42

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address:No.99,Sec.1,Balian Rd.,Xizhi Dist.,New Taipei City
Tel:+886-2-2646-1508
Fax:+886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File :3

Data :#4


Date: 2025/6/5

Temperature:27.4 °C

90.0 dBuV/m

Time: 上午 02:42:27

Humidity:41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: **Horizontal**

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin



Address: No. 99, Sec. 1, Balian Rd., Xizhi Dist., New Taipei City
Tel: +886-2-2646-1508
Fax: +886-2-2646-1533

Radiated Emission Measurement

Operator: Echo

File : 3

Data : #8

Date: 2025/6/5

Temperature: 27.4 °C

90.0 dBuV/m

Time: 上午 02:44:52

Humidity: 41.2 %



Site : 966A Chamber

Condition : FCC_part 15 RE-Class B_Above 1GHz_PK

EUT : W6M22505-24445

M/N:

Test Mode : LTE Band 26 Idle

Note :

Polarization: Vertical

Power : 120 Va.c.

Distance: 3m

Mk.	Frequency (MHz)	Reading (dBuV)	Detector	Corr. factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Ant.Pos (cm)	Tab.Pos (deg.)	Margin (dB)	Comment
-----	-----------------	----------------	----------	---------------------	-----------------	----------------	--------------	----------------	-------------	---------

*:Maximum data x:Over limit !:over margin