

EMC Technologies Report Number: M060246_Cert_AR5BxB6_NII_BT


APPENDIX M

PEAK POWER SPECTRAL DENSITY



Peak Power Spectral Density- Channel 36

Marker 1 [T1] RBW 1 MHz RF Att 40 dB
Ref Lvl 2.82 dBm VBW 3 MHz
26 dBm 5.18735471 GHz SWT 5 ms Unit dBm




Date: 20.FEB.2006 12:10:40



Peak Power Spectral Density – Channel 52

Marker 1 [T1] REW 1 MHz RF Att 40 dB
Ref Lvl 3.37 dBm VBW 3 MHz
26 dBm 5.26174349 GHz SWT 5 ms Unit dBm




Date: 20.FEB.2006 12:09:22



Peak Power Spectral Density – Channel 64

Marker 1 [T1] RBW 1 MHz RF Att 40 dB
Ref Lvl 3.14 dBm VBW 3 MHz
26 dBm 5.31777555 GHz SWT 5 ms Unit dBm




Date: 20.FEB.2006 12:07:38



Peak Power Spectral Density – Channel 42 (Turbo)

Marker 1 [T1] RBW 1 MHz RF Att 40 dB
Ref Lvl 0.62 dBm VBW 3 MHz
26 dBm 5.20370741 GHz SWT 5 ms Unit dBm




Date: 20.FEB.2006 12:12:13



Peak Power Spectral Density – Channel 50 (Turbo)


Marker 1 [T1] RBW 1 MHz RF Att 40 dB
Ref Lvl 0.09 dBm VBW 3 MHz
26 dBm 5.24787575 GHz SWT 5 ms Unit dBm



Date: 20.FEB.2006 12:13:58

Peak Power Spectral Density – Channel 58 (Turbo)

Ref Lvl	Marker 1 [T1]	RBW	1 MHz	RF Att	40 dB
26 dBm	-0.10 dBm	VBW	3 MHz		
	5.28739479 GHz	SWT	5 ms	Unit	dBm



Date: 20.FEB.2006 12:15:35

