



Appendix B. Radiated Spurious Emission Plots

Test Engineer :	Tsung Lee, Stan Hsieh, and Ray Lee	Temperature :	20~22°C
		Relative Humidity :	41~43%

2.4GHz 2400~2483.5MHz





WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11b CH01 2412MHz																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2390.00</td><td>55.86</td><td>-18.14</td><td>74.00</td><td>56.46</td><td>27.23</td><td>5.39</td><td>33.22</td><td>117 315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2390.00	55.86	-18.14	74.00	56.46	27.23	5.39	33.22	117 315 Peak	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.56</td><td>53.57</td><td>-20.43</td><td>74.00</td><td>54.19</td><td>27.23</td><td>5.39</td><td>33.24</td><td>389 242 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.56	53.57	-20.43	74.00	54.19	27.23	5.39	33.24	389 242 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2390.00	55.86	-18.14	74.00	56.46	27.23	5.39	33.22	117 315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2389.56	53.57	-20.43	74.00	54.19	27.23	5.39	33.24	389 242 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.83</td><td>47.87</td><td>-6.13</td><td>54.00</td><td>48.47</td><td>27.23</td><td>5.39</td><td>33.22</td><td>117 315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.83	47.87	-6.13	54.00	48.47	27.23	5.39	33.22	117 315 Average	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 7 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.83</td><td>45.89</td><td>-8.11</td><td>54.00</td><td>46.49</td><td>27.23</td><td>5.39</td><td>33.22</td><td>389 242 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.83	45.89	-8.11	54.00	46.49	27.23	5.39	33.22	389 242 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2389.83	47.87	-6.13	54.00	48.47	27.23	5.39	33.22	117 315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1	2389.83	45.89	-8.11	54.00	46.49	27.23	5.39	33.22	389 242 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m											
ANT	802.11b CH06 2437MHz - L											
1	Horizontal						Vertical					
Peak	Level (dBuV/m)											



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11b CH06 2437MHz - R																																																																					
1	Horizontal					Vertical																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2489.44</td><td>53.36</td><td>-20.64</td><td>74.00</td><td>53.58</td><td>27.50</td><td>5.46</td><td>33.18</td><td>114</td><td>315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2489.44	53.36	-20.64	74.00	53.58	27.50	5.46	33.18	114	315 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL : RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2485.20</td><td>52.17</td><td>-21.83</td><td>74.00</td><td>52.43</td><td>27.46</td><td>5.46</td><td>33.18</td><td>382</td><td>235 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2485.20	52.17	-21.83	74.00	52.43	27.46	5.46	33.18	382	235 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2489.44	53.36	-20.64	74.00	53.58	27.50	5.46	33.18	114	315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2485.20	52.17	-21.83	74.00	52.43	27.46	5.46	33.18	382	235 Peak																																																													
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2495.04</td><td>44.10</td><td>-9.90</td><td>54.00</td><td>44.31</td><td>27.50</td><td>5.46</td><td>33.17</td><td>114</td><td>315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2495.04	44.10	-9.90	54.00	44.31	27.50	5.46	33.17	114	315 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL : RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 8 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2494.96</td><td>41.91</td><td>-12.09</td><td>54.00</td><td>42.12</td><td>27.50</td><td>5.46</td><td>33.17</td><td>382</td><td>235 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2494.96	41.91	-12.09	54.00	42.12	27.50	5.46	33.17	382	235 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2495.04	44.10	-9.90	54.00	44.31	27.50	5.46	33.17	114	315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2494.96	41.91	-12.09	54.00	42.12	27.50	5.46	33.17	382	235 Average																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11b CH11 2462MHz																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16 FCC CLASS-B Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 9 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.64</td><td>55.68</td><td>-18.32</td><td>74.00</td><td>55.90</td><td>27.50</td><td>5.46</td><td>33.18</td><td>107 313 Peak</td></tr></table>					Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.64	55.68	-18.32	74.00	55.90	27.50	5.46	33.18	107 313 Peak	Level (dBuV/m) Date: 2015-12-16 FCC CLASS-B Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 9 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.52</td><td>53.82</td><td>-20.18</td><td>74.00</td><td>54.04</td><td>27.50</td><td>5.46</td><td>33.18</td><td>369 219 Peak</td></tr></table>					Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.52	53.82	-20.18	74.00	54.04	27.50	5.46	33.18	369 219 Peak
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2487.64	55.68	-18.32	74.00	55.90	27.50	5.46	33.18	107 313 Peak																																																													
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2487.52	53.82	-20.18	74.00	54.04	27.50	5.46	33.18	369 219 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16 FCC CLASS-B (AVG) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 9 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.60</td><td>49.09</td><td>-4.91</td><td>54.00</td><td>49.31</td><td>27.50</td><td>5.46</td><td>33.18</td><td>107 313 Average</td></tr></table>					Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.60	49.09	-4.91	54.00	49.31	27.50	5.46	33.18	107 313 Average	Level (dBuV/m) Date: 2015-12-16 FCC CLASS-B (AVG) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 9 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2487.60</td><td>46.48</td><td>-7.52</td><td>54.00</td><td>46.70</td><td>27.50</td><td>5.46</td><td>33.18</td><td>369 219 Average</td></tr></table>					Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2487.60	46.48	-7.52	54.00	46.70	27.50	5.46	33.18	369 219 Average
	Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2487.60	49.09	-4.91	54.00	49.31	27.50	5.46	33.18	107 313 Average																																																													
Freq	Level	Over Limit	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2487.60	46.48	-7.52	54.00	46.70	27.50	5.46	33.18	369 219 Average																																																													







2.4GHz 2400~2483.5MHz





WIFI 802.11g (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																															
ANT	802.11g CH01 2412MHz																																																																															
1	Horizontal					Vertical																																																																										
Peak	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.84</td><td>58.43</td><td>-15.57</td><td>74.00</td><td>59.05</td><td>27.23</td><td>5.39</td><td>33.24</td><td>114 319 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2388.84	58.43	-15.57	74.00	59.05	27.23	5.39	33.24	114 319 Peak	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2388.84</td><td>58.67</td><td>-15.33</td><td>74.00</td><td>59.29</td><td>27.23</td><td>5.39</td><td>33.24</td><td>384 246 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2388.84	58.67	-15.33	74.00	59.29	27.23	5.39	33.24	384 246 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	2388.84	58.43	-15.57	74.00	59.05	27.23	5.39	33.24	114 319 Peak																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	2388.84	58.67	-15.33	74.00	59.29	27.23	5.39	33.24	384 246 Peak																																																																							
Avg.	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B (AVG) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2390.00</td><td>47.56</td><td>-6.44</td><td>54.00</td><td>48.16</td><td>27.23</td><td>5.39</td><td>33.22</td><td>114 319 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2390.00	47.56	-6.44	54.00	48.16	27.23	5.39	33.22	114 319 Average	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B (AVG) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 10 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2390.00</td><td>46.71</td><td>-7.29</td><td>54.00</td><td>47.31</td><td>27.23</td><td>5.39</td><td>33.22</td><td>384 246 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2390.00	46.71	-7.29	54.00	47.31	27.23	5.39	33.22	384 246 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	2390.00	47.56	-6.44	54.00	48.16	27.23	5.39	33.22	114 319 Average																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																								
1	2390.00	46.71	-7.29	54.00	47.31	27.23	5.39	33.22	384 246 Average																																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11g CH06 2437MHz - L																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 11 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2389.38</td><td>52.73</td><td>-21.27</td><td>74.00</td><td>53.35</td><td>27.23</td><td>5.39</td><td>33.24</td><td>112</td><td>289 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.38	52.73	-21.27	74.00	53.35	27.23	5.39	33.24	112	289 Peak	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 11 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2383.44</td><td>51.45</td><td>-22.55</td><td>74.00</td><td>52.11</td><td>27.19</td><td>5.39</td><td>33.24</td><td>374</td><td>234 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2383.44	51.45	-22.55	74.00	52.11	27.19	5.39	33.24	374	234 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2389.38	52.73	-21.27	74.00	53.35	27.23	5.39	33.24	112	289 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2383.44	51.45	-22.55	74.00	52.11	27.19	5.39	33.24	374	234 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 11 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2390.00</td><td>42.47</td><td>-11.53</td><td>54.00</td><td>43.07</td><td>27.23</td><td>5.39</td><td>33.22</td><td>112</td><td>289 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2390.00	42.47	-11.53	54.00	43.07	27.23	5.39	33.22	112	289 Average	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:0.010KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 11 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 2390.00</td><td>41.39</td><td>-12.61</td><td>54.00</td><td>41.99</td><td>27.23</td><td>5.39</td><td>33.22</td><td>374</td><td>234 Average</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2390.00	41.39	-12.61	54.00	41.99	27.23	5.39	33.22	374	234 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2390.00	42.47	-11.53	54.00	43.07	27.23	5.39	33.22	112	289 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2390.00	41.39	-12.61	54.00	41.99	27.23	5.39	33.22	374	234 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																															
ANT	802.11g CH06 2437MHz - R																																																																															
1	Horizontal					Vertical																																																																										
Peak	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2486.52</td><td>53.30</td><td>-20.70</td><td>74.00</td><td>53.56</td><td>27.46</td><td>5.46</td><td>33.18</td><td>112 289 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2486.52	53.30	-20.70	74.00	53.56	27.46	5.46	33.18	112 289 Peak	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2490.16</td><td>52.66</td><td>-21.34</td><td>74.00</td><td>52.88</td><td>27.50</td><td>5.46</td><td>33.18</td><td>374 234 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2490.16	52.66	-21.34	74.00	52.88	27.50	5.46	33.18	374 234 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2486.52	53.30	-20.70	74.00	53.56	27.46	5.46	33.18	112 289 Peak																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2490.16	52.66	-21.34	74.00	52.88	27.50	5.46	33.18	374 234 Peak																																																																							
Avg.	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>43.16</td><td>-10.84</td><td>54.00</td><td>43.42</td><td>27.46</td><td>5.46</td><td>33.18</td><td>112 289 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	43.16	-10.84	54.00	43.42	27.46	5.46	33.18	112 289 Average	Level (dBuV/m) Date: 2015-12-14  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 11 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.56</td><td>42.06</td><td>-11.94</td><td>54.00</td><td>42.32</td><td>27.46</td><td>5.46</td><td>33.18</td><td>374 234 Average</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.56	42.06	-11.94	54.00	42.32	27.46	5.46	33.18	374 234 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.52	43.16	-10.84	54.00	43.42	27.46	5.46	33.18	112 289 Average																																																																							
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																							
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																							
1	2483.56	42.06	-11.94	54.00	42.32	27.46	5.46	33.18	374 234 Average																																																																							







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																				
ANT	802.11g CH11 2462MHz																																																																				
1	Horizontal					Vertical																																																															
Peak																																																																					
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.08</td><td>61.26</td><td>-12.74</td><td>74.00</td><td>61.48</td><td>27.50</td><td>5.46</td><td>33.18</td><td>108 293 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2491.08	61.26	-12.74	74.00	61.48	27.50	5.46	33.18	108 293 Peak	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2491.72</td><td>58.88</td><td>-15.12</td><td>74.00</td><td>59.10</td><td>27.50</td><td>5.46</td><td>33.18</td><td>367 234 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2491.72	58.88	-15.12	74.00	59.10	27.50	5.46	33.18
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	2491.08	61.26	-12.74	74.00	61.48	27.50	5.46	33.18	108 293 Peak																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	2491.72	58.88	-15.12	74.00	59.10	27.50	5.46	33.18	367 234 Peak																																																												
Avg.																																																																					
	Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>49.11</td><td>-4.89</td><td>54.00</td><td>49.37</td><td>27.46</td><td>5.46</td><td>33.18</td><td>108 293 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	49.11	-4.89	54.00	49.37	27.46	5.46	33.18	108 293 Average	Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 12 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamplifier</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2483.52</td><td>47.13</td><td>-6.87</td><td>54.00</td><td>47.39</td><td>27.46</td><td>5.46</td><td>33.18</td><td>367 234 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2483.52	47.13	-6.87	54.00	47.39	27.46	5.46	33.18
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	2483.52	49.11	-4.89	54.00	49.37	27.46	5.46	33.18	108 293 Average																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamplifier	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	2483.52	47.13	-6.87	54.00	47.39	27.46	5.46	33.18	367 234 Average																																																												







2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT20 CH01 2412MHz																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.92</td><td>61.78</td><td>-12.22</td><td>74.00</td><td>62.38</td><td>27.23</td><td>5.39</td><td>33.22</td><td>115 315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.92	61.78	-12.22	74.00	62.38	27.23	5.39	33.22	115 315 Peak	Level (dBuV/m) Date: 2015-12-16  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.83</td><td>59.93</td><td>-14.07</td><td>74.00</td><td>60.53</td><td>27.23</td><td>5.39</td><td>33.22</td><td>395 242 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.83	59.93	-14.07	74.00	60.53	27.23	5.39	33.22	395 242 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.92	61.78	-12.22	74.00	62.38	27.23	5.39	33.22	115 315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.83	59.93	-14.07	74.00	60.53	27.23	5.39	33.22	395 242 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.56</td><td>51.03</td><td>-2.97</td><td>54.00</td><td>51.65</td><td>27.23</td><td>5.39</td><td>33.24</td><td>115 315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.56	51.03	-2.97	54.00	51.65	27.23	5.39	33.24	115 315 Average	Level (dBuV/m) Date: 2015-12-16  Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:1000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2390.00</td><td>49.41</td><td>-4.59</td><td>54.00</td><td>50.01</td><td>27.23</td><td>5.39</td><td>33.22</td><td>395 242 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2390.00	49.41	-4.59	54.00	50.01	27.23	5.39	33.22	395 242 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.56	51.03	-2.97	54.00	51.65	27.23	5.39	33.24	115 315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2390.00	49.41	-4.59	54.00	50.01	27.23	5.39	33.22	395 242 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																							
ANT	802.11n HT20 CH06 2437MHz - L																																																																							
1	Horizontal					Vertical																																																																		
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2384.88</td><td>55.33</td><td>-18.67</td><td>74.00</td><td>55.99</td><td>27.19</td><td>5.39</td><td>33.24</td><td>115</td><td>316 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2384.88	55.33	-18.67	74.00	55.99	27.19	5.39	33.24	115	316 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2360.94</td><td>52.40</td><td>-21.60</td><td>74.00</td><td>53.18</td><td>27.14</td><td>5.33</td><td>33.25</td><td>382</td><td>234 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2360.94	52.40	-21.60	74.00	53.18	27.14	5.33	33.25	382	234 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2384.88	55.33	-18.67	74.00	55.99	27.19	5.39	33.24	115	316 Peak																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2360.94	52.40	-21.60	74.00	53.18	27.14	5.33	33.25	382	234 Peak																																																														
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.56</td><td>44.45</td><td>-9.55</td><td>54.00</td><td>45.07</td><td>27.23</td><td>5.39</td><td>33.24</td><td>115</td><td>316 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.56	44.45	-9.55	54.00	45.07	27.23	5.39	33.24	115	316 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 14 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>2389.11</td><td>42.63</td><td>-11.37</td><td>54.00</td><td>43.25</td><td>27.23</td><td>5.39</td><td>33.24</td><td>382</td><td>234 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	2389.11	42.63	-11.37	54.00	43.25	27.23	5.39	33.24	382	234 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2389.56	44.45	-9.55	54.00	45.07	27.23	5.39	33.24	115	316 Average																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																
1	2389.11	42.63	-11.37	54.00	43.25	27.23	5.39	33.24	382	234 Average																																																														



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT20 CH06 2437MHz - R									
1	Horizontal					Vertical				
Peak										







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT20 CH11 2462MHz									
1	Horizontal					Vertical				
Peak	</									



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH03 2422MHz - L																																																																					
1	Horizontal					Vertical																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2387.94</td><td>62.42</td><td>-11.58</td><td>74.00</td><td>63.04</td><td>27.23</td><td>5.39</td><td>33.24</td><td>114</td><td>315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2387.94	62.42	-11.58	74.00	63.04	27.23	5.39	33.24	114	315 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2387.58</td><td>61.54</td><td>-12.46</td><td>74.00</td><td>62.16</td><td>27.23</td><td>5.39</td><td>33.24</td><td>386</td><td>238 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2387.58	61.54	-12.46	74.00	62.16	27.23	5.39	33.24	386	238 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2387.94	62.42	-11.58	74.00	63.04	27.23	5.39	33.24	114	315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2387.58	61.54	-12.46	74.00	62.16	27.23	5.39	33.24	386	238 Peak																																																													
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2388.57</td><td>53.02</td><td>-0.98</td><td>54.00</td><td>53.64</td><td>27.23</td><td>5.39</td><td>33.24</td><td>114</td><td>315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2388.57	53.02	-0.98	54.00	53.64	27.23	5.39	33.24	114	315 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2388.93</td><td>51.96</td><td>-2.04</td><td>54.00</td><td>52.58</td><td>27.23</td><td>5.39</td><td>33.24</td><td>386</td><td>238 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2388.93	51.96	-2.04	54.00	52.58	27.23	5.39	33.24	386	238 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2388.57	53.02	-0.98	54.00	53.64	27.23	5.39	33.24	114	315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2388.93	51.96	-2.04	54.00	52.58	27.23	5.39	33.24	386	238 Average																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH03 2422MHz - R																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16 Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2488.52</td><td>54.26</td><td>-19.74</td><td>74.00</td><td>54.48</td><td>27.50</td><td>5.46</td><td>33.18</td><td>114</td><td>315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 2488.52	54.26	-19.74	74.00	54.48	27.50	5.46	33.18	114	315 Peak	Level (dBuV/m) Date: 2015-12-16 Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3000.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2485.28</td><td>52.86</td><td>-21.14</td><td>74.00</td><td>53.12</td><td>27.46</td><td>5.46</td><td>33.18</td><td>386</td><td>238 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 2485.28	52.86	-21.14	74.00	53.12	27.46	5.46	33.18	386	238 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 2488.52	54.26	-19.74	74.00	54.48	27.50	5.46	33.18	114	315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 2485.28	52.86	-21.14	74.00	53.12	27.46	5.46	33.18	386	238 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16 Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2489.76</td><td>45.06</td><td>-8.94</td><td>54.00</td><td>45.28</td><td>27.50</td><td>5.46</td><td>33.18</td><td>114</td><td>315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 2489.76	45.06	-8.94	54.00	45.28	27.50	5.46	33.18	114	315 Average	Level (dBuV/m) Date: 2015-12-16 Frequency (MHz) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL RBW:1000.000KHz VBW:3.000KHz SWT:Auto Detector : Peak Project : 5N1313 Mode : 16 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1 2492.60</td><td>43.68</td><td>-10.32</td><td>54.00</td><td>43.89</td><td>27.50</td><td>5.46</td><td>33.17</td><td>386</td><td>238 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1 2492.60	43.68	-10.32	54.00	43.89	27.50	5.46	33.17	386	238 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 2489.76	45.06	-8.94	54.00	45.28	27.50	5.46	33.18	114	315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																														
1 2492.60	43.68	-10.32	54.00	43.89	27.50	5.46	33.17	386	238 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH06 2437MHz - L																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.11</td><td>57.79</td><td>-16.21</td><td>74.00</td><td>58.41</td><td>27.23</td><td>5.39</td><td>33.24</td><td>110 315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.11	57.79	-16.21	74.00	58.41	27.23	5.39	33.24	110 315 Peak	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.83</td><td>55.00</td><td>-19.00</td><td>74.00</td><td>55.60</td><td>27.23</td><td>5.39</td><td>33.22</td><td>382 238 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.83	55.00	-19.00	74.00	55.60	27.23	5.39	33.22	382 238 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.11	57.79	-16.21	74.00	58.41	27.23	5.39	33.24	110 315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.83	55.00	-19.00	74.00	55.60	27.23	5.39	33.22	382 238 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.74</td><td>48.79</td><td>-5.21</td><td>54.00</td><td>49.41</td><td>27.23</td><td>5.39</td><td>33.24</td><td>110 315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.74	48.79	-5.21	54.00	49.41	27.23	5.39	33.24	110 315 Average	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.83</td><td>46.24</td><td>-7.76</td><td>54.00</td><td>46.84</td><td>27.23</td><td>5.39</td><td>33.22</td><td>382 238 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.83	46.24	-7.76	54.00	46.84	27.23	5.39	33.22	382 238 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.74	48.79	-5.21	54.00	49.41	27.23	5.39	33.24	110 315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.83	46.24	-7.76	54.00	46.84	27.23	5.39	33.22	382 238 Average																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH06 2437MHz - R																																																																					
1	Horizontal					Vertical																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.72</td><td>62.13</td><td>-11.87</td><td>74.00</td><td>62.39</td><td>27.46</td><td>5.46</td><td>33.18</td><td>110</td><td>315 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.72	62.13	-11.87	74.00	62.39	27.46	5.46	33.18	110	315 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2485.08</td><td>57.01</td><td>-16.99</td><td>74.00</td><td>57.27</td><td>27.46</td><td>5.46</td><td>33.18</td><td>382</td><td>238 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2485.08	57.01	-16.99	74.00	57.27	27.46	5.46	33.18	382	238 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.72	62.13	-11.87	74.00	62.39	27.46	5.46	33.18	110	315 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2485.08	57.01	-16.99	74.00	57.27	27.46	5.46	33.18	382	238 Peak																																																													
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>50.88</td><td>-3.12</td><td>54.00</td><td>51.14</td><td>27.46</td><td>5.46</td><td>33.18</td><td>110</td><td>315 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	50.88	-3.12	54.00	51.14	27.46	5.46	33.18	110	315 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 17 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>46.55</td><td>-7.45</td><td>54.00</td><td>46.81</td><td>27.46</td><td>5.46</td><td>33.18</td><td>382</td><td>238 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	46.55	-7.45	54.00	46.81	27.46	5.46	33.18	382	238 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.52	50.88	-3.12	54.00	51.14	27.46	5.46	33.18	110	315 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.52	46.55	-7.45	54.00	46.81	27.46	5.46	33.18	382	238 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH09 2452MHz - L																																																																					
1	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.95</td><td>54.55</td><td>-19.45</td><td>74.00</td><td>55.17</td><td>27.23</td><td>5.39</td><td>33.24</td><td>111 314 Peak</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.95	54.55	-19.45	74.00	55.17	27.23	5.39	33.24	111 314 Peak	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.86</td><td>52.94</td><td>-21.06</td><td>74.00</td><td>53.56</td><td>27.23</td><td>5.39</td><td>33.24</td><td>372 240 Peak</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.86	52.94	-21.06	74.00	53.56	27.23	5.39	33.24	372 240 Peak
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2386.95	54.55	-19.45	74.00	55.17	27.23	5.39	33.24	111 314 Peak																																																													
Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2386.86	52.94	-21.06	74.00	53.56	27.23	5.39	33.24	372 240 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.86</td><td>46.28</td><td>-7.72</td><td>54.00</td><td>46.90</td><td>27.23</td><td>5.39</td><td>33.24</td><td>111 314 Average</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.86	46.28	-7.72	54.00	46.90	27.23	5.39	33.24	111 314 Average	Level (dBuV/m) Date: 2015-12-16 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp Loss Factor</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.77</td><td>43.91</td><td>-10.09</td><td>54.00</td><td>44.53</td><td>27.23</td><td>5.39</td><td>33.24</td><td>372 240 Average</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.77	43.91	-10.09	54.00	44.53	27.23	5.39	33.24	372 240 Average
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2386.86	46.28	-7.72	54.00	46.90	27.23	5.39	33.24	111 314 Average																																																													
Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp Loss Factor	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2386.77	43.91	-10.09	54.00	44.53	27.23	5.39	33.24	372 240 Average																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH09 2452MHz - R																																																																					
1	Horizontal					Vertical																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2487.00</td><td>61.65</td><td>-12.35</td><td>74.00</td><td>61.91</td><td>27.46</td><td>5.46</td><td>33.18</td><td>111</td><td>314 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2487.00	61.65	-12.35	74.00	61.91	27.46	5.46	33.18	111	314 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.64</td><td>58.89</td><td>-15.11</td><td>74.00</td><td>59.15</td><td>27.46</td><td>5.46</td><td>33.18</td><td>372</td><td>240 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.64	58.89	-15.11	74.00	59.15	27.46	5.46	33.18	372	240 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2487.00	61.65	-12.35	74.00	61.91	27.46	5.46	33.18	111	314 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.64	58.89	-15.11	74.00	59.15	27.46	5.46	33.18	372	240 Peak																																																													
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.92</td><td>53.24</td><td>-0.76</td><td>54.00</td><td>53.50</td><td>27.46</td><td>5.46</td><td>33.18</td><td>111</td><td>314 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.92	53.24	-0.76	54.00	53.50	27.46	5.46	33.18	111	314 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 18 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.56</td><td>50.02</td><td>-3.98</td><td>54.00</td><td>50.28</td><td>27.46</td><td>5.46</td><td>33.18</td><td>372</td><td>240 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2484.56	50.02	-3.98	54.00	50.28	27.46	5.46	33.18	372	240 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.92	53.24	-0.76	54.00	53.50	27.46	5.46	33.18	111	314 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2484.56	50.02	-3.98	54.00	50.28	27.46	5.46	33.18	372	240 Average																																																													



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																				
ANT	802.11b CH01 2412MHz																																																																				
1	Horizontal					Vertical																																																															
Peak Avg.																																																																					
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 7					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 7																																																															
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>36.65</td><td>-37.35</td><td>74.00</td><td>58.22</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	36.65	-37.35	74.00	58.22	31.46	7.58	60.61	100 0 Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4824.00</td><td>37.33</td><td>-36.67</td><td>74.00</td><td>58.90</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4824.00	37.33	-36.67	74.00	58.90	31.46	7.58	60.61
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4824.00	36.65	-37.35	74.00	58.22	31.46	7.58	60.61	100 0 Peak																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																												
1	4824.00	37.33	-36.67	74.00	58.90	31.46	7.58	60.61	100 0 Peak																																																												

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																											
ANT	802.11b CH06 2437MHz																																																											
1	Horizontal										Vertical																																																	
Peak Avg.																																																												
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 8																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>40.86</td><td>-33.94</td><td>74.00</td><td>61.32</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7308.00</td><td>43.95</td><td>-30.05</td><td>74.00</td><td>59.21</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>																	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	40.86	-33.94	74.00	61.32	31.56	7.70	60.52	100	0 Peak	2	7308.00	43.95	-30.05	74.00	59.21	36.18	9.49	60.93	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																		
1	4872.00	40.86	-33.94	74.00	61.32	31.56	7.70	60.52	100	0 Peak																																																		
2	7308.00	43.95	-30.05	74.00	59.21	36.18	9.49	60.93	100	0 Peak																																																		
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 8																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>40.58</td><td>-33.42</td><td>74.00</td><td>61.84</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7308.00</td><td>43.53</td><td>-30.47</td><td>74.00</td><td>58.79</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>																	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	40.58	-33.42	74.00	61.84	31.56	7.70	60.52	100	0 Peak	2	7308.00	43.53	-30.47	74.00	58.79	36.18	9.49	60.93	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																		
1	4872.00	40.58	-33.42	74.00	61.84	31.56	7.70	60.52	100	0 Peak																																																		
2	7308.00	43.53	-30.47	74.00	58.79	36.18	9.49	60.93	100	0 Peak																																																		







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																														
ANT	802.11b CH11 2462MHz																																																																																														
1	Horizontal										Vertical																																																																																				
Peak Avg.	Level (dBuV/m) Date: 2015-12-17 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 9 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>38.43</td><td>-35.57</td><td>74.00</td><td>59.26</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>46.28</td><td>-27.72</td><td>74.00</td><td>61.57</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	38.43	-35.57	74.00	59.26	31.66	7.93	60.42	100	0 Peak	2	7386.00	46.28	-27.72	74.00	61.57	36.37	9.53	61.19	100	0 Peak	Level (dBuV/m) Date: 2015-12-17 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 9 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>40.00</td><td>-34.00</td><td>74.00</td><td>60.83</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.00</td><td>-28.20</td><td>74.00</td><td>61.09</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	40.00	-34.00	74.00	60.83	31.66	7.93	60.42	100	0 Peak	2	7386.00	45.00	-28.20	74.00	61.09	36.37	9.53	61.19	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4926.00	38.43	-35.57	74.00	59.26	31.66	7.93	60.42	100	0 Peak																																																																																					
2	7386.00	46.28	-27.72	74.00	61.57	36.37	9.53	61.19	100	0 Peak																																																																																					
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																						
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																						
1	4926.00	40.00	-34.00	74.00	60.83	31.66	7.93	60.42	100	0 Peak																																																																																					
2	7386.00	45.00	-28.20	74.00	61.09	36.37	9.53	61.19	100	0 Peak																																																																																					



2.4GHz 2400~2483.5MHz

WIFI 802.11g (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																				
ANT	802.11g CH01 2412MHz																																																																				
1	Horizontal					Vertical																																																															
Peak Avg.																																																																					
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>36.80</td><td>-37.20</td><td>74.00</td><td>58.37</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100 0 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	36.80	-37.20	74.00	58.37	31.46	7.58	60.61	100 0 Peak	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 10 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4824.00</td><td>36.33</td><td>-37.67</td><td>74.00</td><td>57.90</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100 0 Peak</td></tr></tbody></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	36.33	-37.67	74.00	57.90	31.46	7.58	60.61
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																													
1	4824.00	36.80	-37.20	74.00	58.37	31.46	7.58	60.61	100 0 Peak																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																													
1	4824.00	36.33	-37.67	74.00	57.90	31.46	7.58	60.61	100 0 Peak																																																												

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																
ANT	802.11g CH06 2437MHz																																																																																																
1	Horizontal					Vertical																																																																																											
Peak Avg.																																																																																																	
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 11					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 11																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>31.62</td><td>-42.38</td><td>74.00</td><td>52.88</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7308.00</td><td>41.16</td><td>-32.84</td><td>74.00</td><td>56.42</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4872.00	31.62	-42.38	74.00	52.88	31.56	7.70	60.52	100	0 Peak	2	7308.00	41.16	-32.84	74.00	56.42	36.18	9.49	60.93	100	0 Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>37.10</td><td>-36.90</td><td>74.00</td><td>58.36</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7308.00</td><td>43.56</td><td>-30.44</td><td>74.00</td><td>58.82</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4872.00	37.10	-36.90	74.00	58.36	31.56	7.70	60.52	100	0 Peak	2	7308.00	43.56	-30.44	74.00	58.82	36.18	9.49	60.93	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																								
1	4872.00	31.62	-42.38	74.00	52.88	31.56	7.70	60.52	100	0 Peak																																																																																							
2	7308.00	41.16	-32.84	74.00	56.42	36.18	9.49	60.93	100	0 Peak																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																								
1	4872.00	37.10	-36.90	74.00	58.36	31.56	7.70	60.52	100	0 Peak																																																																																							
2	7308.00	43.56	-30.44	74.00	58.82	36.18	9.49	60.93	100	0 Peak																																																																																							







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																													
ANT	802.11g CH11 2462MHz																																																																																													
1	Horizontal										Vertical																																																																																			
Peak Avg.	Level (dBuV/m) Date: 2015-12-17 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>37.34</td><td>-36.66</td><td>74.00</td><td>58.17</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>48.96</td><td>-25.04</td><td>74.00</td><td>64.25</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg	1	4926.00	37.34	-36.66	74.00	58.17	31.66	7.93	60.42	100	0 Peak	2	7386.00	48.96	-25.04	74.00	64.25	36.37	9.53	61.19	100	0 Peak	Level (dBuV/m) Date: 2015-12-17 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 12 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>37.01</td><td>-36.99</td><td>74.00</td><td>57.84</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>45.71</td><td>-28.29</td><td>74.00</td><td>61.00</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	37.01	-36.99	74.00	57.84	31.66	7.93	60.42	100	0 Peak	2	7386.00	45.71	-28.29	74.00	61.00	36.37	9.53	61.19	100	0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																				
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																					
	1	4926.00	37.34	-36.66	74.00	58.17	31.66	7.93	60.42	100	0 Peak																																																																																			
2	7386.00	48.96	-25.04	74.00	64.25	36.37	9.53	61.19	100	0 Peak																																																																																				
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																					
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																					
1	4926.00	37.01	-36.99	74.00	57.84	31.66	7.93	60.42	100	0 Peak																																																																																				
2	7386.00	45.71	-28.29	74.00	61.00	36.37	9.53	61.19	100	0 Peak																																																																																				





2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																				
ANT	802.11n HT20 CH01 2412MHz																																																																				
1	Horizontal					Vertical																																																															
Peak Avg.																																																																					
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>35.83</td><td>-38.17</td><td>74.00</td><td>57.40</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	35.83	-38.17	74.00	57.40	31.46	7.58	60.61	100 0 Peak	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 13 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4824.00</td><td>36.31</td><td>-37.69</td><td>74.00</td><td>57.88</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4824.00	36.31	-37.69	74.00	57.88	31.46	7.58	60.61
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																													
1	4824.00	35.83	-38.17	74.00	57.40	31.46	7.58	60.61	100 0 Peak																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																													
1	4824.00	36.31	-37.69	74.00	57.88	31.46	7.58	60.61	100 0 Peak																																																												

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																										
ANT	802.11n HT20 CH06 2437MHz																																																										
1	Horizontal										Vertical																																																
Peak Avg.																																																											
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 14																																																										
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 14																																																										
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>36.48</td><td>-37.52</td><td>74.00</td><td>57.74</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7308.00</td><td>43.87</td><td>-30.13</td><td>74.00</td><td>59.13</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>																	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4872.00	36.48	-37.52	74.00	57.74	31.56	7.70	60.52	100	0 Peak	2	7308.00	43.87	-30.13	74.00	59.13	36.18	9.49	60.93	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																	
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																		
1	4872.00	36.48	-37.52	74.00	57.74	31.56	7.70	60.52	100	0 Peak																																																	
2	7308.00	43.87	-30.13	74.00	59.13	36.18	9.49	60.93	100	0 Peak																																																	







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																
ANT	802.11n HT20 CH11 2462MHz																																																																																																
1	Horizontal					Vertical																																																																																											
Peak Avg.																																																																																																	
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 15					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 15																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>37.06</td><td>-36.94</td><td>74.00</td><td>57.89</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>48.59</td><td>-25.41</td><td>74.00</td><td>63.88</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	37.06	-36.94	74.00	57.89	31.66	7.93	60.42	100	0 Peak	2	7386.00	48.59	-25.41	74.00	63.88	36.37	9.53	61.19	100	0 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>37.44</td><td>-36.56</td><td>74.00</td><td>58.27</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7388.00</td><td>45.77</td><td>-28.23</td><td>74.00</td><td>61.06</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	37.44	-36.56	74.00	58.27	31.66	7.93	60.42	100	0 Peak	2	7388.00	45.77	-28.23	74.00	61.06	36.37	9.53	61.19	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4926.00	37.06	-36.94	74.00	57.89	31.66	7.93	60.42	100	0 Peak																																																																																							
2	7386.00	48.59	-25.41	74.00	63.88	36.37	9.53	61.19	100	0 Peak																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4926.00	37.44	-36.56	74.00	58.27	31.66	7.93	60.42	100	0 Peak																																																																																							
2	7388.00	45.77	-28.23	74.00	61.06	36.37	9.53	61.19	100	0 Peak																																																																																							



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																	
ANT	802.11n HT40 CH03 2422MHz																																																																																																	
1	Horizontal						Vertical																																																																																											
Peak Avg.																																																																																																		
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 16						Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 16																																																																																											
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4842.00</td><td>36.70</td><td>-37.30</td><td>74.00</td><td>58.09</td><td>31.49</td><td>7.70</td><td>60.58</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7266.00</td><td>41.27</td><td>-32.73</td><td>74.00</td><td>56.53</td><td>36.11</td><td>9.46</td><td>60.83</td><td>100</td><td>0 Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4842.00	36.70	-37.30	74.00	58.09	31.49	7.70	60.58	100	0 Peak	2	7266.00	41.27	-32.73	74.00	56.53	36.11	9.46	60.83	100	0 Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4842.00</td><td>35.14</td><td>-38.86</td><td>74.00</td><td>56.53</td><td>31.49</td><td>7.70</td><td>60.58</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7266.00</td><td>42.06</td><td>-31.94</td><td>74.00</td><td>57.32</td><td>36.11</td><td>9.46</td><td>60.83</td><td>100</td><td>0 Peak</td></tr></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4842.00	35.14	-38.86	74.00	56.53	31.49	7.70	60.58	100	0 Peak	2	7266.00	42.06	-31.94	74.00	57.32	36.11	9.46	60.83	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4842.00	36.70	-37.30	74.00	58.09	31.49	7.70	60.58	100	0 Peak																																																																																								
2	7266.00	41.27	-32.73	74.00	56.53	36.11	9.46	60.83	100	0 Peak																																																																																								
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																								
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	4842.00	35.14	-38.86	74.00	56.53	31.49	7.70	60.58	100	0 Peak																																																																																								
2	7266.00	42.06	-31.94	74.00	57.32	36.11	9.46	60.83	100	0 Peak																																																																																								

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																		
ANT	802.11n HT40 CH06 2437MHz																																																																																																		
1	Horizontal						Vertical																																																																																												
Peak Avg.																																																																																																			
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 17						Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 17																																																																																												
	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>36.30</td><td>-37.70</td><td>74.00</td><td>57.56</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7311.00</td><td>41.23</td><td>-32.77</td><td>74.00</td><td>56.49</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	36.30	-37.70	74.00	57.56	31.56	7.70	60.52	100	0 Peak	2	7311.00	41.23	-32.77	74.00	56.49	36.18	9.49	60.93	100	0 Peak	<table><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4872.00</td><td>36.03</td><td>-37.97</td><td>74.00</td><td>57.29</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7308.00</td><td>42.07</td><td>-31.93</td><td>74.00</td><td>57.33</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></table>							Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	36.03	-37.97	74.00	57.29	31.56	7.70	60.52	100	0 Peak	2	7308.00	42.07	-31.93	74.00	57.33	36.18	9.49	60.93	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4872.00	36.30	-37.70	74.00	57.56	31.56	7.70	60.52	100	0 Peak																																																																																									
2	7311.00	41.23	-32.77	74.00	56.49	36.18	9.49	60.93	100	0 Peak																																																																																									
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																									
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	4872.00	36.03	-37.97	74.00	57.29	31.56	7.70	60.52	100	0 Peak																																																																																									
2	7308.00	42.07	-31.93	74.00	57.33	36.18	9.49	60.93	100	0 Peak																																																																																									



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m										
ANT	802.11n HT40 CH09 2452MHz										
1	Horizontal										Vertical
Peak Avg.	<										



2.4GHz 2400~2483.5MHz

Emission below 1GHz

2.4GHz WIFI 802.11n HT40 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																	
ANT	802.11n HT40 LF																																																																																																																																																																	
1	Horizontal	Vertical																																																																																																																																																																
QP / Peak	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 29 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>71.58</td><td>32.17</td><td>-7.83</td><td>40.00</td><td>51.32</td><td>12.64</td><td>0.93</td><td>32.72</td><td>---</td></tr><tr><td>2</td><td>119.91</td><td>37.99</td><td>-5.51</td><td>43.50</td><td>51.00</td><td>17.70</td><td>1.14</td><td>32.65</td><td>---</td></tr><tr><td>3</td><td>206.85</td><td>36.52</td><td>-6.98</td><td>43.50</td><td>51.50</td><td>16.13</td><td>1.62</td><td>32.73</td><td>---</td></tr><tr><td>4</td><td>311.90</td><td>40.50</td><td>-5.50</td><td>46.00</td><td>51.31</td><td>20.05</td><td>1.88</td><td>32.74</td><td>103 328 Peak</td></tr><tr><td>5</td><td>360.20</td><td>35.45</td><td>-10.55</td><td>46.00</td><td>44.96</td><td>21.35</td><td>1.94</td><td>32.80</td><td>---</td></tr><tr><td>6</td><td>815.90</td><td>35.16</td><td>-10.84</td><td>46.00</td><td>36.39</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	71.58	32.17	-7.83	40.00	51.32	12.64	0.93	32.72	---	2	119.91	37.99	-5.51	43.50	51.00	17.70	1.14	32.65	---	3	206.85	36.52	-6.98	43.50	51.50	16.13	1.62	32.73	---	4	311.90	40.50	-5.50	46.00	51.31	20.05	1.88	32.74	103 328 Peak	5	360.20	35.45	-10.55	46.00	44.96	21.35	1.94	32.80	---	6	815.90	35.16	-10.84	46.00	36.39	28.49	3.07	32.79	---	Level (dBuV/m) Date: 2015-12-25 Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 29 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>51.60</td><td>34.47</td><td>-5.53</td><td>40.00</td><td>51.71</td><td>14.60</td><td>0.93</td><td>32.77</td><td>100 35 Peak</td></tr><tr><td>2</td><td>58.89</td><td>29.13</td><td>-10.87</td><td>40.00</td><td>48.75</td><td>12.20</td><td>0.93</td><td>32.75</td><td>---</td></tr><tr><td>3</td><td>119.91</td><td>28.17</td><td>-15.33</td><td>43.50</td><td>41.98</td><td>17.70</td><td>1.14</td><td>32.65</td><td>---</td></tr><tr><td>4</td><td>720.00</td><td>28.56</td><td>-17.44</td><td>46.00</td><td>31.62</td><td>27.09</td><td>2.82</td><td>32.97</td><td>---</td></tr><tr><td>5</td><td>797.70</td><td>29.74</td><td>-16.26</td><td>46.00</td><td>31.38</td><td>28.27</td><td>2.97</td><td>32.88</td><td>---</td></tr><tr><td>6</td><td>799.80</td><td>32.81</td><td>-13.19</td><td>46.00</td><td>34.42</td><td>28.30</td><td>2.97</td><td>32.88</td><td>---</td></tr></table>	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	51.60	34.47	-5.53	40.00	51.71	14.60	0.93	32.77	100 35 Peak	2	58.89	29.13	-10.87	40.00	48.75	12.20	0.93	32.75	---	3	119.91	28.17	-15.33	43.50	41.98	17.70	1.14	32.65	---	4	720.00	28.56	-17.44	46.00	31.62	27.09	2.82	32.97	---	5	797.70	29.74	-16.26	46.00	31.38	28.27	2.97	32.88	---	6	799.80	32.81	-13.19	46.00	34.42	28.30	2.97	32.88	---
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																								
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	71.58	32.17	-7.83	40.00	51.32	12.64	0.93	32.72	---																																																																																																																																																									
2	119.91	37.99	-5.51	43.50	51.00	17.70	1.14	32.65	---																																																																																																																																																									
3	206.85	36.52	-6.98	43.50	51.50	16.13	1.62	32.73	---																																																																																																																																																									
4	311.90	40.50	-5.50	46.00	51.31	20.05	1.88	32.74	103 328 Peak																																																																																																																																																									
5	360.20	35.45	-10.55	46.00	44.96	21.35	1.94	32.80	---																																																																																																																																																									
6	815.90	35.16	-10.84	46.00	36.39	28.49	3.07	32.79	---																																																																																																																																																									
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																									
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																									
1	51.60	34.47	-5.53	40.00	51.71	14.60	0.93	32.77	100 35 Peak																																																																																																																																																									
2	58.89	29.13	-10.87	40.00	48.75	12.20	0.93	32.75	---																																																																																																																																																									
3	119.91	28.17	-15.33	43.50	41.98	17.70	1.14	32.65	---																																																																																																																																																									
4	720.00	28.56	-17.44	46.00	31.62	27.09	2.82	32.97	---																																																																																																																																																									
5	797.70	29.74	-16.26	46.00	31.38	28.27	2.97	32.88	---																																																																																																																																																									
6	799.80	32.81	-13.19	46.00	34.42	28.30	2.97	32.88	---																																																																																																																																																									



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11b CH11 2462MHz									
2	Horizontal					Vertical				
Peak										



2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT40 CH03 2422MHz - L									
2	Horizontal					Vertical				
Peak	<									



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT40 CH03 2422MHz - R									
2	Horizontal					Vertical				
Peak	Level (dBuV/m) <									



2.4GHz 2400~2483.5MHz

WIFI 802.11b (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m											
ANT	802.11b CH11 2462MHz											
2	Horizontal						Vertical					
Peak Avg.												

2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)



WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m										
ANT	802.11n HT40 CH03 2422MHz										
2	Horizontal										Vertical
Peak Avg.	Level (dBuV/m) </										



2.4GHz 2400~2483.5MHz

Emission below 1GHz





2.4GHz WIFI 802.11n HT40 (LF)

WIFI	2.4GHz 2400~2483.5MHz																
ANT	802.11n HT40 LF																
2	Horizontal						Vertical										
QP / Peak																	
	Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 31						Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 31										
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg							
	1	52.95	31.95	-8.05	40.00	49.79	14.00	0.93	32.77	---	Peak						
	2	119.91	37.79	-5.71	43.50	51.60	17.70	1.14	32.65	---	Peak						
	3	206.85	39.25	-4.25	43.50	54.23	16.13	1.62	32.73	100	323						
	4	311.90	40.22	-5.78	46.00	51.03	20.05	1.88	32.74	---	Peak						
	5	360.20	35.52	-10.48	46.00	45.03	21.35	1.94	32.00	---	Peak						
	6	815.90	35.92	-10.08	46.00	37.15	28.49	3.07	32.79	---	Peak						
						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		
						MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg		
						1	52.41	34.28	-5.72	40.00	51.82	14.30	0.93	32.77	102	19	Peak
						2	52.95	33.33	-6.67	40.00	51.17	14.00	0.93	32.77	---	---	Peak
						3	60.24	29.05	-10.95	40.00	48.97	11.90	0.93	32.75	---	---	Peak
						4	923.00	31.12	-14.88	46.00	30.12	29.86	3.20	32.06	---	---	Peak
						5	931.40	31.40	-14.60	46.00	30.00	30.08	3.29	31.97	---	---	Peak
						6	943.30	31.71	-14.29	46.00	29.82	30.44	3.29	31.84	---	---	Peak







2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT20 CH01 2412MHz																																																																					
1+2	Horizontal					Vertical																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 19 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preampl</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2387.22</td><td>59.66</td><td>-14.34</td><td>74.00</td><td>60.28</td><td>27.23</td><td>5.39</td><td>33.24</td><td>109</td><td>302 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2387.22	59.66	-14.34	74.00	60.28	27.23	5.39	33.24	109	302 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 19 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preampl</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.83</td><td>55.02</td><td>-18.98</td><td>74.00</td><td>55.62</td><td>27.23</td><td>5.39</td><td>33.22</td><td>345</td><td>201 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.83	55.02	-18.98	74.00	55.62	27.23	5.39	33.22	345	201 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2387.22	59.66	-14.34	74.00	60.28	27.23	5.39	33.24	109	302 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2389.83	55.02	-18.98	74.00	55.62	27.23	5.39	33.22	345	201 Peak																																																													
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 19 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preampl</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.92</td><td>48.81</td><td>-5.19</td><td>54.00</td><td>49.41</td><td>27.23</td><td>5.39</td><td>33.22</td><td>109</td><td>302 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.92	48.81	-5.19	54.00	49.41	27.23	5.39	33.22	109	302 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 19 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preampl</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2389.92</td><td>45.80</td><td>-8.20</td><td>54.00</td><td>46.40</td><td>27.23</td><td>5.39</td><td>33.22</td><td>345</td><td>201 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2389.92	45.80	-8.20	54.00	46.40	27.23	5.39	33.22	345	201 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2389.92	48.81	-5.19	54.00	49.41	27.23	5.39	33.22	109	302 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preampl	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2389.92	45.80	-8.20	54.00	46.40	27.23	5.39	33.22	345	201 Average																																																													







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT20 CH06 2437MHz - L																																																																					
1+2	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 20 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.02</td><td>57.10</td><td>-16.90</td><td>74.00</td><td>57.72</td><td>27.23</td><td>5.39</td><td>33.24</td><td>111 320 Peak</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.02	57.10	-16.90	74.00	57.72	27.23	5.39	33.24	111 320 Peak	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 20 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2382.72</td><td>52.82</td><td>-21.18</td><td>74.00</td><td>53.48</td><td>27.19</td><td>5.39</td><td>33.24</td><td>389 232 Peak</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2382.72	52.82	-21.18	74.00	53.48	27.19	5.39	33.24	389 232 Peak
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.02	57.10	-16.90	74.00	57.72	27.23	5.39	33.24	111 320 Peak																																																													
Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2382.72	52.82	-21.18	74.00	53.48	27.19	5.39	33.24	389 232 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 20 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.03</td><td>45.42</td><td>-8.58</td><td>54.00</td><td>46.04</td><td>27.23</td><td>5.39</td><td>33.24</td><td>111 320 Average</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.03	45.42	-8.58	54.00	46.04	27.23	5.39	33.24	111 320 Average	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 20 <table><tr><th>Freq</th><th>Level</th><th>Over Limit</th><th>Limit Line</th><th>ReadAntenna Level Factor</th><th>Cable Loss Factor</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2387.22</td><td>44.64</td><td>-9.36</td><td>54.00</td><td>45.26</td><td>27.23</td><td>5.39</td><td>33.24</td><td>389 232 Average</td></tr></table>					Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2387.22	44.64	-9.36	54.00	45.26	27.23	5.39	33.24	389 232 Average
	Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2388.03	45.42	-8.58	54.00	46.04	27.23	5.39	33.24	111 320 Average																																																													
Freq	Level	Over Limit	Limit Line	ReadAntenna Level Factor	Cable Loss Factor	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2387.22	44.64	-9.36	54.00	45.26	27.23	5.39	33.24	389 232 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT20 CH06 2437MHz - R									
1+2	Horizontal					Vertical				
Peak	</									







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT20 CH11 2462MHz																																																																					
1+2	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : Z1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2486.28</td><td>62.64</td><td>-11.36</td><td>74.00</td><td>62.90</td><td>27.46</td><td>5.46</td><td>33.18</td><td>101</td><td>300 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2486.28	62.64	-11.36	74.00	62.90	27.46	5.46	33.18	101	300 Peak	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : Z1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.84</td><td>59.18</td><td>-14.82</td><td>74.00</td><td>59.44</td><td>27.46</td><td>5.46</td><td>33.18</td><td>372</td><td>198 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2484.84	59.18	-14.82	74.00	59.44	27.46	5.46	33.18	372	198 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2486.28	62.64	-11.36	74.00	62.90	27.46	5.46	33.18	101	300 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2484.84	59.18	-14.82	74.00	59.44	27.46	5.46	33.18	372	198 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B (AVG) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : Z1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.84</td><td>52.78</td><td>-1.22</td><td>54.00</td><td>53.04</td><td>27.46</td><td>5.46</td><td>33.18</td><td>101</td><td>300 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.84	52.78	-1.22	54.00	53.04	27.46	5.46	33.18	101	300 Average	Level (dBuV/m) Date: 2015-12-16  FCC CLASS-B (AVG) Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : Z1 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.68</td><td>48.75</td><td>-5.25</td><td>54.00</td><td>49.01</td><td>27.46</td><td>5.46</td><td>33.18</td><td>372</td><td>198 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.68	48.75	-5.25	54.00	49.01	27.46	5.46	33.18	372	198 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.84	52.78	-1.22	54.00	53.04	27.46	5.46	33.18	101	300 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.68	48.75	-5.25	54.00	49.01	27.46	5.46	33.18	372	198 Average																																																													



2.4GHz 2400~2483.5MHz





WIFI 802.11n HT40 (Band Edge @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																							
ANT	802.11n HT40 CH03 2422MHz - L																																																																							
1+2	Horizontal					Vertical																																																																		
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 22 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2386.50</td><td>60.76</td><td>-13.24</td><td>74.00</td><td>61.38</td><td>27.23</td><td>5.39</td><td>33.24</td><td>100</td><td>299 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2386.50	60.76	-13.24	74.00	61.38	27.23	5.39	33.24	100	299 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 22 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.92</td><td>57.06</td><td>-16.94</td><td>74.00</td><td>57.66</td><td>27.23</td><td>5.39</td><td>33.22</td><td>366</td><td>258 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.92	57.06	-16.94	74.00	57.66	27.23	5.39	33.22	366	258 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2386.50	60.76	-13.24	74.00	61.38	27.23	5.39	33.24	100	299 Peak																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2389.92	57.06	-16.94	74.00	57.66	27.23	5.39	33.22	366	258 Peak																																																														
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 22 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.65</td><td>51.40</td><td>-2.60</td><td>54.00</td><td>52.02</td><td>27.23</td><td>5.39</td><td>33.24</td><td>100</td><td>299 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.65	51.40	-2.60	54.00	52.02	27.23	5.39	33.24	100	299 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 22 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.65</td><td>48.38</td><td>-5.62</td><td>54.00</td><td>49.00</td><td>27.23</td><td>5.39</td><td>33.24</td><td>366</td><td>258 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.65	48.38	-5.62	54.00	49.00	27.23	5.39	33.24	366	258 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																														
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2389.65	51.40	-2.60	54.00	52.02	27.23	5.39	33.24	100	299 Average																																																														
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																															
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																															
1	2389.65	48.38	-5.62	54.00	49.00	27.23	5.39	33.24	366	258 Average																																																														







WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT40 CH03 2422MHz - R									
1+2	Horizontal					Vertical				
Peak										



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH06 2437MHz - L																																																																					
1+2	Horizontal					Vertical																																																																
Peak	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2388.93</td><td>59.60</td><td>-14.40</td><td>74.00</td><td>60.22</td><td>27.23</td><td>5.39</td><td>33.24</td><td>100 318 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2388.93	59.60	-14.40	74.00	60.22	27.23	5.39	33.24	100 318 Peak	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2376.51</td><td>51.66</td><td>-22.34</td><td>74.00</td><td>52.32</td><td>27.19</td><td>5.39</td><td>33.24</td><td>116 43 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2376.51	51.66	-22.34	74.00	52.32	27.19	5.39	33.24	116 43 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2388.93	59.60	-14.40	74.00	60.22	27.23	5.39	33.24	100 318 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2376.51	51.66	-22.34	74.00	52.32	27.19	5.39	33.24	116 43 Peak																																																													
Avg.	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.92</td><td>49.91</td><td>-4.09</td><td>54.00</td><td>50.51</td><td>27.23</td><td>5.39</td><td>33.22</td><td>100 318 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.92	49.91	-4.09	54.00	50.51	27.23	5.39	33.22	100 318 Average	Level (dBuV/m) Date: 2015-12-16  Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>2389.65</td><td>42.53</td><td>-11.47</td><td>54.00</td><td>43.15</td><td>27.23</td><td>5.39</td><td>33.24</td><td>116 43 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	2389.65	42.53	-11.47	54.00	43.15	27.23	5.39	33.24	116 43 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.92	49.91	-4.09	54.00	50.51	27.23	5.39	33.22	100 318 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1	2389.65	42.53	-11.47	54.00	43.15	27.23	5.39	33.24	116 43 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m																																																																					
ANT	802.11n HT40 CH06 2437MHz - R																																																																					
1+2	Horizontal					Vertical																																																																
Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.36</td><td>59.54</td><td>-14.46</td><td>74.00</td><td>59.80</td><td>27.46</td><td>5.46</td><td>33.18</td><td>100</td><td>318 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2484.36	59.54	-14.46	74.00	59.80	27.46	5.46	33.18	100	318 Peak	 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.08</td><td>53.26</td><td>-20.74</td><td>74.00</td><td>53.52</td><td>27.46</td><td>5.46</td><td>33.18</td><td>116</td><td>43 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2484.08	53.26	-20.74	74.00	53.52	27.46	5.46	33.18	116	43 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2484.36	59.54	-14.46	74.00	59.80	27.46	5.46	33.18	100	318 Peak																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2484.08	53.26	-20.74	74.00	53.52	27.46	5.46	33.18	116	43 Peak																																																													
Avg.	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF HORIZONTAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2483.52</td><td>49.50</td><td>-4.50</td><td>54.00</td><td>49.76</td><td>27.46</td><td>5.46</td><td>33.18</td><td>100</td><td>318 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2483.52	49.50	-4.50	54.00	49.76	27.46	5.46	33.18	100	318 Average	 Site : 03CH10-HY Condition : FCC CLASS-B (AVG) 3m HORN 9120D-HF VERTICAL Detector : Peak Project : 5N1313 Mode : 23 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 2484.32</td><td>43.74</td><td>-10.26</td><td>54.00</td><td>44.00</td><td>27.46</td><td>5.46</td><td>33.18</td><td>116</td><td>43 Average</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 2484.32	43.74	-10.26	54.00	44.00	27.46	5.46	33.18	116	43 Average
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																												
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2483.52	49.50	-4.50	54.00	49.76	27.46	5.46	33.18	100	318 Average																																																													
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																													
1 2484.32	43.74	-10.26	54.00	44.00	27.46	5.46	33.18	116	43 Average																																																													



WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT40 CH09 2452MHz - L									
1+2	Horizontal					Vertical				
Peak	Level (dBuV/m) <									





WIFI	2.4GHz 2400~2483.5MHz Band Edge @ 3m									
ANT	802.11n HT40 CH09 2452MHz - R									
1+2	Horizontal					Vertical				
Peak	<									





2.4GHz 2400~2483.5MHz

WIFI 802.11n HT20 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																											
ANT	802.11n HT20 CH01 2412MHz																																																																											
1+2	Horizontal										Vertical																																																																	
Peak Avg.	Level (dBuV/m) Date: 2015-12-17 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 19 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4824.00</td><td>36.31</td><td>-37.69</td><td>74.00</td><td>57.88</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100</td><td>0 Peak</td></tr></table> Level (dBuV/m) Date: 2015-12-17 Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 19 <table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 4824.00</td><td>35.74</td><td>-38.26</td><td>74.00</td><td>57.31</td><td>31.46</td><td>7.58</td><td>60.61</td><td>100</td><td>0 Peak</td></tr></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 4824.00	36.31	-37.69	74.00	57.88	31.46	7.58	60.61	100	0 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1 4824.00	35.74	-38.26	74.00	57.31	31.46	7.58	60.61	100	0 Peak						
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																		
1 4824.00	36.31	-37.69	74.00	57.88	31.46	7.58	60.61	100	0 Peak																																																																			
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																			
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																			
1 4824.00	35.74	-38.26	74.00	57.31	31.46	7.58	60.61	100	0 Peak																																																																			

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																
ANT	802.11n HT20 CH06 2437MHz																																																																																																
1+2	Horizontal					Vertical																																																																																											
Peak Avg.																																																																																																	
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 20					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 20																																																																																											
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>40.27</td><td>-33.73</td><td>74.00</td><td>61.53</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7313.00</td><td>48.24</td><td>-25.76</td><td>74.00</td><td>63.50</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	40.27	-33.73	74.00	61.53	31.56	7.70	60.52	100	0 Peak	2	7313.00	48.24	-25.76	74.00	63.50	36.18	9.49	60.93	100	0 Peak	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4872.00</td><td>37.53</td><td>-36.47</td><td>74.00</td><td>58.79</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7313.00</td><td>44.87</td><td>-29.13</td><td>74.00</td><td>60.13</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100</td><td>0 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4872.00	37.53	-36.47	74.00	58.79	31.56	7.70	60.52	100	0 Peak	2	7313.00	44.87	-29.13	74.00	60.13	36.18	9.49	60.93	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4872.00	40.27	-33.73	74.00	61.53	31.56	7.70	60.52	100	0 Peak																																																																																							
2	7313.00	48.24	-25.76	74.00	63.50	36.18	9.49	60.93	100	0 Peak																																																																																							
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																							
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																							
1	4872.00	37.53	-36.47	74.00	58.79	31.56	7.70	60.52	100	0 Peak																																																																																							
2	7313.00	44.87	-29.13	74.00	60.13	36.18	9.49	60.93	100	0 Peak																																																																																							







WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																																											
ANT	802.11n HT20 CH11 2462MHz																																																																																																											
1+2	Horizontal					Vertical																																																																																																						
Peak																																																																																																												
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : Z1					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : Z1																																																																																																						
	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>38.18</td><td>-35.82</td><td>74.00</td><td>59.01</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>52.58</td><td>-21.42</td><td>74.00</td><td>67.87</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>347 Peak</td></tr><tr><td>3</td><td>7386.00</td><td>46.08</td><td>-7.92</td><td>54.00</td><td>61.37</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>347 Average</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	38.18	-35.82	74.00	59.01	31.66	7.93	60.42	100	0 Peak	2	7386.00	52.58	-21.42	74.00	67.87	36.37	9.53	61.19	100	347 Peak	3	7386.00	46.08	-7.92	54.00	61.37	36.37	9.53	61.19	100	347 Average	<table><thead><tr><th></th><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>4926.00</td><td>37.45</td><td>-36.55</td><td>74.00</td><td>58.28</td><td>31.66</td><td>7.93</td><td>60.42</td><td>100</td><td>0 Peak</td></tr><tr><td>2</td><td>7386.00</td><td>48.45</td><td>-25.55</td><td>74.00</td><td>63.74</td><td>36.37</td><td>9.53</td><td>61.19</td><td>100</td><td>0 Peak</td></tr></tbody></table>						Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark		MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4926.00	37.45	-36.55	74.00	58.28	31.66	7.93	60.42	100	0 Peak	2	7386.00	48.45	-25.55	74.00	63.74	36.37	9.53	61.19	100
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	4926.00	38.18	-35.82	74.00	59.01	31.66	7.93	60.42	100	0 Peak																																																																																																		
2	7386.00	52.58	-21.42	74.00	67.87	36.37	9.53	61.19	100	347 Peak																																																																																																		
3	7386.00	46.08	-7.92	54.00	61.37	36.37	9.53	61.19	100	347 Average																																																																																																		
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																		
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																		
1	4926.00	37.45	-36.55	74.00	58.28	31.66	7.93	60.42	100	0 Peak																																																																																																		
2	7386.00	48.45	-25.55	74.00	63.74	36.37	9.53	61.19	100	0 Peak																																																																																																		
Avg.																																																																																																												





2.4GHz 2400~2483.5MHz

WIFI 802.11n HT40 (Harmonic @ 3m)

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH03 2422MHz																																																																																									
1+2	Horizontal										Vertical																																																																															
Peak Avg.	Level (dBuV/m) Date: 2015-12-17  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 22 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4842.00</td><td>36.29</td><td>-37.71</td><td>74.00</td><td>57.68</td><td>31.49</td><td>7.70</td><td>60.58</td><td>100 0 Peak</td></tr><tr><td>2</td><td>7266.00</td><td>40.35</td><td>-33.65</td><td>74.00</td><td>55.61</td><td>36.11</td><td>9.46</td><td>60.83</td><td>100 0 Peak</td></tr></tbody></table> Level (dBuV/m) Date: 2015-12-17  Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 22 <table><thead><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>4842.00</td><td>35.08</td><td>-38.92</td><td>74.00</td><td>56.47</td><td>31.49</td><td>7.70</td><td>60.58</td><td>100 0 Peak</td></tr><tr><td>2</td><td>7266.00</td><td>40.50</td><td>-33.50</td><td>74.00</td><td>55.76</td><td>36.11</td><td>9.46</td><td>60.83</td><td>100 0 Peak</td></tr></tbody></table>										Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4842.00	36.29	-37.71	74.00	57.68	31.49	7.70	60.58	100 0 Peak	2	7266.00	40.35	-33.65	74.00	55.61	36.11	9.46	60.83	100 0 Peak	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg		1	4842.00	35.08	-38.92	74.00	56.47	31.49	7.70	60.58	100 0 Peak	2	7266.00	40.50	-33.50	74.00	55.76	36.11	9.46	60.83	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																	
1	4842.00	36.29	-37.71	74.00	57.68	31.49	7.70	60.58	100 0 Peak																																																																																	
2	7266.00	40.35	-33.65	74.00	55.61	36.11	9.46	60.83	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	cm	deg																																																																																		
1	4842.00	35.08	-38.92	74.00	56.47	31.49	7.70	60.58	100 0 Peak																																																																																	
2	7266.00	40.50	-33.50	74.00	55.76	36.11	9.46	60.83	100 0 Peak																																																																																	

WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																								
ANT	802.11n HT40 CH06 2437MHz																																																																																								
1+2	Horizontal					Vertical																																																																																			
Peak Avg.																																																																																									
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 23					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 23																																																																																			
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4872.00</td><td>36.80</td><td>-37.20</td><td>74.00</td><td>58.06</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100 0 Peak</td></tr><tr><td>2</td><td>7313.00</td><td>45.02</td><td>-28.98</td><td>74.00</td><td>60.28</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m		dB	dBuV/m	dBuV	dB/m	dB	dB		1	4872.00	36.80	-37.20	74.00	58.06	31.56	7.70	60.52	100 0 Peak	2	7313.00	45.02	-28.98	74.00	60.28	36.18	9.49	60.93	100 0 Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Pream</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th></th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1</td><td>4874.00</td><td>36.65</td><td>-37.35</td><td>74.00</td><td>57.91</td><td>31.56</td><td>7.70</td><td>60.52</td><td>100 0 Peak</td></tr><tr><td>2</td><td>7313.00</td><td>43.28</td><td>-36.72</td><td>74.00</td><td>58.54</td><td>36.18</td><td>9.49</td><td>60.93</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark	MHz	dBuV/m		dB	dBuV/m	dBuV	dB/m	dB	dB		1	4874.00	36.65	-37.35	74.00	57.91	31.56	7.70	60.52	100 0 Peak	2	7313.00	43.28	-36.72	74.00	58.54	36.18	9.49	60.93
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m		dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																	
1	4872.00	36.80	-37.20	74.00	58.06	31.56	7.70	60.52	100 0 Peak																																																																																
2	7313.00	45.02	-28.98	74.00	60.28	36.18	9.49	60.93	100 0 Peak																																																																																
Freq	Level	Over	Limit	ReadAntenna	Cable	Pream	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m		dB	dBuV/m	dBuV	dB/m	dB	dB																																																																																	
1	4874.00	36.65	-37.35	74.00	57.91	31.56	7.70	60.52	100 0 Peak																																																																																
2	7313.00	43.28	-36.72	74.00	58.54	36.18	9.49	60.93	100 0 Peak																																																																																





WIFI	2.4GHz 2400~2483.5MHz Harmonic @ 3m																																																																																									
ANT	802.11n HT40 CH09 2452MHz																																																																																									
1+2	Horizontal					Vertical																																																																																				
Peak Avg.																																																																																										
	Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 24					Site : 03CH10-HY Condition : FCC CLASS-B 3m HORN_9170_406_0584 VERTICAL Detector : Peak Project : 5N1313 Mode : 24																																																																																				
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4982.00</td><td>36.34</td><td>-37.66</td><td>74.00</td><td>57.35</td><td>31.63</td><td>7.82</td><td>60.46</td><td>100 0 Peak</td></tr><tr><td>2</td><td>7356.00</td><td>41.87</td><td>-32.13</td><td>74.00</td><td>57.15</td><td>36.30</td><td>9.51</td><td>61.09</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4982.00	36.34	-37.66	74.00	57.35	31.63	7.82	60.46	100 0 Peak	2	7356.00	41.87	-32.13	74.00	57.15	36.30	9.51	61.09	100 0 Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>4982.00</td><td>36.82</td><td>-37.18</td><td>74.00</td><td>57.83</td><td>31.63</td><td>7.82</td><td>60.46</td><td>100 0 Peak</td></tr><tr><td>2</td><td>7356.00</td><td>40.72</td><td>-33.28</td><td>74.00</td><td>56.00</td><td>36.30</td><td>9.51</td><td>61.09</td><td>100 0 Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	4982.00	36.82	-37.18	74.00	57.83	31.63	7.82	60.46	100 0 Peak	2	7356.00	40.72	-33.28	74.00	56.00	36.30	9.51	61.09	100 0 Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4982.00	36.34	-37.66	74.00	57.35	31.63	7.82	60.46	100 0 Peak																																																																																	
2	7356.00	41.87	-32.13	74.00	57.15	36.30	9.51	61.09	100 0 Peak																																																																																	
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																	
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	4982.00	36.82	-37.18	74.00	57.83	31.63	7.82	60.46	100 0 Peak																																																																																	
2	7356.00	40.72	-33.28	74.00	56.00	36.30	9.51	61.09	100 0 Peak																																																																																	



2.4GHz 2400~2483.5MHz

Emission below 1GHz

2.4GHz WIFI 802.11n HT20 (LF)

WIFI	2.4GHz 2400~2483.5MHz																																																																																																																																																																																					
ANT	802.11n HT20 LF																																																																																																																																																																																					
1+2	Horizontal					Vertical																																																																																																																																																																																
QP / Peak																																																																																																																																																																																						
	Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 HORIZONTAL Detector : Peak Project : 5N1313 Mode : 30					Site : 03CH10-HY Condition : FCC CLASS-B 3m CBL6111D-35414 VERTICAL Detector : Peak Project : 5N1313 Mode : 30																																																																																																																																																																																
	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>71.58</td><td>32.02</td><td>-7.98</td><td>40.00</td><td>51.17</td><td>12.64</td><td>0.93</td><td>32.72</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>119.91</td><td>38.05</td><td>-5.45</td><td>43.50</td><td>51.86</td><td>17.70</td><td>1.14</td><td>32.65</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>206.85</td><td>39.03</td><td>-4.47</td><td>43.50</td><td>54.01</td><td>16.13</td><td>1.62</td><td>32.73</td><td>100</td><td>298 Peak</td></tr><tr><td>4</td><td>311.90</td><td>40.27</td><td>-5.73</td><td>46.00</td><td>51.08</td><td>20.05</td><td>1.88</td><td>32.74</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>360.20</td><td>34.84</td><td>-11.16</td><td>46.00</td><td>44.35</td><td>21.35</td><td>1.94</td><td>32.80</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>815.90</td><td>35.16</td><td>-10.84</td><td>46.00</td><td>36.39</td><td>28.49</td><td>3.07</td><td>32.79</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	71.58	32.02	-7.98	40.00	51.17	12.64	0.93	32.72	---	Peak	2	119.91	38.05	-5.45	43.50	51.86	17.70	1.14	32.65	---	Peak	3	206.85	39.03	-4.47	43.50	54.01	16.13	1.62	32.73	100	298 Peak	4	311.90	40.27	-5.73	46.00	51.08	20.05	1.88	32.74	---	Peak	5	360.20	34.84	-11.16	46.00	44.35	21.35	1.94	32.80	---	Peak	6	815.90	35.16	-10.84	46.00	36.39	28.49	3.07	32.79	---	Peak	<table><tr><th>Freq</th><th>Level</th><th>Over</th><th>Limit</th><th>ReadAntenna</th><th>Cable</th><th>Preamp</th><th>A/Pos</th><th>T/Pos</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV/m</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>52.41</td><td>33.43</td><td>-6.57</td><td>40.00</td><td>50.97</td><td>14.30</td><td>0.93</td><td>32.77</td><td>100</td><td>26 Peak</td></tr><tr><td>2</td><td>52.95</td><td>33.03</td><td>-6.97</td><td>40.00</td><td>50.87</td><td>14.00</td><td>0.93</td><td>32.77</td><td>---</td><td>Peak</td></tr><tr><td>3</td><td>59.70</td><td>29.04</td><td>-10.96</td><td>40.00</td><td>48.96</td><td>11.90</td><td>0.93</td><td>32.75</td><td>---</td><td>Peak</td></tr><tr><td>4</td><td>916.00</td><td>31.54</td><td>-14.46</td><td>46.00</td><td>30.83</td><td>29.64</td><td>3.20</td><td>32.13</td><td>---</td><td>Peak</td></tr><tr><td>5</td><td>947.50</td><td>31.61</td><td>-14.39</td><td>46.00</td><td>29.56</td><td>30.55</td><td>3.29</td><td>31.79</td><td>---</td><td>Peak</td></tr><tr><td>6</td><td>953.80</td><td>31.88</td><td>-14.12</td><td>46.00</td><td>29.72</td><td>30.59</td><td>3.29</td><td>31.72</td><td>---</td><td>Peak</td></tr></table>					Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg	1	52.41	33.43	-6.57	40.00	50.97	14.30	0.93	32.77	100	26 Peak	2	52.95	33.03	-6.97	40.00	50.87	14.00	0.93	32.77	---	Peak	3	59.70	29.04	-10.96	40.00	48.96	11.90	0.93	32.75	---	Peak	4	916.00	31.54	-14.46	46.00	30.83	29.64	3.20	32.13	---	Peak	5	947.50	31.61	-14.39	46.00	29.56	30.55	3.29	31.79	---	Peak	6	953.80	31.88	-14.12	46.00	29.72	30.59	3.29	31.72	---	Peak
	Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																												
	MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																												
	1	71.58	32.02	-7.98	40.00	51.17	12.64	0.93	32.72	---	Peak																																																																																																																																																																											
	2	119.91	38.05	-5.45	43.50	51.86	17.70	1.14	32.65	---	Peak																																																																																																																																																																											
	3	206.85	39.03	-4.47	43.50	54.01	16.13	1.62	32.73	100	298 Peak																																																																																																																																																																											
	4	311.90	40.27	-5.73	46.00	51.08	20.05	1.88	32.74	---	Peak																																																																																																																																																																											
	5	360.20	34.84	-11.16	46.00	44.35	21.35	1.94	32.80	---	Peak																																																																																																																																																																											
6	815.90	35.16	-10.84	46.00	36.39	28.49	3.07	32.79	---	Peak																																																																																																																																																																												
Freq	Level	Over	Limit	ReadAntenna	Cable	Preamp	A/Pos	T/Pos	Remark																																																																																																																																																																													
MHz	dBuV/m	dB	dBuV/m	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																																																													
1	52.41	33.43	-6.57	40.00	50.97	14.30	0.93	32.77	100	26 Peak																																																																																																																																																																												
2	52.95	33.03	-6.97	40.00	50.87	14.00	0.93	32.77	---	Peak																																																																																																																																																																												
3	59.70	29.04	-10.96	40.00	48.96	11.90	0.93	32.75	---	Peak																																																																																																																																																																												
4	916.00	31.54	-14.46	46.00	30.83	29.64	3.20	32.13	---	Peak																																																																																																																																																																												
5	947.50	31.61	-14.39	46.00	29.56	30.55	3.29	31.79	---	Peak																																																																																																																																																																												
6	953.80	31.88	-14.12	46.00	29.72	30.59	3.29	31.72	---	Peak																																																																																																																																																																												