

Label definition

For

**TLE II – US variant.
Base Unit.
3240**

Content:


1	Label.	3
1.1	Label Type.....	3
1.2	Label dimension.	3
1.3	Label matrial.	3
1.4	Text on label.....	3
1.5	Supplier numbers.....	3
2	Necessary symbol and text.....	3
3	Label sample.	4

1 Label.

1.1 Label Type.

☒ Unit label
 ☐ Box label
 ☐ Overbox label

1.2 Label dimension.

Width(A): mm	37	
Hight(B): mm	37	
Radius(C) mm	2	

1.3 Label matrial.

☐ Paper
 ☒ Polyester
 ☐ Metal
☒ White Color
 ☐ Black Color
 ☐ Silver Color

1.4 Text on label.

☒ Black Color
 ☐ White Color

1.5 Supplier numbers.

Supplier	Label:	Ribbon:
Norris Print-Tech A/S Sofiendalsvej 81 9200 Aalborg www.npt.dk	Type: E-5303	NPT RZ 60/450 CO

UL listed number: MH27707

2 Necessary symbol and text.

Label must containe	Text / Number.....	Font / Size
☒ Product number/Name	Base Unit	Arial / 6 pt.
☒ Model Number	3240	Arial / 6 pt.
☐ Part Number		
☒ Serial number	Barcode and Text according to RTX serial number specification.	Code 128 Arial / 5 pt.
☐ Customer Number		

☐ Type Approval number		
☒ Other tekst	AC120V; 50-60Hz; 50mA FOR INDOOR USE ONLY	Arial / 5 pt.
☒ FCC mark	"FCC ID: ELI324X" "US: ELIW401x324X" "Privacy of communications may not be ensured when using this phone."	Arial / 5 pt.
☐ CE mark		
☐ WEEE mark		
☒ Ren Factor	REN: 0.1	Arial / 5 pt.
☒ Safty mark		
☐ Grüne punkt		
☒ UL	 I.T.E. 24XW	Control number and EQ code "I.T.E" / "24XW" in Arial 5 pt.
☐ EAN Number		

3 Label sample.



1:1



1:?