


1 2 3 4 5 6 7

REV.	DESCRIPTION	ENG.	APPROVAL
更改	說明	修改人	審核



**NOTE:**

- SN FORMAT: YMDDASSSSSS  
 YY is a code for manufacturing year (10=2010)  
 M is a code for manufacturing month (Jan=A, Feb=B, May=C,.....Del=L)  
 DD is a code for manufacturing day of the month (01,02,03,.....31)  
 A is code for factory(Dongguan=A)  
 SSSSSS (6 digits) is a serial number ( 000001~999999)

**2. Product must be Halogen Free**

Requirement of PRIMAX Green Part:

- Comply with PRIMAX QW-5Q002“Green Product Chemical Substances Specification“.
- Follow customer's specification as required.
- Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

<small>THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.</small>		<b>PRIMAX</b> <sup>®</sup> 東聚電子電訊制品有限公司 PRIMAX ELECTRONICS LTD.										
<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCES: 1.0</small>		USED 用途 RF-EX7	APPD. 審核 Sunger Lee									
<table border="1"> <tr> <th>DIMENSIONS</th> <th>TOLERANCE</th> </tr> <tr> <td><del>6.00 TO 30.00mm</del></td> <td><del>± 0.10mm</del></td> </tr> <tr> <td><del>30.01 TO 80.00mm</del></td> <td><del>± 0.13mm</del></td> </tr> <tr> <td><del>80.01 TO 150.00mm</del></td> <td><del>± 0.15mm</del></td> </tr> <tr> <td>150.01 ↑</td> <td>± 0.20mm</td> </tr> </table>	DIMENSIONS	TOLERANCE	<del>6.00 TO 30.00mm</del>	<del>± 0.10mm</del>	<del>30.01 TO 80.00mm</del>	<del>± 0.13mm</del>	<del>80.01 TO 150.00mm</del>	<del>± 0.15mm</del>	150.01 ↑	± 0.20mm	FINISH 處理 SCALE 比例 / UNIT 單位 mm	CHKD. 校對 Hongmin Hu DR. 製圖 Quanyu Chang 2010/07/13
DIMENSIONS	TOLERANCE											
<del>6.00 TO 30.00mm</del>	<del>± 0.10mm</del>											
<del>30.01 TO 80.00mm</del>	<del>± 0.13mm</del>											
<del>80.01 TO 150.00mm</del>	<del>± 0.15mm</del>											
150.01 ↑	± 0.20mm											
MATERIAL 材質  SEE NOTE 1	TITLE 名稱 TYPE LABEL											
	DWG NO. 圖號		SIZE 圖紙 A4									
	FILE NAME 檔案名稱		SHEET 張 1/1 REV. 更改 0.3									

1 2 3 4 5 6 7

1

2

3

4

5

6

7

A

B

C

D

E


A

B


C

D

REV.	DESCRIPTION	ENG.	APPROVAL
更改	說明	修改人	審核



1 : 1



1 : 1

NOTE:

- SN FORMAT: YMDDASSSSSS  
YY is a code for manufacturing year (10=2010)  
M is a code for manufacturing month (Jan=A, Feb=B, May=C,.....Del=L)  
DD is a code for manufacturing day of the month (01,02,03,.....31)  
A is code for factory(Dongguan=A)  
SSSSSS (6 digits) is a serial number ( 000001~999999)

2. Product must be Halogen Free

Requirement of PRIMAX Green Part:

- Comply with PRIMAX QW-5Q002“Green Product Chemical Substances Specification“.
- Follow customer's specification as required.
- Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

<small>THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.</small>		<b>PRIMAX</b> <sup>®</sup> 東聚電子電訊制品有限公司 <b>PRIMAX ELECTRONICS LTD.</b>										
<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCES: 1.0</small>		<b>USED</b> 用途 RF-EX7-T	<b>APPD.</b> 審核 Sunger Lee									
<table border="1"> <tr> <th>DIMENSIONS</th> <th>TOLERANCE</th> </tr> <tr> <td><del>6.00 TO 30.00mm</del></td> <td><del>± 0.10mm</del></td> </tr> <tr> <td><del>30.01 TO 80.00mm</del></td> <td><del>± 0.13mm</del></td> </tr> <tr> <td><del>80.01 TO 150.00mm</del></td> <td><del>± 0.15mm</del></td> </tr> <tr> <td>150.01 ↑</td> <td>± 0.20mm</td> </tr> </table>	DIMENSIONS	TOLERANCE	<del>6.00 TO 30.00mm</del>	<del>± 0.10mm</del>	<del>30.01 TO 80.00mm</del>	<del>± 0.13mm</del>	<del>80.01 TO 150.00mm</del>	<del>± 0.15mm</del>	150.01 ↑	± 0.20mm	<b>FINISH</b> 處理	<b>CHKD.</b> 校對 Hongmin Hu
DIMENSIONS	TOLERANCE											
<del>6.00 TO 30.00mm</del>	<del>± 0.10mm</del>											
<del>30.01 TO 80.00mm</del>	<del>± 0.13mm</del>											
<del>80.01 TO 150.00mm</del>	<del>± 0.15mm</del>											
150.01 ↑	± 0.20mm											
<b>MATERIAL</b> 材質  SEE NOTE 1	<b>SCALE</b> 比例 /	<b>UNIT</b> 單位 mm	<b>DR.</b> 製圖 Quanyu Chang 2010/08/24									
	<b>TITLE</b> 名稱 TYPE LABEL											
		<b>DWG NO.</b> 圖號	<b>SIZE</b> 圖紙 A4									
		<b>FILE NAME</b> 檔案名稱	<b>SHEET</b> 張 1/1 <b>REV.</b> 更改 0.1									

1

2

3

4

5

6

1

2

3

4

5

6

7

A

B

C

D

E


A

B


C

D

REV.	DESCRIPTION	ENG.	APPROVAL
更改	說明	修改人	審核



1 : 1



1 : 1

NOTE:

1. SN FORMAT: YYMDDASSSSSS

YY is a code for manufacturing year (10=2010)

M is a code for manufacturing month (Jan=A, Feb=B, May=C,.....Del=L)

DD is a code for manufacturing day of the month (01,02,03,.....31)

A is a code for factory (Dongguan=A)

SSSSSS(6 digits) is a serial number (000001~999999)

2. Product must be Halogen Free

Requirement of PRIMAX Green Part:

1. Comply with PRIMAX QW-5Q002“Green Product Chemical Substances Specification“.

2. Follow customer's specification as required.

3. Follow Halogen- Free requirement : Br<900 ppm, Cl<900 ppm, Br+Cl< 1500 ppm if required

<small>THESE DRAWING AND SPECIFICATIONS ARE THE PROPERTY OF PRIMAX ELECTRONICS LTD. AND SHALL NOT BE REPRODUCED COPIED OR USED IN ANY MANNER WITHOUT THE PRIOR WRITTEN CONSENT OF PRIMAX ELECTRONICS LTD.</small>		<b>PRIMAX</b> ® 東聚電子電訊制品有限公司 PRIMAX ELECTRONICS LTD.										
<small>UNLESS OTHERWISE SPECIFIED: DIMENSIONS ARE IN MILLIMETERS ANGULAR TOLERANCES: 1.0</small>		USED 用途 RF-GPS31126	APPD. 審核 Sunger Lee									
<table border="1"> <thead> <tr> <th>DIMENSIONS</th> <th>TOLERANCE</th> </tr> </thead> <tbody> <tr> <td>6.00 TO 30.00mm</td> <td>± 0.10mm</td> </tr> <tr> <td>30.01 TO 80.00mm</td> <td>± 0.13mm</td> </tr> <tr> <td>80.01 TO 150.00mm</td> <td>± 0.15mm</td> </tr> <tr> <td>150.01 ↑</td> <td>± 0.20mm</td> </tr> </tbody> </table>	DIMENSIONS	TOLERANCE	6.00 TO 30.00mm	± 0.10mm	30.01 TO 80.00mm	± 0.13mm	80.01 TO 150.00mm	± 0.15mm	150.01 ↑	± 0.20mm	FINISH 處理	CHKD. 校對 Hongmin Hu
DIMENSIONS	TOLERANCE											
6.00 TO 30.00mm	± 0.10mm											
30.01 TO 80.00mm	± 0.13mm											
80.01 TO 150.00mm	± 0.15mm											
150.01 ↑	± 0.20mm											
MATERIAL 材質	SCALE 比例 /	UNIT 單位 mm	DR. 製圖 Quanyu Chang 2010/07/22									
SEE NOTE 1	TITLE 名稱 TYPE LABEL											
	DWG NO. 圖號		SIZE 圖紙 A4									
FILE NAME 檔案名稱		SHEET 張 1/1	REV. 更改 0.1									

1

2

3

4

5

6