



# Intertek Testing Services

ETL SEMKO

Report No.: 0217505  
Weather band

Tested By: Hong, Report No.: 0217505


Scan Settings (1 Range)

| Frequencies |      |      | Receiver Settings |          |        |       |        |       |
|-------------|------|------|-------------------|----------|--------|-------|--------|-------|
| Start       | Stop | Step | IF BW             | Detector | M-Time | Atten | Preamp | OpRge |
| 450k        | 30M  | 5k   | 10k               | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement: x QP

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

| Transducer No. | Start | Stop | Name   |
|----------------|-------|------|--------|
| 21             | 9k    | 30M  | EW0698 |





# Intertek Testing Services

ETL SEMKO

Report No.: 0217505  
Weather band

Tested By: Hong, Report No.: 0217505

Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | Receiver Settings ----- |          |        |       |        |       |
|-------------------------|------|------|-------------------------|----------|--------|-------|--------|-------|
| Start                   | Stop | Step | IF BW                   | Detector | M-Time | Atten | Preamp | OpRge |
| 450k                    | 30M  | 5k   | 10k                     | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

|          |      |      |
|----------|------|------|
| 16.20500 | 35.9 | 48.0 |
|----------|------|------|

\* limit exceeded



# Intertek Testing Services

## ETL SEMKO

Report No.: 0217505  
FM mode

Tested By: Hong, Report No.: 0217505


### Scan Settings (1 Range)

| Frequencies |      |      |       | Receiver Settings |        |         |              |
|-------------|------|------|-------|-------------------|--------|---------|--------------|
| Start       | Stop | Step | IF BW | Detector          | M-Time | Atten   | Preamp OpRge |
| 450k        | 30M  | 5k   | 10k   | PK                | 20ms   | AUTO LN | OFF 60dB     |

Final Measurement: x QP

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No. Start Stop Name  
21 9k 30M EW0698





# Intertek Testing Services

## ETL SEMKO

Report No.: 0217505  
FM mode

Tested By: Hong, Report No.: 0217505

Scan Settings (1 Range)

| ----- Frequencies ----- |      |      | Receiver Settings ----- |          |        |       |        |       |
|-------------------------|------|------|-------------------------|----------|--------|-------|--------|-------|
| Start                   | Stop | Step | IF BW                   | Detector | M-Time | Atten | Preamp | OpRge |
| 450k                    | 30M  | 5k   | 10k                     | PK       | 20ms   | AUTO  | LN OFF | 60dB  |

Final Measurement

| Frequency | QP Level | QP Limit |
|-----------|----------|----------|
| MHz       | dBuV     | dBuV     |

\* limit exceeded