





Test Mode IEEE 802.11ax (HE40)_ Aux Antenna








Test Mode IEEE 802.11ax (HE80)_ Main Antenna









Test Mode IEEE 802.11ax (HE80)_ Aux Antenna








Test Mode IEEE 802.11ax (HE160)_ Main Antenna





Test Mode IEEE 802.11ax (HE160)_ Aux Antenna







APPENDIX H CONTENTION-BASED PROTOCOL

Test Mode UNII-5, UNII-6, UNII-7, UNII-8


Incumbent Signal (AWGN) Bandwidth




Frequency: 6110 MHz




Frequency: 6185 MHz




Frequency: 6215 MHz




Frequency: 6260 MHz




Frequency: 6430 MHz




Frequency: 6455 MHz




Frequency: 6505 MHz




Frequency: 6580 MHz




Frequency: 6590 MHz




Frequency: 6665 MHz




Frequency: 6695 MHz




Frequency: 6740 MHz




Frequency: 6910 MHz




Frequency: 6985 MHz



Frequency: 7015 MHz





Detection power level and detection probability

	Test Mode	Bandwidth (MHz)	Channel	Frequency (MHz)	Interference Frequency (MHz)	Detection power level (dBm)	Detection Power Limit (dBm)	Number of Times	Number of Detected	Detection Probability	Detection Probability Limit	Test Result
UNII-5	802.11ax	20	53	6215	6215	-46.55	-57.40	10	0	100%	90%	Pass
	802.11ax	160	47	6185	6110	-46.56	-57.40	10	0	100%	90%	Pass
					6185	-46.87	-57.40	10	0	100%	90%	Pass
					6260	-45.94	-57.40	10	0	100%	90%	Pass
UNII-6	802.11ax	20	101	6455	6455	-45.64	-58.43	10	0	100%	90%	Pass
	802.11ax	160	111	6505	6430	-45.73	-58.43	10	0	100%	90%	Pass
					6505	-45.60	-58.43	10	0	100%	90%	Pass
					6580	-44.42	-58.43	10	0	100%	90%	Pass
UNII-7	802.11ax	20	149	6695	6695	-44.99	-58.43	10	0	100%	90%	Pass
	802.11ax	160	143	6665	6590	-44.76	-58.43	10	0	100%	90%	Pass
					6665	-43.45	-58.43	10	0	100%	90%	Pass
					6740	-43.30	-58.43	10	0	100%	90%	Pass
UNII-8	802.11ax	20	213	7015	7015	-45.85	-59.22	10	0	100%	90%	Pass
	802.11ax	160	207	6985	6910	-43.71	-59.22	10	0	100%	90%	Pass
					6985	-43.81	-59.22	10	0	100%	90%	Pass
					7060	-42.39	-59.22	10	0	100%	90%	Pass

NOTE: Detection Level = Injected AWGN Power (dBm) - Antenna Gain (dBi) + Path Loss (dB).


Contention-Based Protocol EUT Channel: CH53 Incumbent Signal Frequency: 6215 MHz



EUT Channel: CH101 Incumbent Signal Frequency: 6455 MHz



EUT Channel: CH149 Incumbent Signal Frequency: 6695 MHz



EUT Channel: CH213 Incumbent Signal Frequency: 7015 MHz

