


Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6345MHz	Polarization	Horizontal
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		12690.00	46.52	8.17	54.69	74.00	-19.31	peak	
2	*	12690.00	35.48	8.17	43.65	54.00	-10.35	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6505MHz	Polarization	Vertical
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13010.00	47.91	8.73	56.64	88.20	-31.56	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6505MHz	Polarization	Horizontal
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13010.00	47.78	8.73	56.51	88.20	-31.69	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6665MHz	Polarization	Vertical
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		13330.00	48.53	8.64	57.17	74.00	-16.83	peak	
2	*	13330.00	37.46	8.64	46.10	54.00	-7.90	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6665MHz	Polarization	Horizontal
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		13330.00	48.36	8.64	57.00	74.00	-17.00	peak	
2	*	13330.00	37.21	8.64	45.85	54.00	-8.15	AVG	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6985MHz	Polarization	Vertical
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13970.00	48.42	8.23	56.65	88.20	-31.55	peak	

REMARKS:

(1) Measurement Value = Reading Level + Correct Factor.

(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE160)	Test Date	2024/11/1
Test Frequency	6985MHz	Polarization	Horizontal
Temp	23°C	Hum.	66%




No.	Mk.	Freq.	Reading Level	Correct Factor	Measure- ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1	*	13970.00	49.66	8.23	57.89	88.20	-30.31	peak	

REMARKS:

- (1) Measurement Value = Reading Level + Correct Factor.
- (2) Margin Level = Measurement Value - Limit Value.


Test Mode	IEEE 802.11ax (HE20)	Test Date	2024/11/1
Test Frequency	6695MHz	Polarization	Vertical
Temp	23°C	Hum.	66%



No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		20085.00	53.36	-7.66	45.70	74.00	-28.30	peak	
2	*	20085.00	41.34	-7.66	33.68	54.00	-20.32	AVG	

REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.

Test Mode	IEEE 802.11ax (HE20)	Test Date	2024/11/1
Test Frequency	6695MHz	Polarization	Horizontal
Temp	23°C	Hum.	66%





No.	Mk.	Freq.	Reading Level	Correct Factor	Measure-ment	Limit	Over		
		MHz	dBuV	dB	dBuV/m	dBuV/m	dB	Detector	Comment
1		20085.00	53.03	-7.66	45.37	74.00	-28.63	peak	
2	*	20085.00	41.23	-7.66	33.57	54.00	-20.43	AVG	


REMARKS:
(1) Measurement Value = Reading Level + Correct Factor.
(2) Margin Level = Measurement Value - Limit Value.


APPENDIX G IN-BAND EMISSION (MASK)

Test Mode IEEE 802.11ax (HE20)_ Main Antenna













Test Mode IEEE 802.11ax (HE20)_ Aux Antenna












Test Mode IEEE 802.11ax (HE40)_ Main Antenna










Test Mode IEEE 802.11ax (HE40)_ Aux Antenna








Test Mode IEEE 802.11ax (HE80)_ Main Antenna







Test Mode IEEE 802.11ax (HE80)_ Aux Antenna

