

Boston Scientific Corporation

ICM BLE Label

3-31-2022

FCC ID label is printed on to a sticker with an adhesive backing that is applied to the device during the manufacturing process. This label consists of an adhesive equipment label that is capable of withstanding normal use scenarios such as handling and cleaning. This label material is what is used on most BSC devices in the lab environment where it will be exposed to repeated handling and cleaning. The label material is created using a P-touch label maker and the Brother P-touch TZe-S651 tape.

Photo 1: Module Label



Photo 2: Module Label and Antenna



Photo 3: P-touch Label Material

The screenshot shows a product page for the Brother TZe-S651 label tape on the PtouchDirect.com website. The page includes a product image, a description, and a reviews section.

Product Image: The product image shows a black Brother TZe-S651 label tape cartridge with a yellow label that reads "24mm TZe 0.94" STRONG ADHESIVE YELLOW". The cartridge is labeled "Brother". To the right of the cartridge, there is a yellow callout box with the text "Black Print on Yellow Label Tape". Above the cartridge, the text "P-touch" is written in a script font, and "TZe-S651" is in a bold, sans-serif font. To the right of the cartridge, there is a vertical dimension indicator with arrows and the text "↑ ~1" and "↓". Below the cartridge, a blue box contains the text "Extra Strength Laminated Label Tape". At the bottom of the image, there is a small note: "For use with P-touch machines that use ~1" TZ & TZe tapes".

Product Details: The product is described as "Black Print on Yellow Label Tape" and is labeled as "Extra Strength Laminated Label Tape". It is noted that it is for use with P-touch machines that use ~1" TZ & TZe tapes.

Reviews: The "REVIEWS" tab is selected, showing a review text: "This Brother TZe-S651 Extra Strength P-touch Black on Yellow is the ideal choice when you not only want to create a bold looking label, but also one that lasts through just about anything. If you need to label textured surfaces such as painted or powder coated metal, the extra strength adhesive on this Brother TZe-S651 is two times stronger than Brother's standard laminates and made specifically for rough or uneven objects. Its laminated surface can also withstand harsh indoor and outdoor temperatures, scratches, abrasions, UV rays and spills of all kinds."

Product Features: A bulleted list of features includes:

- 1" (24mm) wide by 26.2' (8m) long
- You may also know this as TZ-S651 or TZ-S651
- Environmentally friendly packaging
- Extra strength adhesive with twice the strength
- Extra strength adhesive tapes are available in [many sizes and colors](#)
- [Also available in regular adhesive TZe-S651](#) or with special [Flexible Adhesive TZe-FX651 for wrapping cables](#).

Resistant Icons: Six yellow icons with black symbols represent the tape's resistance to various elements:

- Strong Adhesion (scissors icon)
- Abrasion Resistant (scratches icon)
- Chemical Resistant (chemical droplets icon)
- Water Resistant (water droplet icon)
- Fade Resistant (sun icon)
- Temperature Resistant (thermometer icon)