

Tested By: Hong, Report No.: 06251981

Scan Settings (1 Range)


Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No. Start Stop Name

2	1	9k	30M	EW0700
	12	9k	30M	EW1449





Report No.: 06251981
Model No.: 6041
Talk Mode

Tested By: Hong, Report No.: 06251981

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results

Tested By: Hong, Report No.: 06251981

Scan Settings (1 Range)


Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No. Start Stop Name

2	1	9k	30M	EW0700
	12	9k	30M	EW1449





Report No.: 06251981
Model No.: 6042
Talk Mode

Tested By:Hong, Report No.:06251981

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

no Results