

Tested By: Hong, Report No.: 06256951


Scan Settings (1 Range)

Frequencies			Receiver Settings				
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1	9k	30M EW0700
	12	9k	30M EW0192



Tested By: Hong, Report No.: 06256951

Scan Settings (1 Range)

----- Frequencies -----			Receiver Settings -----					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

no Results

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

18.24500	34.1	50.0
----------	------	------

* limit exceeded

Tested By: Hong, Report No.: 06256951


Scan Settings (1 Range)

Frequencies				Receiver Settings			
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO LN	OFF 60dB

Final Measurement: x QP / + AV

Meas Time: 1 s
 Subranges: 16
 Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2 1	9k	30M	EW0700
12	9k	30M	EW0192





Report No.: 06256951
VoIP Online Mode
(Through LAN)

Tested By: Hong, Report No.: 06256951

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit
MHz	dBuV	dBuV

Frequency	AV Level	AV Limit
MHz	dBuV	dBuV

18.24500 32.8 50.0

* limit