




Report No.: HK08110751-1  
Talk Mode (Cordless Handset  
On-Line)  
AC Mains "L"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08110751-1  
Talk Mode (Cordless Handset  
On-Line)  
AC Mains "L"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB  
Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.30750	40.2	60.0	-19.8
0.49650	30.5	56.1	-25.6
1.28400	25.6	56.0	-30.4

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB

no Results

\* limit exceed




Report No.: HK08110751-1  
Talk Mode(Cordless Handset  
On-Line)  
AC Mains "N"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090



Ctrl No.: N/A



Report No.: HK08110751-1  
Talk Mode(Cordless Handset  
On-Line)  
AC Mains "N"

Scan Settings (1 Range)

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB  
Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.30750	39.7	60.0	-20.3
1.29300	32.3	56.0	-23.7

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.30650	26.1	46.0	-19.9

\* Limit exceeded