




Report No.: HK08100365-1  
Dect Base Talking Mode  
AC Mains "N"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08100365-1  
Dect Base Talking Mode  
AC Mains "N"

**Scan Settings (1 Range)**

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

**Final Measurement Results:**

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.68550	32.1	56.0	-23.9
0.95550	30.4	56.0	-25.6
1.23450	31.1	56.0	-24.9
1.55850	29.3	56.0	-26.7

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.33350	26.7	46.0	-19.3

\* limit exceeded




Report No.: HK08100365-1  
Dect Base Talking Mode  
AC Mains "L"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	4.5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08100365-1  
Dect Base Talking Mode  
AC Mains "L"

**Scan Settings (1 Range)**

|----- Frequencies -----||----- Receiver Settings -----|  
Start Stop Step IF BW Detector M-Time Atten Preamp OpRge  
150k 30M 4.5k 10k PK+AV 10ms AUTO LN OFF 60dB

**Final Measurement Results:**

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
0.68550	31.0	56.0	-25.0
0.96450	31.5	56.0	-24.5
1.26150	30.1	56.0	-25.9

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
1.32000	26.2	46.0	-19.8

\* limit exceeded