




Report No.: HK08061147-1  
Bluetooth Tx Mode  
AC Mains "L"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV  
Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08061147-1  
Bluetooth Tx Mode  
AC Mains "L"

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
17.85500	47.5	60.0	-12.5

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
17.85500	47.4	50.0	-2.6
21.95000	34.5	50.0	-15.5

\* limit exceeded



Report No.: HK08061147-1  
Bluetooth Tx Mode  
AC Mains "N"

Report No.:HK080

Scan Settings (1 Range)


|----- Frequencies -----||----- Receiver Settings -----|

Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement: x QP / + AV

Meas Time: 1 s  
Subranges: 16  
Acc Margin: 20dB

Transducer No.	Start	Stop	Name
2	1 9k	30M	EW0700
3	9k	30M	EW2454
12	9k	30M	EW0090





Report No.: HK08061147-1  
Bluetooth Tx Mode  
AC Mains "N"

Report No.:HK080

Scan Settings (1 Range)

Frequencies			Receiver Settings					
Start	Stop	Step	IF BW	Detector	M-Time	Atten	Preamp	OpRge
150k	30M	5k	10k	PK+AV	10ms	AUTO	LN OFF	60dB

Final Measurement Results:

Frequency	QP Level	QP Limit	Delta
MHz	dBuV	dBuV	dB
17.85500	43.1	60.0	-16.9

Frequency	AV Level	AV Limit	Delta
MHz	dBuV	dBuV	dB
17.85500	42.7	50.0	-7.3

\* limit exceeded